

Catifa 53


Design by Lievore Altherr Molina, 2001

Art. 2074

Chair with chromed or powdercoated steel sled base and matt polypropylene single-colour or upholstered in hard leather grade 1 (CT) or hard leather grade 2 (CU). Glides for wooden floors available upon request without surcharge. Polypropylene and steel armrests, are available upon request.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base



CRO

V12
matt

V39
matt

Shell

Polypropylene



PO
Polypropylene
one color

Hard leather Grade 1 and Grade 2



CT

CU

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Catifa 53

Design by Lievore Altherr Molina, 2001

Accessories:



Stacking protection pad Art. 0228



Cushion Art. 0231



Link Art. 0258



Trolley Art. 0760



Stacking protection pad with link Art. 2013



Basket Art. 2014



Armrests BV



Armrests CV - pad (only for PO)

arper

SHIPMENT DETAILS

Art.2074

1 pz = 2 - kg 9,5/ m³ 0,3

4 pz = 2 - kg 26,54/ m³ 0,37

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.12
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.8

- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1022:05

ENVIRONMENTAL CERTIFICATIONS



TECHNICAL SPECIFICATIONS

Art.2074

Stainless steel rod sled base available upon request with a surcharge.

Surcharge for armrest CV upholstered with PO.

Frame base finishes: indoor use only

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match polypropylene • BS5852 Sch. 5 Part 1 CT CU

Stackability:

- Up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With trolley: up to 20 pcs.
- CT/CU versions: max. 5 pcs. With stacking pad.
- Chair with armrest : not stackable.

F +39 0422 791800

T +39 0422 7918

www.arper.com

Catifa 53


Design by Lievore Altherr Molina, 2001

Art. 2075

Chair with chromed or powdercoated steel sled base and shell upholstered in leather, faux leather, fabric or customer's material. Glides for wooden floors available upon request without surcharge. Steel armrests, also upholstered, are available upon request.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell

Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

SergeFerrari

Catifa 53

Design by Lievore Altherr Molina, 2001

Accessories:



Stacking protection pad Art. 0228



Link Art. 0258



Trolley Art. 0760



Stacking protection pad with link Art. 2013



Basket Art. 2014



Armrests BV



Armrests CI - only pad

SHIPMENT DETAILS

Art.2075

1 pz = 2 - kg 12,3/ m² 0,34
4 pz = 2 - kg 41,3/ m² 0,47

TECHNICAL SPECIFICATIONS

Art.2075

COL requirement m² 1.78
H 140 cm. COM Meterage ml 1.21
Line detail stitching.
Stainless steel rod sled base available upon request with a surcharge.
Frame base finishes: indoor use only

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.12
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.8
- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1022:05

FIRE RETARDANT TEST

BS5852 i.s. 5 Cava 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Tonus 4 • Classe 11M Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather

ENVIRONMENTAL CERTIFICATIONS



Stackability:

- With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
 - With stacking protection pad and trolley: up to 8 pcs.
 - Soft leather - faux leather versions: max. 5 pcs. with stacking pad
- Chair with armrest : not stackable.

Catifa 53


Design by Lievore Altherr Molina, 2001

Art. 2076

Chair with chromed or powdercoated steel sled base and matt polypropylene shell with front upholstery in fabric, leather, faux leather or customer's material. Glides for wooden floors available upon request without surcharge. Steel armrests, also upholstered, are available upon request.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell

Polypropylene



PO
Polypropylene
one color

Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

Catifa 53

Design by Lievore Altherr Molina, 2001

Accessories:



Stacking protection pad Art. 0228



Link Art. 0258



Trolley Art. 0760



Stacking protection pad with link Art. 2013



Basket Art. 2014



Armrests BV



Armrests CI - only pad

SHIPMENT DETAILS

Art.2076

- 1 pz = 2 - kg 13,1/ m³ 0,34
- 4 pz = 2 - kg 44,56/ m³ 0,47

TECHNICAL SPECIFICATIONS

Art.2076

- COL requirement m² 0.84
- H 140 cm. COM Meterage ml 0.72
- Stainless steel rod sled base available upon request with a surcharge.
- Frame base finishes: indoor use only

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.12
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.8
- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1022:05

FIRE RETARDANT TEST

BS5852 i.s. 5 Cava 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Tonus 4 • Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather

ENVIRONMENTAL CERTIFICATIONS



Stackability:

- With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 8 pcs.
- Soft leather - faux leather versions: max. 5 pcs. with stacking pad
- Chair with armrest : not stackable.

Catifa 53


Design by Lievore Altherr Molina, 2001

Art. 2077

Chair with chromed or powdercoated steel sled base and double-curved wood shell available in four finishes (natural oak, bleached oak, wengé, and teak). Glides for wooden floors available upon request without surcharge. Steel armrests are available upon request.




Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base



CRO

V12
matt

V39
matt

Shell

Wood



L0020

L0021

L0022

L0023

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Catifa 53

Design by Lievore Altherr Molina, 2001

Accessories:



Cushion Art. 0231



Link Art. 0258



Stacking protection glide Art. 0286



Trolley Art. 0760



Basket Art. 2014



Armrests BV

SHIPMENT DETAILS

Art.2077

1 pz = 2 - kg 11,22/ m² 0,33

4 pz = 2 - kg 36,3/ m² 0,44

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.12
- EN 1728:2000 - EN 15373:2007 6.15
- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.7

- EN 1728:2000 - EN 15373:2007 6.13
- EN 1728:2000 - EN 15373:2007 6.16
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.8

ENVIRONMENTAL CERTIFICATIONS



TECHNICAL SPECIFICATIONS

Art.2077

Stainless steel rod sled base available upon request with a surcharge.

Frame base finishes: indoor use only

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match LG • Classe 1 LG

Stackability:

– With stacking glide: up to 10 pcs. (should the weight exceed 25 kilos a handling tool must be used).

– With stacking glide and trolley: up to 10 pcs.

Chair with armrest : not stackable.

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Catifa 53


Design by Lievore Altherr Molina, 2001

Art. 2078

Chair with chromed or powdercoated steel sled base and double-curved wood shell available in four finishes (natural oak, bleached oak, wengé, and teak) with front upholstery in fabric, leather, faux leather or customer's material. Glides for wooden floors available upon request without surcharge. Steel armrests, also upholstered, are available upon request.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base




Shell

Wood



Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

Catifa 53

Design by Lievore Altherr Molina, 2001

Accessories:



Stacking protection pad Art. 0228



Link Art. 0258



Trolley Art. 0760



Stacking protection pad with link Art. 2013



Basket Art. 2014



Armrests BV



Armrests CI - only pad

SHIPMENT DETAILS

Art.2078

1 pz = 2 - kg 13,1/ m² 0,34
4 pz = 2 - kg 44,56/ m² 0,47

TECHNICAL SPECIFICATIONS

Art.2078

COL requirement m² 0.84
H 140 cm. COM Meterage ml 0.72
Stainless steel rod sled base available upon request with a surcharge.
Frame base finishes: indoor use only

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.12
- EN 1728:2000 - EN 15373:2007 6.15
- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1728:2000 - EN 15373:2007 6.13
- EN 1728:2000 - EN 15373:2007 6.16
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.8

FIRE RETARDANT TEST

BS5852 i.s. 5 Cava 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Tonus 4 • Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather

ENVIRONMENTAL CERTIFICATIONS



Stackability:

- With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
- With stacking protection pad and trolley: up to 8 pcs.
- Soft leather - faux leather versions: max. 5 pcs. with stacking pad
- Chair with armrest : not stackable.

Catifa 53


Design by Lievore Altherr Molina, 2013

Art. 3120

Chair with chromed or powdercoated steel sled base and white polypropylene shell upholstered with a removable non-washable cover in leather, faux leather, fabric or customer's own material. The chair is provided already fitted with the cover. Glides for wooden floors available upon request without surcharge. Steel armrests, also upholstered, are available upon request.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell

Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

Catifa 53

Design by Lievore Altherr Molina, 2013

Accessories:



Stacking protection pad Art. 0228



Link Art. 0258



Trolley Art. 0760



Stacking protection pad with link Art. 2013



Basket Art. 2014



Armrests BV



Armrests CI - only pad

SHIPMENT DETAILS

Art.3120

- 1 pz = 2 - kg 12,3/ m² 0,34
- 4 pz = 2 - kg 41,3/ m² 0,47

TECHNICAL SPECIFICATIONS

Art.3120

COL requirement m² 2,09
H 140 cm. COM Meterage ml 1,23. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice. Stainless steel rod sled base available upon request with a surcharge. Frame base finishes: indoor use

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.12
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.8
- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1022:05

FIRE RETARDANT TEST

BS5852 i.s. 5 Cava 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Tonus 4 • Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Pause 4 Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather

ENVIRONMENTAL CERTIFICATIONS



Stackability:

- With stacking protection pad: up to 8 pcs. (should the weight exceed 25 kilos a handling tool must be used).
 - With stacking protection pad and trolley: up to 8 pcs.
 - Soft leather - faux leather versions: max. 5 pcs. with stacking pad
- Chair with armrest : not stackable.