

GSA prices effective April 2, 2018 (based on February 6, 2017, commercial price list) Published April 2018

Conference Room and Multipurpose Tables Everywhere[™] Tables

General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!", a menu-driven database system. The Internet address for GSA Advantage! is www.gsaadvantage.gov.

Office Furniture FSC Group 71, Part 1

Contract Number: GS-03F-036DA

Contract Period: December 21, 2015 — December 20, 2020

Herman Miller, Inc. 855 East Main Avenue Zeeland, Michigan 49464 (616) 654 3000 Phone (616) 654 8278 Fax www.HermanMiller.com/government

Business Size: Large

1a. Special Item Numbers (SIN)

SIN 71-1

Packaged Offices

SIN 711-1

Furniture Systems

SIN 711-2

Computer Furniture

SIN 711-3

Filing and Storage Cabinets

SIN 711-11

Tables and Accessories

SIN 711-16

Upholstered Seating

SIN 711-18

Multi-Purpose Seating

SIN 711-91

Project Management

Services under this SIN may be used only in conjunction with the purchase of new furniture. Please contact your local Herman Miller representative to discuss the available labor categories (listed below). The hourly rates listed are "Not To Exceed" or "NTE" values.

Furniture Project Manager: \$64.75 per hour Furniture Project Coordinator: \$49.00 per hour Build-Out Project Manager: \$80.00 per hour

SIN 711-93

Reconfiguration and Relocation Services

Reconfiguration and Relocation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour, which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis. This SIN may only be used with the purchase of new product under SIN 711-1.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

SIN 711-94

Design/Layout

Design service will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$65 per hour.

SIN 711-95

Installation Services

Installation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation), which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

* Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions: Installation will be performed during normal weekday working

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/ storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

SIN 711-96

Leasing

Contact Herman Miller participating government dealer for current leasing information.

SIN 711-99

New Product Introductions

continued

1b.	Lowest Price	d Model	
	SIN 711-1:	G9999.B	\$7
	SIN 711-2:	6-5-D	\$35
	SIN 711-3:	9M10018	\$14
	SIN 711-11:	DT9A.	\$36
	SIN 711-16:	OA401	\$41
	SIN 711-18:	AS90598	\$46
	SIN 711-99:	R1366	\$27

1c. Not applicable

2. Maximum Order

SIN 711-1, SIN 711-2

\$500,000 net product value

SIN 711-3, SIN 711-11

\$300,000 net product value

SIN 711-16, SIN 711-18

\$200,000 net product value

SIN 711-93

\$150,000

SIN 711-94

\$150,000

SIN 711-95

\$150,000

SIN 711-96

\$500,000 net product value

SIN 711-99

\$50,000 net product value

3. Minimum Order

\$100 net

4. Geographic Coverage

Continental U.S.

Orders for Alaska, Hawaii, and Puerto Rico will be shipped F.O.B. inland carrier point of exportation.

5. Point of Production

Zeeland, Ottawa County, Michigan Spring Lake, Ottawa County, Michigan

6. Pricing

Prices shown are list. Discounts include Industrial Funding Fee.

SIN 711-1

Product: Selected Action Office 1, Action Office 2, C-Style Overhead Storage, Ethospace System, Quadrant Pedestals, Supplemental Products, Tu Pedestals and Pedastools, and approved Herman Miller Options Products.

Standard Lead Time	Single Order Net Purchase	Discount From list
	\$100 - 250,000	73.8%
	\$250,001 - 500,000	76.8%

SIN 711-1

Product: Selected Renew $^{\mathsf{TM}}$ Tables, Renew Link and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	72.8%

SIN 711-1

Product: Selected Motia $^{\text{TM}}$ Tables, and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	73.8%

SIN 711-1

Product: Tu Wood Pedestals and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 300,000	74.3%

SIN 711-1

Product: Selected Canvas Office Landscape and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	74.8%

SIN 711-1

Product: Selected Layout Studio® and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Leau IIIIe	Net Fulcilase	FIUIII LIST
	\$100 - 500,000	60.7%

SIN 711-1

Product: Selected Meridian Pedestals, Meridian Pedastools, and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
Lead Time	\$100 - 500,000	64.2%

April 2018 HermanMiller for Government

continued

SIN 711-1

Product: Selected Thrive Portfolio and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 250,000	62%
	\$250,001 - 500,000	66.4%

SIN 711-2

Product: Passage Desking System and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	56.7%

SIN 711-2

Product: 5000 Series Furniture and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	58.7%

SIN 711-3

Product: Meridian Laterals, Verticals, Towers, and Storage products and approved Herman Miller Options Products

Standard Lead Time			Discount From List Laterals Verticals				
	\$100 - 300,000	67.3%	66.3%	62.7%			

SIN 711-3

Product: Tu Lateral Files, Tu Storage, Tu Towers, Tu Wood Cases, Tu Wood Cubbies, Tu Wood Credenzas, Tu Wood Towers, and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 300,000	74.3%

SIN 711-11

Product: Selected Tables and Accessories and approved Herman Miller

Options i roducts		
Standard	Single Order	Discount
Lead Time	Net Purchase	From List
Avive® Tables	\$100 - 250,000	72.8%
	\$250,001 - 500,000	74.8%
Herman Miller Eames® Tables	\$100 - 250,000	73.6%
	\$250,001 - 300,000	77.6%
Everywhere™ Tables	\$100 - 300,000	72.8%

SIN 711-16

Product: Swoop upholstered seating products and approved Herman Miller Options Products

Standard	Single Order	Discount		
Lead Time	Net Purchase	From List		
Swoop™	\$100 - 200,000	60.7%		

SIN 711-18

Product: Selected Seating and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Aeron® (Classic and New)	\$100 - 200,000	64.5%
Aside®	\$100 - 200,000	64.2%
Caper®	\$100 - 200,000	61.5%
Celle®	\$100 - 200,000	59.7%
Embody®	\$100 - 200,000	59.7%
Equa 2®	\$100 - 200,000	65.8%
Ergon 3®	\$100 - 200,000	68.8%
Keyn	\$100 - 200,000	57.7%
Mirra® 2	\$100 - 200,000	61.7%
Setu®	\$100 - 200,000	59.7%
Sayl®	\$100 - 200,000	62.2%
Verus™	\$100 - 200,000	63.7%

SIN 711-99

Product: Selected Exclave[™], Locale[®], Public Office Landscape[®], Resolve[®] System, and approved Herman Miller Options Products

Resolve System, and approved Herman Whiter Options								
Standard	Single Order	Discount						
Lead Time	Net Purchase	From List						
Exclave	\$100 - 50,000	61.7%						
Locale	\$100 - 50,000	63.7%						
Public Office Landscape	\$100 - 50,000	61.7%						
Resolve System	\$100 - 50,000	69.8%						
Intent Solution	\$100 - 50,000	58.7%						

7. Quantity Discounts

Reference item #6.

8. Payment Term

Net 30 days

9. Government Commercial Credit Card

- Government commercial credit cards are accepted below the micropurchase threshold.
- b. Government commercial credit cards are accepted above the micropurchase threshold.

10. Foreign Items

None

11. Time of Delivery

- a. 90 day ARO
- b. Expedited delivery: Items listed in the 10-Day section of the catalogs are available for expedited delivery.
- c. Overnight/2-day delivery: Select items may be available for overnight or 2-day delivery. Contact Herman Miller or a participating dealer for availability and rates.
- d. Urgent requirements: Agencies may contact contractor or participating dealer to request faster delivery.

continued

12. F.O.B.

F.O.B. destination except Alaska, Hawaii, and Puerto Rico, which will be shipped F.O.B. inland carrier point of exportation.

13. Ordering Address

a. Herman Miller, Inc.,

Government Customer Care 0161

855 East Main Avenue

Zeeland MI 49464.

 For supplies and services, the ordering procedures information on Blanket Purchase Agreements (BPA's) and a sample BPA can be found at the GSA/FSS Schedule homepage (www.fss.gsa.gov/schedules).

14. Payment Address.

Herman Miller, Inc. 22764 Network Place Chicago, IL 60673-1227

15. Warranty

Herman Miller, Inc., commercial warranty applies.

16. Export Packing Charge

Prices supplied on request.

17. Terms and Conditions of Government Purchase Card Acceptance

(any thresholds above the micropurchase level)

18. Rental Maintenance and Repair Terms

Not applicable

19. Terms and Conditions of Installation

Installation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation), which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis.

Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/ storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

20. Terms and Conditions of Repair Parts

Not applicable

21. Service and Distribution Points

For service and distribution points nearest you, call (800) 851 1196.

22. Participating Dealers

Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com/government.

23. Preventive Maintenance

Not applicable

24a. Special Attributes.

2018

For the 11th consecutive year, Herman Miller received a perfect score on the Corporate Equality Index and we were designated as Best Place to Work for LGBT equality. This report evaluates U.S. companies in terms of diversity, particularly their LGBT-related policies and practices.

continued

2017

Herman Miller was named the 2017 "Corporation of the Year" in the consumer products sector by the Michigan Minority Supplier Development Council (MMSDC).

Herman Miller has received a 2017 SEAL (Sustainability, Environmental Achievement and Leadership) Business Sustainability Award.

Herman Miller has earned the 4 Star Diversity Visionary Award. This award celebrates the diversity, equality, and inclusion work of Herman Miller. The award is presented at the annual Diversity Equity Inclusion Summit, held by the Grand Rapids Area Chamber of Commerce.

Herman Miller named one of the Best and Brightest in Wellness for the fifth year in a row.

Working Mother magazine has recognized Herman Miller as one of the 2017 Working Mother 100 Best Companies.

Herman Miller earned our tenth consecutive perfect score in Human Rights Campaign (HRC) Foundation's 2017 Corporate Equality Index.

As one of the top-scoring companies in our industry for the thirteenth consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2017 Sustainability Yearbook and received the Bronze Class distinction for our excellent economic, environmental, and social sustainability performance.

Herman Miller has once again earned the WorldatWork Seal of Distinction, a unique standard of excellence in work-life effectiveness that shows we provide a distinct, mutually beneficial workplace experience.

2016

Herman Miller was recognized as the Business of the Year at the Annual Meeting of the West Michigan Environmental Action Council (WMEAC). This award goes to the business with the greatest depth and breadth of support, unwavering dedication to environmental action in West Michigan, and a strong corporate commitment to environmental advocacy.

The 101 Best and Brightest Sustainable Companies once again (fifth consecutive year) recognized Herman Miller as an organization in Michigan (and for the first time, in the nation) that exhibits leadership and innovation in its approach to sustainability.

Herman Miller has been recognized by the Michigan Minority Supplier Development Council (MMSDC), as a "Corporation of the Year", and we also received a "2016 Excellence in Supplier Diversity Award" from the Great Lakes Women's Business Council. Additionally, we are the only West Michigan company this year to receive an "Ambassadors Championing Excellence" Award from the MMSDC.

Plex Lounge Furniture from Herman Miller receives #MetropolisLikes award at NeoCon 2016.

Plex Lounge Furniture from Herman Miller receives Interior Design HiP Award for Workplace Seating/Lounge at NeoCon 2016.

Spot Stools from Herman Miller Collection receive Interior Design HiP Award for Hospitality Seating at NeoCon 2016.

Herman Miller has been named a 2020 Women on Boards Winning Company. Companies selected for this recognition are considered champions of board diversity as 20 percent or more of their board seats are occupied by women.

Herman Miller selected for inclusion in the 2016 RobecoSAM Sustainability Yearbook for twelfth consecutive year.

Herman Miller again earns the WorldatWork Work-Life 2016 Seal of Distinction. This award identifies organizations that focus on programs that promote work-life balance and overall well-being.

2015

Herman Miller earns ninth consecutive perfect score in Human Rights Campaign (HRC) Foundation's 2016 Corporate Equality Index and we were designated as Best Place to Work for LGBT equality.

This is the fourth consecutive year that Herman Miller was named one of Michigan's Best and Brightest Sustainable Companies.

Herman Miller has received the Best and Brightest in Wellness Award for the third year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller received the Forest Stewardship Council (FSC) Leadership Award for longstanding commitment to manufacturing with wood sourced from responsibly managed forests, which reduces environmental impacts by protecting against deforestation and forest degradation.

Herman Miller accepted its second Excellence in Reusable Packaging Award from the Reusable Packaging Association.

Herman Miller has once again been recognized for its commitment to best-in-class economic, environmental, and societal sustainability, earning a spot on the prestigious Dow Jones Sustainability Index (DJSI) for the twelfth consecutive year. We are the only contract furniture company recognized globally for its corporate sustainability leadership.

Herman Miller selected for inclusion in the 2015 RobecoSAM Sustainability Yearbook; awarded Bronze Class distinction for excellent sustainability performance for the second consecutive year.

continued

Herman Miller received a Michigan Business Pollution Prevention (MBP3) Certificate – a recognition given by the Michigan Department of Environmental Quality (MDEQ) to organizations committed to environmental stewardship, conservation, and sustainable operations. This basic partnership with the MDEQ, which we've maintained since 1998, makes us eligible for our Clean Corporate Citizen (CCC) status that began in 2004 and our Environmental Leader status, which we received for the first time this past year.

MedAssets named Herman Miller Healthcare as Platinum Suppliers. MedAssets, a large group purchasing organization, helps providers enhance operational and financial performance so they can sustainably serve the needs of their community.

Herman Miller honored with five of 20 spots for the Michigan Environmental Leaders Award by the Michigan Department of Environmental Quality for our outstanding, voluntary environmental stewardship.

Renew Sit-to-Stand tables recognized on Record Products 2014 list by Architectural Record.

Herman Miller was again awarded a perfect score in the 2015 Corporate Equality Index. This is the eighth consecutive year we received a perfect score.

2014

Herman Miller has received the Best and Brightest in Wellness Award for the second year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller's Locale wins International Design Excellence Awards (IDEA) Gold in the Office & Productivity category.

Herman Miller achieves eleventh consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability.

2013

Herman Miller achieves tenth consecutive listing on Dow Jones Sustainability World Index.

Herman Miller has received the Best and Brightest in Wellness Award. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller Earns Perfect Score on the Corporate Equality Index. We are one of only 303 major U.S. businesses to receive a perfect score in 2013, an achievement we have now obtained seven years in a row.

Herman Miller is listed in Forbes Magazine inaugural "Platinum List" of America's 400 best managed, large companies.

For the second consecutive year, Herman Miller is honored as one of West Michigan's "101 Best and Brightest Sustainable Companies".

2012

Herman Miller accepted its first Excellence in Reusable Packaging Award from the Reusable Packaging Association.

Herman Miller is named "Corporation of the Year" in the commercial products sector by the Michigan Minority Supplier Development Council.

In July 2012 Herman Miller was inducted into the Made in the USA Hall of Fame. Herman Miller is one of only 20 companies across the nation to receive this distinction.

Herman Miller achieves ninth consecutive listing on Dow Jones Sustainability World Index.

Herman Miller is honored as one of West Michigan's 101 Best and Brightest Sustainable Companies.

The Sustainable Asset Management (SAM) group selected Herman Miller for inclusion in "The Sustainability Yearbook 2012" and has awarded Herman Miller both the "SAM Sector Leader" and "SAM Sector Mover" distinctions.

Herman Miller was named one of 16 Section Leaders on Climate Counts 2011-2012 Scorecard Report, making us the industry leader for Home and office Furnishings.

SGS International Certification Services, Inc., recognizes Herman Miller's manufacturing sites, Midwest Distribution Center, and Design Yard for initial certification to the OHSAS 18001 standard as well as re-certification to ISO 14001.

2011

Trust Across America, a company dedicated to unraveling the complexities of trustworthy business behavior, listed Herman Miller as one of their "Top Ten Most Trustworthy Companies in America 2011."

The U.S. Environmental Protection Agency (EPA) selected Herman Miller, as a WasteWise Gold Achievement—Climate Change winner.

Herman Miller achieves eighth consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability.

The Michigan Minority Supplier Development Council (MMSDC) named Herman Miller as its "Corporation of the Year" in the commercial products sector. This was the fifth time Herman Miller has received this award since 2005.

continued

Herman Miller accepted its third Neighborhood Environmental Partners (NEP) award from the Michigan Department of Natural Resources and Environment.

Herman Miller receives the Reader's Choice award from TreeHugger's Best of Green: Design and Architecture category for the SAYL chair.

Herman Miller earns Citibank's Global Environmental Vendor of the Year award.

The SAYL chair from Herman Miller was dubbed the "Product Design of the Year" from the 2010 International Design Awards (IDA) jury.

Herman Miller Healthcare's Compass system was awarded a 2011 Medical Design Excellence Award (MDEA) for its research-based design and ability to be used in a variety of healing spaces, while simultaneously improving the overall delivery of healthcare.

The Sustainable Asset Management (SAM) Group selected Herman Miller for inclusion in the "Sustainability Yearbook 2011" and awarded us both the "SAM Sector Leader" and "SAM Sector Mover" distinctions.

Herman Miller has received the top rating for a fourth consecutive year in the Human Rights Campaign (HRC) Foundation's eighth annual Corporate Equality Index. The "Best Places to Work for LGBT Equality" distinction is awarded to businesses that scored 100% on the HRC Foundation's 2011 Corporate Equality Index.

Herman Miller again tops contract furniture industry in FORTUNE's 'Most Admired' Companies survey. For the 23rd time in 25 years.

2010

The NASDAQ OMX CRD Global Sustainability Index (QCRD) has included Herman Miller among their top 100 companies in the world.

Herman Miller achieves seventh consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability. Herman Miller is one of approximately 300 companies worldwide and the only contract office furniture manufacturer, selected for this index.

Herman Miller has been recognized by Fast Company magazine as one of its 2010 Most Innovative Companies and among the more select Innovation All-Stars.

The U.S. Environmental Protection Agency's Office of Resource Conservation and Recovery has selected Herman Miller to receive the 2010 WasteWise Gold Achievement Award for Green Purchasing.

The Michigan Department of Natural Resources and Environment (MDNRE) has recognized Herman Miller's West Michigan manufacturing sites and Midwest Distribution Center as continuing Clean Corporate Citizens.

Herman Miller makes the U.S. Environmental Protection Agency's (EPA) list of the top fifty users of renewable electricity, of more than 1,200 organizations participating in the Green Power Partnership. This is the second consecutive time Herman Miller was recognized. Herman Miller was the only furniture manufacturer on the list.

Herman Miller accepted its second Neighborhood Environmental Partners (NEP) award from the Michigan Department of Natural Resources and Environment.

For the 22nd time in 24 years, Herman Miller was awarded the No. 1 industry ranking in a survey among the executives and board members of peer companies and independent industry analysts, as published in FORTUNE magazine's annual "Most Admired" companies feature.

The Michigan Department of Environmental Quality (MDEQ) recognizes Herman Miller's GreenHouse as one of Michigan's top environmental performers with a Clean Corporate Citizen (C3) longevity award. This recognizes that the GreenHouse has maintained its C3 designation for the past five years.

For the third year in a row, Herman Miller makes FORTUNE magazine's "100 Best Companies to Work For" list. Herman Miller is one of only three Michigan-based companies to make the list.

24b. Section 508 Compliance

Not applicable

25. Data Universal Numbering System (DUNS): 00-601-2801

26. Registered in System for Award Management (www.SAM.gov) Database

27. Cancellation

Prior to production, no cancellation charge will apply. After production, only actual cost incurred that the contractor can demonstrate if items are sold after 3 months.

28. Restocking Charges

Agencies must notify the contractor for authorization prior to returning any items. The customer agency will be required to pay all packaging and return freight charges. A restocking fee of 50% for Systems Furniture and 35% for all other product lines will be charged for any returned items.

Herman Miller Miscellaneous Information:

Federal ID Number: 38-0837640 Commercial and Government Entity Code (CAGE): 40636 Data Universal Numbering System (DUNS) 00-601-2801 Commercial Entity Code (CEC): 00702290J

April 2018 HermanMiller for Government

Introduction	page 2
Everywhere™ Tables	3
Standard-Height Tables	5
Standard-Height Table Legs and Bases	58
Standing-Height Tables	61
Occasional Tables	67
Power and Data Support	73
Accessories	89
Indices	121
By Name	121
By Number	123
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Vary Easy Program	
For the latest materials information, refer to the Materials pa	ges on HermanMiller.com.

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective April 2, 2018, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www. HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest ½". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.


20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon <a> a will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an A are on the assigned leadtime program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Everywhere[™] Tables

Standard-Height Tables Standard-Height Table Legs and Bases Standing-Height Tables Occasional Tables Power and Data Support Accessories



Product Information

Description

This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have ½ leveling range. Shipped knocked down.

Height-adjustable legs have a 5" range in 1" increments.

Notes

18" depth available with square edge only.

C-leg and D-leg cannot be used with either the 18" deep or 36" deep tops.

When specifying grommets (253, 254, 255), cutouts will be located in the center of table.


Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally, and approximately 3" from the rear edge of surface.

Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces.

For additional details on available edge options see Appendices.

For additional size, edge, finish, and cable management options, see Vary Easy Program in Appendices.

Note: UL listed when used with Connect single circuit electrical product (Y137x.) with post leg (P), T-leg (T) and C-leg (C) options.



Specification Information

Step	5. Surface Mate	rial					
For s	quared-edge (S.,						
L	laminate top	thermoplas	tic edge				
W	veneer top/v	eneer edge	Α				
P	painted Form	coat® top/ed	dge				
For th	nin-edge (T.)						
W	veneer top/v	eneer edge	Α				
P	painted Form	coat® top/ed	dge				
For e	ased-edge (E.)						
P	painted Form	coat® top/ed	lge				
Step	6. Leg Type						
For 18	8" deep (18) or 3	6" deep (36))				
P	post leg						
Т	T-leg						
A	T-leg with he	ight adjustm	ent				
For 2	4" deep (24) or j	30" deep (30)				
P	post leg						
т	T-leg						
	T-leg with he	iaht adiustm	ont				
Α		iziil auiustiii	ent				
	_	igiit aujustiii	ent				
A C D	C-leg C-leg with he						
C D	C-leg C-leg with he						
C D	C-leg	ight adjustm	ent	IΔ	ıc	ID	W
C D Price	C-leg C-leg with he	ight adjustm LP	ent LT	LA	LC –	LD —	W
C D Price	C-leg C-leg with he	ight adjustm	ent	LA 1155 1269	LC - -	LD -	W 86

Prices for Steps	5 1-6.					
	LP	LT	LA	LC	LD	WP
DT1AS. 18 48	\$711	923	1155	_	_	867
60	\$782	1016	1269	_	_	958
72	\$844	1096	1371	_	_	1041
24 36	\$711	923	1155	923	1155	867
42	\$747	971	1212	971	1212	912
48	\$783	1018	1273	1018	1273	961
54	\$831	1080	1348	1080	1348	1021
60	\$880	1144	1428	1144	1428	1087
66	\$942	1225	1530	1225	1530	1166
72	\$1009	1310	1636	1310	1636	1251
30 36	\$739	959	1200	959		
42	\$776	1009	1261	1009	1261	950
48	\$816	1059	1322	1059	1322	1003
54	\$864	1122	1402	1122	1402	1064
60	\$916	1190	1487	1190	1487	1132
66	\$980	1273	1590	1273	1590	1215
72	\$1049	1360	1702	1360	1702	1306

36 42	\$847	1090	1372	_	_	1215	30 36				\$1382	1104	1382
48	\$858	1082	1384	_	_	1247	42				\$1451	1160	1451
54	\$938	1165	1463	_	_	1348	48				\$1521	1218	1521
60	\$955	1179	1476	_	_	1392	54				\$1612	1290	1612
66	\$1008	1293	1627	_	_	1578	60				\$1710	1369	1710
72	\$1074	1373	1728	_	_	1652	66				\$1828	1464	1828
							72				\$1956	1566	1956
	WT	WA	WC	WD	PP	PT	36 42				\$1576	_	_
DT1AS. 18 48	\$1144	1442	_	_	819	1062	48				\$1592	_	_
60	\$1264	1592	_	_	901	1169	54				\$1681	_	_
72	\$1369	1725	_		973	1262	60				\$1698	_	_
24 36	\$1144	1442	1144	1442	819	1062	66				\$1852	_	_
42	\$1203	1518	1203	1518	858	1116	72				\$1986	_	_
48	\$1266	1596	1266	1596	902	1171							
54	\$1346	1696	1346	1696	954	1241		LP	LT	LA	LC	LD	WP
60	\$1428	1801	1428	1801	1014	1316	DT1AT. 24 36	_	_	_	_	_	\$1041
66	\$1533	1931	1533	1931	1084	1409	42	_	_	_	_	_	\$1094
72	\$1644	2069	1644	2069	1160	1505	48	_	_	_	_	_	\$1155
30 36	\$1192	1502	1192	1502	849	1104	54	_	_	_	_	_	\$1227
42	\$1252	1581	1252	1581	894	1160	60	_	_	_	_	_	\$1304
48	\$1319	1662	1319	1662	939	1218	66	_	_	_	_	_	\$1400
54	\$1401	1765	1401	1765	992	1290	72	_	_	_	_	_	\$1501
60	\$1489	1875	1489	1875	1054	1369	30 36	_	_	_	_	_	\$1084
66	\$1596	2010	1596	2010	1127	1464	42	_	_	_	_	_	\$1141
72	\$1711	2154	1711	2154	1206	1566	48	_	_	_	_	_	\$1203
36 42	\$1462	1720	_	_	976	1253	54	_	_	_	_	_	\$1277
48	\$1486	1750	_	_	988	1244	60	_	_	_	_	_	\$1358
54	\$1591	1851	_	_	1079	1341	66	_	_	_	_	_	\$1459
60	\$1637	1921	_	_	1100	1356	72	_	_	_	_	_	\$1566
66	\$1961	2241	_	_	1116	1460	36 42	_	_	_	_	_	\$1459
72	\$2176	2514	_	_	1130	1578	48	_	_	_	_	_	\$1496
							54	_	_	_	_	_	\$1619
				PA	PC	PD	60	_	_	_	_	_	\$1671
DT1AS. 18 48				\$1328	_	_	66	_	_	_	_	_	\$1894
60				\$1460	_	_	72	_	_	_	_	_	\$1981
72				\$1575	_	_							
24 36				\$1328	1062	1328		WT	WA	WC	WD	PP	PT
42				\$1393	1116	1393	DT1AT. 24 36	\$1375	1731	1375	1731	872	1132
48				\$1464	1171	1464	42	\$1444	1821	1444	1821	915	1188
54				\$1551	1241	1551	48	\$1520	1914	1520	1914	958	1247
60				\$1643	1316	1643	54	\$1616	2035	1616	2035	1017	1321
66				\$1759	1409	1759	60	\$1714	2160	1714	2160	1080	1402
72				\$1881	1505	1881	66	\$1839	2316	1839	2316	1155	1499
							72	\$1974	2483	1974	2483	1235	1603


30 36 \$1429 1804 1429 1804 906 1176 30 36 — — 42 \$1502 1897 1502 1897 951 1235 42 — — 48 \$1583 1994 1583 1994 1000 1298 48 — — 54 \$1680 2119 1680 2119 1058 1376 54 — — 66 \$1942 2412 1914 2412 1919 1560 66 — — 66 \$1942 2412 1914 2412 1919 1560 66 — — 72 \$2053 2585 2053 2585 1283 1668 72 — — 36 42 \$1754 2064 — — 1038 1336 36 42 — — 48 \$1782 2101 — — 1038 1336 36 42 — — 48 \$1782 2101 — — 1053 1324 48 — — 54 \$1908 2220 — — 1150 1427 54 — — 56 66 \$2352 2690 — — 1214 1509 66 — — 72 \$2611 3015 — — 1306 1692 772 — — 72 \$2611 3015 — — 1306 1692 772 — — 72 \$2611 3015 — — 1306 1692 772 — — 72 \$1448 1188 1485 42 48 — — 54 \$1652 1321 1652 54 \$1668 54 \$1652 1321 1652 54 \$1669 \$1669 \$1660 \$1965 \$1660 \$1965 \$1660 \$														
48 \$1583 1994 1583 1994 1000 1298 48		\$1429	1804	1429	1804	906	1176	30 36	_	_	_	_	\$906	1176
54 \$1680 2119 1680 2119 1058 1376 54 —	42	\$1502	1897	1502	1897	951	1235	42	_	_	_	_	\$951	1235
60 \$1787 2250 1787 2250 1122 1458 60 — — 666 \$1914 2412 1914 2412 1199 1560 66 — — 72 \$2053 2585 2053 2585 1283 1668 72 — — 236 42 \$1754 2064 — — 1038 1336 36 42 — — 248 \$1782 2101 — — 1053 1324 48 — — 460 \$1965 2306 — — 1150 1427 54 — — 566 \$2352 2690 — — 1150 1427 54 — — 566 \$2352 2690 — — 1214 1509 66 — — 72 \$2611 3015 — — 1306 1692 72 — — 572 —	48	\$1583	1994	1583	1994	1000	1298	48	_	_	_	_	\$1000	1298
66 \$1914 2412 1914 2412 1199 1560 66	54	\$1680	2119	1680	2119	1058	1376	54	_	_	_	_	\$1058	1376
\$2053 2585 2053 2585 1283 1668 72	60	\$1787	2250	1787	2250	1122	1458	60	_	_	_	_	\$1122	1458
36 42	66	\$1914	2412	1914	2412	1199	1560	66	_	_	_	_	\$1199	1560
48 \$1782 2101 1053 1324 48 54 \$1908 2220 1150 1427 54 60 \$1965 2306 1171 1447 60 66 \$2352 2690 1214 1509 66 72 \$2611 3015 1306 1692 72 72 PA PC PD	72	\$2053	2585	2053	2585	1283	1668	72	_	_	_	_	\$1283	1668
54 \$1908 2220 - - 1150 1427 54 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -	36 42	\$1754	2064	_	_	1038	1336	36 42	_	_	_	_	\$1038	1336
60 \$1965 2306 1171 1447 60 666 \$2352 2690 1214 1509 666 72 \$2611 3015 1306 1692 72	48	\$1782	2101	_	_	1053	1324	48	_	_	_	_	\$1053	1324
FA PC PD PD PD PD PD PD PD	54	\$1908	2220	_	_	1150	1427	54	_	_	_	_	\$1150	1427
PA PC PD PD PD PD PD PD PD	60	\$1965	2306	_	_	1171	1447	60	_	_	_	_	\$1171	1447
PA PC PD PD PT PD PT PD PT PD PT PD PT PD PD	66	\$2352	2690	_	_	1214	1509	66	_	_	_	_	\$1223	1591
DT1AT. 24 36 \$1415 1132 1415 DT1AE. 24 36 42 \$1485 1188 1485 42 48 \$1560 1247 1560 48 54 \$1652 1321 1652 54 60 \$1750 1402 1750 60 66 \$1874 1499 1874 66 72 \$2004 1603 2004 72 30 36 \$1471 1176 1471 30 36 42 \$1544 1235 1544 42 48 \$1621 1298 1621 48 54 \$1718 1376 1718 54 60 \$1821 1458 1821 60 66 \$1947 1560 1947 66 72 \$2084 1668 2084 72 36 42 \$1679 — 48 54 \$1792 — 54 60 \$1808 <th>72</th> <th>\$2611</th> <th>3015</th> <th>_</th> <th>_</th> <th>1306</th> <th>1692</th> <th>72</th> <th>_</th> <th>_</th> <th>_</th> <th>_</th> <th>\$1311</th> <th>1701</th>	72	\$2611	3015	_	_	1306	1692	72	_	_	_	_	\$1311	1701
\$1485 1188 1485 42					PA	PC	PD					PA	PC	PD
\$1560 1247 1560 48 \$54 \$1652 1321 1652 54 \$60 \$1750 1402 1750 60 \$66 \$1874 1499 1874 66 \$72 \$2004 1603 2004 72 \$30 36 \$1471 1176 1471 30 36 \$42 \$1544 1235 1544 42 \$48 \$1621 1298 1621 48 \$54 \$1718 1376 1718 54 \$60 \$1821 1458 1821 60 \$66 \$1947 1560 1947 666 \$72 \$2084 1668 2084 72 \$36 42 \$1679 364 \$48 \$1695 48 \$54 \$1792 54 \$60 \$1808 60 \$66 \$2016 66 \$72 \$2117 72 \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$	DT1AT. 24 36				\$1415	1132	1415	DT1AE. 24 36				\$1415	1132	1415
\$1652 1321 1652 54 60 \$1750 1402 1750 60 66 \$1874 1499 1874 66 72 \$2004 1603 2004 72 30 36 \$1471 1176 1471 30 36 42 \$1544 1235 1544 42 48 \$1621 1298 1621 48 54 \$1718 1376 1718 54 60 \$1821 1458 1821 60 66 \$1947 1560 1947 66 72 \$2084 1668 2084 72 36 42 \$1669 — 36 42 48 \$1695 — 48 54 \$1792 — 54 60 \$1808 — 60 66 \$2016 — 66 72 \$2016 — 66 72 \$2017 — 72 WT WA WC WD PP PT	42				\$1485	1188	1485	42				\$1485	1188	1485
\$1750 1402 1750 60 66 \$1874 1499 1874 66 72 \$2004 1603 2004 72 30 36 \$1471 1176 1471 30 36 42 \$1544 1235 1544 42 48 \$1621 1298 1621 48 54 \$1718 1376 1718 54 60 \$1821 1458 1821 60 66 \$1947 1560 1947 66 72 \$2084 1668 2084 72 36 42 \$1679 -	48				\$1560	1247	1560	48				\$1560	1247	1560
\$1874 1499 1874 666 72 \$2004 1603 2004 72 30 36 \$1471 1176 1471 30 36 42 \$1544 1235 1544 42 48 \$1621 1298 1621 48 54 \$1718 1376 1718 54 60 \$1821 1458 1821 60 66 \$1947 1560 1947 66 72 \$2084 1668 2084 72 36 42 \$1679 36 42 48 \$1695 48 54 \$1792 54 60 \$1808 60 66 \$2016 66 72 \$2117 72 \$2117 72 \$2117 72 \$2117 72 \$2118 48 48 \$915 1188 48 \$958 1247 54 \$958 1247 54 \$958 1247 54 \$958 1247 54 \$958 1247	54				\$1652	1321	1652	54				\$1652	1321	1652
72 \$2004 1603 2004 72 30 36 \$1471 1176 1471 30 36 42 \$1544 1235 1544 42 48 \$1621 1298 1621 48 54 \$1718 1376 1718 54 60 \$1821 1458 1821 60 66 \$1947 1560 1947 66 72 \$2084 1668 2084 72 36 42 \$1679 — 36 42 48 \$1695 — — 48 54 \$1792 — — 54 60 \$1808 — — 60 66 \$2016 — — 72 DT1AE. 24 36 — — — \$915 1188 48 — — — \$958 1247 54 — — — \$958 1247 54 — — — \$958 1247 54 —<	60				\$1750	1402	1750	60				\$1750	1402	1750
\$1471 1176 1471 30 36 42 \$1544 1235 1544 42 48 \$\$1621 1298 1621 48 54 \$\$1718 1376 1718 54 60 \$\$1821 1458 1821 60 66 \$\$1947 1560 1947 666 72 \$\$2084 1668 2084 72 36 42 \$\$1679 36 42 48 \$\$1695 48 54 \$\$1792 54 60 \$\$1808 60 66 \$\$2016 54 60 \$\$2117 72 WT WA WC WD PP PT DT1AE. 24 36 \$\$915 1188 48 \$958 1247 54 \$958 1247 54 \$\$1517 1321	66				\$1874	1499	1874	66				\$1874	1499	1874
\$1544 1235 1544 42 48 \$1621 1298 1621 48 54 \$1718 1376 1718 54 60 \$1821 1458 1821 60 66 \$1947 1560 1947 66 72 \$2084 1668 2084 72 36 42 \$1679 36 42 48 \$1695 48 54 \$1792 54 60 \$1808 60 66 \$2016 66 72 \$2117 72 DT1AE. 24 36 \$872 1132 42 \$958 1247 54 \$958 1247 54 \$958 1247 54 \$958 1247 54 \$1017 1321	72				\$2004	1603	2004	72				\$2004	1603	2004
\$1621 1298 1621 48 \$54 \$1718 1376 1718 54 60 \$1821 1458 1821 60 66 \$1947 1560 1947 66 72 \$2084 1668 2084 72 36 42 \$1679 36 42 48 \$1695 48 54 \$1792 54 60 \$1808 60 66 \$2016 66 72 \$2117 72 \$2117 72 \$2118	30 36				\$1471	1176	1471	30 36				\$1471	1176	1471
54 \$1718 1376 1718 54 60 \$1821 1458 1821 60 66 \$1947 1560 1947 66 72 \$2084 1668 2084 72 36 42 \$1679 — 36 42 48 \$1695 — — 48 54 \$1792 — — 54 60 \$1808 — — 60 66 \$2016 — — 66 72 \$2117 — 72 DT1AE. 24 36 — — — \$915 1188 42 — — — \$958 1247 54 — — — \$1017 1321	42				\$1544	1235	1544	42				\$1544	1235	1544
\$1821 1458 1821 60 66 \$1947 1560 1947 66 72 \$2084 1668 2084 72 36 42 \$1679 36 42 48 \$1695 48 54 \$1792 54 60 \$1808 60 66 \$2016 66 72 \$2117 72 DT1AE. 24 36 \$872 1132 42 \$915 1188 48 \$958 1247 54 \$1017 1321	48				\$1621	1298	1621	48				\$1621	1298	1621
\$1947 1560 1947 666 72 \$2084 1668 2084 72 36 42 \$1679 36 42 48 \$1695 48 54 \$1792 54 60 \$1808 60 66 \$2016 66 72 \$2117 72 DT1AE. 24 36 \$872 1132 42 \$915 1188 48 \$958 1247 54 \$168 2084 72 \$2084 72 \$2084 72 36 42 48 \$2084 72 36 42 48 \$2084 72 36 42 48 \$369 8872 1132 49 \$2016 \$915 1188 49 \$2016 \$958 1247 50 \$2016 \$958 1247 50 \$2016 \$958 1247 50 \$2016 \$958 1247 50 \$2016 \$1017 1321	54					1376	1718	54				\$1718	1376	1718
72 \$2084 1668 2084 72 36 42 \$1679 - - 36 42 48 \$1695 - - 48 54 \$1792 - - 54 60 \$1808 - - 60 66 \$2016 - - 66 72 \$2117 - 72 DT1AE. 24 36 - - - \$915 1188 42 - - - \$958 1247 54 - - - \$1017 1321	60				\$1821	1458	1821	60				\$1821	1458	1821
\$1679	66				\$1947	1560	1947	66				\$1947	1560	1947
48	72				\$2084	1668	2084	72				\$2084	1668	2084
54 \$1792 54 60 \$1808 60 66 \$2016 66 72 \$2117 72 WT WA WC WD PP PT DT1AE. 24 36 \$872 1132 42 \$915 1188 48 \$958 1247 54 \$1017 1321	36 42				\$1679	_	_	36 42				\$1679	_	_
60 \$1808 60 66 \$2016 66 72 \$2117 72 WT WA WC WD PP PT DT1AE. 24 36 \$872 1132 42 \$915 1188 48 \$958 1247 54 \$1017 1321						_	_	48				\$1695	_	_
Second S						_	_					\$1792	_	_
72 \$2117 — — 72 WT WA WC WD PP PT DT1AE. 24 36 — — — — \$872 1132 42 — — — \$915 1188 48 — — — \$958 1247 54 — — — \$1017 1321						_	_					\$1808	_	_
WT WA WC WD PP PT DT1AE. 24 36 - - - - \$872 1132 42 - - - \$915 1188 48 - - - \$958 1247 54 - - - \$1017 1321	66				\$2016	_	_	66				\$2034	_	_
DT1AE. 24 36 - - - - \$872 1132 42 - - - \$915 1188 48 - - - \$958 1247 54 - - - \$1017 1321	72				\$2117	_	_	72				\$2117	_	_
42 - - - \$915 1188 48 - - - \$958 1247 54 - - - \$1017 1321		WT	WA	wc	WD	PP	PT							
48	DT1AE. 24 36	_	_	_	_	\$872	1132							
54 \$1017 1321	42	_	_	_	_	\$915	1188							
	48	_	_	_	_	\$958	1247							
	54	_	_	_	_	\$1017	1321							
60 — — — \$1080 1402	60	_	_	_	_	\$1080	1402							
66	66	_	_	_	_	\$1155	1499							
72	72	_	_	_	_	\$1235	1603							

Step	7.		Top/E	Edge Finish: Opaque Formcoat®	
				ainted Formcoat® top/edge (P)	
Top F	inish		8Q	folkstone grey	+\$0
For la	minate top/thermoplastic edge (L)		91	white	+\$0
76	light brown walnut	+\$0	CL	cool grey neutral	+\$0
91	white	+\$0	LU	soft white	+\$0
98	studio white	+\$0	WL	sandstone	+\$0
8Q	folkstone grey	+\$0	WN	warm grey neutral	+\$0
CL	cool grey neutral	+\$0		3 ,	·
HF	inner tone light	+\$0	Step	8. Edge Finish	
нм	natural maple	+\$0		minate top/thermoplastic edge (L)	
HP	light anigre	+\$0	76	light brown walnut	+\$0
нт	inner tone	+\$0	8Q	folkstone grey	+\$0
нх	aged cherry	+\$0	91	white	+\$0
HY	walnut on cherry	+\$0	98	studio white	+\$0
LA	light ash	+\$0	CL	cool grey neutral	+\$0
LBA	clear on ash	+\$0	LA	light ash	+\$0
LBU	medium matte walnut	+\$0	LBA	clear on ash	+\$0
LBB	oak on ash	+\$0	LBU	medium matte walnut	+\$0
LBC	walnut on ash	+\$0	LBB	oak on ash	+\$0
LBD	dark brown walnut	+\$0	LBC	walnut on ash	+\$0
LBE	medium red walnut	+\$0	LBD	dark brown walnut	+\$0
LBF	neutral twill	+\$0	LBE	medium red walnut	+\$0
LBG	sarum twill	+\$0	LBF	neutral twill	+\$0
LBH	earthen twill	+\$0	LBG	sarum twill	+\$0
LBJ	graphite twill	+\$0	LBH	earthen twill	+\$0
LBK	pewter mesh	+\$0	LBJ	graphite twill	+\$0
LBL	steel mesh	+\$0	LBK	pewter mesh	+\$0
LBM	crisp linen	+\$0	LBL	steel mesh	+\$0
LBN	classic linen	+\$0	LBM	crisp linen	+\$0
LBP	casual linen	+\$0	LBN	classic linen	+\$0
LBQ	white twill	+\$0	LBP	casual linen	+\$0
LU	soft white	+\$0	LBQ	white twill	+\$0
WL	sandstone	+\$0	WL	sandstone	+\$0
WN	warm grey neutral	+\$0	WN	warm grey neutral	+\$0
	<i>5</i> ,		HF	inner tone light	+\$0
Top/E	Edge Finish: Wood Veneer		нм	natural maple	+\$0
For ve	eneer top/veneer edge (W)		HP	light anigre	+\$0
2U	light brown walnut 🔼	+\$50	HT	inner tone	+\$0
40	dark brown walnut 🛕	+\$50	нх	aged cherry	+\$0
ED	aged cherry A	+\$50	HY	walnut on cherry	+\$0
EK	medium red walnut A	+\$50	LU	soft white	+\$0
ET	clear on ash 🛕	+\$50	9V	tapestry beige	+\$0
EU	oak on ash 🛕	+\$50		· · · · · ·	
EV	walnut on ash A	+\$50			
UL	natural maple A	+\$50			
UX	walnut on cherry A	+\$50			

Step). Leg Finish	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110
Step 1	o. Casters/Glides	
20	casters	+\$0
57	glides	+\$0
Step 1	1. Grommets	
For sq	uared-edge (S.) with 18" deep (18)	
NTG	no grommet	+\$0
For 24	" deep (24), 30" deep (30) AND 36" deep (36)	
NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425 3 port	+\$27
254	cutout for Y1420. or Y1425 5 port	+\$27
255	cutout for Y1420. or Y1425 6 port	+\$27

Square Table

DT1BE. DT1BS. DT1BT.



Product Information

Description


This square table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

48" tops available only with post leg option for optimum stability.
42" top (4242) with 4-column base (X) available only with glides.
Casters are not compatible with this top/base combination.
For additional details on available edge options see Appendices.
For additional size, edge, and finish options, see Vary Easy Program in Appendices.

UL listed when used with Connect $^{\text{\tiny M}}$ single circuit electrical product (Y137x.) with post leg (P) option.

Dimensions



Step 1	fication Information
DT1B	
D11D	
Step 2	. Edge
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step 3	. Depth/Width
3030	30" deep x 30" wide
3636	36" deep x 36" wide
4242	42" deep x 42" wide
4848	48" deep x 48" wide
Step 4	. Surface Material
For sq	uared-edge (S.)
L	laminate top/thermoplastic edge
W	veneer top/veneer edge A
Р	painted Formcoat® top/edge
For thi	n-edge (T.)
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
For ea	sed-edge (E.)
P	painted Formcoat® top/edge
Step 5	Leg/Base Type
For 30	" deep x 30" wide (3030)
P	post leg
Χ	4-column base
S	single-column base A
For 36	" deep x 36" wide (3636)
P	post leg
X	4-column base
S	single-column base A
For 42	" deep x 42" wide (4242)
P	post leg
Х	4-column base
For 48	" deep x 48" wide (4848)
Р	post leg

Prices f	or Ste	OS 1-5.			
			Р	Х	S
DT1BS.	3030	L	\$676	878	747
		W	\$854	1127	949
		P	\$778	1011	858
***************************************	3636	L	\$811	1053	896
		W	\$1037	1363	1152
		P	\$934	1211	1029
***************************************	4242	L	\$932	1210	_
		W	\$1199	1575	_
		P	\$1071	1391	_
•••••	4848	L	\$1044	_	_
		W	\$1407	_	_
		P	\$1200	_	_
			Р	х	S
DT1BT.	3030	W	\$1024	1352	1140
		P	\$830	1078	915
•••••	3636				0 -
		W	\$1244	1636	1382
		W P	\$1244 \$993	1636 1289	1382 1096
	4242	P		_	-
	4242	P	\$993	1289	-
	4242 4848	P W P	\$993 \$1439	1289 1892	-
		P W P	\$993 \$1439 \$1141	1289 1892	-
		P W P W	\$993 \$1439 \$1141 \$1689	1289 1892	-
DT1BE.	4848	P W P W P	\$993 \$1439 \$1141 \$1689 \$1278	1289 1892 1483 —	1096 — — — —
DT1BE.	4848	P W P W P	\$993 \$1439 \$1141 \$1689 \$1278	1289 1892 1483 — — X	1096 - - - - - S
DT1BE.	4848 3030	P W P W P	\$993 \$1439 \$1141 \$1689 \$1278 P	1289 1892 1483 — — X 1078	1096 - - - - S 915

Step 6	ó.		Top/E	Edge Finish: Opaque Formcoat®	
				ainted Formcoat® top/edge (P)	
Top Fi	inish		8Q	folkstone grey	+\$c
For laminate top/thermoplastic edge (L)		91	white	+\$0	
76	light brown walnut	+\$o	CL	cool grey neutral	+\$0
91	white	+\$o	LU	soft white	+\$0
98	studio white	+\$o	WL	sandstone	+\$0
8Q	folkstone grey	+\$o	WN	warm grey neutral	+\$0
CL	cool grey neutral	+\$o			
HF	inner tone light	+\$o	Step	7. Edge Finish	
нм	natural maple	+\$o	For la	minate top/thermoplastic edge (L)	
HP	light anigre	+\$o	76	light brown walnut	+\$0
HT	inner tone	+\$o	8Q	folkstone grey	+\$0
нх	aged cherry	+\$o	91	white	+\$0
HY	walnut on cherry	+\$o	98	studio white	+\$0
LA	light ash	+\$o	CL	cool grey neutral	+\$0
LBA	clear on ash	+\$o	LA	light ash	+\$0
LBU	medium matte walnut	+\$o	LBA	clear on ash	+\$0
LBB	oak on ash	+\$o	LBU	medium matte walnut	+\$0
LBC	walnut on ash	+\$o	LBB	oak on ash	+\$0
LBD	dark brown walnut	+\$o	LBC	walnut on ash	+\$0
LBE	medium red walnut	+\$o	LBD	dark brown walnut	+\$0
LBF	neutral twill	+\$o	LBE	medium red walnut	+\$0
LBG	sarum twill	+\$o	LBF	neutral twill	+\$0
LBH	earthen twill	+\$o	LBG	sarum twill	+\$0
LBJ	graphite twill	+\$o	LBH	earthen twill	+\$0
LBK	pewter mesh	+\$o	LBJ	graphite twill	+\$0
LBL	steel mesh	+\$o	LBK	pewter mesh	+\$0
LBM	crisp linen	+\$o	LBL	steel mesh	+\$0
LBN	classic linen	+\$o	LBM	crisp linen	+\$0
LBP	casual linen	+\$o	LBN	classic linen	+\$0
LBQ	white twill	+\$o	LBP	casual linen	+\$0
LU	soft white	+\$o	LBQ	white twill	+\$0
WL	sandstone	+\$o	WL	sandstone	+\$0
WN	warm grey neutral	+\$o	WN	warm grey neutral	+\$0
			HF	inner tone light	+\$0
	dge Finish: Wood Veneer		HM	natural maple	+\$0
For ve	neer top/veneer edge (W)		HP	light anigre	+\$0
2U	light brown walnut 🛕	+\$50	HT	inner tone	+\$0
40	dark brown walnut 🛕	+\$50	нх	aged cherry	+\$0
ED	aged cherry A	+\$50	HY	walnut on cherry	+\$0
EK	medium red walnut 🛕	+\$50	LU	soft white	+\$0
ET	clear on ash 🛕	+\$50			
EU	oak on ash 🛕	+\$50			
EV	walnut on ash A	+\$50			
UL	natural maple 🖪	+\$50			
IIX	walnut on cherry	+\$50			

Step	8. Leg Finish	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110
Step	9. Casters/Glides	
20	casters	+\$0
57	glides	+\$0
For 4	a-column base (X)	
57	glides	+\$0

Round Table

DT1CE. DT1CS. DT1CT.



Product Information

Description

This round table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes


48" and 60" tops available only with post leg option for optimum stability.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) option.

Dimensions



Specification Information

Step	1.
DT10	
Step	2. Edge
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step	3. Diameter
30	30" diameter
36	36" diameter
42	42" diameter
48	48" diameter
60	60" diameter
Step	4. Surface Material
Forc	quared-edge (S.)
I UI 3	laminate top/thermoplastic edge
w	veneer top/veneer edge A
VV P	
Р	painted Formcoat® top/edge
For th	nin-edge (T.)
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
For e	ased-edge (E.)
P	painted Formcoat® top/edge
Step	5. Leg/Base Type
For 3	o" diameter (30) or 36" diameter (36)
Р	post leg
Χ	4-column base
S	single-column base A
For 4	2" diameter (42)
P	post leg
X	4-column base
For 4	8" diameter (48) or 60" diameter (60)
P	post leg

Prices fo	or S	teps 1-5.			
		-	Р	Х	S
DT1CS.	30	L	\$776	1011	858
		W	\$983	1296	1091
		P	\$894	1162	988
	36	L	\$934	1210	985
		W	\$983	1568	1323
		P	\$1074	1391	1133
***************************************	42	L	\$1071	1330	_
		W	\$1380	1812	_
		P	\$1232	1530	_
***************************************	48	L	\$1199	_	_
		W	\$1618	_	_
		P	\$1381	_	_
***************************************	60	L	\$1308	_	_
		W	\$1772	_	_
		Р	\$1502	_	_
			P	х	S
DT1CT.	30	W	\$1179	1555	1310
		P	\$951	1238	1053
	36	W	\$1179	1881	1588
		P	\$1143	1483	1207
	42	W	\$1655	2174	_
		P	\$1313	1630	_
	48	W	\$1941	_	_
		P	\$1469	_	_
	60	W	\$2126	_	_
		P	\$1601	_	_
			P	х	S
	30	P	\$951	1238	1053
DT1CE.			\$1143	1483	1207
•	36	P	447	-4-7	- /
			\$1313	1630	_
	36	Р			_ _

Step 6	5.	
Top Fi	inish	
For la	minate top/thermoplastic edge (L)	
38	twilight	+\$o
39	desert	+\$o
76	light brown walnut	+\$o
91	white	+\$o
98	studio white	+\$o
8Q	folkstone grey	+\$o
CL	cool grey neutral	+\$o
HF	inner tone light	+\$o
нм	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone A	+\$o
нх	aged cherry	+\$o
HY	walnut on cherry	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBU	medium matte walnut	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	+\$o
LU	soft white	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

For ve	neer top/veneer edge (W)	
2U	light brown walnut 🛕	+\$50
40	dark brown walnut A	+\$50
ED	aged cherry A	+\$50
EK	medium red walnut A	+\$50
ET	clear on ash A	+\$50
EU	oak on ash A	+\$50
EV	walnut on ash A	+\$50
UL	natural maple A	+\$50
UX	walnut on cherry A	+\$50
Top/E	dge Finish: Opaque Formcoat®	
For pa	inted Formcoat® top/edge (P)	
8Q	folkstone grey	+\$o
91	white	+\$o
CL	cool grey neutral	+\$o
LU	soft white	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

Top/Edge Finish: Wood Veneer

Step 7.	Edge Finish	
For lam	ninate top/thermoplastic edge (L)	
76	light brown walnut	+\$o
8Q	folkstone grey	+\$o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBU	medium matte walnut	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$ 0
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$o
WN	warm grey neutral	+\$o
HF	inner tone light	+ \$o
НМ	natural maple	+ \$o
HP	light anigre	+\$0
HT	inner tone A	+\$o
НХ	aged cherry	+\$o
HY	walnut on cherry	+\$0
LU	soft white	+\$0

Step 8.	. Leg/Base Finish	
BQ	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110
Step 9.	. Casters/Glides	
20	casters	+\$0
57	glides	+\$0



Product Information

Description

This oval table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.


Notes

When specifying grommets (253, 254, 255), cutouts will be located in the center of table.

Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally and front to back.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.



Specification Information

Step	1.
DT1D	
Step	2. Edge
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step	3. Depth
30	30" deep
36	36" deep
42	42" deep
Step	4. Width
For 3	o" deep (30)
48	48" wide
60	60" wide
For 3	6" deep (36)
60	6o" wide
72	72" wide
For 4	2" deep (42)
72	72" wide
84	84" wide
Step	5. Surface Material
	4 (0)
For so	quared-edge (S.)
L	laminate top/thermoplastic edge
W	veneer top/veneer edge A
Р	painted Formcoat® top/edge
For th	nin-edge (T.)
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
For e	ased-edge (E.)
P	painted Formcoat® top/edge
Step	6. Leg/Base Type
For 4	8" wide (48) or 60" wide (60)
P	post leg
G	double 3-column base, spanner
•	adable 5 column base, spannel

For 72"	wide (72) or 84" wide (84)
P	post leg
E	double 3-column base
G	double 3-column base, spanner

Prices for Steps 1-6.

		LP	LE	LG	WP	WE	WG
DT1DS. 30	48	\$910	_	1500	1350	_	2268
	60	\$983	_	1621	1463	_	2453
36	60	\$1091	_	1800	1633	_	2732
	72	\$1254	2132	2070	1886	3247	3151
42	72	\$1344	2280	2214	2023	3480	3377
	84	\$1382	2345	2276	2081	3578	3474
					PP	PE	PG
DT1DS. 30	48				\$1047	_	1727
	60				\$1130	_	1864
36	60				\$1254	_	2070
	72				\$1444	2452	2381
42	72				\$1545	2623	2547
	84				\$1588	2697	2618
		LP	LE	LG	WP	WE	WG
DT1DT. 30	48	_	_	_	\$1621	_	2720
	60	_	_	_	\$1755	_	2943
36	60	_	_	_	\$1960	_	3278
	72	_	_	_	\$2264	3897	3782
42	72	_	_	_	\$2428	4176	4051
	84	_	_	_	\$2497	4295	4168
					PP	PE	PG
DT1DT. 30	48				\$1115	_	1838
	60				\$1204	_	1984
36	60				\$1337	_	2205
	72				\$1537	2611	2535
42	72				\$1645	2793	2712
	84				\$1693	2872	2788
					PP	PE	PG
DT1DE. 30	48				\$1115	_	1838
	60				\$1204	_	1984
	60				\$1337	_	2205
36	00						
36	72				\$1537	2611	2535
					\$1537 \$1645	2611 2793	2535 2712


Step 7	7.		LG	light grey (discontinuing)	+ \$o
			LM	mahogany	+\$ 0
Top Fi	nish		LT	light tone A	+\$ 0
For la	minate top/thermoplastic edge (L)		LU	soft white	+\$ 0
1X	vanilla	+\$o	MT	medium tone	+\$ 0
28	canyon	+\$o	OG	honey maple A	+\$0
29	misted	+\$o	WL	sandstone	+\$0
2X	wheat	+\$o	WN	warm grey neutral	+\$0
38	twilight	+\$o	X1	chalk white A	+\$ 0
39	desert	+\$o			
3X	celery	+\$o	Top/E	Edge Finish: Wood Veneer	
4X	coriander	+\$o	For ve	eneer top/veneer edge (W)	
5X	chamomile	+\$o	2U	light brown walnut 🛕	+\$50
6X	cinnamon	+\$o	40	dark brown walnut 🛕	+\$50
76	light brown walnut	+\$o	ED	aged cherry A	+\$50
7X	cardamom	+\$o	EK	medium red walnut [A]	+\$50
8Q	folkstone grey	+\$o	ET	clear on ash 🛕	+\$50
8X	kale	+\$o	EU	oak on ash 🛕	+\$50
91	white	+\$o	EV	walnut on ash 🛕	+\$50
98	studio white	+\$o	UL	natural maple 🛕	+\$50
CL	cool grey neutral	+\$o	UX	walnut on cherry A	+\$50
HF	inner tone light	+\$o			
нм	natural maple	+\$o	Top/E	Edge Finish: Opaque Formcoat®	
HP	light anigre	+\$o	For po	ainted Formcoat® top/edge (P)	
HT	inner tone A	+\$o	8Q	folkstone grey	+\$0
нх	aged cherry	+\$o	91	white	+\$0
HY	walnut on cherry	+\$o	CL	cool grey neutral	+\$0
J4	frosted light grey	+\$o	LU	soft white	+\$0
J5	frosted inner tone light	+\$o	WL	sandstone	+\$0
J7	frosted medium tone	+\$o	WN	warm grey neutral	+\$0
LA	light ash	+\$o			
LBA	clear on ash	+\$o	Step	8. Edge Finish	
LBB	oak on ash	+\$o	For la	minate top/thermoplastic edge (L)	
LBC	walnut on ash	+\$o	28	canyon	+\$0
LBD	dark brown walnut	+\$o	29	misted	+\$ 0
LBE	medium red walnut	+\$o	38	twilight	+\$0
LBF	neutral twill	+\$o	39	desert	+\$ 0
LBG	sarum twill	+\$o	76	light brown walnut	+\$0
LBH	earthen twill	+\$o	8Q	folkstone grey	+\$0
LBJ	graphite twill	+\$o	8Z	neutral grey	+\$0
LBK	pewter mesh	+ \$0	91	white	+\$0
LBL	steel mesh	+ \$0	98	studio white	+\$0
LBM	crisp linen	+ \$0	9V	tapestry beige	+\$0
LBN	classic linen	+ \$0	BU	black umber A	+\$0
LBP	casual linen	+ \$o	CL	cool grey neutral	+\$ 0
LBQ	white twill	+ \$o	CM	cinnamon	+\$0
LBU	medium matte walnut	+\$o	CO	chamomile	+\$0

G2	graphite satin	+\$c
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone A	+\$0
НΧ	aged cherry	+\$0
HY	walnut on cherry	+\$0
JB	millwork cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut	+\$0
LG	light grey (discontinuing) 🛕	+\$0
LM	mahogany	+\$0
LT	light tone A	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
N3	cool grey	+\$0
OG	honey maple A	+\$0
SG	slate grey	+\$0
WA	wheat	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white A	+\$0

\$o	Step	9. Leg/Base Finish	
\$o	8Q	folkstone grey	+\$o
\$o	91	white	+\$o
\$o	98	studio white A	+\$o
\$o	BU	black umber	+\$o
\$o	CL	cool grey neutral	+\$o
\$ o	G2	graphite satin	+ \$o
\$ o	HF	inner tone light	+\$o
\$ o	LU	soft white	+\$o
\$ o	MT	medium tone	+\$o
\$ o	SG	slate grey	+\$o
\$ o	WL	sandstone	+\$o
\$o	WN	warm grey neutral	+ \$o
\$o	CN	metallic champagne	+\$20
\$ o	EH	metallic bronze	+\$20
\$ o	MS	metallic silver	+\$20
\$ o	CD	polished aluminum	+\$110
\$o			
\$o	Step 1	10. Casters/Glides	
\$o	20	casters	+\$o
\$o	57	glides	+\$o
\$o			
\$ o	Step 1	11. Grommets	
\$ o	NTG	no grommet	+\$o
\$ o	253	cutout for Y1420. or Y1425 3 port	+\$27
\$ o	254	cutout for Y1420. or Y1425 5 port	+\$27
\$ o	255	cutout for Y1420. or Y1425 6 port	+\$27
\$o			
\$ o			
ተ -			

D-Shaped Table

DT1EE. DT1ES. DT1ET.



Product Information

Description

This D-shaped table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Height-adjustable legs have a 5" range in 1" increments.

Notes

Thin edge and eased edge tops available only with 30" deep surfaces. T-leg and T-leg with height adjustment cannot be used with 18" deep tops.

Cable grommet options available through Vary Easy Program for round pass through grommet with $2^1/4^n$ hole clearance. Holes are located 3^n from rear edge and 6^n from end for the L and R options. Covers not provided with painted surface option.


Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally, and approximately 3" from the rear edge of surface.

Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

UL listed when used with Connect single circuit electrical product (Y137x.) with post leg (P) and T-leg (T) options.



	ification Information
Step 1	
DT1E	
Step 2	2. Edge
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step :	3. Depth/Width
For th	in-edge (T.) or eased-edge (E.)
• • • • • • • • • • • • • • • • • • • •	
3060	30" deep x 60" wide
For sq	uared-edge (S.)
1836	18" deep x 36" wide
2448	24" deep x 48" wide
3060	30" deep x 60" wide
Step 4	4. Surface Material
For sq	uared-edge (S.)
L	laminate top/thermoplastic edge
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
For th	in-edge (T.)
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
For ea	ised-edge (E.)
P	painted Formcoat® top/edge
Step !	;. Leg Type
For 18	" deep x 36" wide (1836)
P	post leg
 For 30	" deep x 60" wide (3060) or 24" deep x 48" wide (2448)
P	post leg
Т	T-leg
	T-leg with height adjustment


Prices f	or Steps 1-5.			
	, ,	Р	Т	Α
DT1ES.	1836 L	\$710	_	_
	W	\$827	_	_
	P	\$817	_	_
***************************************	2448 L	\$851	1337	1619
	W	\$1004	1505	1912
***************************************	Р	\$980	1537	1861
	3060 L	\$979	1536	1860
	W	\$1162	1749	2221
	Р	\$1126	1766	2138
		Р	Т	Α
DT1ET.	3060 W	\$1394	2100	2666
	P	\$1198	1881	2278
		Р	т	Α
DT1EE.	3060 P	\$1198	1881	2278
Step 6.				
T F:	. ,			
Top Fin				
28	inate top/thermoplastic edge (L)			+\$0
29	canyon misted			+\$0
38	twilight			+\$0
39	desert			+\$0
76	light brown walnut			+\$0
91	white			+\$0
98	studio white			+\$0
1X	vanilla			+\$0
2X	wheat			+\$0
3X	celery			+\$0
4X	coriander			+\$0
5X	chamomile			+\$0
6X	cinnamon			+\$0
7X	cardamom			+\$o
8X	kale			+\$0
8Q	folkstone grey			+\$o
CL	cool grey neutral			+\$o
HF	inner tone light			+\$o
нм	natural maple			+\$0
HP	light anigre			+\$0
НТ	inner tone			+\$0
НХ	aged cherry			+\$0
HY	walnut on cherry			+\$0
J4	frosted light grey			+\$0
	•			

J5	frosted inner tone light	+\$o	Top/Edge Finish: Opaque Formcoat®		
J7	frosted medium tone	+\$o	For painted Formcoat® top/edge (P)		
LA	light ash	+\$o	8Q	folkstone grey	+\$0
LBA	clear on ash	+\$o	91	white	+\$c
LBU	medium matte walnut	+\$0	CL	cool grey neutral	+\$0
LBB	oak on ash	+ \$o	LU	soft white	+\$0
LBC	walnut on ash	+\$0	WL	sandstone	+\$0
LBD	dark brown walnut	+\$0	WN	warm grey neutral	+\$0
LBE	medium red walnut	+\$0			
LBF	neutral twill	+\$0	Step ;	7. Edge Finish	
LBG	sarum twill	+\$0	For la	minate top/thermoplastic edge (L)	
LBH	earthen twill	+\$0	76	light brown walnut	+\$0
LBJ	graphite twill	+\$o	8Q	folkstone grey	+\$0
LBK	pewter mesh	+\$o	91	white	+\$0
LBL	steel mesh	+\$o	98	studio white	+\$0
LBM	crisp linen	+\$o	CL	cool grey neutral	+\$0
LBN	classic linen	+\$o	LA	light ash	+\$0
LBP	casual linen	+\$o	LBA	clear on ash	+\$0
LBQ	white twill	+\$o	LBU	medium matte walnut	+\$0
LG	light grey (discontinuing)	+\$o	LBB	oak on ash	+\$0
LM	mahogany	+\$o	LBC	walnut on ash	+\$0
LT	light tone	+\$o	LBD	dark brown walnut	+\$0
LU	soft white	+\$o	LBE	medium red walnut	+\$0
MT	medium tone	+\$o	LBF	neutral twill	+\$0
OG	honey maple	+\$o	LBG	sarum twill	+\$0
WL	sandstone	+\$o	LBH	earthen twill	+\$0
WN	warm grey neutral	+\$o	LBJ	graphite twill	+\$0
X1	chalk white	+\$o	LBK	pewter mesh	+\$0
			LBL	steel mesh	+\$0
Top/E	dge Finish: Wood Veneer		LBM	crisp linen	+\$0
For ve	neer top/veneer edge (W)		LBN	classic linen	+\$0
2U	light brown walnut 🗚	+\$50	LBP	casual linen	+\$0
40	dark brown walnut 🔼	+\$50	LBQ	white twill	+\$0
ED	aged cherry A	+\$50	WL	sandstone	+\$0
EK	medium red walnut A	+\$50	WN	warm grey neutral	+\$0
ET	clear on ash A	+\$50	HF	inner tone light	+\$0
EU	oak on ash 🛕	+\$50	нм	natural maple	+\$0
EV	walnut on ash A	+\$50	HP	light anigre	+\$0
UL	natural maple A	+\$50	HT	inner tone	+\$0
UX	walnut on cherry A	+\$50	нх	aged cherry	+\$0
	· <u> </u>	-	HY	walnut on cherry	+\$0
			111	soft white	± \$c

Step 8	8. Leg Finish	
8Q	folkstone grey	+\$
91	white	+\$
98	studio white A	+\$
BU	black umber	+\$
CL	cool grey neutral	+\$
G2	graphite satin	+\$
HF	inner tone light	+\$
LU	soft white	+\$
MT	medium tone	+\$
SG	slate grey	+\$
WL	sandstone	+\$
WN	warm grey neutral	+\$
CN	metallic champagne	+\$2
EH	metallic bronze	+\$2
MS	metallic silver	+\$2
CD	polished aluminum	+\$11
Step	9. Casters/Glides	
20	casters	+\$
57	glides	+\$

Soft Rectangle - Meeting Table

DT1FE. DT1FS. DT1FT.



Product Information

Description

This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.


Notes

When specifying grommets (253, 254, 255), cutouts will be located in the center of table.

Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally and front to back.

For additional details on available edge options see Appendices.
For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT1F

Step 2. Edge

S. squared-edge

T. thin-edge

E. eased-edge

Step 3. Depth

30 30" deep

36 36" deep

42 42" deep

Step 4. Width

For 30" deep (30)

48 48" wide

60 60" wide

For 36" deep (36)

60 6o" wide

72 72" wide

For 42" deep (42)

72 72" wide

84 84" wide

Step 5. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge

W veneer top/veneer edge A

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge A

P painted Formcoat® top/edge

For eased-edge (E.)

P painted Formcoat® top/edge

Step	6. Leg/Base Type
For 48	3" wide (48) or 60" wide (60)
P	post leg
G	double 3-column base, spanner
Т	T-leg
Α	T-leg with height adjustment
For 72	2" wide (72) or 84" wide (84)
Р	post leg
E	double 3-column base
G	double 3-column base, spanner

	Steps 1-6.						
		LP	LE	LG	LT	LA	WP
DT1FS. 30	48	\$1047	_	1726	1476	1842	1554
	60	\$1130	_	1863	1613	2123	1681
36	60	\$1254	_	2070	1821	1860	1877
	72	\$1444	2452	2380	_	_	2169
42	84	\$1588	2695	2616	_	_	2392
	72	\$1545	2623	2547	_	-	2325
		WE	WG	WT	WA	PP	PE
DT1FS. 30		_	\$2606	2357	2349	1201	_
	60	_	\$2821	2571	2710	1300	
36	60	_	\$3142	2893	2431	1442	_
	72	\$3735	3625	_	_	1659	2819
42	84	\$4115	3994	_	_	1826	3099
	72	\$4000	3883	_	_	1777	3015
					PG	PT	PA
DT1FS. 30	48				\$1984	1698	2120
	60				\$2141	1857	2442
36	60				\$2380	2093	2138
	72				\$2737	_	_
42	84				\$3008	_	_
	72				\$2929	_	-
		LP	LE	LG	LT	LA	WF
	48	_	_	_	_	_	\$1863
DT1FT. 30		_	_	_	_	_	\$2019
DT1FT. 30	60						
	60 60	_	_	_	_	_	\$2252
		_ _	_ _	_	_	_	
36	60	- - -	– – –	- - -	_ 	_ _ _	\$2252 \$2602 \$2871

Top Finish For laminate top/thermoplastic edge (L) 28 canyon +\$0 29 misted +\$0 38 twilight +\$0 39 desert +\$0 76 light brown walnut +\$0 91 white +\$0 98 studio white +\$0 1X vanilla +\$0 2X wheat +\$0			WE	WG	WT	WA	PP	PE
36 60	DT1FT.	30 48	_	\$3127	2828	2819	1280	_
72 \$4481 4348 — 1768 3002 42 84 \$4937 4792 — 1945 3303 72 \$4800 4658 — 1892 3210 PG PT PA DT1FT. 30 48 \$2113 2711 3385 60 \$2282 2964 3898 36 60 \$23205 — — 72 \$3119 — — WE WG WT WA PP PE PE DT1FE. 30 48 — — — \$1384 — 72 — \$1758 — — \$1384 — 36 60 — — — \$1536 — 72 — — \$1945 3303 72 — — \$1945 3303 72 — — \$1945 3002 PG PT PA DT1FE. 30 48 \$2113 1808 2258 60		60	_	\$3384	3085	3253	1384	_
Mail		36 60	_	\$3769	3470	2918	1536	_
PG		72	\$4481	4348	_	_	1768	3002
PG		42 84	\$4937	4792	_	_	1945	3303
Section Sect		72	\$4800	4658	-	_	1892	3210
\$ \$2282 2964 3898 36 60 \$2534 3343 3416 72 \$2915 \$2915 \$3119 \$1280 - \$1280 - \$1280							PT	PA
Section Sect	DT1FT.						2711	3385
72 \$2915 — — 42 84 \$3205 — — 72 \$3119 — — WE WG WT WA PP PE DT1FE. 30 48 — — — \$1536 — 72 — — — \$1768 3002 42 84 — — — \$1945 3303 72 — — \$1892 3210 PG PT PA DT1FE. 30 48 \$2113 1808 2258 60 \$2282 1977 2599 36 60 \$2254 2229 2278 72 \$2915 — 42 84 \$3205 — 72 \$3119 — Step 7. Top Finish For laminate top/thermoplastic edge (L) 28 canyon +\$0 39 desert +\$0 76 light brown walnut <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>2964</td><td>3898</td></t<>							2964	3898
WE WG WT WA PP PE		36 60				\$2534	3343	3416
WE WG WT WA PP PE		72				\$2915		
WE WG WT WA PP PE DT1FE. 30 48 — — — \$1280 — 60 — — — \$1384 — 36 60 — — — \$1536 — 72 — — — \$1768 3002 42 84 — — — \$1945 3303 72 — — \$1892 3210 PG PT PA DT1FE. 30 48 \$2113 1808 2258 60 \$2282 1977 2599 36 60 \$22534 2229 2278 72 \$2915 — 42 84 \$3205 — 72 \$3119 — Step 7. Top Finish For laminate top/thermoplastic edge (L) 28 canyon +\$0 38 twilight +\$0		42 84				\$3205	_	_
DT1FE. 30 48		72				\$3119	_	_
60 - - \$1384 - 36 60 - - - \$1536 - 72 - - - \$1768 3002 42 84 - - - \$1945 3303 72 - - \$1892 3210 PG PT PA DT1FE. 30 48 \$2113 1808 2258 60 \$2282 1977 2599 36 60 \$2534 2229 2278 72 \$2915 - - 42 84 \$3205 - - 72 \$3119 - - Step 7. Top Finish For laminate top/thermoplastic edge (L) 28 canyon +\$0 29 misted +\$0 38 twilight +\$0 39 desert +\$0 76 light brown walnut +\$0 98 studio white +\$0 1X vanilla +\$0 <t< td=""><td></td><td></td><td>WE</td><td>WG</td><td>WT</td><td>WA</td><td>PP</td><td>PE</td></t<>			WE	WG	WT	WA	PP	PE
36 60	DT1FE.		_	_	_	_		_
72			_		_	_		
Mathematical Reserve		36 60	_	_	_	_		_
PG PT PA DT1FE. 30 48 \$2113 1808 2258 60 \$2282 1977 2599 36 60 \$2534 2229 2278 72 \$2915 — — 42 84 \$3205 — — 72 \$3119 — — Step 7. Step 7. *\$0 *\$0 28 canyon +\$0 *\$0 29 misted +\$0 38 twilight +\$0 39 desert +\$0 76 light brown walnut +\$0 91 white +\$0 98 studio white +\$0 1X vanilla +\$0 2X wheat +\$0 3X celery +\$0		72	_		_	_		3002
PG PT PA DT1FE. 30 48 \$2113 1808 2258 60 \$2282 1977 2599 36 60 \$2534 2229 2278 72 \$2915 — — 42 84 \$3205 — — 72 \$3119 — — Step 7. Top Finish For laminate top/thermoplastic edge (L) 28 canyon +\$0 29 misted +\$0 38 twilight +\$0 39 desert +\$0 76 light brown walnut +\$0 91 white +\$0 98 studio white +\$0 1X vanilla +\$0 2X wheat +\$0 3X celery +\$0		42 84	_	_	_	_		3303
DT1FE. 30 48		72	_	_	-	_	\$1892	3210
\$2282 1977 2599 36 60 \$2534 2229 2278 72 \$2915 42 84 \$3205 72 \$3119 Step 7. Top Finish For laminate top/thermoplastic edge (L) 28 canyon +\$0 29 misted +\$0 38 twilight +\$0 39 desert +\$0 76 light brown walnut +\$0 91 white +\$0 98 studio white +\$0 1X vanilla +\$0 2X wheat +\$0 3X celery +\$0							PT	
36 60 \$2534 2229 2278 72 \$2915 42 84 \$3205 72 \$3119 Step 7. Top Finish For laminate top/thermoplastic edge (L) 28 canyon +\$0 29 misted +\$0 38 twilight +\$0 39 desert +\$0 16 light brown walnut +\$0 17 white +\$0 18 studio white +\$0 18 vanilla +\$0 29 wheat +\$0 20 wheat +\$0 21 wheat +\$0 22 wheat +\$0 23 celery +\$0	DT1FE.						1808	
72 \$2915 — — 42 84 \$3205 — — 72 \$3119 — — Step 7. Top Finish For laminate top/thermoplastic edge (L) 28 canyon +\$0 29 misted +\$0 38 twilight +\$0 39 desert +\$0 6 light brown walnut +\$0 91 white +\$0 98 studio white +\$0 1X vanilla +\$0 2X wheat +\$0 3X celery +\$0							1977	2599
42 84 \$3205 — 72 \$3119 — Step 7. Top Finish For laminate top/thermoplastic edge (L) 28 canyon +\$0 29 misted +\$0 38 twilight +\$0 39 desert +\$0 76 light brown walnut +\$0 91 white +\$0 98 studio white +\$0 1X vanilla +\$0 2X wheat +\$0 3X celery +\$0							2229	2278
72 \$3119 — Step 7. Top Finish For laminate top/thermoplastic edge (L) 28 canyon +\$0 29 misted +\$0 38 twilight +\$0 39 desert +\$0 76 light brown walnut +\$0 91 white +\$0 98 studio white +\$0 1X vanilla +\$0 2X wheat +\$0 3X celery +\$0								
Step 7. Top Finish For laminate top/thermoplastic edge (L) 28 canyon +\$0 29 misted +\$0 38 twilight +\$0 39 desert +\$0 76 light brown walnut +\$0 91 white +\$0 98 studio white +\$0 1X vanilla +\$0 2X wheat +\$0 3X celery +\$0		42 84					_	_
Top Finish For laminate top/thermoplastic edge (L) 28		72				\$3119	_	_
For laminate top/thermoplastic edge (L) 28 canyon +\$0 29 misted +\$0 38 twilight +\$0 39 desert +\$0 76 light brown walnut +\$0 91 white +\$0 98 studio white +\$0 1X vanilla +\$0 2X wheat +\$0 3X celery +\$0	Step 7.							
28 canyon +\$0 29 misted +\$0 38 twilight +\$0 39 desert +\$0 76 light brown walnut +\$0 91 white +\$0 98 studio white +\$0 1X vanilla +\$0 2X wheat +\$0 3X celery +\$0								
29 misted +\$o 38 twilight +\$o 39 desert +\$o 76 light brown walnut +\$o 91 white +\$o 98 studio white +\$o 1X vanilla +\$o 2X wheat +\$o 3X celery +\$o	Top Fin	ish						
38 twilight +\$0 39 desert +\$0 76 light brown walnut +\$0 91 white +\$0 98 studio white +\$0 1X vanilla +\$0 2X wheat +\$0 3X celery +\$0	•		rmoplastic e	dge (L)				
39 desert +\$0 76 light brown walnut +\$0 91 white +\$0 98 studio white +\$0 1X vanilla +\$0 2X wheat +\$0 3X celery +\$0	•	inate top/the	rmoplastic e	dge (L)				+\$0
76 light brown walnut +\$c 91 white +\$c 98 studio white +\$c 1X vanilla +\$c 2X wheat +\$c 3X celery +\$c	For lam	inate top/the canyon misted	rmoplastic e	dge (L)				+\$0
91 white +\$0 98 studio white +\$0 1X vanilla +\$0 2X wheat +\$0 3X celery +\$0	For lam 28	inate top/the canyon misted	rmoplastic e	dge (L)				+\$0
98 studio white +\$o 1X vanilla +\$o 2X wheat +\$o 3X celery +\$o	For lam 28 29	inate top/the canyon misted twilight	rmoplastic e	dge (L)				+\$0 +\$0 +\$0
1X vanilla +\$o 2X wheat +\$o 3X celery +\$o	For lam 28 29 38	inate top/the canyon misted twilight desert		dge (L)				+\$0 +\$0 +\$0 +\$0
2X wheat +\$o 3X celery +\$o	For lam 28 29 38 39	inate top/the canyon misted twilight desert light brown		dge (L)				+\$0 +\$0 +\$0 +\$0
3X celery +\$o	For lam 28 29 38 39 76	inate top/the canyon misted twilight desert light brown white	walnut	dge (L)				+\$0 +\$0 +\$0 +\$0 +\$0
	For lam 28 29 38 39 76 91	inate top/the canyon misted twilight desert light brown white studio white	walnut	dge (L)				+\$0 +\$0 +\$0 +\$0 +\$0 +\$0
4X coriander +\$o	For lam 28 29 38 39 76 91	inate top/the canyon misted twilight desert light brown white studio white vanilla	walnut	dge (L)				+\$0 +\$0 +\$0 +\$0 +\$0 +\$0
	For lam 28 29 38 39 76 91 98 1X	inate top/the canyon misted twilight desert light brown white studio white vanilla wheat	walnut	dge (L)				+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0

5X	chamomile	+\$o
6X	cinnamon	+\$o
7X	cardamom	+\$o
8X	kale	+\$o
8Q	folkstone grey	+\$o
CL	cool grey neutral	+\$o
HF	inner tone light	+\$o
HM	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$o
нх	aged cherry	+ \$o
HY	walnut on cherry	+\$o
J4	frosted light grey	+\$o
J5	frosted inner tone light	+\$o
J7	frosted medium tone	+ \$0
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$o
LBF		+\$0
LBG		+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$ 0
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LG	light grey (discontinuing)	+\$ 0
LM		+\$0
LT	_	+\$0
LU		+\$0
MT	medium tone	+\$ 0
OG	honey maple	+\$0
WL		+\$ 0
WN		+\$ 0
X1	chalk white	+\$ 0

Top/	Edge Finish	
For v	eneer top/veneer edge (W)	
2U	light brown walnut 🛕	+\$85
40	dark brown walnut 🛕	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut 🛕	+\$85
ET	clear on ash 🛕	+\$85
EU	oak on ash 🛕	+\$85
EV	walnut on ash 🛕	+\$85
UL	natural maple A	+\$85
UX	walnut on cherry A	+\$85


Top/I	Edge Finish: Opaque Formcoat®	
For p	ainted Formcoat® top/edge (P)	
8Q	folkstone grey	+\$0
91	white	+ \$o
CL	cool grey neutral	+\$o
LU	soft white	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+ \$o

Step 8.	. Edge Finish	
For lan	ninate top/thermoplastic edge (L)	
76	light brown walnut	+\$o
8Q	folkstone grey	+\$o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBU	medium matte walnut	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o
HF	inner tone light	+\$o
HM	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$o
нх	aged cherry	+\$o
HY	walnut on cherry	+\$o
LU	soft white	+\$o
X1	chalk white	+\$o

Sten	9. Leg/Base Finish	
80	folkstone grey	+\$1
91	white	+\$
98	studio white A	+\$
BU	black umber	+\$(
CL	cool grey neutral	+\$(
G2	graphite satin	+\$(
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$
WN	warm grey neutral	+\$
CN	metallic champagne	+\$2
EH	metallic bronze	+\$2
MS	metallic silver	+\$2
CD	polished aluminum	+\$110
Step :	10. Casters/Glides	
20	casters	+\$
57	glides	+\$
Step :	11. Grommets	
NTG	no grommet	+\$
253	cutout for Y1420. or Y1425 3 port	+\$2
254	cutout for Y1420. or Y1425 5 port	+\$2
255	cutout for Y1420. or Y1425 6 port	+\$2

Video Oval - Meeting Table

DT1GE. DT1GS. DT1GT.



Product Information

Description

This oval table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

When specifying grommets (253, 254, 255), cutouts will be located in the center of table.


Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally and front to back.


For optimum viewing, video camera should be placed 42" from large end of table.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions





Specification Information

Step 1.

DT1G

Step 2. Edge

S. squared-edge

T. thin-edge

E. eased-edge

Step 3. Depth

42 42" deep

Step 4. Width

72 72" wide

84 84" wide

Step 5. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge

W veneer top/veneer edge A

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge A

P painted Formcoat® top/edge

For eased-edge (E.)

P painted Formcoat® top/edge

Step 6. Leg/Base Type

E double 3-column base

G double 3-column base, spanner


Prices for Steps 1-6.						
	LE	LG	WE	WG	PE	PG
DT1GS. 42 72	\$2623	2547	4000	3883	3015	2929
84	\$2695	2616	4115	3994	3099	3008
DT1GT. 42 72	_		\$4800	4658	3694	3588
84	_	_	\$4937	4792	3796	3685
DT1GE. 42 72	_		_		\$3210	3119
84	_	_	_	_	\$3303	3205

Step 7	7.	
Top Fi	inish	
•	minate top/thermoplastic edge (L)	
28	canyon	+\$0
29	misted	+\$0
38	twilight	+\$0
39	desert	+\$o
76	light brown walnut	+\$o
91	white	+\$o
98	studio white	+\$o
1X	vanilla	+\$0
2X	wheat	+\$0
3X	celery	+\$ 0
4X	coriander	+\$o
5X	chamomile	+\$o
6X	cinnamon	+\$o
7X	cardamom	+\$o
8X	kale	+\$0
8Q	folkstone grey	+\$ 0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
нх	aged cherry	+\$0
HY	walnut on cherry	+\$0
J4	frosted light grey	+\$0
J5	frosted inner tone light	+\$0
J7	frosted medium tone	+\$0
LA	light ash	+\$0
LBA LBU	clear on ash medium matte walnut	+\$0 +\$0
LBB	oak on ash	+\$0 +\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$o
-		•

LG	light grey (discontinuing)	+ \$o
LM	mahogany	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
OG	honey maple	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o
X1	chalk white	+\$0
Top/E	Edge Finish	
For ve	eneer top/veneer edge (W)	
2U	light brown walnut 🛕	+\$85
40	dark brown walnut 🛕	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut 🛕	+\$85
ΕT	clear on ash 🛕	+\$85
EU	oak on ash 🛕	+\$85
EV	walnut on ash 🛕	+\$85
UL	natural maple 🛕	+\$85
UX	walnut on cherry A	+\$85
Top/E	Edge Finish: Opaque Formcoat®	
For po	ainted Formcoat® top/edge (P)	
8Q	folkstone grey	+\$o
91	white	+\$o
CL	cool grey neutral	+\$o
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$o

Step 8.	. Edge Finish	
For lan	ninate top/thermoplastic edge (L)	
76	light brown walnut	+\$o
8Q	folkstone grey	+\$o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBU	medium matte walnut	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o
HF	inner tone light	+\$o
HM	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$o
нх	aged cherry	+\$o
HY	walnut on cherry	+\$o
LU	soft white	+ \$0

Step 9	. Leg/Base Finish	
3Q	folkstone grey	+\$0
91	white	+ \$o
98	studio white A	+ \$o
BU	black umber	+ \$o
CL.	cool grey neutral	+ \$o
52	graphite satin	+ \$o
łF	inner tone light	+ \$o
.U	soft white	+ \$o
VΤ	medium tone	+ \$o
SG	slate grey	+ \$o
٧L	sandstone	+ \$o
٧N	warm grey neutral	+ \$o
CN	metallic champagne	+\$20
H	metallic bronze	+\$20
MS	metallic silver	+\$20
CD.	polished aluminum	+\$110
Step 10	o. Casters/Glides	
20	casters	+\$o
57	glides	+\$o
Step 11	. Grommets	
NTG	no grommet	+\$o
253	cutout for Y1420. or Y1425 3 port	+\$27
254	cutout for Y1420. or Y1425 5 port	+\$27
255	cutout for Y1420. or Y1425 6 port	+\$27



Description

This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Height-adjustable legs have a 5" range in 1" increments.

Notes

When specifying grommets (253, 254, 255), cutouts will be located in the center of table.

Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally, and approximately 3" from the rear edge of surface.

Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces.


For additional details on available edge options see Appendices.

For additional size, edge, finish, and cable management options, see

Vary Easy Program in Appendices.

UL listed when used with Connect single circuit electrical product (Y137x.) with post leg (P), T-leg (T) and C-leg (C) options.

Dimensions





Specification Information

Step 1.

DT1H

Step 2. Edge

S. squared-edge

T. thin-edge

E. eased-edge

Step 3. Depth

30 30" deep

36 36" deep

Step 4. Width

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge

W veneer top/veneer edge A

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge A

P painted Formcoat® top/edge

For eased-edge (E.)

P painted Formcoat® top/edge

Step 6. Leg Type

For 30" deep (30)

post leg

T T-leg

A T-leg with height adjustment

C C-leg

D D-leg

For 36" deep (36)

P post leg

T T-leg

A T-leg with height adjustment

Prices for Steps 1-6.						
	LP	LT	LA	LC	LD	WP
DT1HS.30 60	\$1191	1547	1932	1547	1932	1471
66	\$1276	1658	2071	1658	2071	1584
72	\$1361	1769	2211	1769	2211	1696
36 60	\$1262	1602	1948	_	_	1527
66	\$1329	1690	2131	_	_	1639
72	\$1396	1777	2313	_	_	1750
	WT	WA	WC	WD	PP	PT
DT1HS. 30 60	\$1935	2436	1935	2436	1370	1778
66	\$2080	2618	2080	2618	1467	1906
72	\$2224	2799	2224	2799	1566	2035
36 60	\$1989	2493	_	_	1452	1842
66	\$2135	2673	_	_	1529	1943
72	\$2279	2855	_	_	1605	2042
				PA	PC	PE
DT1HS. 30 60				\$2221	1778	222
66				\$2382	1906	2382
72				\$2542	2035	2542
36 60				\$2240	_	_
66				\$2450	_	_
72				\$2661	_	-
	LP	LT	LA	LC	LD	WI
DT1HT. 30 60	_	_	_	_	_	\$1765
66	_	_	_	_	_	\$1899
72	_	_	_	_	_	\$2035
36 60	_	_	_	_	_	\$1832
66	_	_	_	_	_	\$1966
72	_	_	_	_	_	\$210
	WT	WA	WC	WD	PP	PT
DT1HT. 30 60	\$2320	2925	2320	2925	1458	1894
66	\$2495	3142	2495	3142	1563	2030
72	\$2669	3358	2669	3358	1668	2167
36 60	\$2387	2991	_	_	1545	1963
66	\$2561	3207	_	_	1629	2069
72	\$2736	3425	_	_	1710	2175
				PA	PC	PI
				\$2367	1894	2367
DT1HT. 30 60					- '	- ,
DT1HT. 30 60 66				\$2536	2030	2536

	21					¢ o.		
	36					\$2386	_	_
		66				\$2608	_	_
		72				\$2833	_	_
			WT	WA	WC	WD	PP	PT
DT1HE.	30	60	_	_	_	_	\$1458	1894
	(66	_	_	_	_	\$1563	2030
		72	_	_			\$1668	2167
	36	60	_	_	_	_	\$1545	1963
		66	_	_	_	_	\$1629	2069
		72	_	_	_	_	\$1710	2175
						PA	PC	PD
DT1HE.	30	60				\$2367	1894	2367
	(66				\$2536	2030	2536
		72				\$2707	2167	2707
	36	60				\$2386	_	_
	(66				\$2608	_	_
		72				\$2833	_	_
Top Fin		. to 10 /th 0 //00 0 10	lastic ad	(1)				
For lam 28	can	top/thermop	iastic ea	ge (L)				+\$0
29	mist							+\$0
38	twil							+\$0
39	des							+\$o
76	ligh	t brown walnu	t					+\$o
91	whi							+\$o
98	stuc	lio white						+\$o
1X	vani	illa						+\$o
2X	whe	at						+\$o
3X	cele	ry						+\$o
4X	cori	ander						+\$o
5X	cha	momile						+\$0
6X		iamon						+\$0
7X		lamom						+\$o
8X	kale							+\$0
8Q		stone grey						+\$0
CL HF		l grey neutral er tone light						+\$o +\$o
HM		ir tone light iral maple						+\$0 +\$0
HP		t anigre						+\$0 +\$0
HT		er tone						+\$0
нх		d cherry						+\$0
HY		nut on cherry						+\$0
		··-·· ,						. + 0

J4	frosted light grey	+\$0	Top/E	dge Finish: Opaque Formcoat®	
J5	frosted inner tone light	+\$o	For po	ninted Formcoat® top/edge (P)	
J7	frosted medium tone	+\$o	8Q	folkstone grey	+\$o
LA	light ash	+\$o	91	white	+\$o
LBA	clear on ash	+\$o	CL	cool grey neutral	+\$o
LBU	medium matte walnut	+\$o	LU	soft white	+\$o
LBB	oak on ash	+\$o	WL	sandstone	+\$o
LBC	walnut on ash	+\$o	WN	warm grey neutral	+\$o
LBD	dark brown walnut	+\$o			
LBE	medium red walnut	+\$o	Step 8	3. Edge Finish	
LBF	neutral twill	+\$o	For la	minate top/thermoplastic edge (L)	
LBG	sarum twill	+\$o	76	light brown walnut	+\$o
LBH	earthen twill	+\$o	8Q	folkstone grey	+\$o
LBJ	graphite twill	+\$o	91	white	+\$o
LBK	pewter mesh	+\$o	98	studio white	+\$o
LBL	steel mesh	+\$ 0	CL	cool grey neutral	+\$o
LBM	crisp linen	+\$o	LA	light ash	+\$o
LBN	classic linen	+\$o	LBA	clear on ash	+\$o
LBP	casual linen	+\$o	LBU	medium matte walnut	+\$o
LBQ	white twill	+\$o	LBB	oak on ash	+\$o
LG	light grey (discontinuing)	+\$o	LBC	walnut on ash	+\$o
LM	mahogany	+\$o	LBD	dark brown walnut	+\$o
LT	light tone	+\$o	LBE	medium red walnut	+\$o
LU	soft white	+\$o	LBF	neutral twill	+\$o
MT	medium tone	+\$o	LBG	sarum twill	+\$o
OG	honey maple	+\$o	LBH	earthen twill	+\$o
WL	sandstone	+\$o	LBJ	graphite twill	+\$o
WN	warm grey neutral	+\$o	LBK	pewter mesh	+\$o
X1	chalk white	+\$o	LBL	steel mesh	+\$o
			LBM	crisp linen	+\$o
Top/E	dge Finish: Wood Veneer		LBN	classic linen	+\$o
For ve	neer top/veneer edge (W)		LBP	casual linen	+\$o
2U	light brown walnut 🛕	+\$85	LBQ	white twill	+\$o
40	dark brown walnut A	+\$85	WL	sandstone	+\$o
ED	aged cherry A	+\$85	WN	warm grey neutral	+\$o
EK	medium red walnut A	+\$85	HF	inner tone light	+\$o
ET	clear on ash	+\$85	нм	natural maple	+\$o
EU	oak on ash	+\$85	HP	light anigre	+\$o
EV	walnut on ash	+\$85	HT	inner tone	+\$o
UL	natural maple A	+\$85	нх	aged cherry	+\$o
UX	walnut on cherry A	+\$85	HY	walnut on cherry	+\$o
			LU	soft white	+\$o

Step	9. Leg Finish	
80	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110
Step :	10. Casters/Glides	
20	casters	+\$0
57	glides	+\$0
Step :	11. Grommets	
NTG	no grommet	+\$0
253	cutout for Y1420. or Y1425 3 port	+\$27
254	cutout for Y1420. or Y1425 5 port	+\$27
255	cutout for Y1420. or Y1425 6 port	+\$27



Description

This square table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes


48" tops available only with post leg option for optimum stability.

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

UL listed when used with Connect[™] single circuit electrical product (Y137x.) with post leg (P) option.

Dimensions



Specification Information

Step 1.

DT1J

Step 2. Edge

S. squared-edge

T. thin-edge

E. eased-edge

Step 3. Depth/Width

3030 30" deep x 30" wide

3636 36" deep x 36" wide

4242 42" deep x 42" wide

4848 48" deep x 48" wide

Step 4. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge

W veneer top/veneer edge A

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge A

P painted Formcoat® top/edge

For eased-edge (E.)

P painted Formcoat® top/edge

Step 5. Leg/Base Type

For 30" deep x 30" wide (3030) or 36" deep x 36" wide (3636)

P post leg

S single-column base A

For 42" deep x 42" wide (4242)

P post leg

For 48" deep x 48" wide (4848)

P post leg

Prices for Steps 1-5.		
	P	S
DT1JS. 3030 L	\$798	880
W	\$1009	1120
P	\$916	1013

***************************************	3636 L	\$956	1056	HF	inner tone light	+\$o
	W	\$1224	1357	нм	natural maple	+\$o
	P	\$1100	1214	HP	light anigre	+\$o
***************************************	4242 L	\$1098	_	HT	inner tone	+\$o
	W	\$1416	_	нх	aged cherry	+\$o
	P	\$1264	_	HY	walnut on cherry	+\$o
***************************************	4848 L	\$1231	_	J4	frosted light grey	+\$o
	W	\$1659	_	J5	frosted inner tone light	+\$o
	P	\$1416	_	J7	frosted medium tone	+\$o
				LA	light ash	+\$o
		Р	S	LBA	clear on ash	+\$o
DT1JT.	3030 W	\$1209	1344	LBU	medium matte walnut	+\$o
	P	\$977	1080	LBB	oak on ash	+\$o
***************************************	3636 W	\$1467	1630	LBC	walnut on ash	+\$o
	P	\$1172	1295	LBD	dark brown walnut	+\$o
***************************************	4242 W	\$1698	_	LBE	medium red walnut	+\$o
	P	\$1346	_	LBF	neutral twill	+\$o
***************************************	4848 W	\$1990	_	LBG	sarum twill	+\$o
	P	\$1507	_	LBH	earthen twill	+\$o
				LBJ	graphite twill	+\$o
		Р	S	LBK	pewter mesh	+\$o
DT1JE.	3030 P	\$977	1080	LBL	steel mesh	+\$o
***************************************	3636 P	\$1172	1295	LBM	crisp linen	+\$o
***************************************	4242 P	\$1346	_	LBN	classic linen	+\$o
***************************************	4848 P	\$1507	_	LBP	casual linen	+\$o
				LBQ	white twill	+\$o
Step 6.				LG	light grey (discontinuing)	+\$o
				LM	mahogany	+\$o
Top Fir	iish			LT	light tone	+\$o
For lan	ninate top/thermoplastic edge (L)			LU	soft white	+\$o
28	canyon		+\$0	MT	medium tone	+\$o
29	misted		+\$o	OG	honey maple	+\$o
38	twilight		+\$o	WL	sandstone	+\$o
39	desert		+\$o	WN	warm grey neutral	+\$o
76	light brown walnut		+\$o	X1	chalk white	+\$o
91	white		+\$o			
98	studio white		+ \$o	Top/E	dge Finish: Wood Veneer	
1X	vanilla		+\$o	For ve	eneer top/veneer edge (W)	
2X	wheat		+\$o	2U	light brown walnut	+\$85
3X	celery		+\$o	40	dark brown walnut	+\$85
4X	coriander		+\$o	ED	aged cherry	+\$85
5X	chamomile		+ \$o	EK	medium red walnut	+\$85
6X	cinnamon		+ \$o	ET	clear on ash	+\$85
7X	cardamom		+\$o	EU	oak on ash	+\$85
8X	kale		+\$o	EV	walnut on ash	+\$85
8Q	folkstone grey		+\$o	UL	natural maple	+\$85
CL	cool grey neutral		+ \$0	UX	walnut on cherry	+\$85

Top/E	dge Finish: Opaque Formcoat®	
For po	ainted Formcoat® top/edge (P)	
8Q	folkstone grey	+\$0
91	white	+ \$o
CL	cool grey neutral	+ \$o
LU	soft white	+ \$o
WL	sandstone	+ \$o
WN	warm grey neutral	+\$0
Step 7	7. Edge Finish	
For la	minate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+ \$o
CL	cool grey neutral	+ \$o
LA	light ash	+\$0
LBA	clear on ash	+ \$o
LBU	medium matte walnut	+ \$o
LBB	oak on ash	+ \$o
LBC	walnut on ash	+ \$o
LBD	dark brown walnut	+ \$o
LBE	medium red walnut	+ \$o
LBF	neutral twill	+ \$o
LBG	sarum twill	+ \$o
LBH	earthen twill	+ \$o
LBJ	graphite twill	+ \$o
LBK	pewter mesh	+ \$o
LBL	steel mesh	+\$0
LBM	crisp linen	+ \$o
LBN	classic linen	+ \$o
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$ o
HP	light anigre	+\$ o
HT	inner tone	+\$ o
нх	aged cherry	+\$ o
HY	walnut on cherry	+ \$o
LU	soft white	+\$0

Step 8.	Leg Finish	
3Q	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
N L	sandstone	+\$0
٧N	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110
Step 9.	Casters/Glides	
20	casters	+\$0
57	glides	+\$0

Tear Drop Table

DT1KE. DT1KS. DT1KT.



Product Information

Description


This tear drop table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT1K A

Step 2. Edge

S. squared-edge

T. thin-edge

E. eased-edge

Step 3. Diameter

30 30" diameter

36 36" diameter

Step 4. Surface Material

For eased-edge (E.)

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge

P painted Formcoat® top/edge

For squared-edge (S.)

L laminate top/thermoplastic edge

W veneer top/veneer edge

P painted Formcoat® top/edge

Step 5. Leg/Base Type

S single-column base A

Prices for Step	1-5.	
		S
DT1KS. 30 L		\$903
W		\$1145
P		\$1037
36 L		\$1033
W		\$1390
P		\$1189
		s
DT1KT. 30 W		\$1376
P		\$1104
36 W		\$1667
P		\$1266
		s
DT1KE. 30 P		\$1104

	36 P	\$1266
Step 6	5.	
Top Fi	inish	
•	minate top/thermoplastic edge (L)	
28	canyon	+\$0
29	misted	+\$0
38	twilight	+\$0
39	desert	+\$0
76	light brown walnut	+ \$o
91	white	+\$0
98	studio white	+\$0
1X	vanilla	+\$0
2X	wheat	+\$0
3X	celery	+\$0
4X	coriander	+\$0
5X	chamomile	+\$0
6X	cinnamon	+\$0
7X	cardamom	+ \$o
8X	kale	+ \$o
8Q	folkstone grey	+ \$o
CL	cool grey neutral	+ \$o
HF	inner tone light	+ \$o
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
нх	aged cherry	+\$0
HY	walnut on cherry	+\$0
J4	frosted light grey	+\$0
J5	frosted inner tone light	+\$0
J7	frosted medium tone	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0

BP casual linen BQ white twill G light grey (discontinuing) M mahogany T light tone U soft white AT medium tone DG honey maple VL sandstone VN warm grey neutral C1 chalk white Cop/Edge Finish: Opaque Formcoat® Or painted Formcoat® top/edge (P) DG folkstone grey M white CL cool grey neutral U soft white VL sandstone VN warm grey neutral U soft white VL sandstone VN warm grey neutral C1 chalk white C2 cool grey neutral U soft white VL sandstone VN warm grey neutral C3 cool grey neutral C4 cool grey neutral C5 cool grey neutral C6 cool grey neutral C7 cool grey neutral C8 cool grey neutral C9 cool grey neutral C
Ight grey (discontinuing) M mahogany I light tone U soft white AT medium tone OG honey maple VL sandstone VN warm grey neutral C1 chalk white C5 p/Edge Finish: Opaque Formcoat® C6 for painted Formcoat® top/edge (P) C7 gq folkstone grey C9 white C1 cool grey neutral C1 soft white C2 soft white C3 soft white C4 sandstone VN warm grey neutral C6 p/Edge Finish: Wood Veneer C7 veneer top/veneer edge (W) C8 dark brown walnut C9 dark brown walnut C9 aged cherry C6 dark medium red walnut C7 clear on ash C8 walnut on ash C9 walnut on ash C9 light anigre C9 l
In mahogany It light tone It soft white It medium tone It sandstone It sandstone It chalk white It chalk white It chalk white It cool grey neutral It cool grey neutral It soft white It cool grey neutral It soft white It sandstone It soft white It sandstone It warm grey neutral It cool grey neutral It cool grey neutral It soft white It sandstone It sandstone It warm grey neutral It sop/Edge Finish: Wood Veneer It veneer top/veneer edge (W) It light brown walnut A It clar on ash It walnut amaple A
If light tone U soft white AT medium tone OG honey maple VL sandstone VN warm grey neutral C1 chalk white Cop/Edge Finish: Opaque Formcoat® Cor painted Formcoat® top/edge (P) C2 folkstone grey C3 white C4 cool grey neutral U soft white VL sandstone VN warm grey neutral C4 cool grey neutral C5 cop/Edge Finish: Wood Veneer C6 or veneer top/veneer edge (W) C8 light brown walnut C9 dark brown walnut
Soft white AT medium tone AG honey maple VL sandstone VN warm grey neutral C1 chalk white C1 chalk white C2 for painted Formcoat® top/edge (P) C3 folkstone grey C4 white C5 cool grey neutral C5 cool grey neutral C6 soft white C7 soft white C8 soft white C9 soft
AT medium tone DG honey maple VL sandstone VN warm grey neutral C1 chalk white Cop/Edge Finish: Opaque Formcoat® Cor painted Formcoat® top/edge (P) C2 folkstone grey C3 white C4 cool grey neutral C5 soft white C6 sandstone C7 warm grey neutral C8 for veneer top/veneer edge (W) C8 light brown walnut C9 dark brown walnut C9 aged cherry C6 medium red walnut C7 clear on ash C8 walnut on ash C9 walnut on ash C9 light anigre C9 A C9 Ight anigre C9 Ight
No warm grey neutral Cop/Edge Finish: Opaque Formcoat® Cor painted Formcoat® top/edge (P) Cop folkstone grey Cop folkstone grey Cop folkstone grey Cop folkstone grey Cop warm grey neutral Cop soft white Cop soft white Cop/Edge Finish: Wood Veneer Cop veneer top/veneer edge (W) Cop light brown walnut Cop dark brown walnut Cop aged cherry Cop dark medium red walnut Cop aged cherry Cop walnut on ash Cop waln
VIL sandstone VIN warm grey neutral (11 chalk white) Top/Edge Finish: Opaque Formcoat® Tor painted Formcoat® top/edge (P) TOQ folkstone grey TOQ folkstone grey TOQ folkstone grey TOQ white TOQ soft white TOQ dark brown walnut TOQ dark brown walnut TOQ dark brown walnut TOQ soft
warm grey neutral chalk white cop/Edge Finish: Opaque Formcoat® cor painted Formcoat® top/edge (P) copyright of open grey copyright of o
cop/Edge Finish: Opaque Formcoat® cor painted Formcoat® top/edge (P) EQ folkstone grey E1 white E1 cool grey neutral E2 soft white E3 soft white E4 sandstone E5 warm grey neutral E5 pop/Edge Finish: Wood Veneer E5 veneer top/veneer edge (W) E5 light brown walnut A E5 aged cherry A E5 medium red walnut A E5 oak on ash E5 walnut on ash E5 walnut on ash E5 light anigre A E5 of A E5 pop/Edge Finish: Wood Veneer E5
for painted Formcoat® top/edge (P) For painted Finish For painte
for painted Formcoat® top/edge (P) Fig. folkstone grey Fig. white Fig. cool grey neutral Fig. sandstone Fig. warm grey neutral Fig. for veneer top/veneer edge (W) Fig. light brown walnut A Fig. aged cherry A Fig. medium red walnut A Fig. cok on ash Fig. walnut on ash Fig. natural maple A
for painted Formcoat® top/edge (P) Fig. folkstone grey Fig. white Fig. cool grey neutral Fig. sandstone Fig. warm grey neutral Fig. for veneer top/veneer edge (W) Fig. light brown walnut A Fig. aged cherry A Fig. medium red walnut A Fig. cok on ash Fig. walnut on ash Fig. natural maple A
folkstone grey ful white ful cool grey neutral ful soft white ful sandstone ful warm grey neutral ful soft white ful sandstone ful warm grey neutral ful soft weneer top/veneer edge (W) ful light brown walnut A ful aged cherry A ful medium red walnut A ful oak on ash ful oak on ash ful walnut on ash ful sight anigre A ful natural maple A
white L cool grey neutral U soft white YL sandstone YN warm grey neutral Cop/Edge Finish: Wood Veneer Cor veneer top/veneer edge (W) U light brown walnut A D aged cherry A EK medium red walnut A CT clear on ash U oak on ash CY walnut on ash CY light anigre A UL natural maple A
CL cool grey neutral U soft white VL sandstone VN warm grey neutral Cop/Edge Finish: Wood Veneer Cor veneer top/veneer edge (W) U light brown walnut A O dark brown walnut A CD aged cherry A CK medium red walnut A CT clear on ash CV walnut on ash CY light anigre A UL natural maple A
Soft white VL sandstone VN warm grey neutral Sop/Edge Finish: Wood Veneer Sor veneer top/veneer edge (W) EU light brown walnut A ED aged cherry A EK medium red walnut A ET clear on ash EU oak on ash EV walnut on ash EY light anigre A ILL natural maple A
WL sandstone WN warm grey neutral Top/Edge Finish: Wood Veneer For veneer top/veneer edge (W) FU light brown walnut A FO dark brown walnut A FO aged cherry A FK medium red walnut A FT clear on ash FU oak on ash FV walnut on ash FY light anigre A FINITE CALL FOR TOP CALL
warm grey neutral cop/Edge Finish: Wood Veneer cor veneer top/veneer edge (W) cu light brown walnut A cu dark brown walnut A cu aged cherry A ck medium red walnut A cu clear on ash cu oak on ash cu walnut on ash cu natural maple A
Top/Edge Finish: Wood Veneer For veneer top/veneer edge (W) U light brown walnut A O dark brown walnut A ED aged cherry A EK medium red walnut A ET clear on ash EU oak on ash EV walnut on ash EY light anigre A II natural maple A
Tor veneer top/veneer edge (W) U light brown walnut A O dark brown walnut A ED aged cherry A EK medium red walnut A ET clear on ash EU oak on ash EV walnut on ash EY light anigre A U natural maple A
Tor veneer top/veneer edge (W) U light brown walnut A O dark brown walnut A ED aged cherry A EK medium red walnut A ET clear on ash EU oak on ash EV walnut on ash EY light anigre A U natural maple A
light brown walnut A dark brown walnut A aged cherry A K medium red walnut A CT clear on ash U oak on ash V walnut on ash U ight anigre A IL natural maple A
dark brown walnut aged cherry K medium red walnut CT clear on ash CU oak on ash CV walnut on ash CY light anigre A natural maple A
aged cherry A KK medium red walnut A Clu clear on ash Clu walnut on ash Clu walnut on ash Clu walnut on ash Clu matural maple A
medium red walnut A clear on ash walnut on ash walnut on ash ly light anigre A natural maple A
ct clear on ash ct oak on ash ct walnut on ash ct light anigre A ct natural maple A
oak on ash walnut on ash light anigre A natural maple A
walnut on ash If light anigre A IL natural maple A
Y light anigre A UL natural maple A
JL natural maple A
wallactoricity A

Step 7	. Edge Finish	
For lar	ninate top/thermoplastic edge (L)	
76	light brown walnut	+ \$o
8Q	folkstone grey	+\$o
91	white	+ \$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o
HF	inner tone light	+\$o
нм	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$0
НХ	aged cherry	+\$o
HY	walnut on cherry	+\$ o
LU	soft white	+\$o

Step 8	Leg/Base Finish	
BQ.	folkstone grey	+\$0
91	white	+ \$o
98	studio white A	+ \$o
BU	black umber	+ \$o
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+ \$o
WN	warm grey neutral	+ \$o
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110
Step 9	Casters/Glides	
20	casters	+\$0
57	glides	+\$0



Description

This classroom table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Height-adjustable legs have a 5" range in 1" increments.

Notes


Cable grommet options available through Vary Easy Program for round pass through grommet with $2^1/4^{\prime\prime}$ hole clearance. Holes are located $3^{\prime\prime}$ from rear edge and $6^{\prime\prime}$ from end for the L and R options. Covers not provided with painted surface option.

Reinforcement channels are used under table tops 54" and wider. They will be located along the center line for 18" deep and 24" deep surfaces, and 19" from the front edge for 30" deep surfaces.

For additional details on available edge options see Appendices.
For additional size, edge, finish, and cable management options, see
Vary Easy Program in Appendices.

UL listed when used with Connect™ single circuit electrical product (Y137x.) with post leg (P) and T-leg (T) options.

Dimensions





Specification Information

Step 1.

DT1L

Step 2. Edge

S. squared-edge

T. thin-edge

E. eased-edge

Step 3. Depth

For squared-edge (S.)

18 18" deep

24 24" deep

For thin-edge (T.)

24" deep

For eased-edge (E.)

24 24" deep

Step 4. Width

For 18" deep (18)

60 60" wide

For 24" deep (24)

48 48" wide

60 60" wide

Step 5. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge

W veneer top/veneer edge A

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge A

P painted Formcoat® top/edge

For eased-edge (E.)

P painted Formcoat® top/edge

+\$o **+\$**0 **+\$**0 **+**\$o **+\$**0 **+\$**o **+\$**0 **+\$**0 **+**\$o **+\$**0 **+**\$o **+\$**o **+\$**o **+\$**0 **+\$**o **+\$**0 **+\$**o **+\$**0 **+\$**o **+\$**o **+\$**o **+\$**o **+\$**o **+\$**o

Step 6	. Leg Type							4X	coriander
								5X	chamomile
	" deep (18)							6X	cinnamon
P	post leg							7X	cardamom
								8X	kale
	" deep (24)							8Q	folkstone grey
Р	post leg							CL	cool grey neutral
T	T-leg							HF	inner tone light
Α	T-leg with he	ight adjustm	nent					HM	natural maple
								HP	light anigre
Prices	for Steps 1-6.							HT	inner tone
		LP	LT	LA	WP	WT	WA	нх	aged cherry
DT1LS	. 18 60	\$1017	_	_	1247	_	_	HY	walnut on cherry
	24 48	\$1018	1322	1654	1249	1645	2074	J4	frosted light grey
	60	\$1144	1488	1858	1413	1858	2342	J5	frosted inner tone light
								J7	frosted medium tone
					PP	PT	PA	LA	light ash
DT1LS	. 18 60				\$1169			LBA	clear on ash
	24 48				\$1170	1521	1902	LBU	medium matte walnut
	60				\$1316	1710	2135	LBB	oak on ash
								LBC	walnut on ash
		LP	LT	LA	WP	WT	WA	LBD	dark brown walnut
DT1LT	. 24 48	_	_	_	\$1499	1975	2488	LBE	medium red walnut
	60	_	_	_	\$1695	2228	2808	LBF	neutral twill
								LBG	sarum twill
					PP	PT	PA	LBH	earthen twill
DT1LT	. 24 48	<u> </u>			\$1246	1621	2025	LBJ	graphite twill
	60				\$1401	1821	2275	LBK	pewter mesh
								LBL	steel mesh
					PP	PT	PA	LBM	crisp linen
DT1LE	. 24 48				\$1246	1621	2025	LBN	classic linen
	60				\$1401	1821	2275	LBP	casual linen
								LBQ	white twill
Step 7								LG	light grey (discontinuing)
								LM	mahogany
Top Fi	nish	<u> </u>				-		LT	light tone
For lar	ninate top/ther	moplastic ed	dge (L)					LU	soft white
28	canyon						+\$o	MT	medium tone
29	misted						+\$o	OG	honey maple
38	twilight						+\$o	WL	sandstone
39	desert						+\$o	WN	warm grey neutral
76	light brown w	valnut					+\$o	X1	chalk white
91	white						+\$o		
98	studio white						+\$o		
1X	vanilla						+\$o		
2X	wheat						+\$o		
3X	celery						+\$o		
	, ,								


Top/	Edge Finish: Wood Veneer	
For v	eneer top/veneer edge (W)	
2U	light brown walnut 🛕	+\$8
40	dark brown walnut A	+\$8
ED	aged cherry A	+\$8
EK	medium red walnut 🛕	+\$8
ET	clear on ash 🛕	+\$8
EU	oak on ash 🛕	+\$8
EV	walnut on ash A	+\$8
UL	natural maple A	+\$8
UX	walnut on cherry A	+\$8
Top/	Edge Finish: Opaque Formcoat®	
For p	ainted Formcoat® top/edge (P)	
8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 8.	Edge Finish	
For lam	inate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
BQ	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
НХ	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0

8Q folkstone grey 91 white 98 studio white A BU black umber CL cool grey neutral G2 graphite satin HF inner tone light LU soft white MT medium tone SG slate grey WL sandstone WN warm grey neutral CN metallic champagne EH metallic bronze MS metallic silver CD polished aluminum Step 10. Casters/Glides 20 casters	
98 studio white A BU black umber CL cool grey neutral G2 graphite satin HF inner tone light LU soft white MT medium tone SG slate grey WL sandstone WN warm grey neutral CN metallic champagne EH metallic bronze MS metallic silver CD polished aluminum Step 10. Casters/Glides 20 casters	+\$0
BU black umber CL cool grey neutral G2 graphite satin HF inner tone light LU soft white MT medium tone SG slate grey WL sandstone WN warm grey neutral CN metallic champagne EH metallic bronze MS metallic silver CD polished aluminum Step 10. Casters/Glides 20 casters	+\$0
CL cool grey neutral G2 graphite satin HF inner tone light LU soft white MT medium tone SG slate grey WL sandstone WN warm grey neutral CN metallic champagne EH metallic bronze MS metallic silver CD polished aluminum Step 10. Casters/Glides 20 casters	+\$0
G2 graphite satin HF inner tone light LU soft white MT medium tone SG slate grey WL sandstone WN warm grey neutral CN metallic champagne EH metallic bronze MS metallic silver CD polished aluminum Step 10. Casters/Glides 20 casters	+\$a +\$a
HF inner tone light LU soft white MT medium tone SG slate grey WL sandstone WN warm grey neutral CN metallic champagne EH metallic bronze MS metallic silver CD polished aluminum Step 10. Casters/Glides 20 casters	
LU soft white MT medium tone SG slate grey WL sandstone WN warm grey neutral CN metallic champagne EH metallic bronze MS metallic silver CD polished aluminum Step 10. Casters/Glides 20 casters	+\$0
MT medium tone SG slate grey WL sandstone WN warm grey neutral CN metallic champagne EH metallic bronze MS metallic silver CD polished aluminum Step 10. Casters/Glides 20 casters	+\$c +\$c +\$c +\$c +\$c
SG slate grey WL sandstone WN warm grey neutral CN metallic champagne EH metallic bronze MS metallic silver CD polished aluminum Step 10. Casters/Glides 20 casters	
WL sandstone WN warm grey neutral CN metallic champagne EH metallic bronze MS metallic silver CD polished aluminum Step 10. Casters/Glides 20 casters	
WN warm grey neutral CN metallic champagne EH metallic bronze MS metallic silver CD polished aluminum Step 10. Casters/Glides 20 casters	
CN metallic champagne EH metallic bronze MS metallic silver CD polished aluminum Step 10. Casters/Glides 20 casters	
EH metallic bronze MS metallic silver CD polished aluminum Step 10. Casters/Glides 20 casters	+\$0
MS metallic silver CD polished aluminum Step 10. Casters/Glides 20 casters	+\$20
CD polished aluminum Step 10. Casters/Glides 20 casters	+\$20
Step 10. Casters/Glides 20 casters	+\$20
20 casters	+\$110
	+\$0
57 glides	+\$0

Conference Corner Table

DT1ME. DT1MS. DT1MT.



Product Information

Description

This corner table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.


Notes

Tables have an additional (5th) leg for stability.

Additional ganging bracket kits (Y1338.) can be used with adjacent tables.

For additional details on available edge options see Appendices.

Dimensions



Specification Information

Step 1.

DT1M

Step 2. Edge

S. squared-edge

T. thin-edge

E. eased-edge

Step 3. Depth

24 24" deep

30 30" deep

Step 4. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge

W veneer top/veneer edge A

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge A

P painted Formcoat® top/edge

For eased-edge (E.)

P painted Formcoat® top/edge

Step 5. Leg/Base Type

P post leg

Prices for Steps 1-5.	
	P
DT1MS.24 L	\$1141
W	\$1442
Р	\$1313
30 L	\$1370
W	\$1750
P	\$1574

	P
DT1MT.24 W	\$1731
P	\$1397
30 W	\$2101
P	\$1676


DT1ME.24 P \$1397

	30 P	\$1676
Step 6	5.	
Гор Fi	nish	
For la	minate top/thermoplastic edge (L)	
28	canyon	+\$0
29	misted	+\$0
38	twilight	+\$0
39	desert	+\$0
76	light brown walnut	+\$0
91	white	+\$0
98	studio white	+\$0
ιX	vanilla	+\$0
2X	wheat	+\$0
3X	celery	+\$0
4X	coriander	+\$0
5 X	chamomile	+\$0
6X	cinnamon	+\$0
7X	cardamom	+\$0
3X	kale	+\$0
3Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
НХ	aged cherry	+\$0
HY	walnut on cherry	+\$0
4	frosted light grey	+\$0
5	frosted inner tone light	+\$0
7	frosted medium tone	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
.BG	sarum twill	+\$0
.BH	earthen twill	+\$0
.BJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
.BL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0

LBP	casual linen	+\$o
LBQ	white twill	+ \$o
LG	light grey (discontinuing)	+\$o
LM	mahogany	+ \$o
LT	light tone	+ \$o
LU	soft white	+\$o
MT	medium tone	+\$o
OG	honey maple	+\$o
WL	sandstone	+ \$o
WN	warm grey neutral	+ \$o
X1	chalk white	+ \$o
Top/E	dge Finish: Wood Veneer	
For ve	neer top/veneer edge (W)	
2U	light brown walnut 🛕	+\$85
40	dark brown walnut A	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut 🖪	+\$85
ET	clear on ash A	+\$85
EU	oak on ash 🛕	+\$85
EV	walnut on ash A	+\$85
UL	natural maple 🛕	+\$85
UX	walnut on cherry A	+\$85
Top/E	dge Finish: Opaque Formcoat®	
For pa	inted Formcoat® top/edge (P)	
8Q	folkstone grey	+\$0
91	white	+ \$o
CL	cool grey neutral	+ \$o
LU	soft white	+\$0
WL	sandstone	+ \$o
WN	warm grey neutral	+\$o

Step 7.	Edge Finish	
For lan	ninate top/thermoplastic edge (L)	
76	light brown walnut	+\$o
8Q	folkstone grey	+\$o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBU	medium matte walnut	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+ \$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+ \$0
LBG	sarum twill	+ \$0
LBH	earthen twill	+\$o
LBJ	graphite twill	+ \$0
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$0
LBM	crisp linen	+\$o
LBN	classic linen	+ \$0
LBP	casual linen	+\$o
LBQ	white twill	+\$o
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$o
НМ	natural maple	+\$o
HP	light anigre	+\$0
HT	inner tone	+\$o
НХ	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0

	8. Leg/Base Finish	
8Q	folkstone grey	+\$
91	white	+\$
98	studio white	+\$
BU	black umber	+\$
CL	cool grey neutral	+\$
G2	graphite satin	+\$
HF	inner tone light	+\$
LU	soft white	+\$
MT	medium tone	+\$
SG	slate grey	+\$
WL	sandstone	+\$
WN	warm grey neutral	+\$
CN	metallic champagne	+\$2
EH	metallic bronze	+\$2
MS	metallic silver	+\$2
CD	polished aluminum	+\$110
Step	9. Casters/Glides	
20	casters	+\$
57	glides	+\$



Description

This corner table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. It has multiple leg/base options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have 1/2" leveling range. Shipped knocked down.

Notes

Tables have an additional (5th) leg for stability.

3 36" deep tables ganged together make an 84" diameter table.


Additional ganging bracket kits (Y1338), sold separately, can be used.


Additional ganging bracket kits (Y1338.), sold separately, can be used to ensure proper alignment with adjacent tables.

For additional details on available edge options see Appendices.

UL listed when used with Connect™ single circuit electrical product
(Y137x.) with post leg (P) option.

Dimensions





Specification Information

Step 1.

DT1N

Step 2. Edge

S. squared-edge

T. thin-edge

E. eased-edge

Step 3. Depth

24" deep

30 30" deep

36 36" deep

Step 4. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge

W veneer top/veneer edge A

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge A

P painted Formcoat® top/edge

For eased-edge (E.)

P painted Formcoat® top/edge

Step 5. Leg/Base Type

P

P post leg

Prices for Steps 1-5.	
	P
DT1NS. 24 L	\$1141
W	\$1442
P	\$1313
30 L	\$1370
W	\$1750
P	\$1574
36 L	\$1598
W	\$2059
P	\$1837
	Р
DT1NT. 24 W	\$1731

\$1397

30 W

	30 W	\$2101	LDF	neutral twitt	+Φ
	P	\$1676	LBG	sarum twill	+\$
	36 W	\$2470	LBH	earthen twill	+\$
	P	\$1956	LBJ	graphite twill	+\$
			LBK	pewter mesh	+\$
		Р	LBL	steel mesh	+\$
T1NE.	24 P	\$1397	LBM	crisp linen	+\$
	30 P	\$1676	LBN	classic linen	+\$
	36 P	\$1956	LBP	casual linen	+\$
		, ,,,,	LBQ	white twill	+\$
tep 6.			LG	light grey (discontinuing)	+\$
			LM	mahogany	+\$
op Fin	ish		LT	light tone	+\$
	inate top/thermoplastic edge (L)		LU	soft white	+\$
3	canyon	+\$0	MT	medium tone	+\$
)	misted	+\$0	OG	honey maple	+\$
3	twilight	+\$0	WL	sandstone	+\$
)	desert	+\$0	WN	warm grey neutral	+\$
, 5	light brown walnut	+\$0	X1	chalk white	+\$
1	white	+\$0	X1	chair white	т.
3	studio white	+\$0	Top/E	dge Finish: Wood Veneer	
`	vanilla	+\$0	•	=	
			***********	neer top/veneer edge (W)	. ¢c
,	wheat	+\$0	2U	light brown walnut A	+\$8
,	celery	+\$0	40	dark brown walnut A	+\$8
	coriander	+\$o	ED	aged cherry A	+\$8
	chamomile	+\$o	EK	medium red walnut A	+\$8
(cinnamon	+\$o	ET	clear on ash A	+\$8
X	cardamom	+\$0	EU	oak on ash 🛕	+\$8
(kale	+\$o	EV	walnut on ash 🛕	+\$8
J	folkstone grey	+\$o	UL	natural maple 🛕	+\$8
-	cool grey neutral	+ \$o	UX	walnut on cherry A	+\$8
F	inner tone light	+ \$o			
M	natural maple	+\$o	Top/E	dge Finish: Opaque Formcoat®	
P	light anigre	+\$o	For po	ninted Formcoat® top/edge (P)	
T	inner tone	+\$o	8Q	folkstone grey	+\$
(aged cherry	+\$o	91	white	+\$
′	walnut on cherry	+\$o	CL	cool grey neutral	+\$
	frosted light grey	+\$o	LU	soft white	+\$
	frosted inner tone light	+\$o	WL	sandstone	+\$
	frosted medium tone	+\$o	WN	warm grey neutral	+\$
١	light ash	+\$o			
ВА	clear on ash	+\$o			
BU	medium matte walnut	+\$0			
ВВ	oak on ash	+\$0			
ВС	walnut on ash	+\$0			
3D	dark brown walnut	+\$0			
BE	medium red walnut	+\$0			

\$2101

LBF

neutral twill


+\$0

Step 7	7. Edge Finish	
For lai	minate top/thermoplastic edge (L)	
76	light brown walnut	+\$o
8Q	folkstone grey	+\$o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBU	medium matte walnut	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+ \$o
LBL	steel mesh	+ \$o
LBM	crisp linen	+ \$o
LBN	classic linen	+ \$o
LBP	casual linen	+\$o
LBQ	white twill	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o
HF	inner tone light	+ \$o
нм	natural maple	+\$o
HP	light anigre	+ \$o
HT	inner tone	+\$o
нх	aged cherry	+\$o
HY	walnut on cherry	+\$o
LU	soft white	+\$o

Step 8	. Leg/Base Finish	
98	studio white	+\$0
3Q	folkstone grey	+\$o
91	white	+\$o
BU	black umber	+\$o
:L	cool grey neutral	+\$o
52	graphite satin	+\$o
łF	inner tone light	+\$o
.U	soft white	+\$o
ΝT	medium tone	+\$o
SG	slate grey	+\$o
٧L	sandstone	+\$o
٧N	warm grey neutral	+\$o
CN	metallic champagne	+\$20
H	metallic bronze	+\$20
ИS	metallic silver	+\$20
:D	polished aluminum	+\$110
Step 9	. Casters/Glides	
20	casters	+\$0
7	glides	+\$0

Flip-Top Rectangular Table

DT5AE. DT5AS. DT5AT.



Product Information

Description

This rectangular table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. It has 2 paddles under the front edge that allow the surface to flip up, minimizing space for storage when not in use. The table has T-legs and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have $^1\!/_2$ " leveling range. Shipped knocked down.

Notes

Thin edge and eased edge tops not available with 18"-deep surfaces.

Cable grommet options available through Vary Easy Program for round pass through grommet with 21/4" hole clearance. Holes are located 3" from rear edge and 6" from end for the L and R options. Covers not provided with painted surface option.

Cutouts available for all Connect™ power and data accessories (see Thrive® Portfolio). Cutouts will be located in the center, laterally, and approximately 3" from the rear edge of surface.

Multiple tables can be nested for storage when surface is flipped up. First table in nest requires 23" of floor space. All additional tables require only 9" of additional space.

Table top overhangs the base by $2^3/4''$ on each end.


For additional details on available edge options see Appendices.

Only fabric modesty panel (Y1114.) will enable flip top table to fold as intended. It is the recommended modesty panel for use with flip top tables. It is full length and folds out of the way for table storage.

For additional size, edge, finish, and cable management options, see Vary Easy Program in Appendices.

UL listed when used with Connect single circuit electrical product (Y137x.) with T-leg (T) option.

Dimensions




Spec	ification Information
Step :	
DT5A	
C+	. Fd.,
	2. Edge
S.	squared-edge
T.	thin-edge
E.	eased-edge
Step :	3. Depth
Forse	vuared-edge (S.)
18	18" deep
24	
-	24" deep
30	30" deep
For ed	sed-edge (E.)
24	24" deep
30	30" deep
For th	in-edge (T.)
24	24" deep
30	30" deep
Sten	4. Width
48	48" wide
60	6o" wide
72	72" wide
Sten	5. Surface Material
otop .	, oanac matemat
For sq	uared-edge (S.)
L	laminate top/thermoplastic edge
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
For th	in-edge (T.)
W	veneer top/veneer edge A
P	painted Formcoat® top/edge
For ea	ised-edge (E.)
P	painted Formcoat® top/edge
-	Families Commond Copy 6456

Prices for S	teps 1-6.			
		LT	WT	PT
DT5AS. 18	48	\$1435	1740	1651
	60	\$1505	1833	1732
	72	\$1582	1926	1818
24	48	\$1464	1776	1684
	60	\$1537	1871	1769
	72	\$1613	1965	1857
30	48	\$1552	1886	1784
	60	\$1692	2060	1945
	72	\$1776	2165	2042
DT5AT. 24	48	_	\$2131	1795
	60	_	\$2244	1883
	72	_	\$2357	1977
30	48	_	\$2264	1901
	60	_	\$2471	2072
	72	_	\$2598	2175
DT5AE. 24	48	_	_	\$1795
	60	_	_	\$1883
	72	_	_	\$1977
30	48	_	_	\$1901
	60	_	_	\$2072
	72	_	_	\$2175

Step 6. Leg Type T-leg

Step ;	7.		Top/E	Edge Finish: Opaque Formcoat®	
			For po	ainted Formcoat® top/edge (P)	
Top F	inish		8Q	folkstone grey	+\$0
For la	minate top/thermoplastic edge (L)		91	white	+\$0
76	light brown walnut	+\$0	CL	cool grey neutral	+\$0
91	white	+\$o	LU	soft white	+\$0
98	studio white	+\$o	WL	sandstone	+\$0
8Q	folkstone grey	+\$o	WN	warm grey neutral	+\$0
CL	cool grey neutral	+\$o			
HF	inner tone light	+\$o	Step	8. Edge Finish	
нм	natural maple	+ \$o	For la	minate top/thermoplastic edge (L)	
HP	light anigre	+\$o	76	light brown walnut	+\$0
HT	inner tone	+\$o	8Q	folkstone grey	+\$0
нх	aged cherry	+\$o	91	white	+\$0
HY	walnut on cherry	+\$o	98	studio white	+\$0
LA	light ash	+\$o	CL	cool grey neutral	+\$0
LBA	clear on ash	+\$o	LA	light ash	+\$0
LBU	medium matte walnut	+ \$o	LBA	clear on ash	+\$0
LBB	oak on ash	+\$o	LBU	medium matte walnut	+\$0
LBC	walnut on ash	+\$o	LBB	oak on ash	+\$0
LBD	dark brown walnut	+\$o	LBC	walnut on ash	+\$0
LBE	medium red walnut	+\$o	LBD	dark brown walnut	+\$0
LBF	neutral twill	+\$o	LBE	medium red walnut	+\$0
LBG	sarum twill	+\$o	LBF	neutral twill	+\$0
LBH	earthen twill	+\$o	LBG	sarum twill	+\$0
LBJ	graphite twill	+\$o	LBH	earthen twill	+\$0
LBK	pewter mesh	+\$o	LBJ	graphite twill	+\$0
LBL	steel mesh	+\$o	LBK	pewter mesh	+\$0
LBM	crisp linen	+\$o	LBL	steel mesh	+\$0
LBN	classic linen	+\$o	LBM	crisp linen	+\$0
LBP	casual linen	+\$o	LBN	classic linen	+\$0
LBQ	white twill	+\$o	LBP	casual linen	+\$0
LU	soft white	+\$o	LBQ	white twill	+\$0
WL	sandstone	+\$o	WL	sandstone	+\$0
WN	warm grey neutral	+\$o	WN	warm grey neutral	+\$0
			HF	inner tone light	+\$0
Top/E	Edge Finish: Wood Veneer		нм	natural maple	+\$0
For ve	eneer top/veneer edge (W)		HP	light anigre	+\$0
2U	light brown walnut 🛕	+\$50	HT	inner tone	+\$0
40	dark brown walnut 🛕	+\$50	нх	aged cherry	+\$0
ED	aged cherry A	+\$50	HY	walnut on cherry	+\$0
EK	medium red walnut 🖪	+\$50	LU	soft white	+\$0
ET	clear on ash 🛕	+\$50			
EU	oak on ash 🛕	+\$50			
EV	walnut on ash 🛕	+\$50			
UL	natural maple A	+\$50			
UX	walnut on cherry A	+\$50			

Step 9	. Leg Finish	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$ o
CL	cool grey neutral	+\$ o
G2	graphite satin	+\$ o
HF	inner tone light	+\$0
LU	soft white	+\$ o
MT	medium tone	+ \$o
SG	slate grey	+\$ o
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110
Step 10	o. Casters/Glides	
20	casters	+ \$o
57	glides	+\$0



Description

This product is a kit of a full set of table legs with attachment hardware. It has multiple leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have $^{1}/_{2}$ " leveling range. Shipped knocked down.

Notes

Height adjustable table legs have a 5" range in 1" increments.

Tabletop must be no more than 30" deep and no less than 24" deep for C and D options. Tabletop must be no more than 36" deep and no less than 18" deep for P, A, and T options.

Tabletops 54 and wider are recommended to have a steel support channel.

Not recommended for tables wider than 84".

Table leg must be located such that the floor glides are not more than 3" from the front and rear sides for table stability.

Tabletop can over hang sides of table base by no more than 15" for tops 60" and wider.

 ${\bf 1}''$ long screws provided with base are recommended to attach to tabletop. Ensure mounting surface is no less than ${\bf 1}''$ thick.

Dimensions



+\$110

Spe	cification Information
Step	1.
DT2A	i.
Step	2. Depth
18	18" deep
24	24" deep
30	30" deep
36	36" deep
Step	3. Leg Type
For 1	8" deep (18) or 36" deep (36)
P	post leg
Т	T-leg
Α	T-leg with height adjustment
For 2	4" deep (24) or 30" deep (30)
Р	post leg
Т	T-leg
Α	T-leg with height adjustment
C	C-leg
D	C-leg with height adjustment
Step	4. Table Top Surface Material
For p	ost leg (P)
 P	painted table top


	30 P	_	\$536	536
	Т	\$702	_	_
	A	\$1069	_	_
	С	\$702	_	_
	D	\$1083	_	_
	36 P	_	\$536	536
	Т	\$741	_	_
	Α	\$1107	_	_
Step 5	. Leg Finish			
8Q	folkstone grey			+\$o
91	white			+\$o
98	studio white			+\$o
BU	black umber			+ \$o
CL	cool grey neutral			+ \$o
G2	graphite satin			+ \$o
HF	inner tone light			+ \$o
LU	soft white			+\$o
MT	medium tone			+ \$o
SG	slate grey			+ \$o
WL	sandstone			+ \$o
WN	warm grey neutral			+ \$o
CN	metallic champagne			+\$20
EH	metallic bronze			+\$20
MS	metallic silver			+\$20

CD

polished aluminum

laminate, painted or veneer table top

height adjustment (D)



Description

This product is a kit of a full set of center column table legs with attachment hardware. It has either single column S or 4 column X leg options, and is available with casters or glides. The caster option has 2 locking and 2 non-locking casters. Glides have $^1/_2$ " leveling range. Shipped knocked down.

Notes

Tabletop must be no more than 42" deep and no less than 30" deep for X base.


Tabletop must be no more than 36" deep and no less than 24" deep for S base.

Table base to be centered side-to-side and left-to-right under tabletop.

Tabletop can over hang sides of table base by no more than 15" for tops 60" and wider.

1" long screws provided with base are recommended to attach to tabletop. Ensure mounting surface is no less than 1" thick.

Dimensions



Specification Information

Step 1.

DT2B.

Step 2. Leg/Base Type

X 4-column base

S single-column base

Step 3. Leg/Base Finish

Prices for Steps 1-2.	
DT2B. X	\$749
S	\$521

8Q	folkstone grey	+\$0
91	white	+\$ o
98	studio white A	+\$o
BU	black umber	+\$ o
CL	cool grey neutral	+\$ o
G2	graphite satin	+ \$o
HF	inner tone light	+\$ o
LU	soft white	+\$ o
MT	medium tone	+ \$o
SG	slate grey	+ \$o
WL	sandstone	+\$ o
WN	warm grey neutral	+\$ o
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	+\$110

Step 4.	Casters/Glides	
20	casters	+\$o
57	glides	+\$o

Standing-Height Square Table

DT3BE. DT3BS. DT3BT.



Product Information

Description


This 42"-high, square table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. The base has glides with 1/2" leveling range. Shipped knocked down.


Motos

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions





Specification Information

Step 1.

DT3B

Step 2. Edge

S. squared-edge

T. thin-edge

E. eased-edge

Step 3. Depth/Width

3030 30" deep x 30" wide3636 36" deep x 36" wide

Step 4. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge

W veneer top/veneer edge A

P painted Formcoat® top/edge

For thin-edge (T.)

w veneer top/veneer edge

P painted Formcoat® top/edge

For eased-edge (E.)

P painted Formcoat® top/edge

Step 5. Base Type

X 4-column base

Prices for Steps 1-5.	
	Х
DT3BS. 3030 L	\$914
W	\$1086
P	\$1052
3636 L	\$1096
W	\$1314
Р	\$1314 \$1262
•	\$1202

DT3BT. 3030 W	\$1303
P	\$1120
3636 W	\$1575
P	\$1344

DT3BE. 3030 P \$1120

X

	3636 P	\$1344
Step 6.		
Top Fi	nish	
For la	minate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
91	white	+\$0
98	studio white	+\$0
8Q	folkstone grey	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
НΧ	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Гор/Е	Edge Finish: Wood Veneer	
For ve	eneer top/veneer edge (W)	
2U	light brown walnut 🛕	+\$50
40	dark brown walnut 🛕	+\$50
ED	aged cherry A	+\$50
ΕK	medium red walnut 🖪	+\$50
ĒΤ	clear on ash 🛕	+\$50
EU	oak on ash 🛕	+\$50
EV	walnut on ash A	+\$50
JL	natural maple A	+\$50
JX	walnut on cherry A	+\$50
Гор/Е	Edge Finish: Opaque Formcoat®	
or po	ainted Formcoat® top/edge (P)	
3Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
LU	soft white	+\$0
NL	sandstone	+\$0
٧N	warm grey neutral	+\$0
	- /	

Step 7	. Edge Finish	
For la	minate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$
LBH	earthen twill	+\$
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$
HF	inner tone light	+\$
НМ	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$
НΧ	aged cherry	+\$
HY	walnut on cherry	+\$
LU	soft white	+\$0

Step 8	3. Base Finish	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+ \$o
CD	polished aluminum	+\$110
CL	cool grey neutral	+ \$o
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
G2	graphite satin	+ \$o
HF	inner tone light	+\$0
LU	soft white	+\$0
MS	metallic silver	+\$20
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+ \$o
WN	warm grey neutral	+ \$o

Standing-Height Round Table

DT3CE. DT3CS. DT3CT.



Product Information

Description


This 42"-high, round table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. The base has glides with $^1/_2$ " leveling range. Shipped knocked down.

Notes

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT3C

Step 2. Edge

S. squared-edge

T. thin-edge

E. eased-edge

Step 3. Diameter

30" diameter

36 36" diameter

Step 4. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge

W veneer top/veneer edge A

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge A

P painted Formcoat® top/edge

For eased-edge (E.)

P painted Formcoat® top/edge

Step 5. Base Type

DT3CE. 30 P

X 4-column base

Prices for Steps 1-5.	
	Х
DT3CS. 30 L	\$1052
W	\$1248
P	\$1210
36 L	\$1261
W	\$1510
Р	\$1451
	х
DT3CT. 30 W	\$1498
P	\$1288
36 W	\$1813
Р	\$1544


\$1288

	36 P	\$1544
Step	6.	
Top F	inish	
For la	minate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
91	white	+ \$o
98	studio white	+\$ o
8Q	folkstone grey	+\$ o
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$ o
HP	light anigre	+\$ o
HT	inner tone	+\$ o
нх	aged cherry	+\$ o
HY	walnut on cherry	+\$ o
LA	light ash	+\$ o
LBA	clear on ash	+\$o
LBU	medium matte walnut	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+ \$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	+ \$0
LU	soft white	+ \$0
WL	sandstone	+ \$0
WN	warm grey neutral	+\$o

Top/	Edge Finish: Wood Veneer	
For v	eneer top/veneer edge (W)	
2U	light brown walnut 🛕	+\$50
40	dark brown walnut 🛕	+\$50
ED	aged cherry A	+\$50
EK	medium red walnut 🖪	+\$50
ET	clear on ash 🛕	+\$50
EU	oak on ash 🛕	+\$50
EV	walnut on ash 🛕	+\$50
UL	natural maple 🛕	+\$50
UX	walnut on cherry A	+\$50
Top/	Edge Finish: Opaque Formcoat®	
For p	ainted Formcoat® top/edge (P)	
8Q	folkstone grey	+\$o
91	white	+\$o
CL	cool grey neutral	+\$o
LU	soft white	+\$ o
WL	sandstone	+\$0
WN	warm grey neutral	+\$o

Step 7	7. Edge Finish	
For la	minate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$ o
91	white	+\$ o
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$ o
LBA	clear on ash	+\$ o
LBU	medium matte walnut	+\$ o
LBB	oak on ash	+\$ o
LBC	walnut on ash	+\$ o
LBD	dark brown walnut	+\$ o
LBE	medium red walnut	+\$ o
LBF	neutral twill	+\$0
LBG	sarum twill	+\$ o
LBH	earthen twill	+\$ o
LBJ	graphite twill	+\$ o
LBK	pewter mesh	+\$ o
LBL	steel mesh	+\$ o
LBM	crisp linen	+\$ o
LBN	classic linen	+\$ o
LBP	casual linen	+\$ o
LBQ	white twill	+\$ o
WL	sandstone	+\$ o
WN	warm grey neutral	+\$ o
HF	inner tone light	+\$ o
HM	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$ o
нх	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0

Step	8. Base Finish	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white A	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	polished aluminum	, ¢110



Description


This 16"-high, square table comes in multiple edge styles and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. The base has glides with 1/2" leveling range. Shipped knocked down.

Notes

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT4B

Step 2. Edge

S. squared-edge

T. thin-edge

Step 3. Depth/Width

2424 24" deep x 24" wide

3030 30" deep x 30" wide

3636 36" deep x 36" wide

Step 4. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edgeW veneer top/veneer edge A

n veneer top, veneer tage in

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge

P painted Formcoat® top/edge

Step 5. Base Type

S single-column base

Prices for Step	S 1-5.	
		S
DT4BS. 2424	L	\$698
	W	\$815
	P	\$803
3030	L	\$837
	W	\$988
	P	\$963
3636	L	\$963
	W	\$1145
	P	\$1107
		S
DT4BT. 2424	W	\$978
	P	\$855
3030	W	\$1187
	P	\$1024
3636	W	\$1376
	Р	\$1179

Step 6.

Top Finish

+\$o

+\$o

+\$o

LG	light grey (discontinuing)	+\$0
LM	mahogany	+\$o
LT	light tone	+\$ 0
LU	soft white	+\$o
MT	medium tone	+\$o
OG	honey maple	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$ o
X1	chalk white	+\$0
Top/E	dge Finish: Wood Veneer	
For ve	neer top/veneer edge (W)	
2U	light brown walnut 🛕	+\$50
40	dark brown walnut 🛕	+\$50
ED	aged cherry A	+\$50
EK	medium red walnut 🛕	+\$50
ET	clear on ash 🛕	+\$50
EU	oak on ash 🛕	+\$50
EV	walnut on ash 🛕	+\$50
UL	natural maple A	+\$50
UX	walnut on cherry A	+\$50
Top/E	idge Finish: Opaque Formcoat®	
For po	ninted Formcoat® top/edge (P)	
8Q	folkstone grey	+\$o
91	white	+\$ 0
CL	cool grey neutral	+\$ 0
LU	soft white	+\$o
WL	sandstone	+\$ o
WN	warm grey neutral	+\$0

classic linen

casual linen

white twill


LBN

LBP

LBQ

Step 7	. Edge Finish	
For lan	ninate top/thermoplastic edge (L)	
76	light brown walnut	+\$o
8Q	folkstone grey	+\$o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
HF	inner tone light	+\$o
нм	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$o
нх	aged cherry	+ \$0
HY	walnut on cherry	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+ \$0
LBP	casual linen	+\$o
LBQ	white twill	+ \$0
LBU	medium matte walnut	+ \$0
LU	soft white	+ \$o
WL	sandstone	+ \$0
WN	warm grey neutral	+\$0

Step 8.	Base Finish	
8Q	folkstone grey	+\$o
91	white	+\$o
98	studio white A	+\$o
BU	black umber	+\$o
CD	polished aluminum	+\$110
CL	cool grey neutral	+\$o
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
G2	graphite satin	+\$o
HF	inner tone light	+\$o
LU	soft white	+\$o
MS	metallic silver	+\$20
MT	medium tone	+\$o
SG	slate grey	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o



Description


This 16"-high, round table comes in multiple edge styles and has a laminate top with thermoplastic edge, veneer top and edge, or painted top and edge. The base has glides with $^1/_2$ " leveling range. Shipped knocked down.

Notes

For additional details on available edge options see Appendices.

For additional size, edge, and finish options, see Vary Easy Program in Appendices.

Dimensions



Specification Information

Step 1.

DT4C

Step 2. Edge

S. squared-edge

T. thin-edge

Step 3. Diameter

30 30" diameter

36 36" diameter

Step 4. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge

W veneer top/veneer edge A

P painted Formcoat® top/edge

For thin-edge (T.)

W veneer top/veneer edge A

P painted Formcoat® top/edge

Step 5. Base Type

28

29

canyon

misted

S single-column base

Prices for S	teps 1-5.	
		S
DT4CS. 30	L	\$961
	W	\$1137
	P	\$1106
36	L	\$1106
	W	\$1317
	P	\$1273
		S
DT4CT. 30	W	\$1363
	P	\$1178
36	W	\$1581
36	W P	\$1581 \$1355
36 Step 6.		=
		=


+\$o

+\$o

38	twilight	+\$0	WL	sandstone	+\$0
39	desert	+\$0	WN	warm grey neutral	+\$0
76	light brown walnut	+\$o	X1	chalk white	+\$o
91	white	+\$o			
98	studio white	+\$o	Top/E	dge Finish: Wood Veneer	
1X	vanilla	+\$o	For veneer top/veneer edge (W)		
2X	wheat	+\$o	2U	light brown walnut 🛕	+\$50
3X	celery	+\$o	40	dark brown walnut 🛕	+\$50
4X	coriander	+\$o	ED	aged cherry A	+\$50
5X	chamomile	+\$o	EK	medium red walnut A	+\$50
6X	cinnamon	+\$o	ET	clear on ash 🛕	+\$50
7X	cardamom	+\$o	EU	oak on ash 🛕	+\$50
8X	kale	+\$o	EV	walnut on ash A	+\$50
8Q	folkstone grey	+\$o	UL	natural maple A	+\$50
CL	cool grey neutral	+\$o	UX	walnut on cherry A	+\$50
HF	inner tone light	+\$o		· —	
нм	natural maple	+\$o	Top/E	dge Finish: Opaque Formcoat®	
HP	light anigre	+\$o	For po	ninted Formcoat® top/edge (P)	
HT	inner tone	+\$o	8Q	folkstone grey	+\$o
нх	aged cherry	+\$o	91	white	+\$o
HY	walnut on cherry	+\$o	CL	cool grey neutral	+\$o
J4	frosted light grey	+\$o	LU	soft white	+\$o
J5	frosted inner tone light	+\$0	WL	sandstone	+\$o
J7	frosted medium tone	+\$0	WN	warm grey neutral	+\$o
LA	light ash	+\$0			
LBA	clear on ash	+ \$o			
LBU	medium matte walnut	+ \$o			
LBB	oak on ash	+\$o			
LBC	walnut on ash	+ \$o			
LBD	dark brown walnut	+\$o			
LBE	medium red walnut	+\$o			
LBF	neutral twill	+\$o			
LBG	sarum twill	+\$o			
LBH	earthen twill	+\$o			
LBJ	graphite twill	+\$o			
LBK	pewter mesh	+\$o			
LBL	steel mesh	+\$o			
LBM	crisp linen	+\$o			
LBN	classic linen	+\$o			
LBP	casual linen	+\$o			
LBQ	white twill	+\$o			
LG	light grey (discontinuing)	+\$o			
LM	mahogany	+\$o			
LT	light tone	+\$o			
LU	soft white	+\$o			
MT	medium tone	+\$o			
OG	honey maple	+ \$o			

Step 7	. Edge Finish	
For lan	ninate top/thermoplastic edge (L)	
76	light brown walnut	+\$o
8Q	folkstone grey	+\$o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
HF	inner tone light	+\$o
нм	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$o
нх	aged cherry	+\$o
HY	walnut on cherry	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$ o
LBK	pewter mesh	+ \$o
LBL	steel mesh	+ \$o
LBM	crisp linen	+ \$o
LBN	classic linen	+ \$o
LBP	casual linen	+ \$o
LBQ	white twill	+ \$o
LBU	medium matte walnut	+ \$o
LU	soft white	+ \$o
WL	sandstone	+ \$o
WN	warm grey neutral	+\$ o

Step 8.	Base Finish	
8Q	folkstone grey	+ \$0
91	white	+ \$o
98	studio white A	+ \$o
BU	black umber	+ \$0
CL	cool grey neutral	+\$0
G2	graphite satin	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
CD	nolished aluminum	+\$110



Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is UL listed.

Notes

Cable clips for cord management are intended for a 1-time installation.

Clamp versions can be reoriented in the field by a technician.


A small LED light illuminates through the USB ports when the USB version is plugged in and powered.

 $\ensuremath{\mathsf{USB}}$ ports provide 10-watt power to charge most devices and tablets at full speed.


Cord color is predetermined. For white (91) finish cords will be white. For graphite (G1) finish cords will be black.

Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

Dimensions




Surface Clamp



Grommet Mount

Specification Information Step 1. **Y1414.** A Step 2. Configuration 1 simplex receptacles, 2 powered USB $\boxed{\mathbb{A}}$ K 2 simplex receptacles A Step 3. Cord/Conduit Length 03 3' cord/conduit A 06 6' cord/conduit A 10 10' cord/conduit A Step 4. Attachment G grommet mount A S surface clamp A Prices for Steps 1-4. G Y1414. J 03 \$332 332 06 \$332 332 10 \$342 342 K 03 \$185 185 06 \$185 185 10 \$195 195 Step 5. Finish 91 white [A] +\$o 98 studio white A +\$o G1 graphite A +\$o

S



Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is ETL listed to UL962.

Notes

Cable clips for cord management are intended for a 1-time installation.

Clamp versions can be reoriented in the field by a technician.

Lumper length denotes distance between center points of each split

Jumper length denotes distance between center points of each split point.

All branch lengths from main power cord to module are 12".

A small LED light illuminates through the USB ports when the USB version is plugged in and powered.


Cord length denotes distance from plug end to first split point.


 $\ensuremath{\mathsf{USB}}$ ports provide 10-watt power to charge most devices and tablets at full speed.

The cord head contains a circuit breaker when there are more than ${\mathfrak Z}$ simplex receptacles.


Grommet mount attachment (Y1415.xxxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

Dimensions






Two Power Modules



Three Power Modules



Four Power Modules

48

60

G

Speci	fication Information
Step 1.	
Y1415	• A
Step 2	. Number of Modules
2	two power modules A
3	three power modules A
4	four power modules A
Step 3	. Power Type
J	1 simplex receptacles, 2 powered USB, all modules [A]
K	2 simplex receptacles, all modules A
L	first module has 1 AC plus 2 powered USB all other modules
	have all AC simplexes A

\$1513	1523	1548	1558	1548	1558
\$923	933	947	957	947	957
\$1070	1080	1095	1105	1095	1105
	\$923	\$923 933	\$923 933 947	\$923 933 947 957	\$1513 1523 1548 1558 1548 \$923 933 947 957 947 \$1070 1080 1095 1105 1095

Step	7. Finish	
91	white A	+ \$o
98	studio white A	+\$o
G1	graphite A	+\$o

Step 6. Cord/Conduit Length

grommet mount A

Step 4. Jumper Length

Step 5. Attachment

36" between split points A

48" between split points A

60" between split points [A]


06 6' cord/conduit A

10 10' cord/conduit A

Prices for Steps 1-6.							
		36G06	36G10	36506	36S10	48G06	48G10
Y1415. 2	J	\$736	746	736	746	744	754
	K	\$441	451	441	451	449	459
	L	\$588	599	588	599	597	607
3	J	\$1096	1106	1096	1106	1112	1122
	K	\$669	680	669	680	686	696
	L	\$817	827	817	827	833	844
4	J	\$1488	1499	1488	1499	1513	1523
	K	\$898	908	898	908	923	933
	L	\$1046	1056	1046	1056	1070	1080
		48 S 06	48510	60G06	60G10	60 S 06	60 S 10
Y1415. 2	J	\$744	754	752	763	752	763
	K	\$449	459	457	467	457	467
	L	\$597	607	605	615	605	615
3	J	\$1112	1122	1129	1139	1129	1139
	K	\$686	696	702	712	702	712
	L	\$833	844	850	860	850	860

Logic C1000 Universal Clamp Mount Distributor

Y1423.



Product Information

Description

This Logic Power Access Solutions™ clamp mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end or a hard-wired connection with electrical conduit. Data cords can be routed through the integrated opening at the rear of the unit. Product is UL listed.

Notes

Clamp mounts on worksurfaces 1"-11/4" thick.

Faceplate color matches unit color.

Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.


Dimensions






2 simplex receptacles, 2 powered USB





4 simplex receptacles, 2 powered USB






5 simplex receptacles, 2 powered USB






3 simplex receptacles





5 simplex receptacles





6 simplex receptacles

Specification Information

Step 1.

Y1423. A

Step 2. Configuration

- **A** 2 simplex receptacles, 2 powered USB A
- **C** 4 simplex receptacles, 2 powered USB A
- **D** 5 simplex receptacles, 2 powered USB A
- **E** 3 simplex receptacles A
- **F** 5 simplex receptacles A
- **G** 6 simplex receptacles A

Step 3. Power Type

- **A** power cord with plug end A
- **B** conduit with open end, for hard-wiring A

Step 4. Cord/Conduit Length

- **03** 3' cord/conduit A
- **06** 6' cord/conduit A
- 10 10' cord/conduit A

Prices for S	Steps 1-4.			
		03	06	10
Y1423. A	Α	\$449	449	459
	В	\$498	498	508
С	Α	\$539	539	549
	В	\$588	588	599
D	Α	\$577	577	587
	В	\$626	626	637
E	Α	\$301	301	312
	В	\$351	351	361
F	Α	\$392	392	402
	В	\$441	441	451
G	Α	\$429	429	440
	В	\$479	479	489


Step	5. Finish	
91	white A	+\$0
98	studio white A	+\$0
G1	graphite 🖪	+\$ o

+\$o

metallic silver A

MS





Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end, a hard-wired connection with electrical conduit, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

Field cutting of grommet cutout is possible.

IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.


Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.

Refer to Renew[™] Sit-to-Stand Tables and Locale[®] planning guides for specific application information.


20' cord/conduit length (20) is recommended for Exclave® applications.


Dimensions




2 simplex receptacles, 2 powered USB









Logic G1000 Grommet Mounted Electrical Distributor continued


Speci	fication Information					
Step 1.						
Y1425	Y1425. A					
Step 2	. Configuration					
Α	2 simplex receptacles, 2 powered USB A					
C	4 simplex receptacles, 2 powered USB A					
D	5 simplex receptacles, 2 powered USB A					
E	3 simplex receptacles A					
F	5 simplex receptacles A					
G	6 simplex receptacles A					

	F	A	\$593	593	604
		В	\$643	643	653
		С	\$604	_	_
	G	A	\$659	659	669
		В	\$708	708	719
		С	\$669	_	_
Step 5	. Fin	ish			
91	wł	nite A			+\$o
98	stı	udio white 🛕			+\$ 0
G1	gra	aphite 🖪			+\$ 0
MS	me	etallic silver 🛕			+\$ o

Step	3. Power Type
Α	power cord with plug end A
В	conduit with open end, for hard-wiring A
C	IEC connector for Renew Tables A
Step	4. Cord/Conduit Length
For p	ower cord with plug end (A)
03	3' cord/conduit 🛕
06	6' cord/conduit 🛕
10	10' cord/conduit A
For co	onduit with open end, for hard-wiring (B)
03	3' cord/conduit A
06	6' cord/conduit A
10	10' cord/conduit A
For IE	C connector for Renew Tables (C)

Prices for S	Steps 1-4.			
		03	06	10
Y1425. A	Α	\$639	639	649
	В	\$688	688	698
	C	\$649	_	_
С	A	\$741	741	751
	В	\$790	790	801
	C	\$751	_	_
D	A	\$807	807	817
	В	\$856	856	866
	C	\$817	_	_
E	A	\$491	491	501
	В	\$540	540	550
	C	\$501	_	_

3' cord/conduit A




Description


This Logic Power Access Solutions™ plastic grommet is available in mini rectangle or mini square configuration. The integrated flaps can hide the things below the surface while also retaining power and data cords.

Notes

This grommet is installed in some HermanMiller applications. Verify your application before ordering grommet separately.


Dimensions








Grommet - Rectangle







Grommet - Square

Specification Information

Step 1.


Y1412.

Step 2	. Configuration
1	mini rectangle gromme

mini rectangte grommetmini square grommet

Prices for Steps 1-2.	
Y1412. 1	\$26
2	\$30

Step	3. Finish	
91	white	+\$o
98	studio white	+\$o
G1	graphite	+\$o




Description

This Logic Power Access Solutions $^{\mathtt{M}}$ grommet mounted metal enclosure provides access to cords kept beneath the surface. The unit has an integrated cord keeper.


Notes


Unit size is based on the grommet mounted electrical distributor (Y1425.) with simplex receptacles.

Dimensions



3 outlet opening (T)





Specification Information

Step 1.

Y1420. A

Step 2. Configuration

three outlet opening A


V five outlet opening [A]

X six outlet opening [A]

Prices for Steps 1-2.	
Y1420. T	\$214
V	\$235
X	\$255

Step	Step 3. Finish				
91	white A	+\$o			
98	studio white A	+ \$0			
G1	graphite A	+ \$0			
MS	metallic silver A	+ \$o			

+\$o




Product Information

Description

This Logic Power Access Solutions™ stand-alone cable management tray mounts to the underside of most surfaces. It can be used with a Logic unit for cord storage, or used alone with cords routed through the back side of the unit. Tray drops down and holds cords in place while working and can be easily stowed back in place.


Dimensions





Spe	Specification Information					
Step	1.					
Y142	24. A					
Step	2. Size					
17	17" wide tray 🛕					
Price	es for Steps 1-2.					
Y142	24. 17	\$235				
Step	3. Finish					
91	white A	+ \$o				
98	studio white A	+\$0 +\$0 +\$0				
G1	graphite A	+ \$o				

metallic silver [A]



Description


This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It has 2 simplex receptacles and 2 data openings, and is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

Dimensions



Specification Information

Step 1.

Y1321.

Step 2. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring

Step 3. Cord/Conduit Length


03 3' cord/conduit
06 6' cord/conduit
10 10' cord/conduit
20 20' cord/conduit

Prices for Steps 1-3.				
	03	06	10	20
Y1321. A	\$199	199	208	255
В	\$251	251	260	308

Step	4. Wiring Type	
4Z	standard	+\$ o
LZ	PVC-free	+\$39

Step	5. Finish	
ОН	black	+\$c

+\$o



Product Information

Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles, or 1 simplex receptacle and 1 data opening. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

Distributor with silver finish option (ol) or white finish option (ol) and standard wiring (4Z) has painted metal trim with white plastic simplex/ data interior. Distributor with black finish option (oH) and standard wiring (4Z) has black painted trim with black plastic simplex/data interior. Distributor with PVC-free wiring option (LZ) has black plastic simplex/data interior, regardless of the finish color.

Dimensions



Specification Information

Step 1.

Y1322.

· ·		c c.	
Stor	າ າ	Configi	iration
JUL	,	Coming	aration

1 simplex receptacle, 1 data opening

2 2 simplex receptacles

Step 3. Power Type

Α power cord with plug end

В conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length


03 3' cord/conduit 06 6' cord/conduit 10 10' cord/conduit 20 20' cord/conduit

Step 5. Wiring Type standard

4Z

Prices for Steps 1-4.				
	03	06	10	20
Y1322. 1 A	\$237	237	246	293
В	\$288	288	297	343
2 A	\$251	251	260	308
В	\$302	302	313	360

LZ	PVC-free	+\$39
Step	6. Finish	
OH	black	+\$0
01	silver	+\$0
0J	white	+\$0



Description

This electrical distributor can grommet-mount flush in a surface, or clamp-mount to the edge. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 3 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Silver option (ol) and white option (oJ) have painted metal trim with white plastic simplex/data interiors. Black option (oH) has black painted trim with black plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is 8" wide. Overall width for distributor with 3 simplex receptacles, 3 data openings option (4) is 11" wide.

Dimensions



Specification Information

Step 1.

Y1323.

Step 2. Configuration

3 2 simplex receptacles, 2 data openings

4 3 simplex receptacles, 3 data openings

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length


3' cord/conduit
6' cord/conduit
10' cord/conduit
20' cord/conduit

Step 5. Attachment

G grommet mount

S surface clamp

Prices for Steps 1-5.								
			03G	035	06G	06 S	10G	105
Y1323. 3	Α		\$271	271	271	271	280	280
	В		\$322	322	322	322	331	331
4	Α		\$337	337	337	337	346	346
	В		\$390	390	390	390	400	400
							20G	205
Y1323. 3	Α						\$327	327
	В						\$377	377
4	Α						\$395	395
	В						\$446	446
Step 6. Fi	nish							
0H b	lack							+\$o
0l s	ilver							+\$ o
0J w	/hite							+ \$o



Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 4 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

Distributor with silver anodized finish option (oK) and standard wiring (4Z) has anodized trim with white plastic simplex/data interior. Distributor with silver anodized finish option (oK) and PVC-free wiring (LZ) has anodized trim with black plastic simplex/data interior. Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is $8^{1}/_{4}$ " wide. Overall width for distributor with 3 simplex receptacles, 4 data openings option (5) is $12^{3}/_{4}$ " wide.

Dimensions



Specification Information

Step 1.

Y1324.

C -	C C:	
Stan 2	(Antigu	ıratınn
JICP 2	 Configu 	nation

3 2 simplex receptacles, 2 data openings

5 3 simplex receptacles, 4 data openings

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring


Step 4. Cord/Conduit Length

3′ cord/conduit
6′ cord/conduit
10′ cord/conduit
20′ cord/conduit

Prices for	Steps 1-4.				
		03	06	10	20
Y1324. 3	A	\$377	377	386	434
	В	\$429	429	440	486
5	A	\$485	485	495	541
	В	\$537	537	543	589

Step 5.	Wiring Type	
4Z	standard	+\$0
LZ	PVC-free	+\$39

Step 6.	Finish	
OK	silver anodized	+\$0



Description

This electrical distributor mounts flush in a surface and has a flip-up lid for accessing power and data from above or below the surface. The flip lid can be closed once devices are connected for a clean visual appearance. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 3 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Silver anodized option (oK) has anodized trim with white plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is $8^3/8^n$ wide. Overall width for distributor with 3 simplex receptacles, 3 data openings option (4) is $11^3/8^n$ wide.

Dimensions



Specification Information

Step 1.

Y1325.

Step 2. Configuration

2 simplex receptacles, 2 data openings3 simplex receptacles, 3 data openings

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length


3' cord/conduit6' cord/conduit10' cord/conduit20' cord/conduit

Prices for Steps 1-4.				
	03	06	10	20
Y1325. 3 A	\$445	445	454	501
В	\$497	497	506	552
7 A	\$511	511	522	569
В	\$563	563	574	620

Step 5	. Finish		
ОК	silver anodized	+\$	0



\$36




Product Information

Description

This plastic clip snaps onto an Everywhere™ table leg to route cables or cords. Finish is clear. Package of 10.


Dimensions



Specification Information

Step 1.

DT9A.



Description

These cord covers attach to Everywhere table T-leg and Y-leg sections that have either casters or glides. The covers are field installed, and are easily removed and reinstalled for ease of cable management.


Notes

The T cover works with both the (T) and (C) base options.


The Y cover works with both the (E) and (G) base options.


To ensure proper height of the covers, select (C) if your table has casters or select (G) if your table has glides.

Dimensions




T-leg with casters





Y=leg with casters

20"



Y-leg with glides

Specification Information

Step 1.

DT9B.

Step 2. Leg Type

T T-leg

E Y-leg

Prices for Steps 1-2.


DT9B. T \$258 E \$258

Step 3. Caster or Glide Table

С	for table with caster base	+\$o
G	for table with glide base	+\$o

Step 4. Leg/Base Finish

8Q	folkstone grey	+ \$o
91	white	+\$o
98	studio white	+\$o
BU	black umber	+\$o
CL	cool grey neutral	+\$o
G2	graphite satin	+\$o
HF	inner tone light	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
SG	slate grey	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20



Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a solid MDF core with a laminate or veneer surface, aluminum top rail and attachment brackets. Cable trough is optional. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.

Modesty panel dimension is approximately 10" high with width specified in step 1. Actual width $^1/_4$ " less than specified value.

Modesty panel is field installed.

Brackets are located to work with Connect™ 2-circuit power system.

Modesty panel (Y1113.) may impede ideal folding functionality of flip top table (DT5Ax.). For use with flip top table, modesty panel (Y1114.) is recommended. It comes only with a fabric surface.

Dimensions



Specification Information

Step 1.

Y1113.

Step	2. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
54	54" wide			
60	6o" wide			
66	66" wide			
72	72" wide			

Step 3. Cable Trough

N without added cable troughY with added cable trough

Step 4. Surface Material


L laminate top/thermoplastic edge

W veneer top/veneer edge

Prices for Steps 1-4.	
	L \
Y1113. 24 N	\$188 33
Υ	\$335 49
30 N	\$205 37
Υ	\$380 56
36 N	\$224 41
Υ	\$414 62
42 N	\$242 45
Υ	\$456 69
48 N	\$260 50
Υ	\$499 75
54 N	\$280 54
Υ	\$541 82
60 N	\$298 58
Υ	\$583 89
66 N	\$298 62
Υ	\$625 95
72 N	\$322 66
Υ	\$666 102

Step	5. Finish	
For la	aminate top/thermoplastic edge (L)	
8Q	folkstone grey	+\$0
91	white	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
For v	reneer top/veneer edge (W)	
2U	light brown walnut	+\$0
40	dark brown walnut	+\$0
UL	natural maple	+\$0





Description

This modesty panel attaches to a table, desk, peninsula, or work surface. It has a fabric surface with aluminum top rail and attachment brackets. Attachment hardware included.

Notes

Specify modesty panel to be equal to surface width, or 6" less than surface width of a height adjustable table.

For use with flip top table (DT₅Ax.), modesty panel (Y₁₁₁₄.) is recommended to enable optimal folding functionality of the table.

Dimensions



Specification Information


Step 1.

Y1114. A

Step	2. Width		
24	24" wide 🛽		
30	30" wide 🛕		
36	36" wide 🛕		
42	42" wide 🛕		
48	48" wide 🛕		
54	54" wide 🛕		
60	60" wide 🛕		
66	66" wide 🛕		
72	72" wide 🛕		

Φ.
^
\$172
\$187
\$203
\$215
\$230
\$258
\$27
\$286
\$297

Step 3. Fabric
Price Category 1 +\$0




Description

This trough attaches to a table, desk, peninsula, or work surface to hold and conceal cords and cables. It pivots down to allow easy access when laying cords inside, and can be specified with an optional modesty panel. The modesty panel has a fabric surface with aluminum top rail. Attachment hardware is included.

Notes

Specify trough to be equal to or less than the surface width.

Dimensions



Specification Information

Step 1.

Y1200.

Step:	2. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			

Step 3. Modesty Panel Option

N no modesty panel

M modesty panel


Prices for Steps 1-3.		
	N	M
Y1200. 24	\$269	344
30	\$293	386
36	\$323	421
42	\$353	461
48	\$381	501
Step 4. Cable Trough Finish		
AN clear anodized aluminum		+\$o

Step 5. Modesty Panel Fabric	
For modesty panel (M)	
Price Category 1	+\$0

Everywhere" Accessories

+\$o

Cable Management Trough, Work AO382. Surface Suspended




Product Information

Description

This trough attaches under an Action Office® suspended work surface to manage cables. Attachment hardware is included.

Dimensions




Specification Information Step 1. A0382. Step 2. Width 30" wide 40 40" wide Prices for Steps 1-2. A0382. 30 \$74 40 \$90 Step 3. Surface Finish BU black umber +\$o

ΜT

medium tone






Description

This cord manager routes a cord from the underside of a hutch to the surface when a task light is attached. Color is black. Package of 6.

Dimensions



Specification Information

Step 1.

FV984.


_				
Sta	n 2	НΔ	ight	
Jic	ν Z.	110	ısııı	

12 12" high24" high

30 29¹/₂" high

Prices for Steps 1-2.

FV984.	12	\$77
	24	\$117
	30	\$142



Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is UL listed.

Notes

Cable clips for cord management are intended for a 1-time installation.

Clamp versions can be reoriented in the field by a technician.


A small LED light illuminates through the USB ports when the USB version is plugged in and powered.

 $\ensuremath{\mathsf{USB}}$ ports provide 10-watt power to charge most devices and tablets at full speed.


Cord color is predetermined. For white (91) finish cords will be white. For graphite (G1) finish cords will be black.

Grommet mount attachment (Y1414.xxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

Dimensions



Surface Clamp




Grommet Mount

G1

graphite A

```
Specification Information
Step 1.
Y1414. A
Step 2. Configuration
       1 simplex receptacles, 2 powered USB 🖪
K
       2 simplex receptacles A
Step 3. Cord/Conduit Length
03
       3' cord/conduit 🛕
06
       6' cord/conduit A
10
       10' cord/conduit A
Step 4. Attachment
G
       grommet mount A
S
       surface clamp [A]
Prices for Steps 1-4.
                                                        G
                                                               S
Y1414. J 03
                                                     $332
                                                             332
          06
                                                     $332
                                                             332
          10
                                                     $342
                                                             342
       K 03
                                                     $185
                                                             185
          06
                                                     $185
                                                             185
          10
                                                     $195
                                                             195
Step 5. Finish
91
       white [A]
                                                             +$o
98
       studio white A
                                                             +$o
```

+\$o



Description

This electrical distributor plugs directly into floor, wall, or ceiling drop outlets. Each module configuration presents the same visual appearance. Cable clips and attachment hardware included. Product is ETL listed to UL962.

Notes

Cable clips for cord management are intended for a 1-time installation.

Clamp versions can be reoriented in the field by a technician.

Jumper length denotes distance between center points of each split

Jumper length denotes distance between center points of each split point.

All branch lengths from main power cord to module are 12".

A small LED light illuminates through the USB ports when the USB version is plugged in and powered.


Cord length denotes distance from plug end to first split point.


USB ports provide 10-watt power to charge most devices and tablets at full speed.

The cord head contains a circuit breaker when there are more than ${\bf 3}$ simplex receptacles.


Grommet mount attachment (Y1415.xxxxG) does not come with the mini grommet. Order Logic mini grommet (Y1412.) separately, as needed.

Dimensions






Two Power Modules



Three Power Modules



Four Power Modules

Specification Information Step 1. Y1415. A

Step 2. Number of Modules

2 two power modules A

3 three power modules A

4 four power modules A

Step 3. Power Type

J simplex receptacles, 2 powered USB, all modules A

K 2 simplex receptacles, all modules A

L first module has 1 AC plus 2 powered USB all other modules have all AC simplexes A

Step 4. Jumper Length

36 36" between split points A48 48" between split points A

60 60" between split points A

Step 5. Attachment

G grommet mount A

S surface clamp A

Step 6. Cord/Conduit Length

06 6' cord/conduit A

10 10' cord/conduit A


Prices for S	Steps 1-6.						
		36G06	36G10	36506	36 S 10	48G06	48G10
Y1415. 2	J	\$736	746	736	746	744	754
	K	\$441	451	441	451	449	459
	L	\$588	599	588	599	597	607
3	J	\$1096	1106	1096	1106	1112	1122
	K	\$669	680	669	680	686	696
	L	\$817	827	817	827	833	844
4	J	\$1488	1499	1488	1499	1513	1523
	K	\$898	908	898	908	923	933
	L	\$1046	1056	1046	1056	1070	1080
		48506	48510	60G06	60G10	60506	60\$10
Y1415. 2	J	\$744	754	752	763	752	763
	K	\$449	459	457	467	457	467
	L	\$597	607	605	615	605	615
3	J	\$1112	1122	1129	1139	1129	1139
	K	\$686	696	702	712	702	712
	L	\$833	844	850	860	850	860

4	J	\$1513	1523	1548	1558	1548	1558	
	K	\$923	933	947	957	947	957	
	L	\$1070	1080	1095	1105	1095	1105	

Step	7. Finish	
91	white A	+ \$o
98	studio white A	+ \$o
G1	graphite A	+ \$o

Logic C1000 Universal Clamp Mount Distributor

Y1423.



Product Information

Description

This Logic Power Access Solutions™ clamp mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end or a hard-wired connection with electrical conduit. Data cords can be routed through the integrated opening at the rear of the unit. Product is UL listed.

Notes

Clamp mounts on worksurfaces 1"-11/4" thick.

Faceplate color matches unit color.

Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.


Dimensions






2 simplex receptacles, 2 powered USB





4 simplex receptacles, 2 powered USB






5 simplex receptacles, 2 powered USB






3 simplex receptacles





5 simplex receptacles





6 simplex receptacles

Specification Information Step 1. **Y1423.** A Step 2. Configuration Α C 4 simplex receptacles, 2 powered USB A D 5 simplex receptacles, 2 powered USB A Ε 3 simplex receptacles A F 5 simplex receptacles A G 6 simplex receptacles A Step 3. Power Type power cord with plug end [A] Α conduit with open end, for hard-wiring A Step 4. Cord/Conduit Length 03 3' cord/conduit A 06 6' cord/conduit A 10 10' cord/conduit A Prices for Steps 1-4. 03 06 10 Y1423. A A \$449 449 459 \$498 498 508 C A \$539 539 549 В \$588 588 599 D A \$577 577 587 В \$626 626 637 E A \$301 301 312 \$351 351 361 F A \$392 392 402 \$441 441 451 G A \$429 429 440 В \$479 489 Step 5. Finish 91 white A +\$o 98 studio white A +\$o

+\$o

+\$o

graphite A


metallic silver A

G1

MS

Y1425.

Logic G1000 Grommet Mounted Electrical Distributor



Product Information

Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end, a hard-wired connection with electrical conduit, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

Field cutting of grommet cutout is possible.

IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.


Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.


Refer to Renew[™] Sit-to-Stand Tables and Locale[®] planning guides for specific application information.

20' cord/conduit length (20) is recommended for Exclave® applications.

Dimensions




2 simplex receptacles, 2 powered USB





5 simplex receptacles, 2 powered USB



06 10

Spe	cification Information
Step	1.
Y142	5. A
C1	
Step	2. Configuration
Α	2 simplex receptacles, 2 powered USB A
C	4 simplex receptacles, 2 powered USB A
D	5 simplex receptacles, 2 powered USB A
E	3 simplex receptacles A
F	5 simplex receptacles A
G	6 simplex receptacles A
Step	3. Power Type
Α	power cord with plug end A

	F	Α		 		\$593	593	604
		В			:	\$643	643	653
		C			!	\$604	_	_
•••••	G	Α		 		\$659	659	669
		В			!	\$708	708	719
		C			!	\$669	_	_
Step 5	5. Fin	ish						
91	wł	nite 🖪						+\$o
98	stı	udio white	Α					+\$o
G1	gra	aphite 🗚						+\$o
MS	me	etallic silver	Α					+\$o


В	conduit with open end, for hard-wiring A
C	IEC connector for Renew Tables A
2:	
Step 2	4. Cord/Conduit Length
For po	ower cord with plug end (A)
03	3' cord/conduit A
06	6' cord/conduit A
10	10' cord/conduit A
For co	nduit with open end, for hard-wiring (B)
03	3' cord/conduit 🛕

For IE	C connector for Renew Tables (C)
03	3' cord/conduit 🛕

Prices for S	Steps 1-4.			
		03	06	10
Y1425. A	Α	\$639	639	649
	В	\$688	688	698
	C	\$649	_	_
С	Α	\$741	741	751
	В	\$790	790	801
	C	\$751	_	_
D	Α	\$807	807	817
	В	\$856	856	866
	C	\$817	_	_
E	Α	\$491	491	501
	В	\$540	540	550
	С	\$501	_	_

6' cord/conduit 🛕

10' cord/conduit 🛕




Description

This Logic Power Access Solutions™ plastic grommet is available in mini rectangle or mini square configuration. The integrated flaps can hide the things below the surface while also retaining power and data cords.

Notes


This grommet is installed in some HermanMiller applications. Verify your application before ordering grommet separately.


Dimensions





Grommet - Rectangle





Specification Information

Step 2. Configuration


Step 1.

Y1412.

1	mini rectangle grommet
2	mini square grommet
Prices	for Steps 1-2.

Y1412. 1	\$26
2	\$30
Step 3. Finish	

Step 3.	Finish	
91	white	+ \$o
98	studio white	+ \$o
G1	graphite	+ \$0
	• ,	




Description

This kit has 2 clips that attach to the underside of 2 adjacent surfaces, ganging them together to provide stability and allowing electrical components to be routed from 1 surface to another. Finish is black.

Notes

Ganging bracket kit should not be used on 18″-deep Everywhere™ tables.

Dimensions




Specification Information

Step 1.

Y1338.

\$75

Everywhere" Accessories



Description


This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It has 2 simplex receptacles and 2 data openings, and is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.

Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

Dimensions



Specification Information

Step 1.

Y1321.

Step 2. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring


Step 3. Cord/Conduit Length

03 3' cord/conduit
 06 6' cord/conduit
 10 10' cord/conduit
 20 20' cord/conduit

Prices for Steps 1-3.				
	03	06	10	20
Y1321. A	\$199	199	208	255
В	\$251	251	260	308

Step 2	4. Wiring Type	
4Z	standard	+\$0
LZ	PVC-free	+\$39

Step	5. Finish	
0H	black	+\$0



Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles, or 1 simplex receptacle and 1 data opening. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

Distributor with silver finish option (ol) or white finish option (ol) and standard wiring (4Z) has painted metal trim with white plastic simplex/data interior. Distributor with black finish option (oH) and standard wiring (4Z) has black painted trim with black plastic simplex/data interior. Distributor with PVC-free wiring option (LZ) has black plastic simplex/data interior, regardless of the finish color.

Dimensions



Specification Information

Step 1.

Y1322.

Step 2. Configuration

1 simplex receptacle, 1 data opening

2 2 simplex receptacles

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring


Step 4. Cord/Conduit Length

03 3' cord/conduit
06 6' cord/conduit
10 10' cord/conduit
20 20' cord/conduit

Step 5. Wiring Type

Prices for Steps 1-4.				
	03	06	10	20
Y1322. 1 A	\$237	237	246	293
В	\$288	288	297	343
2 A	\$251	251	260	308
В	\$302	302	313	360

4Z	standard	+\$0
LZ	PVC-free	+\$39
Step	6. Finish	
OH	black	+\$ 0
OI	silver	+\$ o
0J	white	+ \$o



Description

This electrical distributor can grommet-mount flush in a surface, or clamp-mount to the edge. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 3 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Silver option (oI) and white option (oJ) have painted metal trim with white plastic simplex/data interiors. Black option (oH) has black painted trim with black plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is 8" wide. Overall width for distributor with 3 simplex receptacles, 3 data openings option (4) is 11" wide.

Dimensions



Specification Information

Step 1.

Y1323.

C -	C C:	
Stan 2	(Antigu	ıratınn
JICP 2	 Configu 	nation

3 2 simplex receptacles, 2 data openings

4 3 simplex receptacles, 3 data openings

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

3' cord/conduit6' cord/conduit10' cord/conduit

20 20' cord/conduit

Step 5. Attachment


G grommet mount

S surface clamp

Prices for Steps 1-5. 03G 035 06G 065 10G **10S** Y1323. 3 A \$271 280 280 271 271 271 \$322 331 322 322 322 331 4 Α \$337 337 337 337 346 346 \$390 400 390 390 390 400

		20G	205
Y1323. 3	Α	\$327	327
	В	\$377	377
4	Α	\$395	395
	В	\$446	446

Step 6.	Finish	
ОН	black	+ \$o
01	silver	+\$0
0J	white	+\$0



Description

This electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 4 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Distributor with PVC-free wiring option (LZ) is Cradle to Cradle Silver Certified.

Distributor with silver anodized finish option (oK) and standard wiring (4Z) has anodized trim with white plastic simplex/data interior. Distributor with silver anodized finish option (oK) and PVC-free wiring (LZ) has anodized trim with black plastic simplex/data interior. Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is $8^1/_4$ " wide. Overall width for distributor with 3 simplex receptacles, 4 data openings option (5) is $12^3/_4$ " wide.

Dimensions



Specification Information

Step 1.

Y1324.

Step 2. Configuration

3 2 simplex receptacles, 2 data openings

5 3 simplex receptacles, 4 data openings

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring


Step 4. Cord/Conduit Length

03 3' cord/conduit
06 6' cord/conduit
10 10' cord/conduit
20 20' cord/conduit

Prices for Steps 1-4.				
	03	06	10	20
Y1324. 3 A	\$377	377	386	434
В	\$429	429	440	486
5 A	\$485	485	495	541
В	\$537	537	543	589

Step 5	5. Wiring Type	
4Z	standard	+\$0
LZ	PVC-free	+\$39

Step 6. Finish OK silver anodized +\$0



Description

This electrical distributor mounts flush in a surface and has a flip-up lid for accessing power and data from above or below the surface. The flip lid can be closed once devices are connected for a clean visual appearance. It can be configured with 2 simplex receptacles and 2 data openings, or 3 simplex receptacles and 3 data openings. The distributor is available with a power cord with plug end, or electrical conduit for hardwire connection. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware and cord/cable clips are also included. Product is UL listed.


Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Silver anodized option (oK) has anodized trim with white plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings option (3) is $8^3/8''$ wide. Overall width for distributor with 3 simplex receptacles, 3 data openings option (4) is $11^3/8''$ wide.

Dimensions



Specification Information

Step 1.

Y1325.

Step 2. Configuration

3 2 simplex receptacles, 2 data openings

7 3 simplex receptacles, 3 data openings

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring


Step 4. Cord/Conduit Length

3 3' cord/conduit6' cord/conduit10' cord/conduit20' cord/conduit

Prices for Steps 1-4.				
	03	06	10	20
Y1325. 3 A	\$445	445	454	501
В	\$497	497	506	552
7 A	\$511	511	522	569
В	\$563	563	574	620

Step 5.	. Finish	
0K	silver anodized	+\$0

Connect[™] - S710 - Connect Single Y1371. Circuit Power Unit



Product Information

Description

This dedicated modular single circuit electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It has 2 simplex receptacles and 2 data openings and a 60" cord. A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.

Notes

Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.


UL listed when used in conjunction with most Everywhere™ fixed height tables

To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.

Order single circuit power entry (Y1377.) separately.

Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.

Dimensions



Specification Information

Step 1.

Y1371.

Step 2. Configuration

3 2 simplex receptacles, 2 data openings

Step 3. Cord Length

60 60" long

Prices for Steps 1-3.


60 \$310

Y1371. 3

Step 4. Finish

black +\$o

Connect[™] - S720 - Connect Single Y1372. Circuit Power Unit



Product Information

Description

This dedicated modular single circuit electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It can be configured with 2 simplex receptacles, or 1 simplex receptacle and 1 data opening. Cord length is 60". A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.

Notes

Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.

UL listed when used in conjunction with most Everywhere $^{\!\scriptscriptstyle{\text{TM}}}$ fixed height tables.


To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.

Order single circuit power entry (Y1377.) separately.

Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.

Silver option (ol) and white option (oJ) have painted metal trim with white plastic simplex/data interiors. Black option (oH) has black painted trim with black plastic simplex/data interior.

Dimensions



Specification Information

Step 1.

Y1372.

Step 2. Configuration

1 simplex receptacle, 1 data opening


2 simplex receptacles

Step 3. Cord Length

60 60" long

for Steps 1-3.	
	60
. 1	\$346
2	\$361
. Finish	
black	+\$0
silver	+\$o +\$o
white	+ \$o
	. Finish black silver

Connect[™] - S₇₃₀ - Connect Single Y1373. Circuit Power Unit



Product Information

Description

This dedicated modular single circuit electrical distributor mounts flush in a surface or with an edge clamp mount. It has 2 simplex receptacles and 2 data openings, and a 60" cord. A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.

Notes

Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.

UL listed when used in conjunction with most Everywhere™ fixed height tables


To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.

Order single circuit power entry (Y1377.) separately.

Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.

Silver option (ol) and white option (oJ) have painted metal trim with white plastic simplex/data interiors. Black option (oH) has black painted trim with black plastic simplex/data interior.

Dimensions



Specification Information

Step 1.

Y1373.

Step 2. Configuration

3 2 simplex receptacles, 2 data openings

Step 3. Cord Length

60 60" long

Step 4. Attachment

G grommet mount

S surface clamp


white

0J

Price	s for Steps 1-4.		
		G	S
Y137	3. 3 60	\$390	379
Stan	5. Finish		
OH	black		+\$o
011	silver		+\$0 +\$0

+\$0

Connect[™] - S740 - Connect Single Y1374. Circuit Power Unit



Product Information

Description

This dedicated modular single circuit electrical distributor mounts flush in a surface and has a one-touch pop-up mechanism for accessing power and data. It has 2 simplex receptacles and 2 data openings, and a 60" cord. A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.

Notes

Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.

UL listed when used in conjunction with most Everywhere™ fixed height tables.

To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.


Order single circuit power entry (Y1377.) separately.

Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.

Silver anodized option (oK) has anodized trim with white plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings is $8^1/4^{\prime\prime}$ wide.

Dimensions




nere" Accessories

Connect[™] - S740 - Connect Single Circuit Power Unit continued

Speci	fication Information	
Step 1		
Y1374		
Step 2	. Configuration	
3	2 simplex receptacles, 2 data openings	
Step 3	. Cord Length	
60	60" long	
Prices	for Steps 1-3.	
		6
Y1374	. 3	\$48.
Step 4	. Finish	
OK	silver anodized	+\$

Connect[™] - S750 - Connect Single Y1375. Circuit Power Unit



Product Information

Description

This dedicated modular single circuit electrical distributor mounts flush in a surface and has a flip-up lid for accessing power and data from above or below the surface. The lid can be closed once devices are connected for a clean visual appearance. The distributor has 2 simplex receptacles and 2 data openings, and a 60" cord. A maximum of 8 single circuit electrical distributors can be daisy chained per power entry. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers couplers and jacks. Attachment hardware and cord/cable clips are also included.

Notes

Field cutting of surface may be required. For information on surface cutout size, see included instruction sheet.

UL listed when used in conjunction with most Everywhere™ fixed height

To gang tables together per electrical code requirements, order ganging bracket kit (Y1338.) separately.


Order single circuit power entry (Y1377.) separately.


Where lengths of greater than 60" are needed, order single circuit jumpers (Y1378.) separately. Each single circuit jumper counts toward the 8 allowed electrical distributors per power entry.

Silver anodized option (oK) has anodized trim with white plastic simplex/data interior.

Overall width for distributor with 2 simplex receptacles, 2 data openings is $8^3/8^{\prime\prime}$ wide.

Dimensions






Connect[™] - S₇₅₀ - Connect Single Circuit Power Unit continued

Spe	cification Information	
Step	1.	
Y137	5.	
Step	2. Configuration	
3	2 simplex receptacles, 2 data openings	
Step	3. Cord Length	
60	60" long	
Price	s for Steps 1-3.	
		6
Y137	5. 3	\$54
Step	4. Finish	
0K	silver anodized	+\$

Connect[™] Single Circuit Electrical Y1377. Power Entry



Product Information

Description


This standard receptacle 15-amp power entry provides power for single circuit electrical distributors. Up to 8 single circuit modular electrical distributors can be daisy chained and connected in any order. If more than 8 units are connected to this power entry, the system automatically shuts down and a red LED illuminates. A green LED indicates that more units can be connected and the system is ready. Standard attachment hardware is included.

Notes

UL listed when used in conjunction with most Everywhere™ fixed height tables

Order electrical distributors (Y1371., Y1372., Y1373., Y1374., Y1375.) and single circuit jumpers (Y1378.) separately.

Dimensions



Specification Information

Step 1.


Y1377.

Step 2. Cord Length

6' long10' long

Prices for Steps 1-2.

Y1377. 06 \$443 **10** \$464



Description


This electrical jumper provides additional length for the Connect[™] single circuit modular electrical system. Jumpers are available in a variety of lengths and count as one of the 8 electrical distributors allowed per power entry.

Notes

UL listed when used in conjunction with most Everywhere™ fixed height tables

Order electrical distributors (Y1371., Y1372., Y1373., Y1374., Y1375.) and single circuit power entry (Y1377.) separately.

Dimensions



Specification Information

Step 1.

Y1378.

Step 2. Cord Length				
12	12" long			
24	24" long			
36	36" long			
48	48" long			
60	6o" long			

Prices for Steps 1-2.	
Y1378. 12	\$91
24	\$99
36	\$109
48	\$117
60	\$125

Everywhere™ Tables	
Cable Management Clip	page(s) 89
Cable Management Trough, Work Surface Suspended	95
Cable Trough	94
Classroom Curve Table	44
Concave Rectangle	34
Conference Corner Table	48
Connect™-Ganging Bracket Kit	106
Connect [™] -S100	107, 84
Connect [™] -S200	108, 85
Connect™-S300	109, 86
Connect™-S400	110, 87
Connect™-S500	111, 88
Connect™ - S710 - Connect Single Circuit Power Unit	112
Connect™ - S720 - Connect Single Circuit Power Unit	113
Connect™ - S730 - Connect Single Circuit Power Unit	114
Connect™ - S740 - Connect Single Circuit Power Unit	115
Connect™ - S750 - Connect Single Circuit Power Unit	117
Connect™ Single Circuit Electrical By-Pass Jumper	120
Connect™ Single Circuit Electrical Power Entry	119
Cord Manager	96
D-Shaped Table	23
Fabric Modesty Panel	93
Flip-Top Rectangular Table	54
Logic C1000 Universal Clamp Mount Distributor	101, 77
Logic G1000 Grommet Mounted Electrical Distributor	103, 79
Logic G1200 Grommet Pass Thru	82
Logic HD Cable Manager	83
Logic Mini	97,73
Logic Mini Grommet	105, 81
Logic Mini - Vine	99,75
Modesty Panel	91
Occasional Table, Round	70
Occasional Table, Square	67
Oval Table	19
Rectangular Table	5
Round Corner Table	51
Round Table	15
Soft Rectangle - Meeting Table	27
Soft Square Table	38
Square Table	11
Standard-Height Table Base	60
Standard-Height Table Leg	58
Standing-Height Round Table	64
Standing-Height Square Table	61
Tear Drop Table	41
Vertical Cord Covers	90

Video Oval - Meeting Table 31

AO382.	Cable Management Trough, Work Surface		
	Suspended	page(s) 95	
DT1AE.	Rectangular Table	5	
DT1AS.			
DT1AT.			
DT1BE.	Square Table	11	
DT1BS.			
DT1BT.			
DT1CE.	Round Table	15	
DT1CS.			
DT1CT.			
DT1DE.	Oval Table	19	
DT1DS.			
DT1DT.			
DT1EE.	D-Shaped Table	23	
DT1ES.			
DT1ET.			
DT1FE.	Soft Rectangle - Meeting Table	27	
DT1FS.			
DT1FT.			
DT1GE.	Video Oval - Meeting Table	31	
DT1GS.			
DT1GT.			
DT1HE.	Concave Rectangle	34	
DT1HS.			
DT1HT.			
DT1JE.	Soft Square Table	38	
DT1JS.			
DT1JT.			
DT1KE.	Tear Drop Table	41	
DT1KS.			
DT1KT.			
DT1LE.	Classroom Curve Table	44	
DT1LS.			
DT1LT.			
DT1ME.	Conference Corner Table	48	
DT1MS.			
DT1MT.			
DT1NE.	Round Corner Table	51	
DT1NS.			
DT1NT.			
DT2A.	Standard-Height Table Leg	58	
DT2B.	Standard-Height Table Base	60	
DT3BE.	Standing-Height Square Table	61	
DT3BS.			
DT3BT.			
DT3CE.	Standing-Height Round Table	64	

DT3CS.		
DT3CT.		
DT4BS.	Occasional Table, Square	67
DT4BT.		
DT4CS.	Occasional Table, Round	70
DT4CT.		
DT5AE.	Flip-Top Rectangular Table	54
DT5AS.		
DT5AT.		
DT9A.	Cable Management Clip	89
DT9B.	Vertical Cord Covers	90
FV984.	Cord Manager	96
Y1113.	Modesty Panel	91
Y1114.	Fabric Modesty Panel	93
Y1200.	Cable Trough	94
Y1321.	Connect™-S100	107,84
Y1322.	Connect™-S200	108, 85
Y1323.	Connect™-S300	109,86
Y1324.	Connect™-S400	110, 87
Y1325.	Connect™-S500	111, 88
Y1338.	Connect™-Ganging Bracket Kit	106
Y1371.	Connect™ - S710 - Connect Single Circuit Power Unit	112
Y1372.	Connect™ - S720 - Connect Single Circuit Power Unit	113
Y1373.	Connect™ - S730 - Connect Single Circuit Power Unit	114
Y1374.	Connect™ - S740 - Connect Single Circuit Power Unit	115
Y1375.	Connect™ - S750 - Connect Single Circuit Power Unit	117
Y1377.	Connect™ Single Circuit Electrical Power Entry	119
Y1378.	Connect™ Single Circuit Electrical By-Pass Jumper	120
Y1412.	Logic Mini Grommet	105, 81
Y1414.	Logic Mini	97,73
Y1415.	Logic Mini - Vine	99,75
Y1420.	Logic G1200 Grommet Pass Thru	82
Y1423.	Logic C1000 Universal Clamp Mount Distributor	101, 77
Y1424.	Logic HD Cable Manager	83
Y1425.	Logic G1000 Grommet Mounted Electrical Distributor	103, 79



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon $\boxed{\mathbb{A}}$ will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an $\boxed{\mathbb{A}}$ are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

HermanMiller for Government March 2009



Program Overview

Vary Easy is a program designed to help dealers specify standard products with a larger breadth of options. For example, depending on the type of product being specified, choices include additional size, finish, edge types, and cable management features. Vary Easy 3D, specIT, and third-party text-based specification packages support the Vary Easy program. Vary Easy 3D enables designers to create a 3D image, CAD symbols, and a price book page. A Vary Easy product number is assigned for each product as the user selects specific options. Once the product is completely specified, the order can be submitted via Kiosk's Order Manager or a dealer's business system.

Accessing and Specifying Vary Easy

To view the full product vocabulary, go to the Vary Easy Product Offering on Kiosk. To specify Vary Easy, go to the Vary Easy 3D website on Kiosk, specIT, or your third-party text-based specification package.

Once you've made your product line selection, continue to follow through each option and enter the specific options that represent the product you need. When the product is fully specified, Vary Easy will generate an orderable product number and instantly calculate a price.

Note: Failure to completely specify a product will cause a delay in order acknowledgements. Be sure to make a selection for all options offered.

The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead time and are competitively priced.

For more information, contact your Customer Care Line at (866) 854 3048 EXT 3400.

HermanMiller for Government June 2015

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2018 Herman Miller, Inc., Zeeland, Michigan

[®] HermanMiller, ♠, Action Office, Aeron, Aside, Avive, Canvas Office Landscape, Caper, Celle, Co/Struc, Eames, Embody, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Herman Miller Healthcare, Layout Studio, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Resolve, Sayl, Setu, Thrive, Tu, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

TM AireWeave, Bubbletack, Cellular Suspension, Compass, Connect, DOT, Durawrap, Everywhere, Flex-Edge, Hopsak 2, Intent, Iota, Keyless Entry, Latitude, Lyris 2, Motia, Multiscrim, Nelson, Renew, Stackable, Swoop, TriFlex, Twist, and Verus are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

 ${}^{\rm S}{\rm Chemsurf}^{\otimes}$ is a registered trademark of Wilsonart International.

 ${\sf Corian}^{\circledast}$ is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver $\mathsf{Glide}^{\texttt{@}}$ is a registered trademark of Carpin Manufacturing, Inc.

 $\mathsf{Geiger}^{\circledast}$ is a registered trademark of Geiger International.

 ${\rm Microsoft}^{\otimes}$ and ${\rm Natural}^{\otimes}$ Keyboard are registered trademarks of Microsoft Corporation.

Place Textiles $^{\!\scriptscriptstyle{(\!0)}}$ is a registered trademark of Place Textiles.