

Prices effective February 5, 2018 Published July 2018

Canvas Office Landscape®

Dock

Introduction	page 2
Canvas Office Landscape Dock	3
Infrastructure	5
Energy Distribution	19
Work Surfaces	43
Storage	81
Screens	88
Indices	121
By Name	121
By Number	123
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Stain-to-Match Program	
Customer's Own Material Order Information-Workspaces	
Proprietary Textiles Application Chart-Workspaces	
Proprietary Textile Colors-Workspaces	

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number. This book is effective February 5, 2018, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www. HermanMiller.com.

All prices are list prices in US Dollars. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest ¹/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.


20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon A will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an \boxed{A} are on the assigned leadtime program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.



Dock Structure



Product Information

Description

This structural steel wall defines space and channels power and data to the user. Includes $18^{1/8}$ "-high frame and top rail. Top rail finish is clear anodized aluminum.

Notes

When finished with cladding, dock structure is 3" thick.

Dock is raised 4" from the floor.

Power can enter from bottom opening using floor power entry (FD144.) or from end of dock with ceiling power entry (FD142.), ordered separately.

Order the following products separately:

- Lower cladding (FD170.)
- Dock foot (FD117.)
- Dock foot, structural (FD119.)
- Dock-to-dock connector (FD128.)
- Dock power harness (FD151.)
- Finished end, architectural, dock (FD16A.)

Dimensions






Step 2	. Width			
42	42" wide	A		
48	48" wide	A		
60	60" wide	A		
72	72" wide	A		
84	84" wide	A		
96	96" wide	A		
Prices	for Steps 1-	2.		

Prices for Steps 1-2.	
FD110. 42	\$596
48	\$649
60	\$731
72	\$812
84	\$894
96	\$974


Step 3. Top Rail Finish

clear anodized aluminum A AN





+\$0



Description

This structural panel stands on the floor and attaches to a dock to provide end of run support and privacy. It is $1^{1}/_{4}$ " thick and has a laminate surface with thermoplastic edge, laminate surface with a thermoplastic backed plywood edge, or veneer surface and edge. Leveling glides and attachment hardware included.

Notes

Gallery panels 24"-72" wide are a single panel construction; 84"-144" wide are a 3 panel construction.


Attachment direction is determined by facing the gallery panel from outside the workstation. Left attachment (L) connects the left side of a gallery panel to the end of a dock. Right attachment (R) connects the right side of a gallery panel to the end of a dock. Mid attachment (M) connects the middle of a gallery panel to the end of a dock.

Mid-attached gallery panels are 3" wider than nominal dimensions. Gallery panels 72" wide and wider require attachment to adjacent surfaces; hardware is included.

Leveling glides provide 2" of adjustment.

Grain direction is vertical on veneer and wood-grain laminate panel.

Dimensions



Mid Attachment

Specification Information

Step 1. **FD113.** A

Step 2. Height

22 22" high A

29 29" high A

42 42" high A

46 46" high A

Step 3. Width

For 22	" high (22)
24	24" wide A
30	30" wide A
36	36" wide 🔺
42	42" wide A
48	48" wide 🔺
60	60" wide 🔺
72	72" wide A
For 29	" high (29), 42" high (42), or 46" high (46)
24	24" wide A
30	30" wide 🔺
36	36" wide 🔺
42	42" wide A
48	48" wide 🔺
60	60" wide 🔺
72	72" wide 🔺
84	84" wide 🔺
96	96" wide 🔺
120	120" wide A
144	144" wide A
Step 2	. Surface Material
L	laminate/thermoplastic edge 🔺
W	veneer A
U	laminate/universal edge 🔺

Step 5. Attachment Method

For 24" wide (24), 30" wide (30), 36" wide (36), or 42" wide (42)

L left attachment A

R right attachment A

For 48" wide (48), 60" wide (60), or 72" wide (72)

- L left attachment A
- M mid attachment A
- **R** right attachment A

 For 84" wide (84), 96" wide (96), 120" wide (120), or 144" wide (144)
 M

 M
 mid attachment
 A

Prices for Steps 1-5.						
	LL	LM	LR	WL	WM	WR
FD113. 22 24	\$281	_	281	597	_	597
30	\$332	_	332	822	_	822
36	\$383	_	383	934	_	934
42	\$460	_	460	1102	_	1102
48	\$536	536	536	1270	1258	1270
60	\$638	638	638	1495	1480	1495
72	\$740	740	740	1720	1702	1720
29 24	\$334	_	334	674	_	674
30	\$409	_	409	898	-	898
36	\$460	—	460	1010	-	1010
42	\$537	—	537	1179	-	1179
48	\$613	613	613	1348	1348	1348
60	\$715	715	715	1572	1572	1572
72	\$817	817	817	1796	1796	1796
84	—	\$1090	_	_	2245	_
96	_	\$1190	_	_	2470	-
120	_	\$1327	_	_	2918	-
144	_	\$1531	—	—	3367	—
42 24	\$460	_	460	1010	_	1010
30	\$562	_	562	1236	-	1236
36	\$613	_	613	1348	-	1348
42	\$689	_	689	1515	-	1515
48	\$766	766	766	1684	1684	1684
60	\$868	868	868	1908	1908	1908
72	\$970	970	970	2133	2133	2133
84	_	\$1290	_	_	2694	_
96	_	\$1390	_	_	2918	_
120	_	\$1531	_	_	3367	_
144	_	\$1735	_	—	3816	_

continued

46	24	\$511	_	511	1123	_	
	30	\$613	_	613	1348	_	
	36	\$664	_	664	1460	-	
	42	\$741	_	741	1628	_	
	48	\$817	817	817	1796	1796	
	60	\$919	919	919	2020	2020	
	72	\$1021	1021	1021	2245	2245	
	84	—	\$1390	-	-	2918	
	96	-	\$1490	_	_	3143	
	120	—	\$1633	-	-	3592	
	144	-	\$1837	-	-	4040	
					UL	UM	
FD113. 22					\$230	_	
	30				\$332	_	
	36				\$383	-	
	42				\$460	_	
	48				\$536	536	
	60				\$638	638	
	72				\$740	740	
29	24				\$307	_	
	30				\$409	_	
	36				\$460	_	
	42				\$537	_	
	48				\$613	613	
	60				\$715	715	
	72				\$817	817	
	84				_	\$1021	
	96				_	\$1123	
	120				—	\$1327	
	144				—	\$1531	

46 24	\$511	—	511
30	\$613	_	613
36	\$664	_	664
42	\$741	_	741
48	\$817	817	817
60	\$919	919	919
72	\$1021	1021	1021
84	-	\$1327	_
96	-	\$1429	_
120	-	\$1633	_
144	-	\$1837	_

Surface Finish

Step 6.

> _ _

UR

230

332

383 460

> _ _ _

460

562

613

689

766

868

970

_

_

_

_

_

_

_

766

868

970

\$1225

\$1327

\$1531

\$1735

\$460

\$562

\$613

\$689

\$766

\$868

\$970

_

_

For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 84" wide (84), 96" wide (96), 120" wide (120), or 144" wide (144) with laminate/thermoplastic edge (L), or laminate/universal edge (U)

with iu		0)
1X	vanilla 🔺	+\$0
28	canyon A	+\$o
29	misted A	+\$o
2X	wheat A	+\$o
38	twilight A	+\$o
39	desert A	+\$o
3X	celery A	+\$o
4X	coriander A	+\$o
5X	chamomile A	+\$o
6X	cinnamon 🔺	+\$o
76	light brown walnut 🔺	+\$o
7X	cardamom A	+\$o
8Q	folkstone grey A	+\$o
8X	kale 🔺	+\$o
91	white A	+\$o
98	studio white 🔺	+\$o
BU	black umber 🔺	+\$o
CL	cool grey neutral 🔺	+\$o
HF	inner tone light 🔺	+\$o
НМ	natural maple 🔺	+\$o
HP	light anigre 🔺	+\$o
HT	inner tone 🔺	+\$o
ΗХ	aged cherry A	+\$o
HY	walnut on cherry A	+\$o
J4	frosted light grey 🔺	+\$o
LA	light ash 🔺	+\$o
LBA	clear on ash 🔺	+\$o
LBR	phantom ecru A	+\$0
LBS	phantom cocoa 🛛 A	+\$o

42 24

30

36

42

48

60

72

84

96

120

144

continued

LBU	medium matte walnut 🔺	+\$o
LBV	warm grey teak A	+\$o
LBB	oak on ash 🔺	+\$o
LBC	walnut on ash 🔺	+\$o
LBD	dark brown walnut 🔺	+\$o
LBE	medium red walnut 🔺	+\$o
LBF	neutral twill 🔺	+\$o
LBG	sarum twill 🔺	+\$o
LBH	earthen twill 🔺	+\$o
LBJ	graphite twill 🔺	+\$o
LBK	pewter mesh 🔺	+\$o
LBL	steel mesh 🔺	+\$o
LBM	crisp linen 🔺	+\$o
LBN	classic linen 🔺	+\$o
LBP	casual linen 🔺	+\$o
LBQ	white twill A	+\$o
LG	light grey (discontinuing) 🔺	+\$o
LM	mahogany A	+\$o
LT	light tone 🔺	+\$o
LU	soft white A	+\$o
MT	medium tone A	+\$o
OG	honey maple 🔺	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral A	+\$o
X1	chalk white A	+\$o

Surface Finish

For 60" wide (60) or 72" wide (72) with laminate/thermoplastic edge (L), or laminate/universal edge (U)

8Q	folkstone grey 🔺	+\$0
91	white A	+\$o
98	studio white A	+\$o
CL	cool grey neutral 🔺	+\$o
LU	soft white A	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral A	+\$o

Surface Finish

For 60" wide (60) or 72" wide (72) with laminate/thermoplastic edge (L), or laminate/universal edge (U)

LBM	crisp linen 🔺	+\$0
LBN	classic linen 🔺	+\$0
LBP	casual linen 🔺	+\$o

For 6c	o" wide (60) or 72" wide (72) with laming	ate/thermoplastic edge (L)
or lan	ninate/universal edge (U)	
LBK	pewter mesh 🔺	+\$0
LBL	steel mesh 🔺	+\$0
Surfa	ce Finish	
For 6c	o" wide (60) or 72" wide (72) with laming	ate/thermoplastic edge (L)
or lan	ninate/universal edge (U)	
28	canyon A	+\$0
29	misted A	+\$0
38	twilight A	+\$0
39	desert A	+\$0
Surfac	ce/Edge Finish: Recut Veneer	
For ve	eneer (W)	
DU	cathedral recut natural maple A	+\$8

101 06		
DU	cathedral recut natural maple A	+\$85
HU	cathedral recut light anigre A	+\$85
JU	cathedral recut aged cherry A	+\$85
VU	cathedral recut light brown walnut 🔺	+\$85
WU	cathedral recut walnut on cherry A	+\$85
XU	cathedral recut medium red cherry A	+\$85
ZU	cathedral recut chocolate brown sapele 🔺	+\$85

Surface/Edge Finish: Wood Veneer

For ve	eneer (W)	
2U	light brown walnut 🔺	+\$85
3U	medium red cherry A	+\$85
40	dark brown walnut 🔺	+\$85
6U	chocolate brown sapele 🔺	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut 🔺	+\$85
EW	medium matte walnut 🔺	+\$85
ET	clear on ash 🔺	+\$85
EU	oak on ash 🔺	+\$85
EV	walnut on ash 🔺	+\$85
UL	natural maple 🔺	+\$85
UX	walnut on cherry A	+\$85

Step 7. Edge Finish

For la	minate/thermoplastic edge (L)	
76	light brown walnut 🔺	+\$0
8Q	folkstone grey A	+\$o
91	white A	+\$o
98	studio white 🔺	+\$o
BU	black umber 🔺	+\$o

Gallery Panel, Dock Attached

continued

Canvas Office Landscape® Infrastructure


CL	cool grey neutral 🔺	+\$o
HF	inner tone light 🔺	+\$o
нм	natural maple 🔺	+\$o
HP	light anigre 🔺	+\$o
HT	inner tone A	+\$o
HX	aged cherry A	+\$o
HY	walnut on cherry A	+\$o
LA	light ash 🔺	+\$o
LBA	clear on ash 🔺	+\$o
LBR	phantom ecru A	+\$o
LBS	phantom cocoa 🔺	+\$o
LBU	medium matte walnut [A]	+\$o
LBV	warm grey teak A	+\$o
LBB	oak on ash 🔺	+\$o
LBC	walnut on ash 🔺	+\$o
LBD	dark brown walnut 🔺	+\$o
LBE	medium red walnut 🔺	+\$o
LBF	neutral twill 🔺	+\$o
LBG	sarum twill 🔺	+\$o
LBH	earthen twill A	+\$o
LBJ	graphite twill 🔺	+\$o
LBK	pewter mesh 🔺	+\$o
LBL	steel mesh 🔺	+\$o
LBM	crisp linen 🔺	+\$o
LBN	classic linen 🔺	+\$o
LBP	casual linen 🔺	+\$o
LBQ	white twill A	+\$o
LU	soft white A	+\$o
МТ	medium tone 🔺	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral A	+\$o

PLY plywood edge A

+\$50

Dock Foot, Structural (Support Foot)

FD119.



Product Information

Description

This painted metal individual structural foot supports 1 end of a dock or the attachment point of 2 adjacent docks, and can support a dock wall run. It adjusts up to $1^{1}/2^{n}$ for leveling. Attachment hardware included.


Notes


This foot is used in place of the dock foot (FD117.).

Order service kit (U1BDWGL) for additional leveling spacers.

See planning guide for length of run and proper support information.


Dimensions





Speci	fication Information	
Step 1.		
FD119	• A	\$248
Step 2	. Surface Finish	
8Q	folkstone grey A	+\$o
98	studio white A	+\$o
WL	sandstone A	+\$o
Bright	Sand Texture Paint	
91	white A	+\$o
CL	cool grey neutral 🔺	+\$o
G1	graphite A	+\$o
WN	warm grey neutral 🔺	+\$o
Metall	c Paint	
CN	metallic champagne 🔺	+\$0

c Paint	
metallic champagne 🔺	+\$0
metallic bronze 🔺	+\$o
metallic silver A	+\$o
	metallic champagne A metallic bronze A



Canvas Office Landscape[®] Infrastructure

Product Information

Description


This painted metal individual foot attaches at 1 end of a dock or at the attachment point of 2 adjacent docks. It adjusts up to 2" for leveling. Attachment hardware included.

Notes

Specify configuration (1A) for end-of-dock applications. Specify shared configuration (1B) for use where 2 docks come together. See planning guide for length of run and proper support information.

Dimensions





Specification Information

Step 1. FD117. A

Step 2. Configuration

1A end-of-dock [A]


1B shared A

Prices for Steps 1-2.	
FD117. 1A	\$117
1B	\$119

Step	3. Surface Finish	
8Q	folkstone grey A	+\$o
98	studio white A	+\$o
WL	sandstone A	+\$o
Brigh	t Sand Texture Paint	
91	white A	+\$0
CL	cool grey neutral 🔺	+\$o
G1	graphite A	, ¢ a
01	graphite A	+\$o

Metallic Paint		
CN	metallic champagne 🔺	+\$0
EH	metallic bronze 🔺	+\$o
MS	metallic silver A	+\$o

Dock-to-Dock Connector



Product Information

Description

This connecting hardware joins 2 docks together in-line.

Notes

Requires 1 dock foot (FD117.1B) or 1 structural foot (FD119.), ordered separately.

Dimensions



Step 1. **FD128.** A

Step 2. Configuration

1 in-line connection A


Prices for Steps 1-2.

FD128. 1

Canvas Office Landscape® Infrastructure

\$37





Product Information

Description

This bracket attaches a Canvas wood or metal low credenza with 4" foot and thin top and provides structural support to the dock wall run. It allows the credenza unit to be positioned parallel or perpendicular to the dock. Includes 1 bracket and attachment hardware.


Notes

For use with low credenza with 4" foot and thin top.

- Bracket attaches with a 1" cable management gap.
- 2 brackets required for each credenza unit.

For information about properly supporting the dock, see Canvas Dock planning guide. See Canvas Office Landscape® planning guide for specific surface support guidelines when using the Canvas low credenza.

Dimensions



Specification Information

Step 1.

FD292. A

Step 2. Storage Type

Μ for use with metal low credenza with 4'' high foot \boxed{A}


for use with wood low credenza with 4" high foot [A]W

Step 3. Storage Attachment Position G

1" gap, for cord drop $\begin{tabular}{c} A \end{tabular}$

Prices for Steps 1-3.	
	G
FD292. M	\$124
W	\$124
Step 4. Surface Finish	
MS metallic silver A	+\$0

Low Storage to Dock Spacer



Product Information

Description


This spacer attaches a Canvas wood or metal low credenza with 4" foot and thin top to the dock. It creates a uniform 1" cable management gap between the dock and credenza when the low storage to dock bracket is being used to support a dock wall run. Includes 1 spacer.

Notes

2 spacers required for each low credenza.


Spacer does not provide structural support to the dock wall. For information about properly supporting the dock, see Canvas Dock planning guide. See Canvas Office Landscape® planning guide for specific surface support guidelines when using the Canvas low credenza.

Dimensions



Step	1.	
FD29	93. A	
Step	2. Storage Attachment Position	
G	1" gap, for cord drop A	
Price	s for Steps 1-2.	
Price FD29		\$2
FD29		\$2

Canvas Office Landscape® Infrastructure



Product Information

Description

This one-piece painted metal cladding finishes 1 side of a dock. It includes cladding and attachment hardware for 1 side of frame. Optional knockouts include 2 data face plate perforated knockouts, 1 for each end of the cladding, and knockouts to route power conduit out of the dock to the underside of a work surface when the undersurface power module is used.

Notes


Can be specified with knockouts (K) for power/data or without knockouts (N).

Knockouts are for NEMA data face plates.

Data face plates are field supplied.

For power access below the surface, specify undersurface power module (FD152.) and cable manager dock to surface (FD199.) separately. Specify cladding to match width of dock structure.

Dimensions



Specification Information

Step 1. FD170. A

96

Step 2. Width 42 42" wide A

48	48" wide	A
60	60" wide	A
72	72" wide	A
84	84" wide	A

96" wide 🔺

Step 3. Surface Material

P painted A

Step 4. Cord Knockouts

- K knockouts A
- N no knockouts A

Prices for Steps 1-4.


К	N
\$195	195
\$199	199
\$202	202
\$214	214
\$249	249
\$278	278
	\$199 \$202 \$214 \$249

Step 5. Surface Finish			
8Q	folkstone grey A	+\$o	
98	studio white 🔺	+\$o	
WL	sandstone A	+\$o	

Bright Sand Texture Paint			
91	white A	+\$0	
CL	cool grey neutral 🔺	+\$o	
G1	graphite A	+\$o	
WN	warm grey neutral 🔺	+\$o	

Metal	lic Paint	
CN	metallic champagne 🔺	+\$0
EH	metallic bronze 🔺	+\$o
MS	metallic silver 🔺	+\$0

Finished End, Architectural, Dock FD16A.




Product Information

Description


This $18^{1/4}$ high painted metal cover finishes 1 end of a single dock. Attachment hardware included.

Dimensions



Sner	cification Information	
Step :		
FD16		
Step :	2. Height	
22	22" high 🔺	
Step	3. Surface Material	
Р	painted A	
Prices	s for Steps 1-3.	
		I
FD16	A. 22	\$172
Step 4	4. Surface Finish	
8Q	folkstone grey A	+\$0
98	studio white 🔺	+\$0
WL	sandstone A	+\$0
Brigh	t Sand Texture Paint	
91	white A	+\$0
CL	cool grey neutral 🔺	+\$0
G1	graphite 🔺	+\$0
WN	warm grey neutral A	+\$0
Metal	llic Paint	
CN	metallic champagne 🔺	+\$0
EH	metallic bronze A	+\$0
	we at all the attrice of the	¢.

MS metallic silver A +\$0



Product Information


Description


This housing mounts on the bottom of the dock or under a work surface and supports face plates with voice/data ports. Attachment hardware included.

Notes

Housing accepts a NEMA data faceplate.

Dimensions







Specification Information

Step 1. FD159. A

Step 2. Application


01 bottom of the dock $\begin{tabular}{c} A \end{tabular}$

02 under work surface A

Prices for Steps 1-2.	
FD159. 01	\$185
02	\$185

Step 3	Finish	
8Q	folkstone grey A	+\$o
91	white A	+\$o
98	studio white A	+\$o
G1	graphite A	+\$o
MS	metallic silver A	+\$o
WL	sandstone A	+\$o

Dock Power Harness



Product Information


Description

This power harness distributes power within a dock. It has 2 power blocks with connecting conduit and is suspended from the dock top rail within the interior of the dock. It is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. Each power block has 3 additional modular connection locations to connect power entries, block to block jumpers, and power modules. Harness is UL listed.

Notes

Specify width of power harness to match width of dock structure.

Dimensions



Specification Information

Step 1.

FD151. A

Step 2. Configuration

08	8-wire, 4-circuit, shared neutral [А
----	-------------------------------------	---


10 10-wire, 4-circuit, separate neutrals A

Step 3	. Width	
42	42" wide 🛛 A]
48	48" wide 🛛 A]
60	60" wide 🛛 A]
72	72" wide 🛛 A]
84	84" wide 🛛 A]
96	96" wide 🛛 A	1

96" wide 🗛

Prices for Steps 1-3.						
	42	48	60	72	84	96
FD151. 08	\$179	205	256	307	358	409
10	\$179	205	256	307	358	409

Power, Block to Block Jumper



Product Information


Description

This power jumper routes power from a dock power harness to an adjacent dock power harness in an in-line connection. It is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. It is UL listed and Canadian UL listed.

Notes

Uses 1 modular connection location on each end of adjacent dock power harnesses (FD151.).

Dimensions



Specification Information

Step 1. FD154. A

Step 2. Configuration

- 08 8-wire, 4-circuit, shared neutral A
- 10 10-wire, 4-circuit, separate neutrals A

Step 3. Jumper Application


S for straight dock to dock connections A

Step 4. Length 20 20" long

20 20" long A

Prices for Steps 1-4.

	20
FD154. 08 S	\$114
10 S	\$114




Product Information

Description

This power module attaches at the bottom of the dock. The modular plug end connects to a dock power harness. Power module includes 4 simplex receptacles, 2 on each side of the dock. Attachment hardware included. Power module is UL listed and Canadian UL listed.

Dimensions



Specification Information

Step 1. **FD150.** A

 	<u> </u>	

Step 2. Type			
AN	8 wire, circuit A, share neutral 🔺		
BN	8 wire, circuit B, share neutral 🔺		
CN	8 wire, circuit C, share neutral 🔺		
DN	8 wire, circuit D, share neutral 🔺		
BG	8 wire, circuit B, isolated ground 🔺		
CG	8 wire, circuit C, isolated ground 🔺		
DG	8 wire, circuit D, isolated ground 🔺		
ADN	8 wire, (1) circuit A and (1) circuit D on each side \square		
BCI	8 wire, (1) circuit B and (1) circuit CG isolated ground on each		
	side A		
1N	10 wire, separate neutrals, circuit 1 🔺		
2N	10 wire, separate neutrals, circuit 2 🔺		
3N	10 wire, separate neutrals, circuit 3 🔺		


- **3G** 10 wire, separate neutrals, isolated ground, circuit 3 A
- 4N 10 wire, separate neutrals, circuit 4 A
- **4G** 10 wire, separate neutrals, isolated ground, circuit 4 A
- **1N4N** 10 wire, (1) circuit 1N and (1) circuit 4N on each side A
- **2N3G** 10 wire, (1) circuit 2N and (1) isolated ground 3G on each side A

Prices for Steps 1-2.	
FD150. AN	\$358
BN	\$358
CN	\$358
DN	\$358
BG	\$358
CG	\$358
DG	\$358
ADN	\$358
BCI	\$358
1N	\$358
2N	\$358
3N	\$358
3G	\$358
4N	\$358
4G	\$358
1N4N	\$358
2N3G	\$358

Power Module - Bottom of Dock

continued

Step 3	3. Finish	
8Q	folkstone grey A	+\$o
91	white A	+\$o
98	studio white A	+\$o
G1	graphite A	+\$o
MS	metallic silver A	+\$o
WL	sandstone A	+\$o



Product Information

Description

This power module attaches beneath a dock-supported work surface. The modular plug end connects to a dock power harness. Power module includes 4 simplex receptacles. Attachment hardware included. Power module is UL listed and Canadian UL listed.


Notes

Specify cladding (FD170.) with knockouts (K).

To cover conduit, data cables, and cladding knockout, specify cable manager dock to surface (FD199.).

Uses 1 modular connection location on each end of adjacent dock power harnesses (FD151.).

Dimensions



Specification Information

Step 1.

FD152. A

Step 2. Type

- AN 8 wire, circuit A, share neutral A
- **BN** 8 wire, circuit B, share neutral A
- **CN** 8 wire, circuit C, share neutral A
- **DN** 8 wire, circuit D, share neutral A
- BG 8 wire, circuit B, isolated ground A
- CG 8 wire, circuit C, isolated ground A
- DG 8 wire, circuit D, isolated ground A
- ADN 8 wire, (1) circuit A and (1) circuit D on each side A
- BCI 8 wire, (1) circuit B and (1) circuit CG isolated ground on each side A
- **1N** 10 wire, separate neutrals, circuit 1 A
- 2N 10 wire, separate neutrals, circuit 2 A
- **3N** 10 wire, separate neutrals, circuit 3 A
- **3G** 10 wire, separate neutrals, isolated ground, circuit 3 A
- 4N 10 wire, separate neutrals, circuit 4 A
- **4G** 10 wire, separate neutrals, isolated ground, circuit 4 A
- **1N4N** 10 wire, (1) circuit 1N and (1) circuit 4N on each side \square
- **2N3G** 10 wire, (1) circuit 2N and (1) isolated ground 3G on each side A

Step 3. Cord/Conduit Length

03 3' cord/conduit A


Prices for Steps 1-3.		
	03	
FD152. AN	\$358	
BN	\$358	
CN	\$358	
DN	\$358	
BG	\$358	
CG	\$358	
DG	\$358	
ADN	\$358	
BCI	\$358	
1N	\$358	
2N	\$358	
3N	\$358	
3G	\$358	
4N	\$358	
4G	\$358	
1N4N	\$358	
2N3G	\$358	

Under Surface Power Module

continued

Step 4. Finish			
8Q	folkstone grey A	+\$o	
91	white A	+\$o	
98	studio white 🔺	+\$o	
G1	graphite A	+\$o	
MS	metallic silver A	+\$o	
WL	sandstone A	+\$o	

Power Module-Top of Dock



Product Information

Description

This power module attaches to the Canvas dock top rail. The unit has a modular connection end that attaches to 1 connection point of the internal dock power harness. It has 3 power outlets, 2 USB charging ports, an opening for data module terminations, and an integrated cable manager. Mounting hardware included. Product is UL listed.

Notes


Power unit is plastic; vertical wire chase is painted metal. When specifying white (91) or graphite (G1) paint, plastic housing color matches specified painted surface finish. When specifying metallic silver (MS) paint, plastic housing color is cool grey neutral (CL).

USB ports will charge most small electronic devices. Software in each device controls the ability to accept charge via USB. Each USB port supplies 10 watts of power.

When attached to Canvas dock top rail, top of power unit is $25^{1\!/_4^{\prime\prime}}$ above the floor.

8 wire, shared neutral product (AN, BN, CN, DN) is a 3+1 configuration.

Dimensions



Specification Information

Step 1.

FD158. A

Step 2. Configuration

H 3 simplex receptables, 2 powered USB, 1 Data Opening A


Step 3. Circuit Type

AN 8 wire, circuit	A, shared neurtral 🛛 🗛
--------------------	------------------------

- **BN** 8 wire, circuit B, shared neurtral A
- **CN** 8 wire, circuit C, shared neurtral A
- **DN** 8 wire, circuit D, shared neurtral A
- 1N 10 wire, separate neutrals, circuit 1 A
- 2N 10 wire, separate neutrals, circuit 2 A
- 3N 10 wire, separate neutrals, circuit 3 A
- 4N 10 wire, separate neutrals, circuit 4
- H for hardwiring-chicago code-conduit with open end A

Prices for Steps 1-3. CN AN BN DN 1N 2N FD158. H \$572 572 572 572 592 592 3N 4N Н FD158. H \$592 592 592 Step 4. Surface Finish 91 white A +\$0 **G1** graphite A +\$0 MS metallic silver A +\$0

Controlled Power Module -Bottom of Dock



Product Information


Description

This receptacle is to be used for ASHRAE 90.1 and Title 24 compliance. A controlled receptacle should be used for any receptacles that are under automated control by the energy management system. This power module attaches at the bottom of the dock. The modular plug end connects to a dock power harness. Power module includes 4 simplex receptacles, 2 on each side of the dock. Attachment hardware included. Power module is UL listed and Canadian UL listed.

Notes

For modules with 2 circuits, ensure that the controlled marking is only specified for the circuits that will be under automated control by the energy management system.

Dimensions



Specification Information

Step 1. **FD150M.** A

Step 2, Type

·	.)
AN	8 wire, circuit A, share neutral A
BN	8 wire, circuit B, share neutral 🔺
CN	8 wire, circuit C, share neutral 🔺
DN	8 wire, circuit D, share neutral 🛛
BG	8 wire, circuit B, isolated ground 🔺
<i>cc</i>	Quarter strength C to a later discound of

- CG 8 wire, circuit C, isolated ground A
- DG 8 wire, circuit D, isolated ground A
- ADN 8 wire, (1) circuit A and (1) circuit D on each side \overline{A}
- BCI 8 wire, (1) circuit B and (1) circuit CG isolated ground on each side A
- ADNA 8 wire, (1) circuit A and (1) circuit D on each side A controlled marking on A circuit
- BCIB 8 wire, (1) circuit B and (1) circuit CG isolated ground on each side A controlled marking on B circuit A
- **ADND** 8 wire, (1) circuit A and (1) circuit D on each side A controlled marking on D circuit A
- BCIC 8 wire, (1) circuit B and (1) circuit CG isolated ground on each side A controlled marking on C circuit A
- 1N 10 wire, separate neutrals, circuit 1
- 2N 10 wire, separate neutrals, circuit 2 A
- 3N 10 wire, separate neutrals, circuit 3 \boxed{A}
- 3G 10 wire, separate neutrals, isolated ground, circuit 3
- 4N 10 wire, separate neutrals, circuit 4 🔺
- 4G 10 wire, separate neutrals, isolated ground, circuit 4 A
- 1N4N 10 wire, (1) circuit 1N and (1) circuit 4N on each side A
- 2N3G 10 wire, (1) circuit 2N and (1) isolated ground 3G on each side A


Controlled Power Module -Bottom of Dock *continued*

Prices fo	r Steps 1-2.	
FD150M	. AN	\$358
	BN	\$358
	CN	\$358
	DN	\$358
	BG	\$358
	CG	\$358
	DG	\$358
	ADN	\$358
	BCI	\$358
	ADNA	\$358
	BCIB	\$358
	ADND	\$358
	BCIC	\$358
	1N	\$358
	2N	\$358
	3N	\$358
	3G	\$358
	4N	\$358
	4G	\$358
	1N4N	\$358
	2N3G	\$358

Step 3. Finish

8Q	folkstone grey A	+\$o
91	white A	+\$o
98	studio white A	+\$o
G1	graphite 🔺	+\$o
MS	metallic silver 🔺	+\$o
WL	sandstone A	+\$0

Under Surface Controlled Power FD152M Module



Product Information


Description

This receptacle is to be used for ASHRAE 90.1 and Title 24 compliance. A controlled receptacle should be used for any receptacles that are under automated control by the energy management system. This power module attaches beneath a dock-supported work surface. The modular plug end connects to a dock power harness. Power module includes 4 simplex receptacles. Attachment hardware included. Power module is UL listed and Canadian UL listed.

Notes

For modules with 2 circuits, ensure that the controlled marking is only specified for the circuits that will be under automated control by the energy management system.

Dimensions



Specification Information

Step 1. FD152M. A

Ste

Step 2. Type		
AN	8 wire, circuit A, share neutral 🔺	
BN	8 wire, circuit B, share neutral 🔺	
CN	8 wire, circuit C, share neutral 🔺	
DN	8 wire, circuit D, share neutral 🔺	
BG	8 wire, circuit B, isolated ground 🔺	
CG	8 wire, circuit C, isolated ground 🔺	
DG	8 wire, circuit D, isolated ground 🔺	
ADN	8 wire, (1) circuit A and (1) circuit D on each side \square	
BCI	8 wire, (1) circuit B and (1) circuit CG isolated ground on each	
	side A	
ADNA	8 wire, (1) circuit A and (1) circuit D on each side $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	
	marking on A circuit 🔺	
BCIB	8 wire, (1) circuit B and (1) circuit CG isolated ground on each	
	side A controlled marking on B circuit A	
ADND	8 wire, (1) circuit A and (1) circuit D on each side $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	
	marking on D circuit 🔺	

- BCIC 8 wire, (1) circuit B and (1) circuit CG isolated ground on each side A controlled marking on C circuit A
- 1N 10 wire, separate neutrals, circuit 1
- 2N 10 wire, separate neutrals, circuit 2 A
- 3N 10 wire, separate neutrals, circuit 3 \boxed{A}
- 3G 10 wire, separate neutrals, isolated ground, circuit 3 A
- 4N 10 wire, separate neutrals, circuit 4 🔺
- 4G 10 wire, separate neutrals, isolated ground, circuit 4 A
- 1N4N 10 wire, (1) circuit 1N and (1) circuit 4N on each side A
- 2N3G 10 wire, (1) circuit 2N and (1) isolated ground 3G on each side 🔺

Step 3. Cord/Conduit Length


03 3' cord/conduit A

Under Surface Controlled Power Module *continued*

Prices for Steps 1-3.	
	03
FD152M. AN	\$358
BN	\$358
CN	\$358
DN	\$358
BG	\$358
CG	\$358
DG	\$358
ADN	\$358
BCI	\$358
ADNA	\$358
BCIB	\$358
ADND	\$358
BCIC	\$358
1N	\$358
2N	\$358
3N	\$358
3G	\$358
4N	\$358
4G	\$358
1N4N	\$358
2N3G	\$358

Step 4. Finish			
8Q	folkstone grey A	+\$o	
91	white A	+\$o	
98	studio white 🔺	+\$o	
G1	graphite A	+\$o	
MS	metallic silver A	+\$o	
WL	sandstone A	+\$0	

Power Module - Bottom of Dock -FD156. 20 amp



Product Information

Description


This power module attaches at the bottom of the dock. The modular plug end connects to a dock power harness. Power module includes 4 simplex receptacles, 2 on each side of the dock. Receptacles in this module are rated for 20 amps. Attachment hardware included. Power module is UL listed and Canadian UL listed.


Notes

Receptacles are black. Metal housing is painted.

Dimensions

3 1/2"





Specification Information


Step 1. **FD156.** A

Step 2.	Туре
AN	8 wire, shared neutral, circuit A 🔺
BN	8 wire, shared neutral, circuit B 🔺
CN	8 wire, shared neutral, circuit C 🔺
DN	8 wire, shared neutral, circuit D 🔺
BG	8 wire, shared neutral, circuit B, isolated ground 🔺
CG	8 wire, shared neutral, circuit C isolated ground 🔺
DG	8 wire, shared neutral, circuit D, isolated ground 🔺
ADN	8 wire, shared neutral, (1) circuit A and (1) circuit D on each
	side A
BCI	8 wire, shared neutral, (1) circuit B and (1) circuit CG isolated
	ground on each side 🔺
1N	10 wire, separate neutrals, circuit 1 🔺
2N	10 wire, separate neutrals, circuit 2 🔺
3N	10 wire, separate neutrals, circuit 3 🔺
3G	10 wire, seperate neutrals, circuit 3, isolated ground $[A]$
4N	10 wire, separate neutrals, circuit 4 🔺
4G	10 wire, separate neutrals, isolated ground, circuit 4 $[A]$
1N4N	10 wire, (1) circuit 1N and (1) circuit 4N on each side $[A]$
2N3G	10 wire, (1) circuit 2N and (1) isolated ground 3G on each
	side A

Prices for Steps 1-2.	
FD156. AN	\$409
BN	\$409
CN	\$409
DN	\$409
BG	\$409
CG	\$409
DG	\$409
ADN	\$409
BCI	\$409
1N	\$409
2N	\$409
3N	\$409
3G	\$409
4N	\$409
4G	\$409
1N4N	\$409
2N3G	\$409

Step 3.	Finish	
91	white A	+\$o
G1	graphite A	+\$o
MS	metallic silver 🔺	+\$o

Under Surface Power Module - 20 FD157. amp



Product Information

Description


This power module attaches to the underside of a dock-supported work surface or storage unit. The modular plug end connects to a dock power harness. This power module includes 4 simplex receptacles, rated for 20 amps. Attachment hardware included. Power module is UL listed and Canadian UL listed.

Notes

Receptacles are black. Metal housing is painted.

Dimensions

3



Specification Information

Step 1. FD157. A

Step 2. Type

otep 2.	i ype
AN	8 wire, shared neutral, circuit A 🔺
BN	8 wire, shared neutral, circuit B 🔺
CN	8 wire, shared neutral, circuit C 🔺
DN	8 wire, shared neutral, circuit D 🔺
BG	8 wire, shared neutral, circuit B, isolated ground $[A]$
CG	8 wire, shared neutral, circuit C isolated ground 🔺
DG	8 wire, shared neutral, circuit D, isolated ground \square
ADN	8 wire, shared neutral, (1) circuit A and (1) circuit D on each
	side 🔺
BCI	8 wire, shared neutral, (1) circuit B and (1) circuit CG isolated
	ground on each side 🔺
1N	10 wire, separate neutrals, circuit 1 🔺
2N	10 wire, separate neutrals, circuit 2 🔺
3N	10 wire, separate neutrals, circuit 3 🔺
3G	10 wire, seperate neutrals, circuit 3, isolated ground $[A]$
4N	10 wire, separate neutrals, circuit 4 🔺
4G	10 wire, separate neutrals, isolated ground, circuit 4 $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $
1N4N	10 wire, (1) circuit 1N and (1) circuit 4N on each side \square
2N3G	10 wire, (1) circuit 2N and (1) isolated ground 3G on each
	side A


Step 3. Cord/Conduit Length

03 3' cord/conduit A

Prices for Steps 1-3.	
	03
FD157. AN	\$409
BN	\$409
CN	\$409
DN	\$409
BG	\$409
CG	\$409
DG	\$409
ADN	\$409
BCI	\$409
1N	\$409
2N	\$409
3N	\$409
3G	\$409
4N	\$409
4G	\$409
1N4N	\$409
2N3G	\$409
Step 4. Finish	
•• · · ·	

white A	+\$o
graphite A	+\$o
metallic silver A	+\$o
	white A graphite A

Logic G1000 Grommet Mounted Y1425. **Electrical Distributor**



Product Information

Description

This Logic Power Access Solutions[™] grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end, a hard-wired connection with electrical conduit, or an IEC connector when used with Renew[™] Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

Field cutting of grommet cutout is possible.

IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.


Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.

Refer to Renew[™] Sit-to-Stand Tables and Locale[®] planning guides for specific application information.

20' cord/conduit length (20) is recommended for Exclave® applications.

Dimensions



2 simplex receptacles, 2 powered USB






1/2" 5

4 simplex receptacles, 2 powered USB




5 simplex receptacles, 2 powered USB






3 simplex receptacles








Canvas Office Landscape® Dock Price Book (7/18) 34

Spec	ificat	tion Information						FA	\$611	611	622	
Step								В	\$662	662	673	
'142 !	5. A]						C	\$622	—	—	
								G A	\$679	679	689	
itep :		nfiguration						В	\$729	729	741	
4		simplex receptacles, 2 p						C	\$689	_	—	
		simplex receptacles, 2 p										
)	5 5	simplex receptacles, 2 p	owered USB 🔺				Step	5. Finish				
		simplex receptacles A					91	white A				
	5 S	simplex receptacles A					98	studio white 🔺				
i	6 s	simplex receptacles A					G1	graphite A				
							MS	metallic silver A				
tep	3. Pov	wer Type										
1	ро	wer cord with plug end	Α									
3	CO	nduit with open end, for	r hard-wiring 🛛 A]								
:	IEC	C connector for Renew T	ables 🔺									
Step 4	4. Coi	rd/Conduit Length										
or po	ower	cord with plug end (A)										
3	3'	cord/conduit 🔺										
6	6'	cord/conduit 🔺										
0	10	′ cord/conduit 🔺										
20	20	cord/conduit A										
or co		it with open end, for har	d-wiring (B)									
)3		cord/conduit 🔺										
)6		cord/conduit 🔺										
0	10	' cord/conduit 🔺										
For IF	Cor	nnector for Renew Table	s (C)									
)3		cord/conduit A	3 (C)			•••••						
,,,	2											
rices	for S	Steps 1-4.										
			03	06	10	20						
142	5. A	Α	\$658	658	668	679						
		В	\$709	709	719	_						
		C	\$668	_	_	_						
	С	Α	\$763	763	774	785						
		В	\$814	814	825	_						
			\$774	_	_	_						
		C			0 / 0	852						
	D	-		831	842	052						
	D	-	\$831	831 882	842 892							
	D	A	\$831 \$882			- -						
		A B C	\$831 \$882 \$842	882 —	892 —	-						
	D E	A B C	\$831 \$882			- - 526						

Power Entry, Internal Direct Connect - Floor



Product Information

Description

This power entry connects a building's electrical supply from a wall, floor or column to the dock. It is available in 8-wire and 10-wire configurations and distributes up to 4 20-amp circuits. It connects to the modular connection location on the end of a dock power harness. Power entry is UL listed and Canadian UL listed.

Notes

Power entry uses 1 modular connection location on each end of adjacent dock power harnesses (FD151.).

Licensed electrician must wire the power entry.

Dimensions



Specification Information

Step 1. FD144. A

Step 2. Configuration

08 8-wire, 4-circuit, shared neutral A

10 10-wire, 4-circuit, separate neutrals A

Step 3. Length


- **06** 6' long A
- 12 12' long A
- 18 18' long A
- 24 24' long A

Prices for Steps 1-3

	06	12	18	24
FD144. 08	\$205	284	345	407
10	\$205	284	345	407

Controlled Receptacle Decal (12 per sheet)

G9999.




Product Information

Description

This decal is to be used for ASHRAE90.1 and Title 24 compliance. The decal is used to mark standard receptacles (new or existing) that are under automated control by the energy management system. 1 sheet includes 12 clear decals with white or black print.

Dimensions

HermanMiller



Specification Information

Step 1.	
G9999.	Α

Step 2.	Color	
В	black print	A

W white print A

Prices for Steps 1-2.

W


G9999. B

Canvas Office Landscape® Energy Distribution

\$8 \$8

Power Entry, New York - Floor Power Entry

FD141.



Product Information

Description

This floor power entry connects a building's electrical supply from a wall, floor or column to the dock power harness. It connects to the modular connection location on the end of a dock power harness, and includes a junction box. Power entry is UL listed and Canadian UL listed.


Notes

Licensed electrician must wire power entry.

Power entry uses 1 modular connection location on each end of adjacent dock power harnesses (FD151.).

Dock power harness, internal (FD151.) is required. Order separately.

Dimensions



Specification Information

Step 1. FD141. A

Step 2. Configuration

08 8-wire, 4-circuit, shared neutral A

10 10-wire, 4-circuit, separate neutrals A


Step 3. Length

30 30" long A

Prices for Steps 1-3.

	30
FD141. 08	\$381
10	\$381

Ceiling Power Entry



Product Information

Description


This power entry connects a ceiling electrical supply to the end of a dock run. It distributes up to 4 20-amp circuits. The power entry comes with a 10⁻high pole that can be field cut to the appropriate length, ceiling trim, connecting hardware conduit, and factory supplied electrical harness. The power entry plugs into the end of the harness. Power entry is UL listed and Canadian UL listed.

Notes

Power entry uses 1 modular connection location on each end of adjacent dock power harnesses (FD151.).

Licensed electrician must wire the power entry.

Dimensions



Specification Information

Step 1.

FD142. A

Step 2. Dock Height2222" high dock A

- Step 3. Power Configuration
- **08** 8-wire, 4-circuit, shared neutral A
- **10** 10-wire, 4-circuit, separate neutrals A
- N nonpowered A

Prices for Steps 1-3. **08 FD142. 22** \$785 Step 4 Finish

Stepz	4.1111511	
8Q	folkstone grey A	+\$o
91	white A	+\$o
98	studio white 🔺	+\$o
CL	cool grey neutral A	+\$o
G1	graphite A	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral A	+\$o


Ν

439

10

785


FD198.



Product Information


Description

These optional cable clips are used to route wires and cables in the 1" cable gap between the face of the dock cladding and the back of a Canvas low credenza with 4" feet and thin top. Clip color is black. Package of 4.



Spec	ification Information	
Step 1	l.	
FD198	3. A	\$65
Step 2	2. Finish	
ВК	black A	+\$0

Cable Manager - Dock to Surface FD199.



Product Information

Description

This optional cable manager routes power and data from the dock to the underside of a dock-supported work surface. Attachment hardware included.


Notes

Manages data cables and covers conduit, cables and knockout in cladding.

Specify undersurface power module (FD152.) separately.

Specify undersurface data module (FD159.02) separately.

Dimensions





Specification Information


Step 1.	
FD199.	Α

Step 2. Height

10 10" high A

Prices for Steps 1-2.

FD199	. 10	\$120
Step 3	. Finish	
8Q	folkstone grey A	+\$o
91	white A	+\$o
98	studio white A	+\$o
CL	cool grey neutral A	+\$o
G1	graphite A	+\$o
WL	sandstone A	+\$o



Product Information

Description

This optional spacer lowers the height of bottom-of-dock power modules to make them more accessible. Package contains 1 spacer.

Notes


Canvas Office Landscape[®] Energy Distribution

For use with the following products, ordered separately:

- Power module (FD150.)
- Controlled power module (FD150M.)
- Power module 20 amp (FD156)
- Data housing (FD159)


Dimensions

Speci	fication Information	
Step 1.		
FD197		\$24
Step 2	Surface Finish	
91	white	+\$o
CL	cool grey neutral	+\$0 +\$0



Individual Bridge

FDE17. FDS17. FDT17.



Product Information

Description

This surface spans the dock and lower storage on 1 side of the dock. It has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat[®] top and edge. Laminate surfaces are $1^{1}/4^{"}$ thick. Painted Formcoat surfaces are 1" thick. Stabilizer brackets included.


Notes

Bridge is supported by a low credenza with 4" foot and thin top on one side of dock wall. Specify the following products separately, 1 for each side of the individual bridge:

- Surface support, low credenza, adjustable height (FT299.)
- Surface support, low credenza, fixed height (FT298.)

Power access center cutout option (CAC) accepts the Logic G1000 grommet mounted electrical distributor, 6-receptacle unit (Y1425.D or Y1425.G), ordered separately.

Dimensions



Specification Information

Step 1. FD A

Step 2. Edge

- **S17.** squared edge A
- T17. thin-edge A
- E17. eased-edge A

Step 3. Depth

 24
 24" deep
 A

 30
 30" deep
 A

Step 4. Width

20 20" wide A

Step 5. Surface Material

For squared edge (S17.)

- L laminate top/thermoplastic edge [A]
- W veneer A
- P painted Formcoat® top/edge A
- **U** laminate top/universal edge A

For thin-edge (T17.)

- L laminate top/thermoplastic edge A
- W veneer A
- P painted Formcoat[®] top/edge A

For eased-edge (E17.)

P painted Formcoat[®] top/edge A

Prices for Steps 1-5.				
	L	W	Р	U
FDS17. 24 20	\$254	465	476	254
30 20	\$291	519	498	291
	L	w	Р	U
FDT17. 24 20	\$338	549	476	_
30 20	\$375	587	498	—
	L	w	Р	U
FDE17. 24 20	_	_	\$467	_
30 20	-	-	\$488	—

Step 6.	Power Access Cutout	
NNN	no cutout 🔺	+\$0
CAC	center cutout [A]	+\$75

Step 7.

Canvas Office Landscape[®] Work Surfaces

Top Fi	nish	
For lar	minate top/thermoplastic edge (L) or lamina	te top/universal edge
(U)		
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white 🔺	+\$0
CL	cool grey neutral 🔺	+\$0
HF	inner tone light 🔺	+\$0
HT	inner tone 🔺	+\$0
LU	soft white 🔺	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral 🔺	+\$0
76	light brown walnut 🔺	+\$0
нм	natural maple 🔺	+\$0
HP	light anigre 🔺	+\$0
НΧ	aged cherry A	+\$0
HY	walnut on cherry 🔺	+\$0
LA	light ash 🔺	+\$0
LBA	clear on ash 🔺	+\$0
LBR	phantom ecru 🔺	+\$0
LBS	phantom cocoa 🔺	+\$0
LBU	medium matte walnut 🔺	+\$0
LBV	warm grey teak 🔺	+\$0
LBB	oak on ash 🔺	+\$0
LBC	walnut on ash 🔺	+\$0
LBD	dark brown walnut 🔺	+\$0
LBE	medium red walnut 🔺	+\$0
OG	honey maple 🔺	+\$0
LBF	neutral twill 🔺	+\$0
LBG	sarum twill 🔺	+\$0
LBH	earthen twill 🔺	+\$0
LBJ	graphite twill 🔺	+\$0
LBQ	white twill 🔺	+\$0
LBK	pewter mesh 🔺	+\$0
LBL	steel mesh 🛛 A	+\$0
LBM	crisp linen 🔺	+\$0
LBN	classic linen 🔺	+\$0
LBP	casual linen 🔺	+\$0

Top/Edge Finish: Wood Veneer

For veneer (W)		
2U	light brown walnut 🔺	+\$85
40	dark brown walnut 🔺	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut 🔺	+\$85
EW	medium matte walnut 🔺	+\$85
ET	clear on ash 🔺	+\$85
EU	oak on ash 🔺	+\$85
EV	walnut on ash 🔺	+\$85
UL	natural maple 🔺	+\$85
UX	walnut on cherry 🔺	+\$85

Top/Edge Finish: Opaque Formcoat®

For po	ainted Formcoat® top/edge (P)	
8Q	folkstone grey A	+\$0
91	white A	+\$o
CL	cool grey neutral A	+\$o
LU	soft white A	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral [A]	+\$0

Step 8. Edge Finish

+\$0 +\$o +\$o +\$o

+\$o +\$0 +\$0 +\$o +\$o +\$0 +\$o +\$o +\$o +\$o

+\$o +\$o +\$0 +\$o +\$o +\$o +\$o +\$0 +\$o +\$o +\$o +\$o +\$o +\$0 +\$0 +\$o +\$o +\$o +\$o +\$o +\$o

76	light brown walnut 🔺	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
CL	cool grey neutral 🔺	+\$0
LA	light ash 🔺	+\$0
LBA	clear on ash 🔺	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa 🔺	+\$0
LBU	medium matte walnut 🔺	+\$0
LBV	warm grey teak A	+\$0
LBB	oak on ash 🔺	+\$o
LBC	walnut on ash 🔺	+\$0
LBD	dark brown walnut 🔺	+\$0
LBE	medium red walnut 🔺	+\$0
LBF	neutral twill 🔺	+\$0
LBG	sarum twill 🔺	+\$0
LBH	earthen twill A	+\$0
LBJ	graphite twill 🔺	+\$0
LBK	pewter mesh 🔺	+\$0
LBL	steel mesh 🔺	+\$0
LBM	crisp linen 🔺	+\$o

LBN	classic linen 🔺	+\$o
LBP	casual linen 🔺	+\$o
LBQ	white twill A	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral A	+\$o
HF	inner tone light 🔺	+\$o
НМ	natural maple 🔺	+\$o
HP	light anigre 🔺	+\$o
HT	inner tone A	+\$o
HX	aged cherry A	+\$o
HY	walnut on cherry 🔺	+\$o
LU	soft white 🔺	+\$o
OG	honey maple 🔺	+\$o


+\$50

For laminate top/universal edge (U)

PLY plywood edge A

Half Bridge

FDE15. FDS15. FDT15.



Product Information

Description

This surface spans the dock and lower storage on both sides of the dock. It has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat[®] top and edge. Laminate surfaces are $1^{1}/_{4}$ " thick. Painted Formcoat surfaces are 1" thick. Stabilizer brackets included.


Notes

Bridge is supported by a low credenza with 4" foot and thin top on both sides of the dock wall. Specify the following products separately, 1 for each side of the half bridge:

- Surface support, low credenza, adjustable height (FT299.)
- Surface support, low credenza, fixed height (FT298.)

Power access center cutout option (CAC) accepts the Logic G1000 grommet mounted electrical distributor, 6-receptacle unit (Y1425.D or Y1425.G), ordered separately.

Dimensions





Specification Information

Step 1. FD A

Step 2. Edge

- **S15.** squared-edge A
- T15. thin-edge A
- E15. eased-edge A

Step 3. Depth

 24
 24" deep
 A

 30
 30" deep
 A

Step 4. Width

45 45" wide A

Step 5. Surface Material

For squared-edge (S15.)

L laminate top/thermoplastic edge A

W veneer A

- P painted Formcoat® top/edge A
- U laminate top/universal edge A

For thin-edge (T15.)

L laminate top/thermoplastic edge A

W veneer A

P painted Formcoat® top/edge A

For eased-edge (E15.)

P painted Formcoat[®] top/edge A

Prices for Steps 1-5.				
	L	W	Р	U
FDS15. 24 45	\$420	694	519	420
30 45	\$425	756	589	425
	L	w	Р	U
FDT15. 24 45	\$522	726	519	_
30 45	\$572	786	589	—
	L	w	Р	U
FDE15. 24 45	_	-	\$529	_
30 45	-	-	\$601	—

Step 6. Power Access Cutout			
NNN	no cutout A	+\$o	
CAC	center cutout A	+\$75	

Step 7.

Top Finish

For laminate top/thermoplastic edge (L) or laminate top/universal edge (1))

(U)		
8Q	folkstone grey A	+\$o
91	white A	+\$o
98	studio white 🔺	+\$o
CL	cool grey neutral A	+\$o
HF	inner tone light 🔺	+\$o
HT	inner tone A	+\$o
LU	soft white A	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral 🔺	+\$o
76	light brown walnut 🔺	+\$o
нм	natural maple 🔺	+\$o
HP	light anigre 🔺	+\$o
НΧ	aged cherry A	+\$o
HY	walnut on cherry A	+\$o
LA	light ash 🔺	+\$o
LBA	clear on ash 🔺	+\$o
LBR	phantom ecru A	+\$o
LBS	phantom cocoa 🛛 A	+\$o
LBU	medium matte walnut 🔺	+\$o
LBV	warm grey teak A	+\$o
LBB	oak on ash 🔺	+\$o
LBC	walnut on ash 🔺	+\$o
LBD	dark brown walnut 🔺	+\$o
LBE	medium red walnut 🔺	+\$o
OG	honey maple 🔺	+\$o
LBF	neutral twill 🔺	+\$o
LBG	sarum twill 🔺	+\$o
LBH	earthen twill A	+\$o
LBJ	graphite twill 🔺	+\$o
LBQ	white twill 🔺	+\$o
LBK	pewter mesh 🔺	+\$o
LBL	steel mesh 🔺	+\$o
LBM	crisp linen 🔺	+\$o
LBN	classic linen 🔺	+\$o
LBP	casual linen 🔺	+\$o

Top/Edge Finish: Wood Veneer (11/)

For ve	eneer (W)	
2U	light brown walnut 🔺	+\$85
40	dark brown walnut 🔺	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut 🔺	+\$85
EW	medium matte walnut 🔺	+\$85
ET	clear on ash 🔺	+\$85
EU	oak on ash 🔺	+\$85
EV	walnut on ash 🔺	+\$85
UL	natural maple 🔺	+\$85
UX	walnut on cherry A	+\$85
Top/E	dge Finish: Opaque Formcoat®	
For pa	ninted Formcoat® top/edge (P)	
8Q	folkstone grey A	+\$o
91	white A	+\$o
CL	cool grey neutral 🔺	+\$o
LU	soft white A	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral A	+\$o

Step 8. Edge Finish

76	light brown walnut 🔺	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
CL	cool grey neutral 🔺	+\$0
LA	light ash 🔺	+\$0
LBA	clear on ash 🔺	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa 🔺	+\$0
LBU	medium matte walnut 🔺	+\$0
LBV	warm grey teak A	+\$0
LBB	oak on ash 🔺	+\$c
LBC	walnut on ash 🔺	+\$0
LBD	dark brown walnut 🔺	+\$0
LBE	medium red walnut 🔺	+\$c
LBF	neutral twill 🔺	+\$0
LBG	sarum twill 🔺	+\$0
LBH	earthen twill 🔺	+\$0
LBJ	graphite twill 🔺	+\$0
LBK	pewter mesh 🔺	+\$0
LBL	steel mesh 🔺	+\$0
LBM	crisp linen 🔺	+\$c


LBN	classic linen 🔺	+\$0
LBP	casual linen 🔺	+\$o
LBQ	white twill 🔺	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral A	+\$o
HF	inner tone light 🔺	+\$o
нм	natural maple 🔺	+\$o
HP	light anigre 🔺	+\$o
HT	inner tone A	+\$o
НΧ	aged cherry A	+\$o
HY	walnut on cherry A	+\$o
LU	soft white A	+\$o
OG	honey maple 🔺	+\$o
For la	minate top/universal edge (U)	

+\$50

PLY plywood edge A

Team Bridge

FDE16. FDS16. FDT16.



Product Information

Description


This surface spans the dock and lower storage on both sides of the dock. It has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat[®] top and edge. Laminate surfaces are $1^{1}/_{4}$ " thick. Painted Formcoat surfaces are 1" thick. Stabilizer brackets included.

Notes

Bridge is supported by a low credenza with 4" foot and thin top on both sides of the dock wall. Specify the following products separately, 1 for each side of the team bridge:

- Surface support, low credenza, adjustable height (FT299.)
- Surface support, low credenza, fixed height (FT298.)

Dimensions



Specification Information

Step 1.

Step 2. Edge

S16.	squared-edge	A
T16.	thin-edge A	

E16. eased-edge

Step 3. Depth

45 45" deep A

 Step 4. Width

 45
 45" wide A

Step 5. Surface Material

For squared-edge (S16.)

- L laminate top/thermoplastic edge A
- W veneer A
- P painted Formcoat[®] top/edge A
- U laminate top/universal edge A

For thin-edge (T16.)

- L laminate top/thermoplastic edge A
- W veneer A
- P painted Formcoat[®] top/edge A

For eased-edge (E16.)

P painted Formcoat[®] top/edge A

Prices for Steps 1-5.				
	L	W	Р	U
FDS16. 45 45	\$562	935	851	562
			-	
	L	W	Р	U
FDT16. 45 45	\$581	967	868	_
	L	w	Р	U
FDE16. 45 45	_	_	\$851	_
Step 6. Power Access Cutout				
NNN no cutout A				+\$0

Step 7.

Top Finish For laminate top/thermoplastic edge (L) or laminate top/universal edge (U) folkstone grey A 8Q +\$o 91 white A +\$0 98 studio white A +\$0 CL cool grey neutral A +\$0 HF inner tone light A +\$0 ΗT inner tone A +\$0 LU soft white A +\$0 WL sandstone A +\$0 WN warm grey neutral A +\$o 76 light brown walnut A +\$0 ΗМ natural maple A +\$0 ΗP light anigre 🔺 +\$0 HX aged cherry A +\$0 ΗY walnut on cherry A +\$0 light ash A LA +\$0 LBA clear on ash 🔺 +\$0 LBR phantom ecru A +\$0 LBS phantom cocoa 🖪 +\$o LBU medium matte walnut A +\$o LBV warm grey teak A +\$0 LBB oak on ash 🖪 +\$0 LBC walnut on ash A +\$0 LBD dark brown walnut A +\$0 LBE medium red walnut A +\$0 OG honey maple A +\$0 LBF neutral twill A +\$0 LBG sarum twill 🖪 +\$o LBH earthen twill A +\$0 LBJ graphite twill 🔺 +\$o LBQ white twill A +\$o LBK pewter mesh A +\$0 LBL steel mesh A +\$0 LBM crisp linen 🔺 +\$0 LBN classic linen A +\$o LBP casual linen 🔺 +\$0

Top/Edge Finish: Wood Veneer

For veneer (W)			
2U	light brown walnut 🔺	+\$85	
40	dark brown walnut 🔺	+\$85	
ED	aged cherry A	+\$85	
EK	medium red walnut 🔺	+\$85	
EW	medium matte walnut 🔺	+\$85	
ET	clear on ash 🔺	+\$85	
EU	oak on ash 🔺	+\$85	
EV	walnut on ash 🔺	+\$85	
UL	natural maple 🔺	+\$85	
UX	walnut on cherry A	+\$85	

Top/Edge Finish: Opaque Formcoat®

For p	ainted Formcoat® top/edge (P)	
8Q	folkstone grey A	+\$0
91	white A	+\$o
CL	cool grey neutral 🔺	+\$o
LU	soft white A	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral 🔺	+\$o

Step 8. Edge Finish

76	light brown walnut 🔺	+\$0
8Q	folkstone grey 🔺	+\$c
91	white A	+\$c
98	studio white 🔺	+\$c
CL	cool grey neutral 🔺	+\$c
LA	light ash 🔺	+\$c
LBA	clear on ash 🔺	+\$c
LBR	phantom ecru A	+\$c
LBS	phantom cocoa 🔺	+\$c
LBU	medium matte walnut 🔺	+\$0
LBV	warm grey teak A	+\$c
LBB	oak on ash 🔺	+\$c
LBC	walnut on ash 🔺	+\$c
LBD	dark brown walnut 🔺	+\$c
LBE	medium red walnut 🔺	+\$c
LBF	neutral twill 🔺	+\$c
LBG	sarum twill 🔺	+\$0
LBH	earthen twill A	+\$0
LBJ	graphite twill 🔺	+\$0
LBK	pewter mesh 🔺	+\$0
LBL	steel mesh 🔺	+\$0
LBM	crisp linen 🔺	+\$0

LBN	classic linen 🔺	+\$o
LDIN	classic linen 🔺	+\$U
LBP	casual linen 🔺	+\$o
LBQ	white twill A	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral A	+\$o
HF	inner tone light 🔺	+\$o
НМ	natural maple 🔺	+\$o
HP	light anigre 🔺	+\$o
HT	inner tone A	+\$o
НΧ	aged cherry A	+\$o
HY	walnut on cherry A	+\$o
LU	soft white A	+\$o
OG	honey maple 🔺	+\$o


+\$50

For laminate top/universal edge (U)

PLY plywood edge A

Secondary Surface

FDE10. FDS10. FDT10.



Product Information

Description

This surface spans and is supported by Canvas low storage. It has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Laminate surfaces are $1^{1}/_{4}$ " thick. Painted Formcoat surfaces are $1^{"}$ thick.


Notes

Surface is supported by a low credenza with 4" foot and thin top.

Specify 2 surface support, low credenza, adjustable height (FT299.), or 2 surface support, low credenza, fixed height (FT298.), 1 for each end of the secondary surface.

Power access cutout options (CAC, LAC, RAC) accept the Logic G1000 grommet mounted electrical distributor, 6-receptacle unit (Y1425.D or Y1425.G), ordered separately.







Specification Information Step 1. FD A Step 2. Edge squared-edge A S10. thin-edge A T10. E10. eased-edge A Step 3. Depth 20" deep 🔺 20 Step 4. Width 36 36" wide 🔺 72 72" wide 🔺 Step 5. Surface Material For squared-edge (S10.) L laminate top/thermoplastic edge [A] W veneer A Ρ painted Formcoat[®] top/edge A U laminate top/universal edge 🔺 For thin-edge (T10.) L laminate top/thermoplastic edge A W veneer A Ρ painted Formcoat[®] top/edge A For eased-edge (E10.) Ρ painted Formcoat[®] top/edge A Step 6. Attachment S for use with low storage \square Prices for Steps 1-6. LS WS PS FDS10. 20 36 \$220 478 494 72 \$434 971 826 FDT10. 20 36 \$307 498 524

8 —
6 —

Step 7. Power Access Cutout

For 36	5" wide (36)	
NNN	no cutout 🔺	+\$0
CAC	center cutout A	+\$75
For 72	:" wide (72)	
NNN	no cutout A	+\$0
CAC	center cutout A	+\$75
LAC	left cutout 🔺	+\$75
RAC	right cutout 🔺	+\$75

Top Finish

Step 8.

US

220

434

For laminate top/thermoplastic edge (L) or laminate top/universal edge (U)

(U)		
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white 🔺	+\$0
CL	cool grey neutral 🔺	+\$0
HF	inner tone light 🔺	+\$0
HT	inner tone A	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral 🔺	+\$0
76	light brown walnut 🔺	+\$0
НМ	natural maple 🔺	+\$0
HP	light anigre 🔺	+\$0
HX	aged cherry A	+\$0
HY	walnut on cherry A	+\$0
LA	light ash 🔺	+\$0
LBA	clear on ash 🔺	+\$0
LBR	phantom ecru A	+\$0
LBS	phantom cocoa 🔺	+\$0
LBU	medium matte walnut 🔺	+\$0
LBV	warm grey teak A	+\$0
LBB	oak on ash 🔺	+\$0
LBC	walnut on ash 🔺	+\$0
LBD	dark brown walnut 🔺	+\$0
LBE	medium red walnut 🔺	+\$0
OG	honey maple 🔺	+\$0
LBF	neutral twill 🔺	+\$0
LBG	sarum twill 🔺	+\$0
LBH	earthen twill A	+\$0
LBJ	graphite twill 🔺	+\$0
LBQ	white twill 🔺	+\$0

LBK	pewter mesh 🔺	+\$o
LBL	steel mesh 🔺	+\$o
LBM	crisp linen 🔺	+\$o
LBN	classic linen 🔺	+\$o
LBP	casual linen 🔺	+\$o

Top/E	dge Finish: Wood Veneer	
For ve	eneer (W)	
2U	light brown walnut 🔺	+\$85
40	dark brown walnut 🔺	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut 🔺	+\$85
EW	medium matte walnut 🔺	+\$85
ET	clear on ash 🔺	+\$85
EU	oak on ash 🔺	+\$85
EV	walnut on ash 🔺	+\$85
UL	natural maple 🔺	+\$85
UX	walnut on cherry A	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)				
8Q	folkstone grey 🔺	+\$0		
91	white A	+\$o		
CL	cool grey neutral 🔺	+\$o		
LU	soft white A	+\$o		
WL	sandstone A	+\$o		
WN	warm grey neutral A	+\$o		

Step 9. Edge Finish

Canvas Office Landscape® Work Surfaces

For la	minate top/thermoplastic edge (L)	
76	light brown walnut 🔺	+\$c
8Q	folkstone grey 🔺	+\$c
91	white 🖪	+\$c
98	studio white 🔺	+\$c
CL	cool grey neutral 🔺	+\$c
LA	light ash 🔺	+\$c
LBA	clear on ash 🔺	+\$c
LBR	phantom ecru A	+\$c
LBS	phantom cocoa 🔺	+\$c
LBU	medium matte walnut 🔺	+\$c
LBV	warm grey teak A	+\$c
LBB	oak on ash 🔺	+\$c
LBC	walnut on ash 🔺	+\$c
LBD	dark brown walnut 🔺	+\$c
LBE	medium red walnut 🔺	+\$c
LBF	neutral twill A	+\$c


LBG	sarum twill 🔺	+\$o
LBH	earthen twill 🔺	+\$o
LBJ	graphite twill 🔺	+\$o
LBK	pewter mesh 🔺	+\$o
LBL	steel mesh 🔺	+\$o
LBM	crisp linen 🔺	+\$o
LBN	classic linen 🔺	+\$o
LBP	casual linen 🔺	+\$o
LBQ	white twill 🔺	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral A	+\$o
HF	inner tone light 🔺	+\$o
НМ	natural maple 🔺	+\$o
HP	light anigre 🔺	+\$o
HT	inner tone A	+\$o
HX	aged cherry A	+\$o
HY	walnut on cherry A	+\$o
LU	soft white 🔺	+\$o
OG	honey maple 🔺	+\$o

For laminate top/universal edge (U)

PLY plywood edge A

Dock to Surface Tethers

FD290.



Product Information


Description


This bracket supports and attaches a work surface to the dock and positions the surface at $28^{1}/_{2}$ " high. Surfaces can be placed parallel or perpendicular to the dock. Includes 1 tether and attachment hardware.

Notes

For surfaces up to and including 48" wide, 2 tethers are required. For surfaces 54" wide and wider, 3 tethers are required. Dock to surface tethers are always used in conjunction with floor supports such as the universal post leg (FT2B2., FD2B2.), ordered separately.


Dimensions





Specif	ication Information	
Step 1.		
FD290.	A	\$103
Step 2.	Surface Finish	
8Q	folkstone grey A	+\$o
98	studio white A	+\$o
WL	sandstone A	+\$0
Bright	Sand Texture Paint	
91	white A	+\$o
G1	graphite 🔺	+\$0
Metalli	c Paint	
MS	metallic silver A	+\$0


Canvas Office Landscape® Work Surfaces



Product Information


Description

This single leg supports the front corner edges of 2 adjacent surfaces. It has 2" of leveling adjustment. Attachment hardware included.



Step 1 FD2B		
Step 2	2. Leg Type	
F	fixed height A	
Step 3	3. Position	
S	shared, single leg A	
Prices	s for Steps 1-3.	
FD2B	2. F	\$48
Step 4	4. Leg Body Finish	
Bright	t Sand Texture Paint	
91	white A	+\$
G1	graphite A	+4
Metal	lic Paint	
MS	metallic silver A	+\$
Step <u>s</u>	5. Leg Face Finish	
Smoo	th Paint	
8Q	folkstone grey A	+\$
91	white A	+\$
98	studio white A	+\$
G2	graphite satin 🛕	+9
WL	sandstone A	+9
WL		
	lic Paint	
	lic Paint metallic silver A	+\$
Metal	metallic silver A	+\$

Column Kit



Product Information


Description


This column kit attaches to and supports the end of a peninsula surface (FDE60., FDS60., FDT60.). It has a 10' power cord with 3-prong plug end. Column kit includes a technology well that has 2 power receptacles and 2 data openings. Glides allow 2" of leveling adjustment.

Notes

Order peninsula surface (FDx60.) separately. Access zone cover finish matches specified column surface finish.

Dimensions







Specification Information

Step 1. FD600. A

Step 2. Height

29 seated height A

Step 3. Application

- **SS** storage supported Canvas credenza
- DS dock supported Canvas dock A


Prices for Steps 1-3.

		SS	DS
FD600	. 29	\$2245	2245
Sten /	. Tech Lid Finish		
8Q	folkstone grey		+\$o
91	white A		+\$o
98	studio white 🔺		+\$o
CL	cool grey neutral 🔺		+\$o
G2	graphite satin A		+\$o
LU	soft white A		+\$o
WL	sandstone A		+\$o
WN	warm grey neutral A		+\$o

Step 5. Column/Bin Finish

Brigh	t Sand Texture Paint	
91	white A	+\$0
CL	cool grey neutral 🔺	+\$o
G1	graphite 🔺	+\$o
WN	warm grey neutral 🔺	+\$o
8Q	folkstone grey 🔺	+\$o
98	studio white 🔺	+\$o
WL	sandstone 🔺	+\$o
CN	metallic champagne 🛛 🗚	+\$o
EH	metallic bronze 🔺	+\$o
MS	metallic silver A	+\$o


Cord Cleat



Product Information

Description

This cleat attaches to the underside of a work surface or table to manage cords and cables. Finish is cool grey neutral. Package contains 2.




Specification Information

Step 1. **G1331.**

\$21

Cable Management Trough

FT199.



Product Information

Description

This trough attaches along the underside of a Canvas surface to hold and manage power/data cables. It includes two 14"-wide troughs. Finish is black. Attachment hardware is included.

Dimensions


Specification Information

Step 1.

FT199.

\$68






Product Information


Description

This single painted leg supports a desk or return and includes a glide with $1^{1}/_{2}$ " leveling range. Specify 2 legs to support one end of a surface. Attachment hardware included.



Speci	Specification Information			
Step 1				
FV689	9.P	\$158		
Step 2	e. Surface Finish			
Bright	Sand Texture Paint			
91	white	+\$o		
CL	cool grey neutral	+\$o		
G1	graphite	+\$o		
WN	warm grey neutral	+\$0		
Metall	lic Paint			
CN	metallic champagne	+\$0		
EH	metallic bronze	+\$o		
MS	metallic silver	+\$o		

Cable Manager



Product Information

Description


This cable manager attaches beneath a surface to provide routing of cables and cords at the back edge of a desk or return. Attachment hardware included.

Notes

When using cable manager with privacy panel or screen, specify cable manager width 12" less than privacy panel or screen width.

Dimensions





Specification Information

Step 1.

FV695.


\$65
\$71
\$77
\$82
\$89

Step 3. Surface Finish

48

Brigh	t Sand Texture Paint	
91	white	+\$0
CL	cool grey neutral	+\$o
G1	graphite	+\$o
WN	warm grey neutral	+\$o
8Q	folkstone grey	+\$o
98	studio white	+\$o
WL	sandstone	+\$o
Meta	llic Paint	
CN	metallic champagne	+\$0
EH	metallic bronze	+\$o
MS	metallic silver	+\$o

\$97



Product Information

Description

This stiffener is used to add additional stiffness to a Canvas freestanding surface, Canvas or Ethospace® surface-attached surface, peninsula or any frame-attached surface when a center cantilever cannot be used. Attachment hardware included.


Notes

Canvas and Ethospace laminate or veneer surfaces 54" wide or wider and painted formcoat surfaces 48" wide or wider that cannot use a center cantilever require stiffener(s).

See Canvas Office Landscape® Planning Guide or Ethospace Work Surface Planning Guide for specific stiffener guidelines.

Stiffener hangs below surface and is $1^{1}/4^{"}$ high.

Dimensions



Specification Information

Step 1.
FV696.


F

v

Step 2	2. Width		
34	33 ⁷ /8" wide		
39	38 ⁵ /8" wide		
43	431/4" wide		
48	48" wide		
57	57³/8" wide		
62	62¹/8″ wide		
67	66³/4″ wide		
71	71 ¹ / ₂ " wide		
81	80 ⁷ /8" wide		

Prices for Steps 1-2.	
FV696. 34	\$69
39	\$71
43	\$71
48	\$71
57	\$71
62	\$71
67	\$71
71	\$71
81	\$71

Closed Support Leg



Product Information

Description

This individual solid panel leg supports 1 end of a surface or joins 2 surfaces end-to-end, providing shared support at the surface joint. It is available as laminate or veneer and has leveling glides with $1^{1}/_{2}$ " of adjustment. Attachment hardware included.

Notes

For additional product options, see Vary Easy Program in Appendices. Grain direction is vertical on wood-grain laminate and veneer. When leg is supporting the end of a squared- or eased-edge surface, depth of support leg must match depth of surface. Support leg does not work with thin-edge surfaces in this position.

When leg is supporting the joint between 2 surfaces, specify leg as follows:


Surface Depth—Leg Depth

24" deep surface-12" deep leg

30" deep surface-24" deep leg

36" deep surface – 24" deep leg

Dimensions



Specification Information

Step 1. **FV2E2.**

Step 2. Surface Edge Type

S for squared edge surface

Step 3.	Depth
2A	12" deep, shared
2B	24" deep, shared
24	24" deep
30	30″ deep
36	36" deep

Step 4. Leg Type

F fixed height

Step 5. Surface Material

- L laminate
- W veneer A

Prices for Steps 1-5.

		FL	FW
FV2E2. S	2A	\$173	450
	2B	\$285	591
	24	\$285	591
	30	\$290	608
	36	\$295	797

Step 6. Surface Finish


Solid-Color Laminate

For la	minate (L)	
8Q	folkstone grey	+\$0
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
LU	soft white	+\$o
MT	medium tone 🔺	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$0
Linen	Laminate	
For la	minate (L)	
LBM	crisp linen	+\$0
LBN	classic linen	+\$o
LBP	casual linen	+\$o

Mesh	Laminate					
For la	minate (L)					
LBK	BK pewter mesh					
LBL	steel mesh	+\$0				
Twill L	aminate					
For la	minate (L)					
LBF	neutral twill	+\$0				
LBG	sarum twill	+\$o				
LBH	earthen twill	+\$0				
LBJ	graphite twill	+\$o				
LBQ	white twill	+\$0				
Wood	-Grain Laminate					
For la	minate (L)					
НМ	natural maple	+\$0				
HP	light anigre	+\$0				
LBA	clear on ash	+\$0				
LBR	phantom ecru	+\$0				
LBS	phantom cocoa	+\$0				
LBU	medium matte walnut	+\$0				
LBV	warm grey teak	+\$0				
LBB	oak on ash	+\$o				
LBC	walnut on ash	+\$o				
LBD	dark brown walnut	+\$o				
LBE	medium red walnut	+\$o				
76	light brown walnut	+\$o				
НΧ	aged cherry	+\$o				
HY	walnut on cherry	+\$0				
Wood	Veneer					
For ve	neer (W)					
2U	light brown walnut 🔺	+\$85				
40	dark brown walnut 🔺	+\$85				
ED	aged cherry A	+\$85				
EK	medium red walnut 🔺	+\$85				

E	D aged cherry A	+\$85
E	K medium red walnut A	+\$85
E	W medium matte walnut A	+\$85
E	T clear on ash A	+\$85
E	U oak on ash A	+\$85
E	V walnut on ash A	+\$85
ι	L natural maple A	+\$85
ι	X walnut on cherry A	+\$85

Square Open Support Leg



Product Information

Description

This individual leg supports 1 end of a surface or joins 2 surfaces end-toend, providing shared support at the surface joint. It has leveling glides with $1^{1}/_{2}$ " of adjustment. Attachment hardware included.

Notes

When leg is supporting the end of a squared- or eased-edge surface, depth of support leg must match depth of surface. Support leg does not work with thin-edge surfaces in this position.

When leg is supporting the joint between 2 surfaces, specify leg as follows:


Surface Depth—Leg Depth

24" deep surface—12" deep leg

30" deep surface — 24" deep leg

36" deep surface – 24" deep leg

Dimensions



Specification Information

Step 1. **FV2D2.**

Step 2. Surface Edge Type

S for squared edge surface

Step 3. Depth

2A	12" deep, shared
2B	24" deep, shared
24	24" deep

- **30** 30" deep
- **36** 36" deep

Step 4. Leg Type

F fixed height

Step 5. Position

For 12" deep, shared (2A) or 24" deep, shared (2B) **S** shared

For 24"	deep	(24).	30"	deep	(30).	or 36"	deep	(36)


- L left
- R right

Prices for Steps 1-5.

	FL	FS	FR
2A	_	\$218	_
2B	_	\$337	_
24	\$337	_	337
30	\$346	_	346
36	\$356	_	356
ırface Finish			
lkstone grey			+\$0
udio white			+\$o
andstone			+\$0
nd Texture Paint			
hite			+\$0
ool grey neutral			+\$o
raphite			+\$o
arm grey neutral			+\$0
	2B 24 30 36 Inface Finish Ikstone grey udio white andstone Ind Texture Paint hite bool grey neutral raphite	2A – 2B – 24 \$337 30 \$346 36 \$356 Inface Finish Ikstone grey udio white andstone Ind Texture Paint hite bol grey neutral raphite Ikstone grey Ikstone gre	2A - \$218 2B - \$337 24 \$337 - 30 \$346 - 36 \$356 - urface Finish - - Ikstone grey - - udio white - - and Stone - - and Texture Paint - - hite - - pol grey neutral - -

Metallic Paint			
CN	metallic champagne	+\$0	
EH	metallic bronze	+\$o	
MS	metallic silver	+\$o	

Open Support Leg, Architectural FT2A2. Foot, Peninsula/D-Shaped Surface Attached



Product Information

Description

This support leg attaches to 1 end of a peninsula or D-shaped surface. It can be also be used to create a freestanding peninsula desk. The fixed-height leg has a 2" leveling range, allowing a surface height of $28^{1/2}$ "- $30^{1/2}$ ". The adjustable-height leg is adjustable over a 6" range, allowing a surface height of $25^{1/2}$ "- $31^{1/2}$ ". Attachment hardware included.


Notes

For D-shaped surface, specify support leg with inset option (A).

For peninsula surface attached to a frame or wall strips, specify support leg with inset option (A) or outbound option (B).

For peninsula supported by a low credenza, specify support leg with outbound option (B).

To create a freestanding peninsula desk, specify 2 support legs; 1 with inset option (A) and 1 with outbound option (B).



Specification Information

Step 1. FT2A2.

Step 2. Leg Position

- Α inset
- В outbound

Step 3. Surface Dimension

For inset (A)

	()
24	for 24"-deep peninsula
30	for 30"-deep peninsula
36	for 36"-deep peninsula
51	for 51"-wide d-shaped
63	for 63"-wide d-shaped
Forou	tbound (B)

24	for 24"-deep peninsula
30	for 30"-deep peninsula
36	for 26"-deen neninsula

Step 4. Leg Type

- F fixed height
- adjustable height A

Step 5. Position

For inset (A)

S non-handed support

For outbound (B)

- L left-hand support
- R right-hand support

Prices for Steps 1-5.							
		FL	FS	FR	AL	AS	AR
FT2A2. A	24	_	\$412	_	_	494	_
	30	_	\$434	_	_	515	_
	36	_	\$456	_	_	537	_
	51	_	\$412	_	-	494	_
	63	_	\$434	—	—	515	—
В	24	\$412	-	412	494	-	494
	30	\$434	-	434	515	-	515
	36	\$456	_	456	537	_	537

Open Support Leg, Architectural Foot, Peninsula/D-Shaped Surface Attached *continued*


Step 6. Surface Finish				
8Q	folkstone grey A	+\$o		
98	studio white A	+\$o		
WL	sandstone A	+\$o		
Bright	Sand Texture Paint			
91	white	+\$0		
CL	cool grey neutral	+\$o		
G1	graphite	+\$o		

WN warm grey neutral Metallic Paint

CN	metallic champagne	+\$o
EH	metallic bronze	+\$o
MS	metallic silver	+\$o

+\$o

Open Support Leg, Architectural FV2A2. Foot



Product Information

Description

This individual leg supports 1 end of a surface or joins 2 surfaces endto-end, providing shared support at the surface joint. The fixed height leg has a 2" leveling range allowing a surface height of $28^{1}/_{2}$ "- $30^{1}/_{2}$ ". The adjustable height leg has a 6" adjustment range in 1" increments allowing a surface height of $25^{1}/_{2}$ "- $31^{1}/_{2}$ ". Attachment hardware included.

Notes

When leg is supporting the end of a surface, depth of support leg must match depth of surface.

When leg is supporting the joint between 2 surfaces, specify leg as follows:

Surface Depth—Leg Depth

24" deep surface—12" deep leg

30" deep surface-24" deep leg

36" deep surface—24" deep leg

Dimensions



S


End Support

2″→


R


R





Adjustable Height





Specification Information

Step 1. FV2A2.

Step 2	. Depth		
2A	12" deep, shared		
2B	24" deep, shared		
24	24 24" deep		
30	30″ deep		
36	36″ deep		
Step 3	. Leg Type		
F	fixed height		
Α	adjustable height		

Step 4. Position

For 12" deep, shared (2A) or 24" deep, shared (2B)

S shared

For 24" deep (24), 30" deep (30), or 36" deep (36)

- L left
- R right

Prices for Steps 1-4.


		L	S	R
FV2A	2. 2A F	_	\$262	_
	Α	_	\$346	_
•••••	2B F	—	\$431	—
	Α	_	\$515	_
••••••	24 F	\$431	—	431
	Α	\$515	_	515
	30 F	\$453	—	453
	Α	\$538	_	538
	36 F	\$476	—	476
	Α	\$560	—	560
Step	5. Surface Finish			
8Q	folkstone grey			+\$0
98	studio white			+\$o
WL	sandstone			+\$o
Bright	t Sand Texture Paint			
91	white			+\$0
CL	cool grey neutral			+\$o
G1	graphite			+\$o
WN	warm grey neutral			+\$o

Open Support Leg, Architectural Foot *continued*

Metallic Paint		
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$o

Surface Support, Low Credenza, Fixed Height

FT298.



Product Information

Description


This support allows a low credenza to support 1 end of a surface and places the surface at $28^{1/2''}$ high. Attachment hardware included.

Notes

Support heights are:

- $5^{1/8}$ " high for storage type (M)
- $6^{7}/_{8}$ " high for storage type (S)
- 6" high for storage type (R)
- $4^{1/4}$ " high for storage type (W)

Dimensions





Specification Information

Step 1. FT298.

Step 2. Storage Type

- **M** for use with thin top low credenza with 4" high foot
- **S** for use with thin top low credenza with $2^{1}/4^{"}$ high base
- **R** for use with $1^{1}/_{4}$ " top low credenza with $2^{1}/_{4}$ " high base
- ${f W}$ for use with 1¹/₄" top low credenza with 4" high foot

Prices for Steps 1-2.

FT298. M	\$18	39
S	\$18	39
R	\$18	39
W	\$18	39

Step 3. Surface Finish

MS

Bright Sand Texture Paint 91 white

metallic silver


0		
91	white	+\$0
CL	cool grey neutral	+\$o
G1	graphite	+\$o
WN	warm grey neutral	+\$o
8Q	folkstone grey 🔺	+\$o
98	studio white 🔺	+\$o
WL	sandstone A	+\$o

Metal	lic Paint
CN	metallic champagne
EH	metallic bronze

+\$o

+\$0


+\$o



Product Information

Description

This channel attaches to the underside of a surface to hold and manage cords and cables. Attachment hardware included.



Specification Information

Step 1. FT19C. A

FT19C. 08

 Step 2. Width

 08
 8" wide A

 40
 40" wide A


40

Prices for Steps 1-2.

--\$41 \$74

Surface Support, Low Credenza, Adjustable Height

FT299.



Product Information

Description

This height-adjustable support allows a low credenza to support 1 end of a surface, and provides 3" of height adjustment for the surface. Attachment hardware included.

Notes


In lowest position, the height of supports is as follows:


- $3^{5/8}$ " high for storage type (M)
- $5^{3}/_{8}$ " high for storage type (S)

When used with low credenza with $3/\!\!/_8$ " thin top, surface adjustment height range is 27" - 30".

When used with low credenza with $1^{1}\!/_{4}"$ thick top, surface adjustment height range is $27^{5}\!/_{8}"$ - $30^{5}\!/_{8}"$.

Dimensions





Specification Information

Step 1. **FT299.**

Step 2. Storage Type

M	for use with low credenza with 4" high foot

S for use with low credenza with $2^{1}/_{4}$ high base

Prices for Steps 1-2.

FT299. M	\$318
S	\$318


Step 3. Surface Finish

Bright	t Sand Texture Paint	
91	white	+\$0
CL	cool grey neutral	+\$o
G1	graphite	+\$o
WN	warm grey neutral	+\$o
8Q	folkstone grey	+\$o
98	studio white	+\$o
WL	sandstone	+\$o

Metalli	c Paint	
CN	metallic champagne	+\$0
EH	metallic bronze	+\$0
MS	metallic silver	+\$o

Universal Post Leg

FT2B2.




Product Information


Description

This leg is available as a single leg to support 1 corner of a surface, or as a pair to support 1 end of a surface. The fixed-height leg has a 2" leveling range, allowing a surface height of $28^{1}/{2}^{"}-30^{1}/{2}^{"}$. The adjustableheight leg is adjustable over a 6" range, allowing a surface height of $25^{1}/{2}^{"}-31^{1}/{2}^{"}$. Attachment hardware included.





Adjustable Height



Specification Information

Step 1. FT2B2.

Step 2. Leg Type

- F fixed height
- A adjustable height

Step 3. Position

- L left-hand, single leg
- **R** right-hand, single leg
- P left-hand & right-hand, pair


Duite a f	Change and			
Prices 1	or Steps 1-3.	L	R	Р
FT2B2.	E			
FIZDZ.	-	\$389	389	773
	Α	\$416	416	830
Step 4.	Leg Body Finish			
8Q	folkstone grey			+\$0
98	studio white			+\$o
WL	sandstone			+\$0
Bright	Sand Texture Paint			
91	white			+\$o
G1	graphite			+\$0
Metalli	c Paint			
MS	metallic silver			+\$0
Step 5.	Leg Face Finish			
Smooth	n Paint			
		L	R	Р
8Q	folkstone grey	+\$0	0	0
91	white	+\$o	0	0
98	studio white	+\$o	0	0
G2	graphite satin	+\$o	0	0
WL	sandstone	+\$o	0	0
Metalli	c Paint			
		L	R	Ρ
MS	metallic silver	+\$0	0	0
Anodiz	ed			
		L	R	Р
AN	clear anodized aluminum	+\$10	10	20

2

Canvas Office Landscape[®] Work Surfaces

Rectangular Surface

FTE10. FTS10. FTT10.



Product Information

Description

This surface hangs from a frame, wall strips, or attaches to various support components to create a freestanding rectangular desk. It has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted top and edge. Laminate and veneer surfaces are $1^{1}/_{4}$ " thick. Painted Formcoat[®] surfaces are $1^{"}$ thick. When hanging from a frame or wall strips there is a $1^{"}$ gap at the back of the surface for standard plug head and cord passage.


Notes

For additional size, shape, cable management, and finish options, see Vary Easy Program in Appendices.

- For surface attachment bracket (D) option:
- Ganging brackets are included for using the surface as a bridge.
- Surface will only attach to front edge of squared-edge surfaces or the transition portion of the thin-edge or eased-edge surfaces.
- For Canvas frame attached surface (F) option:
- Order appropriate supports separately; 2 supports are required for each surface (left and right side):
- Open support, tapered foot, frame attached (FT294.)
- Open support, architectural foot, frame attached (FT2A1.)
- Support panel, tapered foot, frame attached (FT291.)
- Support panel, frame attached (FT2E2.)
- Universal post leg, frame attached (FT2B1.)
- Surface cantilever (FT290.)
- Surface support rail (FT295.)
- Support pedestal
- Center supports are included for surfaces 54" wide and wider. For no brackets, for freestanding or use with low credenza (S) option:
- Order the following support products separately:
- Closed support leg (FV2E2.)
- Open support leg, architectural foot (FV2A2.)
- Square open support leg (FV2D2.)
- Support leg, post (FV689.)
- Universal post leg (FT2B2.)
- Surface ganging bracket (FT29B.)
- Surface support, low credenza, adjustable height (FT299.)
- Surface support, low credenza, fixed height (FT298.)
- Surface-attached pedestal
- When creating a freestanding desk with closed support leg (FV2E2.), a modesty panel (FV697.) is required for stability.
- Thin-edge surfaces do not work with the following:
- Surface-attached pedestal
- Support pedestal
- Closed support leg (FV2E2.)
- Square open support leg (FV2D2.)

Stiffener (FV696.) is required for any laminate or veneer surface 54" wide or wider and painted formcoat surfaces 48" wide or wider that cannot use a center cantilever. See Canvas Office Landscape® Planning Guide for specific stiffener guidelines.

Dimensions



Step 1.	•
FT	
Step 2	. Edge
S10 .	squared-edge
T10.	thin-edge
E10.	eased-edge
Step 3	. Depth
For sq	uared-edge (S10.)
20	20" deep
24	24" deep
30	30" deep
36	36" deep
For thi	n-edge (T10.) or eased-edge (E10.)
24	24" deep
30	30" deep
36	36" deep
Step 4	. Width
	. Width " deep (20), 24" deep (24), or 30" deep (30) 24" wide
For 20	" deep (20), 24" deep (24), or 30" deep (30)
For 20 24	" deep (20), 24" deep (24), or 30" deep (30) 24" wide
For 20 24 30	" deep (20), 24" deep (24), or 30" deep (30) 24" wide 30" wide
For 20 24 30 36	" deep (20), 24" deep (24), or 30" deep (30) 24" wide 30" wide 36" wide
For 20 24 30 36 42	" <i>deep (20), 24</i> " <i>deep (24), or 30" deep (30)</i> 24" wide 30" wide 36" wide 42" wide
For 20 24 30 36 42 48	" deep (20), 24" deep (24), or 30" deep (30) 24" wide 30" wide 36" wide 42" wide 48" wide
For 20 24 30 36 42 48 54	" deep (20), 24" deep (24), or 30" deep (30) 24" wide 30" wide 36" wide 42" wide 48" wide 54" wide
For 20 24 30 36 42 48 54 60	" deep (20), 24" deep (24), or 30" deep (30) 24" wide 30" wide 36" wide 42" wide 48" wide 54" wide 60" wide
For 20 24 30 36 42 48 54 60 66	" deep (20), 24" deep (24), or 30" deep (30) 24" wide 30" wide 36" wide 42" wide 48" wide 54" wide 60" wide 66" wide
For 20 24 30 36 42 48 54 60 66 72	" deep (20), 24" deep (24), or 30" deep (30) 24" wide 30" wide 36" wide 42" wide 48" wide 54" wide 60" wide 66" wide 72" wide
For 20 24 30 36 42 48 54 60 66 72 78	" deep (20), 24" deep (24), or 30" deep (30) 24" wide 30" wide 36" wide 42" wide 48" wide 54" wide 60" wide 66" wide 72" wide 78" wide
For 20 24 30 36 42 48 54 60 66 72 78 84	" deep (20), 24" deep (24), or 30" deep (30) 24" wide 30" wide 36" wide 42" wide 48" wide 54" wide 60" wide 66" wide 72" wide 78" wide
For 20 24 30 336 42 48 48 48 60 66 66 66 72 78 88 4 90 90 96	" deep (20), 24" deep (24), or 30" deep (30) 24" wide 30" wide 36" wide 42" wide 48" wide 54" wide 60" wide 66" wide 72" wide 78" wide 84" wide 90" wide 90" wide 90" wide
For 20 24 30 336 42 48 48 48 60 66 66 66 72 78 88 4 90 90 96	" deep (20), 24" deep (24), or 30" deep (30) 24" wide 30" wide 36" wide 42" wide 48" wide 54" wide 60" wide 66" wide 72" wide 78" wide 84" wide 90" wide 96" wide
For 20 24 30 36 42 48 55 460 666 666 72 778 884 990 996	" deep (20), 24" deep (24), or 30" deep (30) 24" wide 30" wide 36" wide 42" wide 48" wide 54" wide 60" wide 66" wide 72" wide 78" wide 84" wide 90" wide 90" wide 90" wide
For 20 24 30 36 42 48 55 460 666 72 78 88 490 996 For 36 60	" deep (20), 24" deep (24), or 30" deep (30) 24" wide 30" wide 36" wide 42" wide 48" wide 54" wide 66" wide 66" wide 72" wide 78" wide 84" wide 90" wide 90" wide 96" wide 100
For 20 24 30 36 42 48 54 60 66 66 72 78 88 4 90 99 6 60 66 66	" deep (20), 24" deep (24), or 30" deep (30) 24" wide 30" wide 36" wide 42" wide 48" wide 54" wide 60" wide 66" wide 72" wide 78" wide 84" wide 90" wide 96" wide 96" wide 100

For 20	o" deep (20), 24" deep (24), or 30" deep (30)
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide
78	78" wide
84	84" wide
90	90" wide
96	96" wide
For 36	5" deep (36)
60	60" wide A
66	66" wide A
72	72" wide A
78	78" wide A
84	84" wide 🔺
90	90" wide 🔺
96	96" wide 🔺

Step 5. Surface Material

L	laminate top/thermoplastic edge
w	laminate top/thermoplastic edge veneer top/veneer edge 🔼
P	
	painted Formcoat® top/edge
U	laminate top/universal edge 🔺
For t	hin-edge (T10.)
L	laminate top/thermoplastic edge
W	veneer top/veneer edge 🔺
Р	painted Formcoat® top/edge
For e	ased-edge (E10.)
Ρ	painted Formcoat [®] top/edge
Step	6. Attachment Bracket
Fora	o" deep (20) with 24" wide (24), 30" wide (30), 66" wide (66), 7
	(72), 78" wide (78), 84" wide (84), 90" wide (90), or 96" wide (9
F	Canvas frame attached surface
	Canvas name attached sunace
For 2	o" deep (20) with 36" wide (36), 42" wide (42), 48" wide (48), 5.
wide	(54), or 60" wide (60)
D	surface attachment bracket
F	Canvas frame attached surface
For 2	4" deep (24) or 30" deep (30) with 24" wide (24) or 30" wide (30
For 2 F	4" deep (24) or 30" deep (30) with 24" wide (24) or 30" wide (30 Canvas frame attached surface
F	
F S	Canvas frame attached surface no brackets, for freestanding or use with low credenza
F S For 2	Canvas frame attached surface no brackets, for freestanding or use with low credenza
F S For 2	Canvas frame attached surface no brackets, for freestanding or use with low credenza 4" deep (24) or 30" deep (30) with 36" wide (36), 42" wide (42),
F S For 2 48" V	Canvas frame attached surface no brackets, for freestanding or use with low credenza 4" deep (24) or 30" deep (30) with 36" wide (36), 42" wide (42), vide (48), or 54" wide (54)
F S For 2 48" V D F	Canvas frame attached surface no brackets, for freestanding or use with low credenza 4" deep (24) or 30" deep (30) with 36" wide (36), 42" wide (42), vide (48), or 54" wide (54) surface attachment bracket
F S For 2 48" V D F S	Canvas frame attached surface no brackets, for freestanding or use with low credenza 4" deep (24) or 30" deep (30) with 36" wide (36), 42" wide (42), vide (48), or 54" wide (54) surface attachment bracket Canvas frame attached surface
F S For 2 48" V D F S For 2	Canvas frame attached surface no brackets, for freestanding or use with low credenza 4" deep (24) or 30" deep (30) with 36" wide (36), 42" wide (42), vide (48), or 54" wide (54) surface attachment bracket Canvas frame attached surface no brackets, for freestanding or use with low credenza
F S For 2 48" V D F S For 2	Canvas frame attached surface no brackets, for freestanding or use with low credenza 4" deep (24) or 30" deep (30) with 36" wide (36), 42" wide (42), wide (48), or 54" wide (54) surface attachment bracket Canvas frame attached surface no brackets, for freestanding or use with low credenza 4" deep (24) or 30" deep (30) with 60" wide (60)
F S For 2 48" V D F S For 2 D F	Canvas frame attached surface no brackets, for freestanding or use with low credenza 4" deep (24) or 30" deep (30) with 36" wide (36), 42" wide (42), wide (48), or 54" wide (54) surface attachment bracket Canvas frame attached surface no brackets, for freestanding or use with low credenza 4" deep (24) or 30" deep (30) with 60" wide (60) surface attachment bracket
F S For 2 48" V D F S For 2 D F S	Canvas frame attached surface no brackets, for freestanding or use with low credenza 4" deep (24) or 30" deep (30) with 36" wide (36), 42" wide (42), wide (48), or 54" wide (54) surface attachment bracket Canvas frame attached surface no brackets, for freestanding or use with low credenza 4" deep (24) or 30" deep (30) with 60" wide (60) surface attachment bracket Canvas frame attached surface no brackets, for freestanding or use with low credenza
F S For 2 48" V D F S For 2 D F S S For 2	Canvas frame attached surface no brackets, for freestanding or use with low credenza 4" deep (24) or 30" deep (30) with 36" wide (36), 42" wide (42), wide (48), or 54" wide (54) surface attachment bracket Canvas frame attached surface no brackets, for freestanding or use with low credenza 4" deep (24) or 30" deep (30) with 60" wide (60) surface attachment bracket Canvas frame attached surface no brackets, for freestanding or use with low credenza
F S For 2 48" V D F S For 2 D F S S For 2	no brackets, for freestanding or use with low credenza 4" deep (24) or 30" deep (30) with 36" wide (36), 42" wide (42), wide (48), or 54" wide (54) surface attachment bracket Canvas frame attached surface no brackets, for freestanding or use with low credenza 4" deep (24) or 30" deep (30) with 60" wide (60) surface attachment bracket Canvas frame attached surface no brackets, for freestanding or use with low credenza 4" deep (24) or 30" deep (30) with 60" wide (60) surface attachment bracket Canvas frame attached surface no brackets, for freestanding or use with low credenza

Prices for Steps 1-6.							
	LD	LF	LS	WD	WF	WS	
FTS10. 20 24	_	\$180	-	—	422	—	
30	-	\$202	-	—	473	—	
36	\$219	229	_	513	524	-	
42	\$242	253	_	564	576	-	FTS10. 2
48	\$268	278	_	606	619	_	
54	\$317	327	-	697	709	—	
60	\$356	367	—	785	798	—	
66	-	\$408	-	-	889	_	
72	-	\$451	_	_	978	_	
78	-	\$492	_	_	1059	_	
84	-	\$548	_	_	1141	_	
90	-	\$564	_	_	1193	_	
96	-	\$588	_	-	1227	—	
24 24	_	\$180	137	_	422	373	
30	-	\$202	161	_	473	426	
36	\$219	229	186	513	524	476	
42	\$242	253	210	564	576	528	2
48	\$268	278	236	606	619	571	
54	\$317 \$(327	285	697	709	662	
60	\$356	367	314	785	798	738	
66	_	\$408	356	_	889	829	
72	_	\$451	398	_	978	917	
78	_	\$492 \$= 19	450	_	1059	1011	
84 90	_	\$548 \$560	506	_	1141	1059	
90	_	\$564 \$588	512	_	1193	1102	
30 24			514		1227	1145	
30 24	_	\$197 \$247	156 204	_	468 570	421 522	
36		\$247 286	204 243	627	570 638	523 591	
42	\$313	323	243 280	695	707	659	
42	\$350	323 362	200 319	773	707 784	737	
54	\$415	426	384	889	900	853	
60	\$415 \$461	420	504 418	992	900 1015	955	
66	-	\$532	479		1137	955 1077	
72	_	\$591	479 537	_	1255	1196	
78	_	\$631	589	_	1332	1285	
84	_	\$680	626	_	1409	1361	
90	_	\$719	652	_	1478	1413	
		<i>₩1 [±]7</i>	-10			-4-2	

\$751

_

678

_

1547 1463

36	60	—	-	\$524	-	—	1171
	66	_	_	\$602	—	_	1325
	72	_	_	\$677	_	_	1474
	78	_	_	\$684	_	_	1515
	84	_	_	\$692	_	_	1556
	90	_	_	\$737	—	_	1641
	96	_	_	\$782	—	_	1724
		PD	PF	PS	UD	UF	US
S10. 20) 24	_	\$207	-	—	180	_
	30	_	\$234	_	—	202	—
	36	\$306	264	_	219	229	—
	42	\$333	291	-	242	253	-
	48	\$364	321	-	268	278	-
	54	\$419	377	_	317	327	_
	60	\$465	422	_	356	367	_
	66	_	\$471	_	_	408	_
	72	_	\$520	_	_	451	_
	78	_	\$567	_	—	492	—
	84	_	\$631	_	—	548	—
	90	_	\$649	_	_	564	_
	96	_	\$676	_	—	588	—
24	24	_	\$207	165	_	180	137
	30	_	\$234	191	—	202	161
	36	\$306	264	222	219	229	186
	42	\$333	291	248	242	253	210
	48	\$364	321	278	268	278	236
	54	\$419	377	334	317	327	285
	60	\$465	422	380	356	367	314
	66	-	\$471	429	—	408	356
	72	-	\$520	477	—	451	398
	78	_	\$567	525	—	492	450
	84	_	\$631	589	—	548	506
	90	_	\$649	606	-	564	512
	96	_	\$676	633	—	588	514

96

30 24	-	\$228	185	—	197	156	30 24	—	\$276	234	—	560	514
30	_	\$285	242	-	247	204	30	_	\$347	305	_	684	636
36	\$372	329	287	275	286	243	36	\$443	400	359	813	767	720
42	\$414	372	329	313	323	280	42	\$494	452	410	896	849	801
48	\$457	415	373	350	362	319	48	\$548	506	464	988	941	894
54	\$532	489	447	415	426	384	54	\$638	596	553	1128	1081	1033
60	\$585	542	500	461	472	418	60	\$701	659	617	1265	1217	1169
66	_	\$611	570	_	532	479	66	-	\$743	700	_	1364	1316
72	_	\$680	637	_	591	537	72	-	\$825	783	_	1506	1459
78	_	\$726	683	_	631	589	78	-	\$883	840	_	1599	1552
84	_	\$782	739	_	680	626	84	-	\$950	907	_	1691	1644
90	_	\$826	784	_	719	652	90	-	\$1003	960	_	1773	1726
96	_	\$865	823	_	751	678	96	-	\$1052	1010	_	1857	1809
36 60	—	—	\$626	-	-	524	36 60	-	-	\$654	-	-	1436
66	_	_	\$718	_	_	602	66	-	_	\$748	_	-	1619
72	-	_	\$803	_	_	677	72	-	_	\$837	_	-	1797
78	-	_	\$836	_	_	684	78	-	_	\$873	_	-	1875
84	-	_	\$870	_	_	692	84	-	_	\$907	_	-	1953
90	-	_	\$920	_	_	737	90	-	_	\$960	_	-	2054
96	_	_	\$973	_	_	782	96	_	_	\$1014	_	_	2155
	LD	LF	LS	WD	WF	ws		PD	PF	PS	UD	UF	US
FTT10. 24 24	_	\$251	209	_	504	456	FTT10. 24 24	_	\$222	179	_	-	_
30	_	\$283	241	_	568	520	30	_	\$248	206	_	_	_
36	\$363	320	277	676	628	581	36	\$323	280	238	_	_	_
42	\$397	354	313	738	691	644	42	\$352	311	268	_	_	_
48	\$433	390	347	789	741	694	48	\$385	342	300	_	_	_
54	\$500	457	415	899	852	805	54	\$444	401	360	_	_	_
60	\$555	514	471	1004	957	910	60	\$491	449	406	_	_	_
66	_	\$573	530	_	1066	1019	66	_	\$501	458	_	_	_
72	_	\$631	589	_	1175	1126	72	_	\$553	512	_	_	_
78	_	\$689	647	-	1270	1223	78	_	\$604	561	-	_	_
84	_	\$765	724	-	1370	1323	84	_	\$672	628	-	_	_
90	_	\$788	745	—	1432	1384	90	—	\$690	648	_	_	_

30 24	—	\$242	199	—	—	—
30	_	\$304	262	_	_	_
36	\$393	350	309	_	_	_
42	\$439	396	353	_	_	_
48	\$485	443	400	_	_	_
54	\$564	522	479	_	_	_
60	\$620	578	535	_	_	_
66	_	\$651	608	_	_	_
72	_	\$724	681	_	_	_
78	_	\$773	731	_	_	_
84	_	\$832	790	_	_	_
90	_	\$879	836	_	_	_
96	—	\$920	878	—	—	—
36 60	—	—	\$668	—	—	—
66	_	-	\$763	_	-	_
72	_	-	\$855	_	-	—
78	_	-	\$891	_	-	—
84	_	-	\$927	_	—	_
90	_	-	\$981	_	—	_
96	_	-	\$1035	_	—	_

	00	DE	DC			110
	PD	PF	PS	UD	UF	US
FTE10. 24 24	-	\$229	185	_	—	_
30	_	\$258	214	_	_	_
36	\$334	290	246	_	_	_
42	\$365	321	277	_	_	_
48	\$398	354	311	_	_	_
54	\$458	415	371	_	_	_
60	\$509	466	422	_	_	_
66	_	\$519	475	_	_	_
72	—	\$572	528	_	—	_
78	_	\$625	581	—	_	_
84	_	\$694	650	_	_	_
90	_	\$714	670	_	_	_
96	_	\$744	700	_	_	_

30 24	—	\$250	207	—	—	—
30	_	\$315	271	—	_	_
36	\$406	363	319	_	—	_
42	\$453	410	366	_	—	_
48	\$501	457	414	—	_	_
54	\$583	539	495	—	_	_
60	\$642	598	554	—	_	_
66	_	\$674	630	—	_	_
72	_	\$747	703	—	_	_
78	_	\$800	756	—	_	_
84	_	\$861	818	_	—	_
90	_	\$909	865	—	_	_
96	—	\$952	908	—	—	—
36 60	-	—	\$691	—	—	—
66	_	_	\$789	—	_	_
72	_	_	\$885	—	_	_
78	_	_	\$921	—	_	_
84	_	_	\$957	—	_	_
90	_	_	\$1015	_	—	_
96	-	_	\$1070	_	_	_

Step 7.

Top Finish

For laminate top/thermoplastic edge (L) or laminate top/universal edge

	mate top/memoplastic cage (L) of lamm	
(U)		
8Q	folkstone grey	+\$c
91	white	+\$c
98	studio white	+\$o
CL	cool grey neutral	+\$o
HF	inner tone light 🔺	+\$o
HT	inner tone A	+\$o
LU	soft white	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o
76	light brown walnut	+\$o
нм	natural maple	+\$o
HP	light anigre	+\$o
HX	aged cherry	+\$o
HY	walnut on cherry	+\$o
LA	light ash 🔺	+\$o
LBA	clear on ash	+\$o
LBR	phantom ecru	+\$o
LBS	phantom cocoa	+\$o
LBU	medium matte walnut	+\$o
LBV	warm grey teak	+\$o
LBB	oak on ash	+\$0

LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
OG	honey maple 🔺	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBQ	white twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$o

Top/Edge Finish: Wood Veneer

For ven	eer top/veneer edge (W)	
2U	light brown walnut 🔺	+\$85
40	dark brown walnut 🔺	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut 🔺	+\$85
EW	medium matte walnut 🔺	+\$85
ET	clear on ash A	+\$85
EU	oak on ash 🔺	+\$85
EV	walnut on ash 🔺	+\$85
UL	natural maple 🔺	+\$85
UX	walnut on cherry A	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey	+\$0
91	white	+\$o
CL	cool grey neutral	+\$o
LU	soft white	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o


Step 8. Edge Finish

For lar	minate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o

LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$o
LBU	medium matte walnut	+\$o
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o
HF	inner tone light	+\$o
НМ	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$o
НΧ	aged cherry	+\$o
HY	walnut on cherry	+\$o
LU	soft white	+\$o
OG	honey maple	+\$o

For laminate top/universal edge (U)			
PLY	plywood edge	A	+\$50

Storage Cabinet, Dock Mounted, FD415. Open



Product Information

Description

This cabinet has a laminate or veneer surface and mounts to the top rail of a Canvas dock to provide storage on 1 or both sides.

Notes

Double-sided (D) provides storage access on both sides of the cabinet, allowing half of the storage to be accessed from each side of the dock wall.

Single-sided (S) provides storage access on 1 side only.

Order stanchion support for center mount (FD417.) or offset mount (FD419.) separately.


Order optional accessories separately: • Marker board (FT492.)

- Tackboard (FT491.)

Dimensions



+ 15 7/8" +



→ 15 7/8″ ←



11″

Specification Information

Step 1. FD415. A

Step 2. Height

15 15" high A

Step 3. Width 36 36" wide A

42	42" wide 🔺
48	48" wide 🔺
60	60" wide 🔺
72	72" wide 🔺

Step 4. Attachment

С	center mount A
F	offset A

Step 5. Storage Type

For center mount (C)

S single-sided A

For offset (F)

S single-sided A

Step 6. Position

For double-sided (D)

- L opening left A
- **R** opening right A

For single-sided (S)

S opening left and right A

Step 7. Surface Material

- L laminate A
- W veneer A

Prices for Steps 1-7.						
	CDLL	CDLW	CDRL	CDRW	CSSL	CSSW
FD415. 15 36	\$868	2041	868	2041	868	2041
42	\$955	2245	955	2245	955	2245
48	\$1042	2709	1042	2709	1042	2709
60	\$1172	2913	1172	2913	1172	2913
72	\$1301	3219	1301	3219	1301	3219

	FSSL	FSSW
FD415. 15 36	\$868	2041
42	\$955	2245
48	\$1042	2709
60	\$1172	2913
72	\$1301	3219

Step 8. Top/Edge Finish

Solid	-Color Laminate	
For la	minate (L)	
8Q	folkstone grey A	+\$0
91	white A	+\$o
98	studio white 🔺	+\$o
CL	cool grey neutral 🔺	+\$o
LU	soft white A	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral A	+\$o

For laminate (L)

LBM	crisp linen 🔺	+\$0
LBN	classic linen 🔺	+\$o
LBP	casual linen 🔺	+\$0

For	laminate	(L)
-----	----------	-----

LBK	pewter mesh A	+\$0
LBL	steel mesh 🔺	+\$0

For laminate (L)


LBF	neutral twill 🔺	+\$0
LBG	sarum twill 🔺	+\$o
LBH	earthen twill A	+\$o
LBJ	graphite twill 🔺	+\$o
LBQ	white twill A	+\$o

Wood	-Grain Laminate	
For la	minate (L)	
76	light brown walnut 🔺	+\$c
нм	natural maple 🔺	+\$c
HP	light anigre 🔺	+\$c
HX	aged cherry A	+\$c
HY	walnut on cherry A	+\$c
LBA	clear on ash 🔺	+\$c
LBR	phantom ecru 🔺	+\$c
LBS	phantom cocoa 🛛 🗛	+\$c
LBU	medium matte walnut 🔺	+\$c
LBV	warm grey teak 🔺	+\$c
LBB	oak on ash 🔺	+\$c
LBC	walnut on ash 🔺	+\$c
LBD	dark brown walnut 🔺	+\$c
LBE	medium red walnut	+\$c

Wood Veneer

For ve	neer (W)	
2U	light brown walnut 🔺	+\$0
40	dark brown walnut 🔺	+\$o
ED	aged cherry A	+\$o
EK	medium red walnut 🔺	+\$o
EW	medium matte walnut 🔺	+\$o
ET	clear on ash 🔺	+\$o
EU	oak on ash 🔺	+\$o
EV	walnut on ash 🔺	+\$o
UL	natural maple 🔺	+\$o
UX	walnut on cherry A	+\$o

Upper Storage Stanchion - Center FD417. Mount



Product Information


Description


This painted metal stanchion attaches 1 end of a dock mounted storage cabinet to the dock top rail in a center mounting position. It can be attached anywhere along the top rail. Package contains 1 stanchion. Attachment hardware included.


Notes

Specify shared stanchion (T) to support 2 adjacent cabinet ends. Order single-sided or double-sided dock mounted storage cabinet (FD415.) separately.

Dimensions








3″





Specification Information

Step 1. FD417. A

Step 2. Attachment

D dock 🖪

Step 3	. Height	
09	9″ high	A

16	16″ high 🔺
20	20" high 🔺


S	т
S \$253	T 253
-	T 253 261

Step 5. Surface Finish

Brigh	t Sand Texture Paint	
91	white A	+\$0
CL	cool grey neutral 🔺	+\$o
G1	graphite A	+\$0
WN	warm grey neutral 🔺	+\$0
8Q	folkstone grey 🔺	+\$0
98	studio white 🔺	+\$o
WL	sandstone A	+\$o

Metallic Paint		
CN	metallic champagne 🔺	+\$o
EH	metallic bronze 🔺	+\$o
MS	metallic silver A	+\$o

Upper Storage Stanchion - Offset FD419. Mount



1/8

▶2″

Product Information


Description


This painted metal stanchion attaches 1 end of a dock mounted storage cabinet to the dock top rail in an offset mounting position. It can be attached anywhere along the top rail, and is handed. Package contains 1 stanchion. Attachment hardware included.


Notes

Specify single-shared stanchion (T) to support 2 adjacent cabinet ends. Order single-sided or double-sided dock mounted storage cabinet (FD415.) separately.

Dimensions







▶ 3″

Specification Information

Step 1. FD419. A

Step 2. Attachment

D dock A

Step 3. Height

- **09** 9" high A
- 16 16" high A
- 20 20" high A

Step 4. Grouping/Quantity

- L single left A
- **R** single right A
- T single shared A

Prices for Steps 1-4.


		L	R	т
FD419. D	09	\$253	253	253
	16	\$261	261	261
	20	\$270	270	270

Step 5. Surface Finish

	Sand Texture Paint	
91	white A	+\$0
CL	cool grey neutral 🔺	+\$o
G1	graphite 🔺	+\$o
WN	warm grey neutral 🔺	+\$o
8Q	folkstone grey A	+\$o
98	studio white 🔺	+\$o
WL	sandstone A	+\$o

Metallic Paint		
metallic champagne 🔺	+\$0	
metallic bronze 🔺	+\$o	
metallic silver A	+\$0	
	metallic champagne 🔺 metallic bronze 🔺	

Stanchion Infill



Product Information

Description

This acrylic infill fits between 2 stanchions below a dock mounted storage cabinet.

Notes


Infill is used between single or shared stanchions.

Specify infill width to match the width of storage cabinet (FD415.).

An opening is created between infill and stanchion at each end of infill. • Single stanchion at each end, openings are 3/4''

- Single stanchion at 1 end and shared stanchion at 1 end, openings are $1^{1}/_{4}''$
- \bullet Shared stanchion at each end, openings are $1^{3}\!/_{4}{}^{\prime\prime}$

Dimensions



Specification Information

Step 1. FD430. A

Step 2. Type

Α acrylic A

Step 3. Height


- 16 16" high for overhead storage at 53" high \boxed{A}
- 20 20" high for overhead storage at 57" high $\begin{tabular}{c} A \end{tabular}$

Step 4.	Width
24	a (" wide

36	36" wide 🔺					
42	42" wide 🔺					
48	48" wide 🔺					
60	60" wide 🔺					
72	72" wide 🔺					
Prices	for Steps 1-4.					
		36	42	48	60	72
FD430). A 16	\$409	427	444	469	514
	20	\$418	435	452	478	522
Step 5	5. Infill Finish					
TR	clear A					+\$0 +\$50
J9	opal frosted A					+\$50
Step 6	6. Attachment Bracket Fin	ish				
MS	metallic silver A					+\$o

Tackboard, Storage Cabinet, Frame Top Mounted

FT491.



Product Information

Description


This tackboard attaches to 1 side of a double-sided frame top mounted storage cabinet to provide a tackable surface. Attachment hardware included.

Notes

Specify tackboard width ¹/₂ the width of the storage cabinet. Attaches to back of unit or to interior of open storage cabinet (FT415.). Tackboard accepts Customer's Own Material (COM). Yardage is estimated for directional, 54"-wide fabrics. For tackable fabric option (T) Width—Yardage All widths—.61 For tackable fabric, horizontal (R) Width—Yardage 18—.72 21—.80 24—.88 30—1.05 36—1.22

For information on multiple quantities or nondirectional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1. FT491. A

Step 2. Width

36	$16^{3}/_{4}$ " for 36"-wide cabinet A
42	$19^{3/4}$ " for $42^{"}$ -wide cabinet A
48	$22^{3}/_{4}$ " for $48^{"}$ -wide cabinet A
60	$28^{3}/_{4}$ " for 60" -wide cabinet A
72	$34^{3/4}$ " for 72" -wide cabinet A
84	20" for 84" -wide cabinet A
96	23" for 96" -wide cabinet 🛛 🗛

Step 3. Surface Material

- T tackable fabric A
- **R** tackable fabric, horizontal A

Prices for Steps 1-3.		
	Т	R
FT491. 36	\$129	132
42	\$146	150
48	\$164	169
60	\$190	195
72	\$218	224
84	\$146	150
96	\$164	169

Step 4. Surface Finish


Price Category G

Step 4. Sundce ministr	
See application chart and textiles list for fa	bric usage and numbers.
First 2 digits of number indicate fabric line;	; remaining digit(s) indicate
fabric color.	
Price Category 1	+\$o
Price Category 2	+\$19
Price Category 3	+\$33
Price Category 4	+\$51
Price Category 5	+\$103
Price Category B	+\$37
Price Category C	+\$51
Price Category D	+\$64
Price Category E	+\$78
Price Category F	+\$100

+\$130

Markerboard, Storage Cabinet, Frame Top Mounted

FT492.



Product Information

Description

This marker board attaches to 1 side of a double-sided frame top mounted storage cabinet to provide a writing surface for dry-erase markers. Attachment hardware included.

Notes

Specify marker board width $1/_2$ the width of the storage cabinet. Attaches to back of storage unit (FT415.).

Dimensions



Specification Information


Step 1. FT492. A

-	14/2 1/1

Step 2.	width
36	$16^{3}/_{4}$ " for 36"-wide cabinet A
42	$19^{3/4}$ " for $42^{"}$ -wide cabinet A
48	$22^{3/4}$ " for $48^{\prime\prime}$ -wide cabinet A
60	$28^{3/4}$ " for 60" -wide cabinet A
72	$34^{3/4}$ " for 72" -wide cabinet A
84	20" for 84" -wide cabinet \square
96	23" for 96" -wide cabinet $[A]$

Prices for Steps 1-2.	
FT492. 36	\$120
42	\$126
48	\$132
60	\$147
72	\$161
84	\$126
96	\$132

Screens, Dock Mounted



Product Information

Description

This tackable fabric screen attaches anywhere along the top rail of the 22" high Canvas dock to extend the overall height and to provide boundary with a tackable surface. Attachment hardware included.

Notes

Canvas Office Landscape[®] Screens

Order screen attached marker board (FD125.) separately. Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics. For vertical fabric direction (T): Height—Yardage

20–1.58 24–1.84 31–2.27

31–2.27 35–2.53 For horizontal fabric direction (R), for 20" high and 24" high: Width–Yardage 24–0.95 36–1.32 42–1.51 48–1.71 60–2.07 72–2.46 For horizontal fabric direction (R), for 31" high and 35" high: Width–Yardage 24–1.90 36–2.66 42–3.02

48-3.41

60-4.17

72-4.92


88

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



→-3/4″



Specification Information Step 6. Fabric Step 1. FD115. A Price Category E +\$124 Price Category 1 +\$0 Price Category 2 Step 2. Type +\$13 F fabric A Price Category 3 +\$31 Price Category 4 +\$53 Step 3. Height 20" high (to reach datum of 42"H) A Price Category E +\$197 24" high (to reach datum of 46"H) \boxed{A} Price Category 1 +\$0 31" high (to reach datum of 53"H) A Price Category 2 +\$20 35" high (to reach datum of 57"H) A Price Category 3 +\$49 Price Category 4 +\$85 Step 4. Width 24" wide A Price Category E +\$320 36" wide 🗛 Price Category 1 +\$o 42" wide A Price Category 2 +\$33 48" wide A Price Category 3 +\$80 60" wide 🛕 Price Category 4 +\$138 72" wide A Price Category E +\$346 Step 5. Surface Material Price Category 1 +\$0 Price Category 2 +\$36 For 24" wide (24), 36" wide (36), 42" wide (42), or 48" wide (48) Price Category 3 +\$86 т tackable fabric A Price Category 4 +\$150 R tackable fabric, horizontal Price Category E For 60" wide (60) or 72" wide (72) Price Category 1 R tackable fabric, horizontal A Price Category 2 Price Category 3 Prices for Steps 1-5. Price Category 4

FD115. F 20

FD115. F

24T

\$675

\$720

\$900

\$990

24R

36T

48T

\$945

\$990

\$1170

\$1260

36R

48R

42T

60R

42R

72R

+\$543


+\$0

+\$57

+\$135

+\$235

Flat Edge Screen, Dock Mounted FD116.



Product Information

Description

This tackable fabric screen attaches anywhere along the top rail of the 22" high Canvas dock to extend the overall height and to provide boundary with a tackable surface. Attachment hardware included.

Notes

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):


Height — Yardage

Height—Yardage
20-1.58
24-1.84
31-2.27
35-2.53
For horizontal fabric direction (R), for 20" high and 24" high:
Width-Yardage
24-0.95
36-1.32
42-1.51
48-1.71
60-2.07
72—2.46
For horizontal fabric direction (R), for 31" high and 35" high:
Width-Yardage
24—1.90
36-2.66
42-3.02
48-3.41
60-4.17
72 - 4.02

72-4.92

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specif	fication Informa	ation						Step 6. Fabric					
Step 1.									2024	2036	2042	2048	2060
FD116.	A							Price Category E	+\$124	124	172	172	197
								Price Category 1	+\$o	0	0	0	0
Step 2.	Fabric							Price Category 2	+\$13	13	18	18	20
F	fabric A							Price Category 3	+\$31	31	43	43	49
								Price Category 4	+\$53	53	74	74	85
Step 3.	Height							••••••	2072	2424	2436	2442	2448
20	20" high (to re	ach datum	of 42"H)	A				Price Category E	+\$197	197	197	223	223
24	24" high (to re	ach datum	of 46"H)	A				Price Category 1	+\$o	0	0	0	0
31	31" high (to rea	ach datum	of 53″H)	A				Price Category 2	+\$20	20	20	23	23
35	35″ high (to re	ach datum	of 57"H)	A				Price Category 3	+\$49	49	49	55	55
								Price Category 4	+\$85	85	85	96	96
Step 4.	Width							••••••	2460	2472	3124	3136	3142
24	24" wide 🔺							Price Category E	+\$269	269	247	247	346
36	36" wide 🔺							Price Category 1	+\$o	0	0	0	0
42	42" wide 🔺							Price Category 2	+\$28	28	26	26	36
48	48" wide 🔺							Price Category 3	+\$67	67	61	61	86
60	60" wide 🔺							Price Category 4	+\$117	117	107	107	150
72	72" wide 🛛 A								3148	3160	3172	3524	3536
								Price Category E	+\$346	393	393	444	444
Step 5.	Surface Materi	al						Price Category 1	+\$o	0	0	0	0
								Price Category 2	+\$36	41	41	46	46
For 24'	' wide (24), 36"	wide (36),	42" wide	e (42), ol	r 48" wid	le (48)		Price Category 3	+\$86	98	98	110	110
Т	tackable fabric	C A						Price Category 4	+\$150	170	170	192	192
R	tackable fabric	c, horizonta	I A					••••••		3542	3548	3560	3572
								Price Category E		+\$543	543	640	640
For 6o'	' wide (60) or 72	2" wide (72)					Price Category 1		+\$o	0	0	0
R	tackable fabric	c, horizonta	IL A					Price Category 2		+\$57	57	67	67
								Price Category 3		+\$135	135	159	159
Prices	for Steps 1-5.							Price Category 4		+\$235	235	277	277
		24T	24R	36T	36R	42T	42R	- · ·				. /	
FD116.	F 20	\$516	516	584	584	653	653						
		- -	-										

FD116. F 20

\$561

\$743

\$834

48T

\$722

\$767


\$949

\$1040

48R

60R

72R




Product Information

Description

This glass screen attaches anywhere along the top rail of the 22" high Canvas dock to extend the overall height and to provide boundary. Attachment hardware included.

Dimensions



Specification Information

Step 1. FD114.

Step 2. Type G glass

Step 3.	Height
20	20" high
24	24″ high
31	31″ high
35	35″ high
Step 4.	Width
24	24" wide
36	36" wide

24	24" wide
36	36" wide
42	42" wide
48	48" wide

10	40	wide
60	60"	wide

72 72" wide

Step 5. Surface Finish

- TR clear glass - 1/4" thick
- 5A opal etched - 1/4" thick
- С3 clear glass - 3/8" thick
- G3 opal glass - 3/8" thick

NN no glass- for customer's own glass 1/4''

N3 no glass- for customer's own glass $^{3}\!/_{\!8}{}''$

Prices for S	Steps 1-5.						
		24TR	245A	24C3	24G3	24NN	24N3
FD114. G	20	\$491	546	637	909	202	202
	24	\$578	642	737	1021	202	202
	31	\$678	753	937	1111	202	202
	35	\$751	834	1046	1233	202	202
		36TR	365A	36C3	36G3	36NN	36N3
FD114. G	20	\$655	728	909	1010	243	243
	24	\$773	859	1055	1172	243	243
	31	\$937	1041	1300	1445	243	243
	35	\$964	1071	1455	1616	243	243
		42TR	425A	42C3	42G3	42NN	42N3
FD114. G	20	\$751	834	1042	1157	263	263
	24	\$864	960	1191	1324	263	263
	31	\$1071	1187	1446	1606	263	263
	35	\$1073	1192	1606	1783	263	263

Canvas Office Landscape[®] Screens

Screens, Dock Mounted, Glass


continued

		48TR	485A	48C3	48G3	48NN	48N3
FD114. G	20	\$842	935	1155	1283	283	283
	24	\$964	1071	1342	1490	283	283
	31	\$904 \$1082	1202	1628	1808	205	205
	-						-
	35	\$1219	1354	1809	2010	283	283
		60TR	605A	60C3	60G3	60NN	60N3
FD114. G	20	\$1005	1117	1355	1505	303	303
	24	\$1051	1167	1546	1717	303	303
	31	\$1319	1465	1964	2182	303	303
	35	\$1419	1576	2146	2384	303	303
		72TR	725A	72C3	72G3	72NN	72N3
FD114. G	20	\$1051	1167	1573	1748	314	314
	24	\$1243	1379	1855	2061	314	314
	31	\$1505	1672	2273	2525	314	314
	35	\$1651	1834	2523	1793	314	314
Step 6. Fin	Step 6. Finish						

AN anodized

+\$o


Screens, Dock Mounted, Marker FD118. Board



Product Information

Description

This marker board laminate screen attaches anywhere along the top rail of the 22" high Canvas dock to extend the overall height and to provide boundary with a white, dry-erase marker board face. Attachment hardware included.



Specification Information

Step 1.

FD118. A

Step 2. Type

M marker board - non magnetic A


Step 3. Height 20 20" high A

24	24″ high	Α
31	31″ high	Α
35	35″ high	Α

Step 4. Width

24	24" wide	Α
30	30" wide	A
36	36" wide	A
42	42" wide	A
48	48" wide	A
60	60" wide	A
72	72" wide	A

Prices for Steps 1-4.						
	24	30	36	42	48	60
FD118. M 20	\$516	556	601	687	773	859
24	\$556	601	647	728	808	899
31	\$596	657	744	808	884	950
35	\$707	758	808	869	930	990
						72
FD118. M 20						\$945
24						\$980
31						\$1010
35						\$1061




Product Information

Description

This laminate screen attaches anywhere along the top rail of the 22"-high Canvas dock to extend the overall height and to provide boundary. Attachment hardware included.





Specification Information

Step 1. **FD120.** A

- Step 2. Height 20 20" high (to reach datum of 42"H) A
- **24** 24" high (to reach datum of 46"H) A
- **31** 31" high (to reach datum of 53"H)
- **35** 35" high (to reach datum of 57"H) A

Step 3. Width

otop J.	
24	24" wide A
36	36" wide A
42	42" wide A
48	48" wide A
60	60" wide A
72	72" wide A
Step 4.	Surface Material

L laminate A

U laminate/universal edge A

Prices for Steps 1-4.

	L	U
FD120. 20 24	\$425	425
36	\$484	484
42	\$543	543
48	\$601	601
60	\$660	660
72	\$710	710
24 24	\$470	470
36	\$529	529
42	\$588	588
48	\$646	646
60	\$705	705
72	\$755	755
31 24	\$650	650
36	\$709	709
42	\$768	768
48	\$826	826
60	\$885	885
72	\$935	935

continued

35 24	\$740	740
36	\$799	799
42	\$858	858
48	\$916	916
60	\$975	975
72	\$1025	1025

Step 5. Grain Direction

For 24	" wide (24), 36" wide (36), 42" wide (42)	, 48" wide (48), or 60"
wide ((60)	
HRG	horizontal grain 🔺	+\$0
VTG	vertical grain A	+\$o
For 72	" wide (72)	
HRG	horizontal grain 🔺	+\$0

Step 6.	Surface Finish	
76	light brown walnut 🔺	+\$o
8Q	folkstone grey A	+\$o
91	white A	+\$o
98	studio white A	+\$o
CL	cool grey neutral 🔺	+\$o
НМ	natural maple 🔺	+\$o
HP	light anigre 🔺	+\$o
HX	aged cherry A	+\$o
HY	walnut on cherry 🔺	+\$o
LA	light ash 🔺	+\$o
LBA	clear on ash 🔺	+\$o
LBB	oak on ash 🔺	+\$o
LBC	walnut on ash A	+\$o
LBD	dark brown walnut 🔺	+\$o
LBE	medium red walnut 🔺	+\$o
LBF	neutral twill 🔺	+\$o
LBG	sarum twill 🔺	+\$o
LBH	earthen twill A	+\$o
LBJ	graphite twill 🔺	+\$o
LBK	pewter mesh 🔺	+\$o
LBL	steel mesh 🔺	+\$o
LBM	crisp linen 🔺	+\$o
LBN	classic linen 🔺	+\$o
LBP	casual linen 🔺	+\$o
LBQ	white twill A	+\$o
LBR	phantom ecru 🔺	+\$o
LBS	phantom cocoa 🔺	+\$o
LBU	medium matte walnut 🔺	+\$o
LBV	warm grey teak A	+\$o
LU	soft white A	+\$o
WL	sandstone A	+\$0
WN	warm grey neutral 🔺	+\$o

Step 7. Edge Finish

For la	minate (L)	
76	light brown walnut 🔺	+\$0
8Q	folkstone grey 🔺	+\$o
91	white A	+\$o
98	studio white 🔺	+\$o
BU	black umber 🔺	+\$o
CL	cool grey neutral 🔺	+\$o
HF	inner tone light 🔺	+\$o
НМ	natural maple 🔺	+\$o
HP	light anigre 🔺	+\$o
НΧ	aged cherry A	+\$o

Laminate Screen, Dock Mounted

continued

HY	walnut on cherry 🔺	+\$o
LA	light ash 🔺	+\$o
LBA	clear on ash 🔺	+\$o
LBB	oak on ash 🔺	+\$o
LBC	walnut on ash 🔺	+\$o
LBD	dark brown walnut 🔺	+\$o
LBE	medium red walnut 🔺	+\$o
LBF	neutral twill 🔺	+\$o
LBG	sarum twill A	+\$o
LBH	earthen twill 🔺	+\$o
LBJ	graphite twill 🔺	+\$o
LBK	pewter mesh 🔺	+\$o
LBL	steel mesh 🔺	+\$o
LBM	crisp linen 🔺	+\$o
LBN	classic linen 🔺	+\$o
LBP	casual linen 🔺	+\$o
LBQ	white twill 🔺	+\$o
LBR	phantom ecru A	+\$0
LBS	phantom cocoa 🔺	+\$0
LBU	medium matte walnut 🔺	+\$o
LBV	warm grey teak A	+\$o
LU	soft white 🔺	+\$o
MT	medium tone 🔺	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral 🔺	+\$o

+\$50


For laminate/universal edge (U)

PLY plywood edge A

Canvas Office Landscape® Screens

Screens, Freestanding/Surface Attached

FD300.



Product Information

Description


This tackable fabric screen is 42" or 46" high. It has an all fabric surface and a frameless edge. Includes 2 adjustable glides for leveling.

Notes

Canvas Office Landscape[®] Screens

Notes
Screen can be freestanding when connected in 90° or 120°
configurations. See planning guide for more information.
Screen can be connected inline (180°). See planning guide for
connection rules.
Screen can be attached to:
• Canvas dock
Table or surface
Canvas low storage
Screen accepts Customer's Own Material (COM). Yardage is estimated
for nondirectional 54"-wide fabrics.
For vertical fabric direction (T), for 42" high:
Width-Yardage
15, 20—1.49
24, 30, 36, 42, 48–2.96
For vertical fabric direction (T), for 46" high:
Width-Yardage
15, 20—1.60
24, 30, 36, 42, 48-3.22
For horizontal fabric direction (R), for 42" high and 46" high:
Width-Yardage
15-1.32
20-1.64
24-1.90
30-2.27
36-2.66
42-3.02
For horizontal fabric direction (R), for 42" high:
Width-Yardage
48-3.41
54-3.78
60-4.17
66-4.54
72-4.92
For horizontal fabric direction (R), for 46" high:
Width-Yardage
48-3.41
60-4.17
72-4.92
For information on multiple quantities or directional fabrics, contact
COM Department. See Order Information in Appendices.

Dimensions



Specif	fication Information	Prices for Steps 1-5.						
Step 1.			15T	15R	20T	20R	24T	24F
FD300.	. A	FD300. F 42	\$808	808	859	859	1010	1010
		46	\$869	869	930	930	1061	106
Step 2.	Туре							
F	fabric/fabric A		30T	30R	36T	36R	42T	42F
		FD300. F 42	\$1061	1061	1111	1111	1162	116
	Height	46	\$1137	1137	1212	1212	1288	128
42	42" high 🔺							
46	46" high 🔺		48T	48R	54R	60R	66R	72
		FD300. F 42	\$1212	1212	1288	1364	1515	1616
Step 4.	Width	46	\$1288	1515	_	1743	_	1869
For 42"	' high (42)	Step 6. Fabric						
15	15" wide A			4215	4220	4224	4230	4236
20	20" wide A	Price Category 1	Price Category 1 +\$0		0	0	0	(
24	24" wide 🔺	Price Category 2		+\$24	24	24	38	38
30	30" wide 🔺	Price Category 3	Price Category 3 +\$57		57	57	90	90
36	36" wide 🔺	Price Category 4	+\$99		99	99	156	156
42	42" wide A	Price Category E		+\$240	240	240	0	(
48	48" wide 🔺			4242	4248	4254	4260	4272
54	54" wide 🔺	Price Category 1		+\$0	0	0	0	(
60	60" wide 🔺	Price Category 2		+\$38	52	52	52	52
66	66" wide 🔺	Price Category 3		+\$90	124	124	124	12/
72	72" wide A	Price Category 4		+\$156	215	215	215	21
		Price Category E		+\$0	0	0	0	(
For 46"	' high (46)			4266	4615	4620	4624	4630
15	15" wide A	Price Category 1						+\$0
20	20" wide A	Price Category 2						+\$52
24	24" wide A	Price Category 3						+\$124
30	30" wide A	Price Category 4						+\$215
36	36" wide 🔺	Price Category E						+\$0
42	42" wide A							
48	48" wide 🔺							
60	60" wide 🔺							

72 72" wide A

Step 5. Surface Material

For 15" wide (15), 20" wide (20), 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)


T tackable fabric A

R tackable fabric, horizontal A

For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal A

Pari Screen, Stanchion Infill Fabric FD435.



Product Information

Description

This tackable fabric screen fits between 2 stanchions below a dock mounted storage cabinet. Attachment hardware included.

Notes

Fabric infill is used between single or shared stanchions.

Fabric infill can be installed and removed with storage cabinet (FD₄₁₅.) installed.

Specify fabric infill width to match the width of storage cabinet (FD415.). An opening is created between infill and stanchion at each end of infill.

 \bullet Single stanchion at each end, openings are $^{3\!/_{4}\!\prime\prime}$

 \bullet Single stanchion at 1 end and shared stanchion at 1 end, openings are $1^{1\!/_4''}$

• Shared stanchion at each end, openings are $1^{3}/_{4}^{"}$

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

16-1.30

20-1.53

For horizontal fabric direction (R):

Width-Yardage

36-1.17

42-1.36


48-1.53

60-1.92

72-2.29

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1. FD435. A

Step 2. Height

16 16" high for overhead storage at 53" high A

20 20" high for overhead storage at 57" high A

Step 3. Width

36	36" wide	Α
42	42" wide	Α
48	48" wide	Α
60	60" wide	Α

72 72" wide A

Step 4. Surface Material

For 36" wide	(36). 42"	wide (42).	or 48"	wide (48)
101)0 11140	$()^{0}, 4^{-}$		0.40	

R tackable fabric, horizontal A

tackable fabric 🛛 🗛


Т

For 60" wide (60) or 72" wide (72)

R tackable fabric, horizontal A

Prices for Steps 1-4.		
	R	Т
FD435. 16 36	\$728	728
42	\$819	819
48	\$909	909
60	\$955	_
72	\$1000	_
20 36	\$773	773
42	\$864	864
48	\$955	955
60	\$1091	_
72	\$1137	_

Step 5. Fabric					
	36	42	48	60	72
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$18	18	18	31	31
Price Category 3	+\$42	42	42	73	73
Price Category 4	+\$73	73	73	127	127
Price Category E	+\$195	195	195	195	195



Product Information

Description

This tackable fabric screen fits between 2 stanchions below a dock mounted storage cabinet. Attachment hardware included.

Notes

Fabric infill is used between single or shared stanchions.

Fabric infill can be installed and removed with storage cabinet (FD415.) installed.

Specify fabric infill width to match the width of storage cabinet (FD415.). An opening is created between infill and stanchion at each end of infill.

- Single stanchion at each end, openings are 3/4''
- \bullet Single stanchion at 1 end and shared stanchion at 1 end, openings are $1^{1\!/_4^{\prime\prime}}$

• Shared stanchion at each end, openings are $1^{3}/_{4}$ "

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height-Yardage

16-1.30

20-1.53

For horizontal fabric direction (R):

Width-Yardage

36-1.17

42-1.36


48-1.53

60-1.92

72-2.29

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.





Specification Information

Step 1. FD437. A

Step 2. Height

								_
16	16″ ł	nigh f	or	overhead	storage	at 53"	high	A

20 20" high for overhead storage at 57" high A

Step 3. Width

36	36" wide	A
42	42" wide	A
48	48" wide	A
60	60" wide	A
72	72" wide	A

Step 4. Surface Material


	' wide (42),	

- **R** tackable fabric, horizontal A
- T tackable fabric A

For 60" wide (60) or 72" wide (72)

R tackable fabric, horizontal A

Prices for Steps 1-4.					
				R	т
FD437. 16 36				\$571	571
42				\$644	644
48				\$717	717
60				\$788	_
72				\$909	_
20 36				\$617	617
42				\$689	689
48				\$762	762
60				\$925	_
72				\$1046	_
Step 5. Fabric					
	36	42	48	60	72
Price Category 1	+\$o	0	0	0	0
Price Category 2	+\$18	18	18	31	31
Price Category 3	+\$42	42	42	73	73
Price Category 4	+\$73	73	73	127	127
Price Category E	+\$195	195	195	195	195



Product Information

Description

This glass screen fits between 2 stanchions below a dock mounted storage cabinet. Attachment hardware included.

Notes


Glass infill is used between single or shared stanchions.


Glass infill can be installed and removed with storage cabinet (FD415.) installed.

Specify glass infill width to match the width of storage cabinet (FD415.). An opening is created between infill and stanchion at each end of infill.

- \bullet Single stanchion at each end, openings are $^{3\!/_{4}\!''}$
- \bullet Single stanchion at 1 end and shared stanchion at 1 end, openings are $1^{1\!/_4''}$
- \bullet Shared stanchion at each end, openings are $1^{3}\!/_{4}{}^{\prime\prime}$

Dimensions





Specification Information

Step 1. FD436. A

Step 2. Type G glass A

Step 3. Height

- **16** 16" high for overhead storage at 53" high A
- 20 20" high for overhead storage at 57" high A

Step 4. Width

- 36
 36" wide
 A

 42
 42" wide
 A

 48
 48" wide
 A

 60
 60" wide
 A
- 72 72" wide A

Step 5. Surface Finish

- **TR** clear glass 1/4'' thick A
- **5A** opal etched $\frac{1}{4}$ " thick A
- **C3** clear glass $\frac{3}{8}$ " thick A
- G3 opal glass 3/8" thick A
- **NN** no glass- for customer's own glass $\frac{1}{4}$ " A
- N3 no glass- for customer's own glass $\frac{3}{8}$ " A


Prices for S	Steps 1-5.						
		36TR	365A	36C3	36G3	36NN	36N3
FD436. G	16	\$576	641	734	815	219	219
	20	\$655	728	909	1010	243	243
		42TR	425A	42C3	42G3	42NN	42N3
FD436. G	16	\$612	679	850	945	237	237
	20	\$749	833	1042	1157	263	263
		48TR	485A	48C3	48G3	48NN	48N3
FD436. G	16	\$699	776	971	1079	255	255
	20	\$839	932	1153	1281	283	283
		60TR	605A	60C3	60G3	60NN	60N3
FD436. G	16	\$839	932	1153	1281	273	273
	20	\$1004	1116	1355	1505	303	303
		72TR	725A	72C3	72G3	72NN	72N3
FD436. G	16	\$985	1096	1364	1515	293	293
	20	\$1182	1313	1652	1834	324	324

Glass Screen, Stanchion Infill

continued

Step 6. Finish **AN** anodized A

+\$0




Product Information


Description

This painted metal hardware connects multiple freestanding screens in 90°, 120°, and 180° configurations.


Notes


Order freestanding screen (FD300.) separately. See planning guide for planning rules. Dimensions






90 Degree 2 way








120 Degree 2 way

90 Degree 3 way



90 Degree 4 way

continued

Specification Information

Step 1. **FD311.** A

Step 2. Configuration

- **1** 90° connection 2 screens A
- **2** 120° connection 2 screens A
- **3** 3-way connection 90° A
- 4 4-way connection 90° A
- **5** 180° connection inline 2 screens A

Step 3. Height

- 42 42" high A
- **46** 46" high A


Prices for Steps 1-3.

	42	46
FD311. 1	\$42	52
2	\$42	52
3	\$103	114
4	\$134	144
5	\$72	82

Step 4. Finish

P - T -		
8Q	folkstone grey A	+\$o
91	white A	+\$o
98	studio white A	+\$o
G1	graphite 🔺	+\$o
MS	metallic silver 🔺	+\$o
WL	sandstone A	+\$o
WN	warm grey neutral 🔺	+\$o

Bracket Hardware, Work Surface/ FD312. Low Storage



Product Information

Description

This metal hardware attaches Canvas freestanding screens to a work surface or Canvas low storage. Package of 2 brackets.


Notes


Used with fixed height surfaces.

Provides 1" cable management gap between screen and back of surface or storage.

See planning guide for connection and support rules.







Specification Information

Step 1.


FD312. A

Step 2. Configuration

- 1 connection hardware to surface pair A
- **3** connection hardware to low storage A

Prices for Steps 1-2.	
FD312. 1	\$144
3	\$144

Step 3.	Finish	
8Q	folkstone grey 🔺	+\$0
91	white A	+\$0
98	studio white A	+\$0
G1	graphite A	+\$0
MS	metallic silver A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$o



Product Information

Description


This bracket connects the Canvas freestanding screen to a Canvas dock wall run.

Notes

Bracket attaches on left or right end of dock. Handedness determined when user is facing the dock.

See planning guide for planning rules.

Dimensions



Specification Information

Step 1. **FD313.** A

Step 2. Configuration

1 connection hardware to Canvas Dock A

Step 3. Position


- L left A
- R right A

Prices for Steps 1-3.

		L	R
FD313	. 1	\$72	72
Step 4	. Finish		
8Q	folkstone grey A		+\$o
91	white A		+\$o
98	studio white 🔺		+\$o
G1	graphite A		+\$o
MS	metallic silver A		+\$o
WL	sandstone A		+\$o
WN	warm grey neutral A		+\$o

Bracket Hardware, Screens to Renew Table

FD314.



Product Information


Description


This pair of metal brackets attaches a Canvas freestanding/surface attached screen to the legs of a Renew[™] table. Attachment hardware included.

Notes

Compatible with Renew table legs only. Specify size to match depth of Renew table.









Specification Information

Step 1.

FD314. A

Step 2. Configuration

1 connection hardware to Renew table leg - pair A

Step 3. Size

WN

24C	24" deep renew table - C Foot 🔺
30C	30" deep renew table - C Foot 🔺
30T	30" deep renew table - T Foot 🛕


warm grey neutral 🔺

Prices	s for Steps 1-3.			
		24C	30C	30T
FD31	4. 1	\$181	181	181
Step	4. Finish			
8Q	folkstone grey A			+\$o
91	white A			+\$o
98	studio white A			+\$o
G1	graphite A			+\$o
MS	metallic silver A			+\$o
WL	sandstone A			+\$o

+\$0

Bracket Hardware, Pari Freestanding Screen/Low Credenza

FD315.



Product Information


Description

This metal hardware attaches Canvas freestanding screens perpendicularly to Canvas low storage.


Notes

See planning guide for connection and support rules.

Dimensions



Wooden Attachments



Metal Attachments

Specification Information

Step 1.

FD315. A

Step 2. Storage Type

W	for use with	wood low	credenza	with a	4" high	foot	A

M for use with metal low credenza with 4'' high foot \boxed{A}


Step 3. Credenza Attachment Location

- L left end of credenza A
- R right end of credenza A

Prices for Steps 1-3.

		L	R
FD315	. W	\$119	119
	м	\$119	119
Step 4	. Finish		
91	white A		+\$o
G1	graphite A		+\$o +\$o
MS	metallic silver A		+\$0

Marker Board - Screen Attached FD125.



Product Information


Description

This marker board attaches to a dock mounted fabric screen.

Notes

Order dock mounted screen (FD115.) separately. Marker board hangs on the top edge of the fabric screen. Marker board is not magnetic.

Dimensions



Specification Information

Step 1. **FD125.** A

Step 2. Type **M** marker board A

Step 3. Height **15** 15" high A Step 4. Width

- 24 24" wide A
- **30** 30" wide A


Prices for Steps 1-4.		
	24	30
FD125. M 15	\$430	460

Step 5. Trim Finish

8Q folkstone grey A

Signature Screen, Surface-Attached

FT350.



Product Information

Description


This screen attaches to a surface to provide visual privacy. It is designed to match the height of a 42"-high frame, but can be adjusted to provide varying privacy above and below the surface. The screen has an aluminum frame with a textile surface and is available in 2 heights.

Notes

When top of screen matches the height of a 42"-high frame, the 18"-high screen extends approximately 4" below the surface and the 23"-high screen extends approximately 9" below the surface.

When attached to a surface, there is a $1\!/\!{}_2''$ gap between the back edge and the screen.

Dimensions



Specification Information

Step 1. FT350. A

Step 2. Attachment Type

A surface attached A

Step 3. Configuration

- SS straight A
- **CC** corner wrap A

Step 4.	Height	
18	18″ high	Α
23	23″ high	A

Step 5. Depth

For straight (SS)NNnoneA

For corner wrap (CC)2020" deep A

Step 6.	Width
40	$39^{1/2}$ " wide A
46	$45^{1/2}$ wide A
52	$51^{1/2}$ wide A
60	60" wide 🔺

66 66" wide	А	
--------------------	---	--

72" wide 🛛

72

Step 7. Surface Material

S woven screen A


Prices for Steps 1-7.						
	182040S	182046S	182052 S	182060S	182066S	182072S
FT350. A CC	\$1020	1048	1072	1257	1282	1323
	18NN40S	18NN46S	18NN52S	18NN60S	18NN66S	18NN72S
FT350. A SS	\$680	712	742	943	974	1015
	232040S	232046S	232052S	232060S	232066S	232072S
FT350. A CC	\$1049	1074	1101	1292	1320	1360
	23NN40S	23NN46S	23NN52S	23NN60S	23NN66S	23NN72S
FT350. A SS	\$712	743	773	986	1017	1060

Step 8. Surface Finish			
See application chart and textiles list for fabric usage and numbers.			
First 2 digits of number indicate fabric line; remaining digit(s) indicat	e		
fabric color.			
Price Category 1 +			
Step 9. Frame Finish			
MS metallic silver A	+\$o		

otop y.		
MS	metallic silver A	+4

Privacy Panel

FV693.



Product Information

Description

This panel stands on the floor and attaches to a desk or return to provide partial- or full-width privacy. It is 3/4" thick, has a laminate or veneer surface, and includes leveling glides. Attachment hardware included.

Notes


For additional product options, see Vary Easy Program in Appendices. Grain direction is vertical on veneer and wood-grain laminate panel. 29"-high panel provides modesty from the floor to the surface. 42"- and 46"-high panels rise above the surface for visual privacy.


When attached to surface, there is a $1^1\!/_2{}''$ gap between the back edge and the panel.

Wood-grain laminate option is only available in 33" - 60" widths. Specify 2 panels to match the width of surfaces wider than 60".


For cable management between privacy panel and back edge of surface, specify cable manager (FV695.) separately.

Dimensions





42



Specification Information Step 1.

FV693.

Ctom	~	Haimht
Step	2.	пеідпі

29	29" high

42″ high 42

46 46″ high

Step 3. Width

For 2	29" high (29)	
33	33" wide	
36	36" wide	
48	48" wide	
54	54" wide	
60	60" wide	
66	66" wide	
72	72" wide	
84	84" wide	
For 4	42" high (42) or 46" high (46)	
48	48" wide	

46	48	\$509	1218
	54	\$575	1375
	60	\$638	1525
	72	\$765	1829

Solid-Color Laminate

Step 5. Surface Finish

For 33" wide (33), 48" wide (48), 36" wide (36), 54" wide (54), 60" wide (60), 72" wide (72), 66" wide (66), or 84" wide (84) with laminate (L)

(00), 7		
8Q	folkstone grey	+\$0
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
LU	soft white	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

Linen Laminate

For 33" wide (33), 48" wide (48), 36" wide (36), 54" wide (54), or 60" ida ((a) with laminata (l)

wiae (60) with laminate (L)	
LBM	crisp linen	+\$0
LBN	classic linen	+\$o
LBP	casual linen	+\$o

Mesh Laminate

For 33" wide (33), 48" wide (48), 36" wide (36), 54" wide (54), or 60" wide (60) with laminate (L)

LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o

Twill Laminate

W

607

662

882

990

1102

1207

1322

1541

1164

1308

1457

1749

L

\$278

\$303

\$401

\$452

\$502

\$552

\$602

\$701

\$487

\$547

\$607

\$728

For 33" wide (33), 48" wide (48), 36" wide (36), 54" wide (54), or 60" wide (60) with laminate (L)

mue (
LBF	neutral twill	+\$0
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBQ	white twill	+\$o

e
đ
0
S.
S
a
2
ø
-
Q۵
ŭ
1
5
0
6
2
2
5
2
3
<u> </u>

54

60 72

L

w

54" wide 60" wide

72" wide

Step 4. Surface Material

laminate

Prices for Steps 1-4.

FV693. 29 33

veneer A

36

48

54

60

66

72

84

54

60

72

42 48

Screens

114	Canvas Office Landscape® Dock Price Book (7/18)
114	canvas office Landscape Dock Thee Dook (7/10)

Wood-Grain Laminate

For 33" wide (33), 48" wide (48), 36" wide (36), 54" wide (54), or 60" wide (60) with laminate (L)

76	light brown walnut	+\$0
нм	natural maple	+\$o
HP	light anigre	+\$o
НΧ	aged cherry	+\$o
HY	walnut on cherry	+\$o
LBA	clear on ash	+\$o
LBR	phantom ecru	+\$o
LBS	phantom cocoa	+\$o
LBU	medium matte walnut	+\$o
LBV	warm grey teak	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o


Wood Veneer

For veneer (W)		
2U	light brown walnut 🔺	+\$85
40	dark brown walnut	+\$85
ED	aged cherry A	+\$85
EK	medium red walnut	+\$85
EW	medium matte walnut	+\$85
ET	clear on ash 🔺	+\$85
EU	oak on ash 🔺	+\$85
EV	walnut on ash 🔺	+\$85
UL	natural maple 🔺	+\$85
UX	walnut on cherry	+\$85

Step 6. Support Finish

Brigh	t Sand Texture Paint	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Metal	llic Paint	

metatti		
CN	metallic champagne	+\$0
EH	metallic bronze	+\$o
MS	metallic silver	+\$o



Product Information

Description

This screen attaches to a desk or return. It has a 1"-thick frame with a 1/4"-thick translucent or painted surface. Attachment hardware included.

Notes

When attaching the 12"-high screen to a basic desk or return, specify screen width 6" less than surface width.

When attaching a screen of any height to a single pedestal desk or pedestal return, specify screen width 18" less than surface width. When attaching to a double pedestal desk, specify screen width 30" less than surface width.


When attached to surface, there is a $1^1\!/_2{}''$ gap between the back edge and the screen.

For translucent plastic (A) surface material, screen frame finish is

metallic silver (MS). For painted (P) surface material, screen frame finish will match bracket finish (Step 6.).

For cable management between screen and back edge of surface, specify cable manager (FV695.) separately.





Specification Information Step 1. FV694. Step 2. Surface Material Α translucent plastic Ρ painted Step 3. Height For painted (P) 12A 12" below work surface For translucent plastic (A) 12A 12" below work surface 18A 6" above/12" below work surface 18B 12" above/6" below work surface 24A 12" above/12" below work surface Step 4. Width For 12" below work surface (12A) 30 30" wide 36" wide 36 42" wide 42 48" wide 48 54" wide 54 60 60" wide 66 66" wide 72 72" wide

For 6" above/12" below work surface (18A), 12" above/6" below work surface (18B), or 12" above/12" below work surface (24A)

30" wia	le
30" wio	de

6" wide
6" wide

- **42** 42" wide
- **48** 48" wide
- 54 54" wide

Prices for Steps 1-4.

	30	36	42	48	54	60
12A	\$692	721	748	775	803	831
18A	\$728	758	786	816	843	_
18B	\$728	758	786	816	843	_
24A	\$831	865	898	931	964	—
12A	\$630	654	679	705	730	755
	18A 18B 24A	12A \$692 18A \$728 18B \$728 24A \$831	12A \$692 721 18A \$728 758 18B \$728 758 24A \$831 865	12A \$692 721 748 18A \$728 758 786 18B \$728 758 786 24A \$831 865 898	12A \$692 721 748 775 18A \$728 758 786 816 18B \$728 758 786 816 24A \$831 865 898 931	12A \$692 721 748 775 803 18A \$728 758 786 816 843 18B \$728 758 786 816 843 24A \$831 865 898 931 964

		66	72
FV694	i. A 12A	\$859	885
	P 12A	\$781	804
Step <u>-</u>	5. Surface Finish		
Sand	Texture Paint		
	iinted (P)		
8Q	folkstone grey		+\$0
98	studio white		+\$0
WL	sandstone		+\$0
Bright	Sand Texture Paint		
For pa	ninted (P)		
91	white		+\$0
CL	cool grey neutral		+\$o
G1	graphite		+\$o
WN	warm grey neutral		+\$0
Metal	lic Paint		
For po	ninted (P)		
CN	metallic champagne		+\$0
EH	metallic bronze		+\$0
MS	metallic silver		+\$0
Trans	lucent Plastic		
For tro	anslucent plastic (A)		
J9	opal frosted		+\$0
Step 6	6. Bracket Finish		
Bright	Sand Texture Paint		
91	white		+\$0
CL	cool grey neutral		+\$0
G1	graphite		+\$0
WN	warm grey neutral		+\$0
8Q	folkstone grey		+\$0
98	studio white		+\$0


Metall	lic Paint	
CN	metallic champagne	+\$o
EH	metallic bronze	+\$o
MS	metallic silver	+\$o

WL

sandstone

+\$o

Pari Screen, Height Adjustable Tables



Product Information

Description

This screen attaches to an individual height adjustable work surface. It has an all-fabric, tackable surface with frameless design, and comes in privacy and modesty sizes. Attachment hardware included.

Notes

Privacy and modesty panel actual width is 2" less than specified width. Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 9" below work surface.

Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 9" below work surface.

Privacy screen (E) top edge aligns with the 53'' high Canvas datum line; bottom edge is 4'' below work surface.

Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 9" below work surface.

Screens 54" wide and wider include an additional 1"-wide center

mounting bracket.

Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require $2^{1}/2^{"}$ of work surface for attachment.

Attachment bracket finish is painted graphite.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):


Height-Yardage

- B-1.89
- C-1.76
- D-2.14 E-2.21
- с <u>- -</u>0
- F-2.58

For horizontal fabric direction (R): Width-Yardage For heights A/B: 24-0.88 30-1.07 36-1.26 42-1.45 48-1.64 54-1.83 60-2.02 66-2.21 72-2.39 For heights C/D/E/F: 24-1.76 30-2.14 36-2.52 42-2.90 48-3.28 54-3.65 60-4.03 66-4.41 72-4.79

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



itep	cification Information			B 24	\$476	
πcp	1.			30	\$544	
' 111	6. A			36	\$601	
				42	\$650	
Step	2. Height			48	\$691	
A	privacy (42" high) 🔺			54	\$727	
В	privacy & modesty (42" high/ 9" below su	rface) 🔺		60	\$808	
С	privacy (46" high) 🔺			66	\$834	
D	privacy & modesty (46" high/ 9" below su	rface) 🔺		72	\$856	
E	privacy (53" high) 🔺			C 24	\$365	
F	privacy & modesty (53" high/ 9" below su	rface) 🔺		30	\$421	
				36	\$482	
Step	3. Width			42	\$538	
24	24" wide 🔺			48	\$594	
30	30" wide 🔺			54	\$655	
36	36" wide 🔺			60	\$731	
42	42" wide 🔺			66	\$766	
48	48" wide 🔺			72	\$797	
54	54" wide 🔺			D 24	\$462	
60	60" wide A			30	\$518	
66	66" wide 🔺			36	\$579	
72	72" wide A			42	\$634	
				48	\$690	
Step	4. Surface Material					
				54	\$751	
				54 60	\$751 \$827	
		2" wide (42), or 2	48"		\$827	
For 2.	4" wide (24), 30" wide (30), 36" wide (36), 42	2" wide (42), or 4	48"	60	\$827 \$863	
For 2. wide	4" wide (24), 30" wide (30), 36" wide (36), 42 (48)	2" wide (42), or 4	48"	60 66 72	\$827 \$863 \$893	
For 2. wide R	4" wide (24), 30" wide (30), 36" wide (36), 42 (48) tackable fabric, horizontal 🔺	2" wide (42), or 4	48"	60 66	\$827 \$863 \$893 \$513	
	4" wide (24), 30" wide (30), 36" wide (36), 42 (48)	2" wide (42), or 4	48"	60 66 72 E 24 30	\$827 \$863 \$893 \$513 \$563	
For 2. wide R T	4" wide (24), 30" wide (30), 36" wide (36), 42 (48) tackable fabric, horizontal A tackable fabric A		48"	60 66 72 E 24 30 36	\$827 \$863 \$893 \$513 \$563 \$609	
For 2. wide R F For 5.	4" wide (24), 30" wide (30), 36" wide (36), 42 (48) tackable fabric, horizontal A tackable fabric A 4" wide (54), 60" wide (60), 66" wide (66), or		48"	60 66 72 E 24 30 36 42	\$827 \$863 \$893 \$513 \$563 \$609 \$660	
For 2. wide R For 5.	4" wide (24), 30" wide (30), 36" wide (36), 42 (48) tackable fabric, horizontal A tackable fabric A		48"	60 66 72 E 24 30 36 42 48	\$827 \$863 \$893 \$513 \$563 \$609 \$660 \$746	
For 2. wide R T For 5.	4" wide (24), 30" wide (30), 36" wide (36), 42 (48) tackable fabric, horizontal A tackable fabric A 4" wide (54), 60" wide (60), 66" wide (66), or tackable fabric, horizontal A		48"	60 66 72 E 24 30 36 42 48 54	\$827 \$863 \$893 \$513 \$563 \$609 \$660 \$746 \$787	
For 2. wide R T For 5.	4" wide (24), 30" wide (30), 36" wide (36), 42 (48) tackable fabric, horizontal A tackable fabric A 4" wide (54), 60" wide (60), 66" wide (66), or	772" wide (72)		60 66 72 E 24 30 36 42 48 54 60	\$827 \$863 \$893 \$513 \$563 \$669 \$660 \$746 \$787 \$807	
For 2. wide R For 5. R Price	 4" wide (24), 30" wide (30), 36" wide (36), 42 (48) tackable fabric, horizontal A tackable fabric A 4" wide (54), 60" wide (60), 66" wide (66), or tackable fabric, horizontal A s for Steps 1-4. 	772" wide (72) R		60 66 72 E 24 30 36 42 48 54 60 60 66	\$827 \$863 \$893 \$513 \$563 \$669 \$660 \$746 \$787 \$807 \$807 \$817	
For 2. wide R For 5. R Price	 4" wide (24), 30" wide (30), 36" wide (36), 42 (48) tackable fabric, horizontal A tackable fabric A 4" wide (54), 60" wide (60), 66" wide (66), on tackable fabric, horizontal A s for Steps 1-4. 6. A 24 	r 72" wide (72) R \$361	T 	60 66 72 E 24 30 36 42 48 54 60 66 72	\$827 \$863 \$893 \$513 \$563 \$669 \$660 \$746 \$787 \$807 \$817 \$817 \$832	
For 2. vide R For 5. R	 4" wide (24), 30" wide (30), 36" wide (36), 42 (48) tackable fabric, horizontal A tackable fabric A 4" wide (54), 60" wide (60), 66" wide (66), on tackable fabric, horizontal A s for Steps 1-4. 6. A 24 30 	r 72" wide (72) R \$361 \$419	T 361 419	60 66 72 E 24 30 36 42 48 54 60 66 72 F 24	\$827 \$863 \$893 \$513 \$563 \$669 \$660 \$746 \$787 \$807 \$817 \$817 \$832 \$609	
For 2. vide R For 5. R	 4" wide (24), 30" wide (30), 36" wide (36), 42 (48) tackable fabric, horizontal A tackable fabric A 4" wide (54), 60" wide (60), 66" wide (66), or tackable fabric, horizontal A s for Steps 1-4. 6. A 24 30 36 	r 72" wide (72) R \$361 \$419 \$471	T 361 419 471	60 66 72 E 24 30 36 42 48 54 60 66 72 F 24 30	\$827 \$863 \$893 \$513 \$563 \$669 \$660 \$746 \$787 \$807 \$817 \$832 \$609 \$660	
Tor 2. vide R Tor 5. R	 4" wide (24), 30" wide (30), 36" wide (36), 42 (48) tackable fabric, horizontal A tackable fabric A 4" wide (54), 60" wide (60), 66" wide (66), or tackable fabric, horizontal A s for Steps 1-4. 6. A 24 30 36 42 	7 72" wide (72) R \$361 \$419 \$471 \$518	T 361 419 471 518	60 66 72 E 24 30 36 42 48 54 60 66 72 F 24 30 36	\$827 \$863 \$893 \$513 \$563 \$669 \$660 \$746 \$787 \$807 \$807 \$817 \$832 \$609 \$660 \$705	
For 2. wide R For 5. R Price	 4" wide (24), 30" wide (30), 36" wide (36), 42 (48) tackable fabric, horizontal A tackable fabric A 4" wide (54), 60" wide (60), 66" wide (66), or tackable fabric, horizontal A s for Steps 1-4. 6. A 24 30 36 42 48 	R \$361 \$419 \$471 \$518 \$563	T 361 419 471 518 563	60 66 72 E 24 30 36 42 48 54 60 66 72 F 24 30 36 42	\$827 \$863 \$893 \$513 \$563 \$669 \$660 \$746 \$787 \$807 \$807 \$817 \$832 \$609 \$660 \$705 \$756	
For 2. wide R For 5. R Price	 4" wide (24), 30" wide (30), 36" wide (36), 42 (48) tackable fabric, horizontal A tackable fabric A 4" wide (54), 60" wide (60), 66" wide (66), or tackable fabric, horizontal A s for Steps 1-4. 6. A 24 30 36 42 48 54 	R 8 8 1 1 1 1 1 1 1 1 1 1	T 361 419 471 518 563 —	60 66 72 E 24 30 36 42 48 54 60 66 72 F 24 30 36 42 48	\$827 \$863 \$893 \$513 \$563 \$669 \$660 \$746 \$787 \$807 \$807 \$817 \$832 \$609 \$660 \$705 \$756 \$756 \$842	
For 2. wide R T For 5. R Price:	 4" wide (24), 30" wide (30), 36" wide (36), 42 (48) tackable fabric, horizontal A tackable fabric A 4" wide (54), 60" wide (60), 66" wide (66), or tackable fabric, horizontal A s for Steps 1-4. 6. A 24 30 36 42 48 54 60 	R 8 9 1 1 1 1 1 1 1 1 1 1	T 361 419 471 518 563	60 66 72 E 24 30 36 42 48 54 60 66 72 F 24 30 36 42 48 54 54	\$827 \$863 \$893 \$513 \$563 \$669 \$660 \$746 \$787 \$807 \$817 \$832 \$609 \$660 \$705 \$705 \$756 \$842 \$883	
For 2. wide R T For 5. R Price:	 4" wide (24), 30" wide (30), 36" wide (36), 42 (48) tackable fabric, horizontal A tackable fabric A 4" wide (54), 60" wide (60), 66" wide (66), or tackable fabric, horizontal A s for Steps 1-4. 6. A 24 30 36 42 48 54 	R 8 8 1 1 1 1 1 1 1 1 1 1	T 361 419 471 518 563 —	60 66 72 E 24 30 36 42 48 54 60 66 72 F 24 30 36 42 48	\$827 \$863 \$893 \$513 \$563 \$669 \$660 \$746 \$787 \$807 \$807 \$817 \$832 \$609 \$660 \$705 \$756 \$756 \$842	

Step 5. Cable Trough For privacy & modesty (42" high/9" below surface) (B), privacy & modesty (46" high/9" below surface) (D), or privacy & modesty (53" high/9" below surface) (F) NC +\$0 no cable way 🔺 CW cable way A +\$25 Step 6. Fabric Price Category 1 +\$0 Price Category 2 +\$19 Price Category 3 +\$41 Price Category 4 +\$80

+\$152

Price Category E

Canvas Office Landscape® Dock	
	(s) 109
Bracket Hardware, Screens to Renew Table	108
Bracket Hardware, Work Surface/Low Storage	106
Cable Clips	40
Cable Management Channel	72
Cable Management Trough	59
Cable Manager	61
Cable Manager - Dock to Surface	41
Ceiling Power Entry	39
Closed Support Leg	63
Column Kit	57
Connection Hardware, Screens	104
Controlled Power Module - Bottom of Dock	26
Controlled Receptacle Decal (12 per sheet)	37
Cord Cleat	58
Data Housing	18
Dock Foot	12
Dock Foot, Structural (Support Foot)	11
Dock Power Harness	19
Dock Structure	5
Dock-to-Dock Connector	13
Dock to Screen Bracket, Screens	107
Dock to Surface Tethers	55
Finished End, Architectural, Dock	17
Flat Edge Screen, Dock Mounted	90
Flat Edge Screen, Stanchion Infill	101
Gallery Panel, Dock Attached Glass Screen, Stanchion Infill	
Half Bridge	102
Individual Bridge	46
Laminate Screen, Dock Mounted	43
Logic G1000 Grommet Mounted Electrical Distributor	95
Lower Cladding	34 16
Low Storage to Dock Bracket	10
Low Storage to Dock Spacer	15
Marker Board - Screen Attached	110
Markerboard, Storage Cabinet, Frame Top Mounted	87
Open Support Leg, Architectural Foot	69
Open Support Leg, Architectural Foot, Peninsula/D-Shaped Surfa	
Attached	67
Pari Screen, Height Adjustable Tables	118
Pari Screen, Stanchion Infill Fabric	100
Power, Block to Block Jumper	20
Power/Data Module Spacer	42
Power Entry, Internal Direct Connect - Floor	36
Power Entry, New York - Floor Power Entry	
,,	

Power Module - Bottom of Dock	21
Power Module - Bottom of Dock - 20 amp	30
Power Module-Top of Dock	25
Privacy Panel	113
Rectangular Surface	75
Screen	116
Screens, Dock Mounted	88
Screens, Dock Mounted, Glass	92
Screens, Dock Mounted, Marker Board	94
Screens, Freestanding/Surface Attached	98
Secondary Surface	52
Signature Screen, Surface-Attached	111
Square Open Support Leg	65
Stanchion Infill	85
Stiffener	62
Storage Cabinet, Dock Mounted, Open	81
Support Leg, Post	60
Surface Support, Low Credenza, Adjustable Height	73
Surface Support, Low Credenza, Fixed Height	71
Tackboard, Storage Cabinet, Frame Top Mounted	86
Team Bridge	49
Under Surface Controlled Power Module	28
Under Surface Power Module	23
Under Surface Power Module - 20 amp	32
Universal Post Leg	74
Universal Post Leg, Shared	56
Upper Storage Stanchion - Center Mount	83
Upper Storage Stanchion - Offset Mount	84

Index: Product Name

FD2B2. Universal Post Leg, Shared	page(s) 56
FD16A. Finished End, Architectural, Dock FD110. Dock Structure	
FD110. Gallery Panel, Dock Attached	5
FD114. Screens, Dock Mounted, Glass	92
FD115. Screens, Dock Mounted	
FD116. Flat Edge Screen, Dock Mounted	90
FD117. Dock Foot	
FD118. Screens, Dock Mounted, Marker Board	
FD119. Dock Foot, Structural (Support Foot)	
FD120. Laminate Screen, Dock Mounted	95
FD125. Marker Board - Screen Attached	110
FD128. Dock-to-Dock Connector	13
FD141. Power Entry, New York - Floor Power Entry	38
FD142. Ceiling Power Entry	39
FD144. Power Entry, Internal Direct Connect - Floor	36
FD150M Controlled Power Module - Bottom of Dock	26
FD150. Power Module - Bottom of Dock	21
FD151. Dock Power Harness	19
FD152M Under Surface Controlled Power Module	28
FD152. Under Surface Power Module	23
FD154. Power, Block to Block Jumper	20
FD156.Power Module - Bottom of Dock - 20 ampFD157.Under Surface Power Module - 20 amp	30
FD157. Under Surface Power Module - 20 amp FD158. Power Module-Top of Dock	32
FD159. Data Housing	25 18
FD170. Lower Cladding	10
FD197. Power/Data Module Spacer	42
FD198. Cable Clips	40
FD199. Cable Manager - Dock to Surface	
FD290. Dock to Surface Tethers	55
FD292. Low Storage to Dock Bracket	14
FD293. Low Storage to Dock Spacer	15
FD300. Screens, Freestanding/Surface Attached	98
FD311. Connection Hardware, Screens	104
FD312. Bracket Hardware, Work Surface/Low Storage	106
FD313. Dock to Screen Bracket, Screens	107
	108
FD315. Bracket Hardware, Pari Freestanding Screen/Low	
Credenza	
FD415. Storage Cabinet, Dock Mounted, Open	-
FD417. Upper Storage Stanchion - Center Mount	
FD419. Upper Storage Stanchion - Offset Mount FD430. Stanchion Infill	
FD430. Stanchion Infill FD435. Pari Screen, Stanchion Infill Fabric	
FD436 Glass Screen Stanchion Infill	102
FD437. Flat Edge Screen, Stanchion Infill	102 101
	101

FD600.	Column Kit	57
FDE10.	Secondary Surface	52
FDE15.	Half Bridge	46
FDE16.	Team Bridge	49
FDE17.	Individual Bridge	43
FDS10.	Secondary Surface	52
FDS15.	Half Bridge	46
FDS16.	Team Bridge	49
FDS17.	Individual Bridge	43
FDT10.	Secondary Surface	52
FDT15.	Half Bridge	46
FDT16.	Team Bridge	49
FDT17.	Individual Bridge	43
FT2A2.	Open Support Leg, Architectural Foot, Peninsula/D-Shaped	
	Surface Attached	67
FT2B2.	Universal Post Leg	74
FT19C.	Cable Management Channel	72
FT199.	Cable Management Trough	59
FT298.	Surface Support, Low Credenza, Fixed Height	71
FT299.	Surface Support, Low Credenza, Adjustable Height	73
FT350.	Signature Screen, Surface-Attached	111
FT491.	Tackboard, Storage Cabinet, Frame Top Mounted	86
FT492.	Markerboard, Storage Cabinet, Frame Top Mounted	87
FTE10.	Rectangular Surface	75
FTS10.		
FTT10.		
FV2A2.	Open Support Leg, Architectural Foot	69
FV2D2.	Square Open Support Leg	65
FV2E2.	Closed Support Leg	63
FV689.	Support Leg, Post	60
FV693.	Privacy Panel	113
FV694.	Screen	116
FV695.	Cable Manager	61
FV696.	Stiffener	62
G1331.	Cord Cleat	58
G9999.	Controlled Receptacle Decal (12 per sheet)	37
Y1116.	Pari Screen, Height Adjustable Tables	118
Y1425.	Logic G1000 Grommet Mounted Electrical Distributor	34

HermanMiller

20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon \boxed{A} will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an \boxed{A} are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage[®], 5000 Series, and Meridian[®] Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

Stain-to-Match Program

Program Overview

The Stain-to-Match program gives you the option of using veneer finishes that are not listed in the standard offering. The program allows Herman Miller to match a customer's existing recut or natural veneer, or create a new finish that is unique to an installation.

Specific information on approval, ordering, pricing, and warranty for the Stain-to-Match program is listed below. Questions and requests for assistance may be directed to Herman Miller Options at: (800) 654 3910

Stain-to-Match Process

- 1. Fill out the Options Stain-to-Match Request Form and send along with a color sample (2" x 3" minimum) to the Herman Miller Options Applications Team at the address provided on the form. The form can be found on Omni.
- 2. Within 7-10 working days, Herman Miller Options will send a sample of the color-matched stain on Herman Miller veneer to the requester for the customer's signed approval.
- If the sample meets the customer's approval, sign the reverse side of the sample, scan and email the approval to: options@hermanmiller.com.
- 4. After the stain has been approved, a formal quotation with special number and pricing can be provided, or the product can be specified through the Vary Easy program, if available. Work with the Options team on final product needs and how to specify.
- 5. A purchase order can then be placed.

Stain-to-Match Warranty

Herman Miller warrants its products to be free from defects in craftsmanship from the date of delivery for the applicable warranty period. Herman Miller is responsible for the physical properties of the veneers available through the Stain-to-Match program, which include:

- STA: Stain-to-Match on Recut Ash
- STB: Stain-to-Match on Beech
- STC: Stain-to-Match on Cherry
- STD: Stain-to-Match on Oak
- STK: Stain-to-Match on Reltech Anigre (Geiger)
- STM: Stain-to-Match on Recut Mahogany
- STP: Stain-to-Match on Maple
- STU: Stain-to-Match on Walnut (Geiger)

See your specification tool for product specific finish offering limitations.

Customer's Own Material Order Information — Workspaces

Customer's Own Material

Program Overview

The Customer's Own Material (COM) program gives you the option of using textiles other than those listed. Herman Miller will test textiles for application to Herman Miller products and will process orders for those with approved COM textiles only. COM textiles are on assigned lead times.

Omni lists an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for COM is listed below. Questions about the COM program and requests for assistance may be directed to your COM representative at:

(616) 654 3400

(866) 854 3048 ext 6543400

Customer's Own Material Warranty

Herman Miller does not warrant COM textiles. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Customer's Own Material Pricing

COM is a Category 1 fabric. There are no application charges for COM fabrics. Ordering and payment for COM textile yardage are the responsibility of the customer and the textile supplier.

If desired, Herman Miller will purchase COM textiles directly from True Textiles, C.F. Stinson, Luna Textiles, Maharam, and Momentum Textiles to simplify ordering and shipment. For this service, refer to the Supplier Connection program.

Application Note

Herman Miller does not guarantee that Customer's Own Material (COM) fabric patterns will align across panels/tiles or from one screen to the next. We also do not guarantee that COM fabric designs will be positioned consistently in the same location across several panels, tiles, or screens.

Textile Approval

- 1. Select a COM textile and a Herman Miller product.
- If your textile is not listed in Omni, obtain a test number from a COM representative at (616) 654 3400. You can also submit your request within Omni. Please have the following information ready before calling: textile name, number, pattern, and the product you will apply it to.
- 3. Herman Miller will notify you of approval or disapproval within 4 days from receipt of the test yardage.

Ordering Products with COM

- Refer to the specific products to determine the yardage required for COM textiles.
- If your textile is not listed in Omni, call a COM representative at (616) 654 3400 or (866) 854 3048 EXT 6543400. The representative will assign an identification number for your textile (ID#) and will verify yardage requirements for your order.

Note: Yardage requirements are based on nondirectional, 54"-wide textiles. 66"-wide textiles are needed for application on 60"-wide products. Additional yardage may be needed due to the unique characteristics of a textile.

- 3. Enter your order on Order Manager in Omni.
- Upon receipt of your purchase order, Herman Miller will send you a PO acknowledgment.
- 5. Arrangements must be made for the textiles to be shipped from the supplier to Herman Miller for application to the Herman Miller products. Textiles must be tagged with the assigned identification number and the roll yardage quantity. See Omni for shipping procedures and current shipping addresses or contact a COM representative at (616) 654 3400 or (866) 854 3048 EXT 6543400.

Products will be scheduled for production when COM textiles are received at Herman Miller. Standard lead times in effect at that time will apply.

Note: If textiles are to be purchased directly by Herman Miller through the Supplier Connection program, Herman Miller will handle the ordering and shipping process and will schedule your order for production upon receipt of your purchase order (dependent on textile availability). Refer to the Supplier Connection program for more information.

Customer's Own Material Order Information — Workspaces

continued

Supplier Connection

Program Overview

The Supplier Connection program is a service offered by Herman Miller to purchase approved COM textiles directly from True Textiles, C.F. Stinson, Luna Textiles, Maharam, and Momentum Textiles. When you select a textile through this program, Herman Miller will facilitate the ordering, scheduling, and shipment of the textile directly with the supplier.

Suppliers included in the Supplier Connection program keep an active inventory of textiles that are pre-approved for application to Herman Miller products. Pre-approval applies only to the suitability of a textile for manufacturing and application to a Herman Miller product. Omni provides an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for the Supplier Connection program is listed below. Questions and requests for assistance may be directed to your COM representative at: (616) 654 3400

(866) 854 3048 EXT 6543400

Supplier Connection Warranty

Textiles purchased by Herman Miller through the Supplier Connection program are COM and are not warranted by Herman Miller. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

Supplier Connection Pricing

Textiles purchased by Herman Miller through the Supplier Connection program are COM. COM is a Category 1 fabric. There are no application charges for COM fabrics.

Payment for textiles purchased by Herman Miller through the Supplier Connection program is the responsibility of the customer or dealer. Herman Miller will invoice the order at the supplies prices published at the time of the order.

Textile Approval

- Refer to Omni to identify the approval status of the textile. If your textile is not listed, contact the COM Department to request testing for application to Herman Miller products.
- Herman Miller will notify you of approval or disapproval in approximately 4 days from receipt of the test yardage. If the textile is approved, it will be assigned a COM identification number.

Ordering Products with Supplier Connection COM

- 1. Identify and include the following information on your purchase order:
 - Product number and option
 - Herman Miller's COM identification number
- 2. Enter your order on Order Manager in Omni.
- 3. Upon receipt of the purchase order, Herman Miller will process your order and send you a PO acknowledgment. Herman Miller will determine the yardage required to produce your product and will order and schedule for delivery the required textile. Standard lead times in effect at the time the textile is allocated at the supplier will apply to products ordered through this program.

Proprietary Textiles Application Chart — Workspaces • Available Assigned lead-time textile. See page 3 for exception notes.	Action Office [®] Panels/Connectors	Action Office/Ethospace [®] B-Style Storage	Action Office B-Style Tackboards	Action Office/Ethospace E-Style Storage	Ethospace Tiles/Connectors	Ethospace Work Surface-Attached Screens	Ethospace/Canvas Office Landscape [®] Privacy Doors	Canvas Tiles/Extended Width Tiles	Canvas B-/E-Style Storage	Canvas Standing Screen and Team Wall Infill	Canvas Tackboards	Layout Studio [®] Framed Screen	Locale® Display Tackboard	Locale Freestanding Screen and Workbase Screen	Locale L-Desk/D-Desk Screens	Pari ^{**} Screens/Flat Edge Screens	Prospect ^{**} Exterior Acoustic Pad	Public Office Landscape [®] Screen/Desk Top Divider	Renew [™] Link Screens	Resolve [®] Boundary Screens/Flags	Resolve Display Screens	Resolve Rolling Screens/Canopies	Exclave [®] Tackable Boards and Stowage Tackable Backdrop	Exclave Video-Friendly Tackable Boards and Stowage Tackable Backdrop	Intersect [®] Screens	Thrive® Personal Side Screen	Tu [®] Wood Storage Cubby Tackboard	5000 Series Storage and Tackboards	Seating
Price Category 1																													
COM Customer's Own Material 🔺	1	1	1	1	1		1	1	1	1	•	1	1	1		1		1	1	1					1	1		3	1 '
8A Bubbletack [™]																					٠						\square		
2V Chain	•	•	•	•	•		•	22	•	•	•	•	•	•		•		•	•						•		•	3	_
8T Crossing (85)	2	2	2	•	•		٠	•	2	•	٠	٠	٠	•	•	٠	٠	•	•				•	8	•		•	3	18
3DEDex	2	2	2	•	•		•	•	2	•	•	•	•	•	•	•		•	•				•		•	•	•		• `
95 Gem	2	2	2	•	•		•	•	2	•	•	•	•												•	•	•	3	•
2I Grasscloth	•	•	•	•	•		•	•	•	•	•		•	•	•	•	•	•	•						•	•	•	3	_
1MNMonologue	2	2	2	•	•		٠	•	2	•	•	•	•	•	•	•		•	•						•	•	•	\rightarrow	•
8B Multiscrim [™]						•														•		•					\vdash	\rightarrow	_
5T Resonance	•	•	•	•	•		•	•	•	•	•	•	•												•	•	•	-	_
8C Scrim Trim					-																	•					\vdash	_	
2M Silkworm 22FSlant	•	•	•	•	•		•	•	•	•	•	•	•												•	•	•	3	
235 Tailored A	•	•	-	•	•		•	•	•	•	•	•	•												•		•	3	•
1WSWhisper	2	2	2	•	•		•	•	2	•	•	•	•	•	•	•	•	•	•						•	•	-	-	•
Price Category 2	2	2	2		-		-	-	2	-	-	-	-	-	-	-	•	-	-						-	-		_	_
3ARAristo	2	2	2	•	•		•	•	2	•					•								•			•			•
1CD Code	•	•	•	•	•		•	•	•	•	•	•	•	•	-	•		•	•				•		•	•	•	\rightarrow	-
3P ColorGuard		2		•			•	•	•	-	-	-	•										•		-				•
51 Cord	•	•	•	•	•		•	•	•	•	•	•	•												•		•	3	
92 Crepe	2	•	•	•	•		•	•	•	•	•	•	•				•						•	8	•	•	-	3	•
3EPEpic	2	2	2	•	•		•	•	2	•	•	•	•	•	•	•		•	•				•		•	•	•	_	•
22Q Fish Net		2	2	•	•		•	•	2	•		•				•	•		•										•
57 Frost	•	•	•	•	•		•	•	•	•	•	•	•	•		•		•	•						•	•	•	3	
84 Grosgrain	4	•	•	•	•		•	8	•	•		•	19												•	19	•	3	
4N Horizon	2	2	2	٠	•		•	•	•	•	•	•	•												•	•	•	3	
1LM Loom	2	2	2	٠	•		•	•	•		•	•	•	•		•		•	•				•		٠				•
1HAMedley	2	2	2	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•				•	8	٠	٠	\square		•
3A Moiré	<u> </u>	2	2	•	•		٠	22	2	•	•	•	٠	•		•		•	•									3	•
1RVRivet	2	2	2	•	•		٠	•	2	•	•			•		•	•	•	•							٠	•	\rightarrow	•
8R Twist (5S)	5	2	2	•	•		٠	•	2	•	•	•	٠	•	٠	•	•	٠	•						•	•	•	3	
22T Well Suited		2		•	٠			•	2	٠																			•

Appendix: Proprietary Textiles Application Chart — Workspaces

continued on next page

HermanMiller

Proprietary Textiles Application Chart — Workspaces continued	Action Office® Panels/Connectors	Action Office/Ethospace [®] B-Style Storage	Action Office B-Style Tackboards	Action Office/Ethospace E-Style Storage	Ethospace Tiles/Connectors	Ethospace Work Surface-Attached Screens	Ethospace/Canvas Office Landscape [®] Privacy Doors	Canvas Tiles/Extended Width Tiles	Canvas B-/E-Style Storage	Canvas Standing Screen and Team Wall Infill	Canvas Tackboards	Layout Studio [®] Framed Screen	Locale [®] Display Tackboard	Locale Freestanding Screen and Workbase Screen	Locale L-Desk/D-Desk Screens	Pari ^{**} Screens/Flat Edge Screens	Prospect [™] Exterior Acoustic Pad	Public Office Landscape [®] Screen/Desk Top Divider	Renew [™] Link Screens	Resolve [®] Boundary Screens/Flags	Resolve Display Screens	Resolve Rolling Screens/Canopies	Exclave [®] Tackable Boards and Stowage Tackable Backdrop	Exclave Video-Friendly Tackable Boards and Stowage Tackable Backdrop	Intersect [®] Screens	Thrive [®] Personal Side Screen	Tu [®] Wood Storge Cubby Tackboard	5000 Series Storage and Tackboards	Seating
Price Category 3																													
70 Bento	2	2	2	•				•	2	•	•		٠	٠		٠		•	•						•		•	3	•
1FB _ Connection	•	•	•	•	•		•	•	٠	٠	٠	٠	٠	٠				٠							٠	٠	٠	3	
1FC _ Current	•	•	•	•	•		•	•	٠	•	•	٠	٠	٠				•							•	•	•	3	
8Z Glaze	•	•	•	•	•		•	•	٠	•	•	•	•												•	•	•	3	
47 Ground Cloth®	•	•	•	•	•		•	•	•	•	•	•	•	•		•		•	•	14			•	8	٠	٠	•	3	
5D Kira 2	2	2	2	•	•		•	•	2	•	•	•	•	•		•		•	•	14					•	•	•	3	
22R Pins and Needles	2	2		•	•		•	•	2	•	•	•	•												•				•
8L Savannah	•	20	•	•	•		•	•	•	•	٠	٠	٠				٠			14							•		
8U Stitches (5Z)	2	2	2	•				•	2	•	•	•													٠		•	3	18
8W Strands	•	•	•	•	•		•	•	٠	•	٠	٠	٠	٠		٠		•	٠						•	٠	•	3	
22V String Plaid	2	2	2	•	•		•	•	2	•	•	٠	٠	٠		٠		•	•						•				•
Price Category 4																													
2X Glisten	•	•	•	•	•		•	•	•	•	•	•	•						•						•		•	3	
22LLoft A		2	2	•	•		•	•	2	•	•	•	•	•	•	•	•	•	•				•	8	•	•	•	3	
6S Quilty	2	2	2	•	•		•	•	2			•	•												•	٠		3	•
63 Sironetta	•	•	•	•	•		٠	•	•	•	•	•	•	•		•		•	•						•	•	•	3	
Price Category 5																													
14AHopsak	2	2	2	•	•			•	2	•	•	•	•										•		•		•		•
Price Category 6																													
No fabrics available at this time.																													

1 Refer to price book appendices and Omni for COM information.

- 2 Available on all products except 54" and 60" wide.
- 3 Fabric is railroaded for all widths.
- 4 Not available on Action Office (AO^{*}) acoustical panels.
- 5 (8R__), (8T__), (85__), and (5S__) not available on AO acoustical panels and not available on 54"- or 60"-wide products.
- 6 Not available on Action Office (AO[°]) connectors, cable management, and spacers.
- 8 Available in select colors. See the "Proprietary Textile Colors Workspaces" appendix.
- 14 Not available on Resolve flags.
- 18 Available on seating products in select colors. See the "Proprietary Textile Colors Seating" appendix.
- 19 Not available in Grosgrain (84_ _) fabric colors 8401, 8405, and 8413.
- 20 Available only on Ethospace B-Style.
- 22 Not available as railroaded application option for Chain (2Voo) and Moiré (3Aoo) on Canvas Extended Width Tiles.
- 24 Not available on Ethospace cable access tile, cable channel tile, or beltline face tile.

Application Note: Herman Miller cannot guarantee material/pattern alignment in adjacent products. For example, a fabric's pattern may not align from one screen to the next, or from one panel to the next.

Crossing

Price Category 1

Customers Own Material

See Order Information in Appendices. Assigned lead-time textile. A

Bubbleta	ck™
100% poly	
8A01	Seashell White
8A02	Pearl Grey
8A05	Dune Beige
8A07	Pebble Beige
8A09	Olive Green
8A13	Slate Purple
8A19	Spa Blue
8A24	Sable Grey
8A27	Summer White
8A28	Moth Grey
8A29	Tea Leaf Grey
8A30	Blue Grey
8A31	Dusty Bronze
8A32	Slate Blue
8A33	Caramel Beige
8A34	Kiwi Green
8A35	Studio White
8A36	Blush Grey
8A37	Shale
8A38	Slate
8A39	Eggnog
8A40	Persimmon
	Bud

Chain

66" wide	66" wide	
100% re	cycled polyester	
2V01	Pearl	
2V02	Oyster	
2V03	Wheat	
2V04	Linen	
2V05	Wicker	
2V06	Bamboo	
2V07	Sage	
2V08	Spring Wood	
2V09	lceberg	

Crossing		
54" wide	54" wide	
86% anti	86% antimony-free polyester	
14% poly	vester	
8T03	Wicker *	
8T04	Porcelain *	
8T05	Warm Grey *	
8T06	Sepia	
8T07	Pumpkin	
8T08	Copper	
8T09	Cranberry	
	Tomato	
8T11	Mulberry	
8T12	Plum	
8T13	Green Apple	
8T14	Loden	
	Spruce	
8T16	Periwinkle	
	Cerulean	
	Indigo	
8T19	Shale *	
	Brownstone	
	Bark	
8T22	Tin *	
8T23	Graphite	
8T24	Black	
Crossing		
	For workspaces products only.	
54" wide		

For workspaces products only.		
54" wide		
86% antimony-free polyester		
14% polyester		
8501	lvory *	
8502	Oyster *	

* Colors available on Exclave® Video-friendly Tackable Boards and Stowage Tackable Backdrop

Dex		
54" wide		
50% recyc	50% recycled polyester	
50% polye	ester	
3DE01	Frost	
3DE02	Silver Pine	
3DE03	Stone	
3DE04	Shale	
3DE05	Charcoal	
••••••		

Gem 54" wide 100% antimony-free polyester 9501 Sesame 9502 Tangerine 9503 Red 9504 Red Violet 9505 Mulberry 9506 Java 9507 Twilight 9508 Bayou 9509 Iris 9510 Berry Blue 9511 Aqua Green 9512 Green Apple 9513 Spruce 9514 Black 9515 Slate Grey 9516 Fog

Grasscloth 66" wide 100% recycled polyester 2101 Silver Birch 2102 Pampas 2103 Sedge 2107 Lea 2108 Taro 2109 Steam Grey 2110 Cayenne Bottle Green 2|11 2|12 Surf 2|13 Gravel

Monologue		
54" wide		
56% recyc	cled polyester	
44% poly	ester	
1MN01	Linen	
1MN02	Alabaster	
1MN03	Truffle	
1MN04	Folkstone	
1MN05	Silver Pine	
1MN06	Slate	
1MN07	Seed	
	Yellow Oxide	
1MN09	Persimmon	
1MN10		
1MN11	Meadow	
1MN12	Blue Sky	
1MN13	Blue Spruce	
1MN14	Deep Sea	

Multiscrim™		
60" wide		
100% poly	/ester	
8B01	Seashell White	
8B02	Pearl Grey	
8B05	Dune Beige	
8B07	Pebble Beige	
8B09	Olive Green	
	Slate Purple	
8B19		
8B24	Sable Grey	
8B27	Summer White	
8B28	Moth Grey	
8B29	Tea Leaf Grey	
8B30	Blue Grey	
8B31	Dusty Bronze	
8B32	Slate Blue	
8B33	Caramel Beige	
8B34	Kiwi Green	
8B35	Studio White	
8B36		
8B37	Shale	
8B38	Slate	
8B39		
8B40	Persimmon	
8B41	Bud	

Price category 1 continued on next page

Price Category 1

continued

Resonance

100% polyester	
	Greige
5T05	Porcelain
5T06	Alabaster
5T15	lris
5T28	Sugar
5T47	Tobacco
5T54	Saltbush
5T57	Seed
5T58	Sepia
5T59	Tundra
5T60	lceberg
5T61	Black
5T62	Chamois
5T63	Citrus
5T64	Tangerine
5T65	Red
5T66	Wild Berry
5T67	Boysenberry
5T68	Pistachio
5T69	Green Apple
5T70	Forest
5T71	Jade
5T72	Blue Green
5T73	Bright Turquoise
5T74	Twilight

Scrim Trim

	61" wide	
	82% polyester	
18% spandex		dex
	8C01	Seashell White
	8C02	earl Grey
	8C22	Winter Grey
	8C24	Sable Grey

Silkworm		
66" wide		
58% recy	cled polyest	ter
42% poly	vester	
2M01	Cocoon	
2M02	Pongee	
	Caffron	
2M04	Tuccoh	
2M05	Coulon	
2M06	leamine	
2M07	Shale	
2M08	Monsoon	

Slant

66" wide	
51% polyester	
49% recy	cled polyester
22F01	Beech Nut
22F02	Chamois
22F03	Chartreuse
22F04	Pesto
22F05	Peacock
22F06	Neptune
22F07	Blueberry
22F08	Boysenberry
22F09	Magenta
22F10	Pumpkin
22F11	Cranberry
22F12	Silver Birch
22F13	Bluestone
22F14	Truffle
22F15	Shale

Tailored		
Assigned lead-time textile. 🔺		
54" wide		
56% poly	vester	
44% recy	cled polyester	
23501	Studio White *	
23502	Sugar	
23503	Tomato	
23504	Orchid	
23505	Boysenberry	
23506	Chive	
23507	Bluegrass	
23508	Cobalt	
23509	Cadet	
23510	Fog	
23511	Graphite	
23512	Black	
23513	Coffee	

* Color not available on Canvas Tiles.

Whispe

wnisper	
54" wide	
73% recyc	led polyester
27% polye	
1WS01	Sand Dollar
1WS02	Pebble
1WS03	Silver Birch
1WS04	lceberg
1WS05	Silver Pine
1WS06	Carbon
1WS07	Cumin
1WS08	Adobe
1WS09	Strawberry
1WS10	Blush
1WS11	Eggplant
	Willow
1WS13	Sea Grass
1WS14	Pool
1WS15	Blueberry

Price Category 2

Aristo

Aristo	
54" wide	
88% recy	cled polyester
12% poly	ester
Acrylic ba	•
3AR01	Forest Moss
3AR02	Light Brindle
3AR03	Mink
3AR04	Copper
3AR05	Adobe
3AR06	Cherry
3AR07	Lilac
3AR08	Green Apple
3AR09	Surf
3AR10	Waterfall
3AR11	Cadet
3AR12	Tin
3AR13	Pewter
3AR14	Grey Brindle
3AR15	Grey Black

Code

66" wide		
100% Rep	reve recycled polyester	
1CD01	Linen	
1CD02	Khaki	
1CD03	Iceberg	
1CD04	Zinc	
1CD05	Blue Black	

Price category 2 continued on next page

continued

Price Category 2

continued

ColorGuard		
54" wide		
100%	vinyl	
3P01	Grey	
3P02	Navy	
3P03	Spruce	Α
3P08	Blueberry	Α
3P12	Black Plum	Α
3P14	Black	
3P19	Slate	
3P31	Horizon Blue	
3P33	Pumice	
	Candy Apple	
	Allspice	
3P96	Manzanita	Α
	Fudge	Α
3PB2	Sea Grass	Α
3PB5	Vizcaya Palm	Α
	Neptune	Α
3PC7	Bucksuede	Α
3PD4	Otter	Α

A Assigned lead-time color.

Cord

66" wide		
51% antimony-free polyester		
49% poly	vester	
5101	lvory	
5102	White Ash	
5103	Linen	
5104	Bamboo	
5105	Sepia	
5106	Wicker	
5107	Sesame	
5108	Kiwi Green	
5109	Bayou	
5110	Shade	
5111	Spring Wood	
5112	Summer White	

Crepe	
54" wide	
100% recy	cled polyester
9201	Licorice
9203	Smoke
9207	Cherry
9209	Claret
9212	Raisin
9218	Aquamarine
9223	Cadet
9241	Beachglass
9243	Midnight
9244	Artichoke
9248	Warm White *
9249	Stone *
9250	Earth
9251	Fog *
9252	Slate Grey
9253	Yellow Dark
9254	Coral
9255	Blush Grey *
9256	Wild Berry
9257	Clover
9258	Caribbean
9259	Cerulean
9260	Brownstone
9261	Shale
9262	Graphite
9263	Tomato
9264	Green Apple

* Colors available on Exclave® Video-friendly Tackable Boards and Stowage Tackable Backdrop.

Epic	
54" wide	
56% recyc	led polyester
44% polye	ester
Acrylic bad	cking
3EP01	Alabaster
3EP02	Smoke
3EP03	Falcon
3EP04	Citrus Spring
3EP05	Copper
3EP06	Urban Orange
3EP07	Рорру
3EP08	Wild Plum
3EP09	Sugar Plum
3EP10	Clover
3EP11	Loden
3EP12	Everglade
3EP13	Mist
3EP14	Peacock
3EP15	Cadet
3EP16	Indigo
3EP17	Spring Wood
3EP18	Grey Brindle
3EP19	Seed
3EP20	Carbon Dark
Fish Mat	

Fish Net	
55" wide	
100% recy	cled polyester
22Q01	Oyster
22Q02	Stone
22Q03	Citrus
22Q04	Curry
22Q05	Chipotle
22Q06	Cherry
22Q07	
22Q08	Claret
22Q09	Purple
22Q10	Clover
22Q11	Pesto
22Q12	Peacock
22Q13	Lagoon
	Twilight
22Q15	Bluestone
22Q16	Storm
22Q17	

Cocoa

22Q18

Frost	
66" wide	
100% rec	ycled polyester
5701	Bisque
5702	Abalone
5703	Porcelain
5704	Honey
5705	lceberg
5706	Sage
5707	Reed
5708	Steam Grey
5709	Gunmetal
5710	Sable Grey

Grosgrain		
66" wi	le	
100% I	ecycled polyester	
8401	Pearl * **	
8402	White Ash	
8403	Warm Grey	
8404	Khaki	
8405	Oyster *	
8406	Celadon	
8408	Spa Blue	
8409	Bud	
8410	Kiwi Green	
8411	Bayou	
8412	Tin	
8413	Iceberg *	

* Colors not available on Canvas Dock Mounted Screens, Locale® Workbase Screen, Public Office Landscape[®] Screen/Desk Top Divider, and Thrive® Personal Side Screen.

** Color not available on Canvas Tiles.

Price category 2 continued on next page

Price Category 2

continued

Horizon		
54" wide		
65% antimony-free polyester		
35% poly	ester	
4N01	Rye Grass	
4N02	Sugar Pine	
4N03	Silver Pine	
4N04	White Ash	
4N05	Spring Wood	
4N06	Tamarack	
4N07	Mushroom	
4N08	Haystack	
	Oat Grass	
4N10	Forest Moss	
4N11	Hickory	
4N12	Beech Nut	
4N13	Pine Cone	
	Poplar	
4N15	Elderberry	
••••••		

Loom	
54" wide	
100% po	lyester
1LM01	Linen
1LM02	Brown Sugar and Spice
1LM03	Brick and Mortar
1LM04	Salt and Pepper
1LM05	Black
1LM06	Lemongrass
1LM07	Рорру
1LM08	Wild Berry
1LM09	Loden
1LM10	Jade
1LM11	Deep Sea

Medley			
54" wide			
100% polyester			
1HA01	Stone *		
1HA02	Trail		
	Charcoal		
1HA04	Cinder		
1HA05	Citrus		
1HA06	Рарауа		
1HA07	Chutney		
1HA08	Tundra		
1HA09	Feather Grey *		
1HA10	Chartreuse		
1HA11	Loden		
1HA12	Peacock		
1HA13	Bayou *		
1HA14	Blue Grotto		
1HA15	Blueberry		
1HA22	Khaki		
1HA23	Pewter		
1HA24	Yellow Oxide		
1HA25	Vintage Rose		
1HA26	Raspberry		
	Acai Berry		

* Colors available on Exclave® Video-friendly Tackable Boards and Stowage Tackable Backdrop

Moiré	
54" wide	
100% recy	cled polyester
3A01	Concrete
3A02	Biscotti
3A03	Rattan
3A04	Chambray
3A05	
3A08	Violet
3A09	Zin
3A10	
3A11	Spice
3A12	Cork
•••••	

Rivet 54" wide 100% recycled polyester 1RV01 Twig 1RV02 Deep Clay 1RV03 Woodrose 1RV04 Otter 1RV05 Hemlock 1RV06 Olive 1RV07 Lagoon Deep Sea 1RV08 1RV09 Charcoal 1RV10 Grey Brindle

54" wide		
80% antimony-free polyester		
13% recy	cled polyester	
7% polyester		
8R05	Wicker	
8R10	Рорру	
8R14		
8R15	Shale	
8R16	Graphite	
8R17	Birch	
8R18	Sepia	
8R22	Blueberry	
	Green Apple	
	Gunmetal	
8R27	Cinder	
	Citrus	
8R29	Pekoe	
8R30	Tangerine	
8R31	Red Plum	
	Wisteria	
8R33	Forest	
8R34	Jade Dark	
8R35	Waterfall	
	Midnight Blue	
8R37	arbon Dark	

Twist

Twist

For work	spaces products only.	
54" wide	2	
80% ant	imony-free polyester	
13% recycled polyester		
7% polyester		
5S01	Pearl	
5502	lvory	
5S03	Oyster	

Price category 2 continued on next page

continued

continued

Price Category 2

Price Category 3

Well Suited

well Suit	eu
55" wide	
79% poly	ester
21% recyc	cled polyester
22T01	Oyster
22T02	Raffia
22T03	Peppermint
22T04	Wild Berry
22T05	Spring Green
22T06	Mint
22T07	Periwinkle
22T08	Cool Grey
22T09	Citrus
22T10	Pumpkin
22T11	Red
22T12	Fuschia
22T13	Orchid
22T14	Chartreuse
22T15	Green Apple
22T16	Jade
22T17	Peacock
22T18	Blueberry
22T19	Bluestone
22T20	Mink

Bento	
54" wide	e
100% ar	ntimony-free polyester
7001	Frost
7002	Linen
7003	
7004	
7005	
7006	Pumpkin
7007	Cranberry
7008	
7009	Cobalt
•••••	

Connectio	on
66" wide	
100% anti	mony-free polyester
1FB1	Oyster
1FB2	Linen
1FB3	lceberg
1FB4	Silver Pine
1FB5	
1FB6	
1FB7	Green Apple
1FB8	Slate Blue
1FB9	Metal

imony-free polyester
Oyster
Linen
lceberg
Silver Pine
Apricot
Cumin
Green Apple
Slate Blue
Metal

Glaze	
66" wide	
100% recy	cled polyester
8Z01	Wicker
8Z02	Honey
8Z03	Porcelain
8Z04	Celadon
8Z06	Rye
8Z07	Frost
8Z08	Silver Birch

Ground Cloth®

66" wide	2
100% pc	olyester
4701	Vapor Grey
4721	Warm White *
4722	Fog *
4723	Straw *
4724	Red Orange *
4725	Wild Berry *
4726	Green Apple *
4727	Caribbean *
4728	Midnight *
4729	Cappuccino *

* Colors available on Exclave® Video-friendly Tackable Boards and Stowage Tackable Backdrop

Kira 2	
54" wide	
100% recy	vcled polyester
5D11	Flaxen
5D12	Papyrus
5D13	Oasis
5D14	Incense
5D15	Ash
5D16	Falcon

Pins and Needles 58" wide

76% recycled polyester 24% polyester 22R01 Day and Night 22R02 Night and Day

Savan	ah	
66" wic	e	
76% re	cycled polyester	
24% pc	lypropylene	
8L01	Pearl	
8L02	Oyster	
8L03	Wheat	
8L04		
	Bamboo	
8L06	Metal	
8L07	Linen	
8L08	Celadon	
8L09	Moss	
8L10	Frost	
8L11	Shale	
8L12	Pewter	

Stitches	;
54" wide	2
54% pol	yester
46% recy	cled polyester
8U02	Rye
8U03	Khaki
8U04	Honey
8U05	Cattail
8U08	Cool Grey
8U09	Slate Blue
8U11	Evening Blue
8U12	Charcoal
8U13	Kiwi Green
8U16	Сосоа
8U17	Seed

Stitches

For workspaces products only.	
54" wide	
54% polyester	
46% recycled polyester	
5Z01	White Ash

Price category 3 continued on next page

Price Category 3

continued

Strands 66" wide

8W01

8W02

8W03

22V06

22V07

Cerulean 22V08

100% recycled polyester

Pebble

Taupe

Porcelain

Price Category 4

Price Category 5

Appendix: Proprietary Textile Colors – Workspaces

8W04	Honey	
8W05		
8W06	Rye	
8W07		
8W08	Tin	
8W09		
String Plaid		
54" wide		
100% recycled polyester		
22V01	Warm White on Khaki	
22V02	Mint on Yellow Green	
22V03	Mist on Blue Grey	
22V04	Sky Blue on Red	
22V05	Lime on Magenta	

Bright Green on Green

Aqua Blue on

Ivory on Black

Glisten				
66" wide	1			
84% poly	/ester			
16% recy	cled polye	ster		
2X02	Rye			
2X05	Iceberg			
2X09	Pewter			
2X10	Ash			

Loft

Assigned lead-time textile. A		
54" wide		
100% wool		
22L01	Heathered Light Green	
22L02	Heathered Dark Green	
22L03	Heathered Turquoise	
22L04	Heathered Navy	
22L05	Heathered Orange	
22L06	Heathered Red	
22L07	Heathered Tan *	
22L08	Heathered Grey *	
22L09	Heathered Blue *	
22L10	Heathered Brown	
22L11	Heathered Dark Grey	
22L12	Heathered Denim	

* Colors available on Exclave® Video-friendly Tackable Boards and Stowage Tackable Backdrop

Quilty	
56" wide	
100% anti	mony-free polyester
GreenShie	ld
6S03	Khaki
6S04	
6S07	
6S10	
6S11	Green Apple
6S13	Indigo
6S14	Zinc
	Slate
6S16	Beachwood
6S17	Paprika
6S18	
	Juniper
	Grey Black

Sironetta

66. Mide		
100% red	cycled polyest	ter
6301	Acapella	
6302	Sonata	
6303	Interlude	
6304	Legato	
6308	Harmony	
6309	Ensemble	

vcled polyester	
Black	
Raw Umber Dark	
Grey Blue Dark	
Sepia Dark	
Emerald Dark	
Yellow Dark	
Orange	
Sienna	
Olive Green Dark	
Crimson	
Crimson Dark Dark	
Violet Dark	
Pink Dark Dark	
Ultramarine Dark	
Cobalt Blue	
Terra Cotta	
Ochre Dark	

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2018 Herman Miller, Inc., Zeeland, Michigan

[®] HermanMiller, **●**, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Aside, Avall, Avive, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller for Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, and Y-Tower are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

TM 8Z Pellicle, About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, Cosm, Cubert, DOT, Duracare, Durawrap, Eames Soft Pad, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Herman Miller Select, Hopsak 2, Intent, Iota, Jaw, Keyless Entry, Keyn Chair Group by Herman Miller, Latitude, Lino, Locale, Logic Mini, Logic Power Access Solutions, Live OS, Loop, Lyris, Lyris 2, Made-to-Measure Storage, Metaform Portfolio, Mora, Motia, Multiscrim, Nelson, Pari, Pixelated Support, Plex, PostureFit SL, Prospect, Q, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Striad, Swoop, Tone, TriFlex, Twist, Ubi, Verus and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

Alexander Girard[®] is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

 $\mbox{Corian}^{\circledast}$ is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET[™] is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger[®] is a registered trademark, and Bumper[™], Saiba[™], and Ward Bennett[™] are trademarks, of Geiger International.

Goetz[™] is a trademark of Mark W. Goetz.

Hang-It-All $^{\otimes}$ is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo[™] is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

 $\mathsf{Microsoft}^{\circ}$ and $\mathsf{Natural}^{\circ}$ Keyboard are registered trademarks of $\mathsf{Microsoft}$ Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table^w is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat[™] is a trademark of Dahti Seating, a division of ITW.