

GSA prices effective April 2, 2018 (based on February 6, 2017, commercial price list) Published April 2018

Workspaces

Canvas Office Landscape® 10-Day or Less

General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!", a menu-driven database system. The Internet address for GSA Advantage! is www.gsaadvantage.gov.

Office Furniture FSC Group 71, Part 1

Contract Number: GS-03F-036DA

Contract Period: December 21, 2015 — December 20, 2020

Herman Miller, Inc. 855 East Main Avenue Zeeland, Michigan 49464 (616) 654 3000 Phone (616) 654 8278 Fax www.HermanMiller.com/government

Business Size: Large

1a. Special Item Numbers (SIN)

SIN 71-1

Packaged Offices

SIN 711-1

Furniture Systems

SIN 711-2

Computer Furniture

SIN 711-3

Filing and Storage Cabinets

SIN 711-11

Tables and Accessories

SIN 711-16

Upholstered Seating

SIN 711-18

Multi-Purpose Seating

SIN 711-91

Project Management

Services under this SIN may be used only in conjunction with the purchase of new furniture. Please contact your local Herman Miller representative to discuss the available labor categories (listed below). The hourly rates listed are "Not To Exceed" or "NTE" values.

Furniture Project Manager: \$64.75 per hour Furniture Project Coordinator: \$49.00 per hour Build-Out Project Manager: \$80.00 per hour

SIN 711-93

Reconfiguration and Relocation Services

Reconfiguration and Relocation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour, which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis. This SIN may only be used with the purchase of new product under SIN 711-1.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

SIN 711-94

Design/Layout

Design service will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$65 per hour.

SIN 711-95

Installation Services

Installation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation), which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

* Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions: Installation will be performed during normal weekday working

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/ storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

SIN 711-96

Leasing

Contact Herman Miller participating government dealer for current leasing information.

SIN 711-99

New Product Introductions

HermanMiller for Government April 2018

continued

1b.	Lowest Price	d Model	
	SIN 711-1:	G9999.B	\$7
	SIN 711-2:	6-5-D	\$35
	SIN 711-3:	9M10018	\$14
	SIN 711-11:	DT9A.	\$36
	SIN 711-16:	OA401	\$41
	SIN 711-18:	AS90598	\$46
	SIN 711-99:	R1366	\$27

1c. Not applicable

2. Maximum Order

SIN 711-1, SIN 711-2

\$500,000 net product value

SIN 711-3, SIN 711-11

\$300,000 net product value

SIN 711-16, SIN 711-18

\$200,000 net product value

SIN 711-93

\$150,000

SIN 711-94

\$150,000

SIN 711-95

\$150,000

SIN 711-96

\$500,000 net product value

SIN 711-99

\$50,000 net product value

3. Minimum Order

\$100 net

4. Geographic Coverage

Continental U.S.

Orders for Alaska, Hawaii, and Puerto Rico will be shipped F.O.B. inland carrier point of exportation.

5. Point of Production

Zeeland, Ottawa County, Michigan Spring Lake, Ottawa County, Michigan

6. Pricing

Prices shown are list. Discounts include Industrial Funding Fee.

SIN 711-1

Product: Selected Action Office 1, Action Office 2, C-Style Overhead Storage, Ethospace System, Quadrant Pedestals, Supplemental Products, Tu Pedestals and Pedastools, and approved Herman Miller Options Products.

Standard Lead Time	Single Order Net Purchase	Discount From list
	\$100 - 250,000	73.8%
	\$250,001 - 500,000	76.8%

SIN 711-1

Product: Selected Renew $^{\mathsf{TM}}$ Tables, Renew Link and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	72.8%

SIN 711-1

Product: Selected Motia $^{\text{TM}}$ Tables, and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	73.8%

SIN 711-1

Product: Tu Wood Pedestals and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 300,000	74.3%

SIN 711-1

Product: Selected Canvas Office Landscape and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	74.8%

SIN 711-1

Product: Selected Layout Studio® and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Leau IIIIe	Net Fulcilase	FIUIII LIST
	\$100 - 500,000	60.7%

SIN 711-1

Product: Selected Meridian Pedestals, Meridian Pedastools, and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
Lead Time	\$100 - 500,000	64.2%

April 2018 HermanMiller for Government

continued

SIN 711-1

Product: Selected Thrive Portfolio and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 250,000	62%
	\$250,001 - 500,000	66.4%

SIN 711-2

Product: Passage Desking System and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	56.7%

SIN 711-2

Product: 5000 Series Furniture and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	58.7%

SIN 711-3

Product: Meridian Laterals, Verticals, Towers, and Storage products and approved Herman Miller Options Products

Standard	Single Order	Discount Laterals	Discount From List	
Lead Time	Net Purchase		Laterals Verticals	
	\$100 - 300,000	67.3%	66.3%	62.7%

SIN 711-3

Product: Tu Lateral Files, Tu Storage, Tu Towers, Tu Wood Cases, Tu Wood Cubbies, Tu Wood Credenzas, Tu Wood Towers, and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 300,000	74.3%

SIN 711-11

Product: Selected Tables and Accessories and approved Herman Miller

Options i roducts		
Standard	Single Order	Discount
Lead Time	Net Purchase	From List
Avive® Tables	\$100 - 250,000	72.8%
	\$250,001 - 500,000	74.8%
Herman Miller Eames® Tables	\$100 - 250,000	73.6%
	\$250,001 - 300,000	77.6%
Everywhere™ Tables	\$100 - 300,000	72.8%

SIN 711-16

Product: Swoop upholstered seating products and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
Swoop™	\$100 - 200,000	60.7%

SIN 711-18

Product: Selected Seating and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Aeron® (Classic and New)	\$100 - 200,000	64.5%
Aside®	\$100 - 200,000	64.2%
Caper®	\$100 - 200,000	61.5%
Celle®	\$100 - 200,000	59.7%
Embody®	\$100 - 200,000	59.7%
Equa 2®	\$100 - 200,000	65.8%
Ergon 3®	\$100 - 200,000	68.8%
Keyn	\$100 - 200,000	57.7%
Mirra® 2	\$100 - 200,000	61.7%
Setu®	\$100 - 200,000	59.7%
Sayl®	\$100 - 200,000	62.2%
Verus™	\$100 - 200,000	63.7%

SIN 711-99

Product: Selected Exclave[™], Locale[®], Public Office Landscape[®], Resolve[®] System, and approved Herman Miller Options Products

Resolve System, and approved Herman Miller Options in				
Standard	Single Order	Discount		
Lead Time	Net Purchase	From List		
Exclave	\$100 - 50,000	61.7%		
Locale	\$100 - 50,000	63.7%		
Public Office Landscape	\$100 - 50,000	61.7%		
Resolve System	\$100 - 50,000	69.8%		
Intent Solution	\$100 - 50,000	58.7%		

7. Quantity Discounts

Reference item #6.

8. Payment Term

Net 30 days

9. Government Commercial Credit Card

- Government commercial credit cards are accepted below the micropurchase threshold.
- b. Government commercial credit cards are accepted above the micropurchase threshold.

10. Foreign Items

None

11. Time of Delivery

- a. 90 day ARO
- b. Expedited delivery: Items listed in the 10-Day section of the catalogs are available for expedited delivery.
- c. Overnight/2-day delivery: Select items may be available for overnight or 2-day delivery. Contact Herman Miller or a participating dealer for availability and rates.
- d. Urgent requirements: Agencies may contact contractor or participating dealer to request faster delivery.

HermanMiller for Government April 2018

continued

12. F.O.B.

F.O.B. destination except Alaska, Hawaii, and Puerto Rico, which will be shipped F.O.B. inland carrier point of exportation.

13. Ordering Address

a. Herman Miller, Inc.,

Government Customer Care 0161

855 East Main Avenue

Zeeland MI 49464.

 For supplies and services, the ordering procedures information on Blanket Purchase Agreements (BPA's) and a sample BPA can be found at the GSA/FSS Schedule homepage (www.fss.gsa.gov/schedules).

14. Payment Address.

Herman Miller, Inc. 22764 Network Place Chicago, IL 60673-1227

15. Warranty

Herman Miller, Inc., commercial warranty applies.

16. Export Packing Charge

Prices supplied on request.

17. Terms and Conditions of Government Purchase Card Acceptance

(any thresholds above the micropurchase level)

18. Rental Maintenance and Repair Terms

Not applicable

19. Terms and Conditions of Installation

Installation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation), which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis.

Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/ storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

20. Terms and Conditions of Repair Parts

Not applicable

21. Service and Distribution Points

For service and distribution points nearest you, call (800) 851 1196.

22. Participating Dealers

Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com/government.

23. Preventive Maintenance

Not applicable

24a. Special Attributes.

2018

For the 11th consecutive year, Herman Miller received a perfect score on the Corporate Equality Index and we were designated as Best Place to Work for LGBT equality. This report evaluates U.S. companies in terms of diversity, particularly their LGBT-related policies and practices.

continued

2017

Herman Miller was named the 2017 "Corporation of the Year" in the consumer products sector by the Michigan Minority Supplier Development Council (MMSDC).

Herman Miller has received a 2017 SEAL (Sustainability, Environmental Achievement and Leadership) Business Sustainability Award.

Herman Miller has earned the 4 Star Diversity Visionary Award. This award celebrates the diversity, equality, and inclusion work of Herman Miller. The award is presented at the annual Diversity Equity Inclusion Summit, held by the Grand Rapids Area Chamber of Commerce.

Herman Miller named one of the Best and Brightest in Wellness for the fifth year in a row.

Working Mother magazine has recognized Herman Miller as one of the 2017 Working Mother 100 Best Companies.

Herman Miller earned our tenth consecutive perfect score in Human Rights Campaign (HRC) Foundation's 2017 Corporate Equality Index.

As one of the top-scoring companies in our industry for the thirteenth consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2017 Sustainability Yearbook and received the Bronze Class distinction for our excellent economic, environmental, and social sustainability performance.

Herman Miller has once again earned the WorldatWork Seal of Distinction, a unique standard of excellence in work-life effectiveness that shows we provide a distinct, mutually beneficial workplace experience.

2016

Herman Miller was recognized as the Business of the Year at the Annual Meeting of the West Michigan Environmental Action Council (WMEAC). This award goes to the business with the greatest depth and breadth of support, unwavering dedication to environmental action in West Michigan, and a strong corporate commitment to environmental advocacy.

The 101 Best and Brightest Sustainable Companies once again (fifth consecutive year) recognized Herman Miller as an organization in Michigan (and for the first time, in the nation) that exhibits leadership and innovation in its approach to sustainability.

Herman Miller has been recognized by the Michigan Minority Supplier Development Council (MMSDC), as a "Corporation of the Year", and we also received a "2016 Excellence in Supplier Diversity Award" from the Great Lakes Women's Business Council. Additionally, we are the only West Michigan company this year to receive an "Ambassadors Championing Excellence" Award from the MMSDC.

Plex Lounge Furniture from Herman Miller receives #MetropolisLikes award at NeoCon 2016.

Plex Lounge Furniture from Herman Miller receives Interior Design HiP Award for Workplace Seating/Lounge at NeoCon 2016.

Spot Stools from Herman Miller Collection receive Interior Design HiP Award for Hospitality Seating at NeoCon 2016.

Herman Miller has been named a 2020 Women on Boards Winning Company. Companies selected for this recognition are considered champions of board diversity as 20 percent or more of their board seats are occupied by women.

Herman Miller selected for inclusion in the 2016 RobecoSAM Sustainability Yearbook for twelfth consecutive year.

Herman Miller again earns the WorldatWork Work-Life 2016 Seal of Distinction. This award identifies organizations that focus on programs that promote work-life balance and overall well-being.

2015

Herman Miller earns ninth consecutive perfect score in Human Rights Campaign (HRC) Foundation's 2016 Corporate Equality Index and we were designated as Best Place to Work for LGBT equality.

This is the fourth consecutive year that Herman Miller was named one of Michigan's Best and Brightest Sustainable Companies.

Herman Miller has received the Best and Brightest in Wellness Award for the third year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller received the Forest Stewardship Council (FSC) Leadership Award for longstanding commitment to manufacturing with wood sourced from responsibly managed forests, which reduces environmental impacts by protecting against deforestation and forest degradation.

Herman Miller accepted its second Excellence in Reusable Packaging Award from the Reusable Packaging Association.

Herman Miller has once again been recognized for its commitment to best-in-class economic, environmental, and societal sustainability, earning a spot on the prestigious Dow Jones Sustainability Index (DJSI) for the twelfth consecutive year. We are the only contract furniture company recognized globally for its corporate sustainability leadership.

Herman Miller selected for inclusion in the 2015 RobecoSAM Sustainability Yearbook; awarded Bronze Class distinction for excellent sustainability performance for the second consecutive year.

HermanMiller for Government April 2018

continued

Herman Miller received a Michigan Business Pollution Prevention (MBP3) Certificate – a recognition given by the Michigan Department of Environmental Quality (MDEQ) to organizations committed to environmental stewardship, conservation, and sustainable operations. This basic partnership with the MDEQ, which we've maintained since 1998, makes us eligible for our Clean Corporate Citizen (CCC) status that began in 2004 and our Environmental Leader status, which we received for the first time this past year.

MedAssets named Herman Miller Healthcare as Platinum Suppliers. MedAssets, a large group purchasing organization, helps providers enhance operational and financial performance so they can sustainably serve the needs of their community.

Herman Miller honored with five of 20 spots for the Michigan Environmental Leaders Award by the Michigan Department of Environmental Quality for our outstanding, voluntary environmental stewardship.

Renew Sit-to-Stand tables recognized on Record Products 2014 list by Architectural Record.

Herman Miller was again awarded a perfect score in the 2015 Corporate Equality Index. This is the eighth consecutive year we received a perfect score.

2014

Herman Miller has received the Best and Brightest in Wellness Award for the second year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller's Locale wins International Design Excellence Awards (IDEA) Gold in the Office & Productivity category.

Herman Miller achieves eleventh consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability.

2013

Herman Miller achieves tenth consecutive listing on Dow Jones Sustainability World Index.

Herman Miller has received the Best and Brightest in Wellness Award. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller Earns Perfect Score on the Corporate Equality Index. We are one of only 303 major U.S. businesses to receive a perfect score in 2013, an achievement we have now obtained seven years in a row.

Herman Miller is listed in Forbes Magazine inaugural "Platinum List" of America's 400 best managed, large companies.

For the second consecutive year, Herman Miller is honored as one of West Michigan's "101 Best and Brightest Sustainable Companies".

2012

Herman Miller accepted its first Excellence in Reusable Packaging Award from the Reusable Packaging Association.

Herman Miller is named "Corporation of the Year" in the commercial products sector by the Michigan Minority Supplier Development Council.

In July 2012 Herman Miller was inducted into the Made in the USA Hall of Fame. Herman Miller is one of only 20 companies across the nation to receive this distinction.

Herman Miller achieves ninth consecutive listing on Dow Jones Sustainability World Index.

Herman Miller is honored as one of West Michigan's 101 Best and Brightest Sustainable Companies.

The Sustainable Asset Management (SAM) group selected Herman Miller for inclusion in "The Sustainability Yearbook 2012" and has awarded Herman Miller both the "SAM Sector Leader" and "SAM Sector Mover" distinctions.

Herman Miller was named one of 16 Section Leaders on Climate Counts 2011-2012 Scorecard Report, making us the industry leader for Home and office Furnishings.

SGS International Certification Services, Inc., recognizes Herman Miller's manufacturing sites, Midwest Distribution Center, and Design Yard for initial certification to the OHSAS 18001 standard as well as re-certification to ISO 14001.

2011

Trust Across America, a company dedicated to unraveling the complexities of trustworthy business behavior, listed Herman Miller as one of their "Top Ten Most Trustworthy Companies in America 2011."

The U.S. Environmental Protection Agency (EPA) selected Herman Miller, as a WasteWise Gold Achievement—Climate Change winner.

Herman Miller achieves eighth consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability.

The Michigan Minority Supplier Development Council (MMSDC) named Herman Miller as its "Corporation of the Year" in the commercial products sector. This was the fifth time Herman Miller has received this award since 2005.

continued

Herman Miller accepted its third Neighborhood Environmental Partners (NEP) award from the Michigan Department of Natural Resources and Environment.

Herman Miller receives the Reader's Choice award from TreeHugger's Best of Green: Design and Architecture category for the SAYL chair.

Herman Miller earns Citibank's Global Environmental Vendor of the Year award.

The SAYL chair from Herman Miller was dubbed the "Product Design of the Year" from the 2010 International Design Awards (IDA) jury.

Herman Miller Healthcare's Compass system was awarded a 2011 Medical Design Excellence Award (MDEA) for its research-based design and ability to be used in a variety of healing spaces, while simultaneously improving the overall delivery of healthcare.

The Sustainable Asset Management (SAM) Group selected Herman Miller for inclusion in the "Sustainability Yearbook 2011" and awarded us both the "SAM Sector Leader" and "SAM Sector Mover" distinctions.

Herman Miller has received the top rating for a fourth consecutive year in the Human Rights Campaign (HRC) Foundation's eighth annual Corporate Equality Index. The "Best Places to Work for LGBT Equality" distinction is awarded to businesses that scored 100% on the HRC Foundation's 2011 Corporate Equality Index.

Herman Miller again tops contract furniture industry in FORTUNE's 'Most Admired' Companies survey. For the 23rd time in 25 years.

2010

The NASDAQ OMX CRD Global Sustainability Index (QCRD) has included Herman Miller among their top 100 companies in the world.

Herman Miller achieves seventh consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability. Herman Miller is one of approximately 300 companies worldwide and the only contract office furniture manufacturer, selected for this index.

Herman Miller has been recognized by Fast Company magazine as one of its 2010 Most Innovative Companies and among the more select Innovation All-Stars.

The U.S. Environmental Protection Agency's Office of Resource Conservation and Recovery has selected Herman Miller to receive the 2010 WasteWise Gold Achievement Award for Green Purchasing.

The Michigan Department of Natural Resources and Environment (MDNRE) has recognized Herman Miller's West Michigan manufacturing sites and Midwest Distribution Center as continuing Clean Corporate Citizens.

Herman Miller makes the U.S. Environmental Protection Agency's (EPA) list of the top fifty users of renewable electricity, of more than 1,200 organizations participating in the Green Power Partnership. This is the second consecutive time Herman Miller was recognized. Herman Miller was the only furniture manufacturer on the list.

Herman Miller accepted its second Neighborhood Environmental Partners (NEP) award from the Michigan Department of Natural Resources and Environment.

For the 22nd time in 24 years, Herman Miller was awarded the No. 1 industry ranking in a survey among the executives and board members of peer companies and independent industry analysts, as published in FORTUNE magazine's annual "Most Admired" companies feature.

The Michigan Department of Environmental Quality (MDEQ) recognizes Herman Miller's GreenHouse as one of Michigan's top environmental performers with a Clean Corporate Citizen (C3) longevity award. This recognizes that the GreenHouse has maintained its C3 designation for the past five years.

For the third year in a row, Herman Miller makes FORTUNE magazine's "100 Best Companies to Work For" list. Herman Miller is one of only three Michigan-based companies to make the list.

24b. Section 508 Compliance

Not applicable

25. Data Universal Numbering System (DUNS): 00-601-2801

26. Registered in System for Award Management (www.SAM.gov) Database

27. Cancellation

Prior to production, no cancellation charge will apply. After production, only actual cost incurred that the contractor can demonstrate if items are sold after 3 months.

28. Restocking Charges

Agencies must notify the contractor for authorization prior to returning any items. The customer agency will be required to pay all packaging and return freight charges. A restocking fee of 50% for Systems Furniture and 35% for all other product lines will be charged for any returned items.

Herman Miller Miscellaneous Information:

Federal ID Number: 38-0837640 Commercial and Government Entity Code (CAGE): 40636 Data Universal Numbering System (DUNS) 00-601-2801 Commercial Entity Code (CEC): 00702290J

HermanMiller for Government April 2018

April 2018 HermanMiller for Government

ntroduction	page 2
Canvas Office Landscape® 10-Day or Less	3
Nalls	5
Nork Surfaces	31
Storage	55
Screens	69
ighting	72
Canvas Office Landscape® Storage 10-Day or Less	75
reestanding	77
Attaching (Legacy Products)	78
Accessories	79
Accessories (Legacy Products)	80
ndices	81
By Name	81
By Number	83
Appendices	
o-Day or Less Order Information	
o-Day Keyed-Alike Information	
Proprietary Textiles Application Chart - 10-Day Workspaces	
Proprietary Textile Colors - 10-Day Workspaces	
or the latest materials information, refer to the Materials pages on I	HermanMiller.com.

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective April 2, 2018, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www. HermanMiller.com.


All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

For additional product information such as demensional drawings and product descriptions, refer to the standard price books.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

Walls Work Surfaces Storage Screens Lighting Frame FT110.



Specification Information Step 1. FT110.

Step	2. Height			
35	35" high			
42	42" high			
46	46" high			
53	53" high			
57	57" high			
68	68" high			

Step	3. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			


Step 4	. Base Option
Α	open base, tapered foot
N	base covers, no knockouts
J	base covers, power/data knockouts
R	base covers, power/data knockouts (meets Chicago electrical
	code requirements)

Prices for Steps 1-4.				
	Α	N	J	R
FT110. 35 24	\$149	171	180	183
30	\$157	183	177	195
36	\$167	193	203	207
42	\$180	205	216	219
48	\$192	220	231	237
42 24	\$155	180	189	193
30	\$165	189	199	203
36	\$176	201	212	215
42	\$186	214	225	228
48	\$198	228	240	243
46 24	\$160	185	195	198
30	\$171	194	204	209
36	\$181	205	216	219
42	\$192	219	230	236
48	\$204	233	245	249

53	24	\$167	192	202	205
	30	\$177	201	212	216
	36	\$187	213	224	228
	42	\$198	226	238	241
	48	\$210	239	251	256
57	24	\$175	197	207	212
	30	\$183	207	218	223
	36	\$193	219	230	236
	42	\$204	231	243	248
	48	\$217	245	258	262
68	24	\$186	209	220	225
	30	\$195	220	231	237
	36	\$205	231	243	248
	42	\$217	243	256	261
	48	\$228	258	271	276

Step 5	. Base Finish
For ba	se covers, no knockouts (N), base covers, power/data knockouts
()), or	base covers, power/data knockouts (meets Chicago electrical
code r	requirements) (R)

91	white	+\$o
CL	cool grey neutral	+ \$o
WN	warm grey neutral	+ \$o
8Q	folkstone grey	+ \$o
98	studio white	+ \$o
WL	sandstone	+\$0
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10



Step 1


FT111.

Step 2	. Height						
11	11" high						
22	22" high						
Step 3. Width							

24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Prices for Steps 1-3.					
	24	30	36	42	48
FT111. 11	\$146	153	159	165	172
22	\$159	165	172	180	186

Step	4. Application	
LD	stacking on 35", 46", 57", 68", 79" base frame	+\$o



Specification Information

Step 1.

FT162.

Step 3. Finish

Step 2	. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			


Prices for Steps 1-2.	
FT162. 24	\$35
30	\$39
36	\$44
42	\$47
48	\$50

Brigh	t Sand Texture Paint	
91	white	+\$0
CL	cool grey neutral	+ \$o
WN	warm grey neutral	+\$o
Metal	llic Paint	
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10

Frame-to-Frame Connection Hardware

FT128.






Specification Information

Step 1.

FT128.

Step	2. Frame Height			
35	35" high			
42	42" high			
46	46" high			
53	53" high			
57	57" high			
68	68" high			

Prices for Steps 1-2.	
FT128. 35	\$22
42	\$23
46	\$23
53	\$29
57	\$31
68	\$32



Specification Information

Step 1.

FT121.

Step 2.	Config	uration
2	2 1//21/	00° or 18

2 way, 90° or 180°

3 3 way


4 way

Step 3. Frame Height

for 46"-high frames and lower


57 for 53"-high frames and higher

Prices for Steps 1-3.		
	46	57
FT121. 2	\$59	93
3	\$70	104
4	\$82	116



Speci	fication Information
Step 1	
FT131	
Step 2	. Configuration
2	2 way
3	3 way
Step 3	. Frame Height
46	for 46"-high frames and lower


Prices for Steps 1-3.	
	46
FT131. 2	\$95
3	\$105



Specification Information
Step 1.
FT122.

Step 2	. Configuration
2	2 way, 90° or 180°
3	3 way
4	4 way

Prices for Steps 1-2.	
FT122. 2	\$38
3	\$46
4	\$52



Specification Information	
Step 1.	
FT123.	

Step 2	. Configuration
1	1 side covered
2	2 sides covered
3	3 sides covered

For 1	side covered (1) or 2 sides covered (2)
11	11" high
15	15" high (for use with 42" or 53" high frames)
22	22" high
26	26" high (for use with 42" or 53" high frames)
33	33" high
35	35" high
42	42" high
46	46" high
53	53" high
57	57" high
68	68" high

For 3 S	ides covered (3)
11	11" high
15	15" high (for use with 42" or 53" high frames)
22	22" high
26	26" high (for use with 42" or 53" high frames)
33	33" high

Step 4.	Daca	Ontion
31ep 4.	Dase	Option

For 11" high (11), 15" high (for use with 42" or 53" high frames) (15), 22" high (22), 26" high (for use with 42" or 53" high frames) (26), or 33" high (33)

no base

Step 3. Height

For 35" high (35), 42" high (42), 46" high (46), 53" high (53), 57" high (57), or 68" high (68)

(5/), 0	oo mgn (oo)
Α	open base, tapered foot
В	base cover/to-the-floor tile

Step 5. Surface Material

painted


Prices for Steps 1-5.				
		AP	NP	ВР
FT123. 1	11	_	\$37	_
	15	_	\$39	_
	22	_	\$44	_
	26	_	\$46	_
	33	_	\$50	_
	35	\$34	_	36
	42	\$36	_	39
	46	\$39		41
	53	\$41		43
	57	\$43		46
	68	\$48	_	50
2	11	_	\$44	_
	15	_	\$46	_
	22	_	\$50	_
	26	_	\$52	_
	33	_	\$56	_
	35	\$46		48
	42	\$49		51
	46	\$51		53
	53	\$54		56
	57	\$56	_	58
	68	\$61		63
3	11	_	\$61	_
	15	_	\$64	_
	22	_	\$67	_
	26	_	\$70	_
	33	_	\$73	_

Step 6. Surface Finish For painted (P)

Brigh	t Sand Texture Paint	
91	white	+\$0
CL	cool grey neutral	+\$0
WN warm grey neutral		+\$0
Metal	llic Paint	
CN	metallic champagne	+\$15
EH	metallic bronze	+\$15
MS	metallic silver	+\$15

+\$0

+\$0



	ification Information		
Step:			
FT133	3.		
Step :	2. Configuration		
1	1 side covered		
2	2 sides covered		
Step :	3. Height		
For 1	side covered (1)		
	35" high		
	46" high		
For 2	sides covered (2)		
11			
Step .	4. Base Option		
For 11	" high (11)		
N	no base		
For 3	5" high (35) or 46" high (46)		
Α			•
Step	5. Surface Material		
Р	painted		
Prices	s for Steps 1-5.		
		AP	NP
FT133		\$62	_
	46	\$75	
	2 11	_	\$77
	6. Surface Finish		
	ainted (P)		
8Q	folkstone grey		+\$o
98	studio white		+\$o
WL	sandstone		+\$0
Brigh	t Sand Texture Paint		
91	white		+\$ 0
CL	cool grey neutral		+\$ 0


Metallio	Paint	
	metallic silver	+\$15

G1

 $\mathbf{W}\mathbf{N}$

graphite

warm grey neutral




Step 1.

FT165.

٥.	
Step 2.	Usage
C	for use between 2 base covers
E	for use between base cover and connector cover
Prices f	for Steps 1-2.

Prices for Steps 1-2.	
FT165. C	\$36
E	\$36

Step	3. Finish	
Brigh	t Sand Texture Paint	
91	white	+\$0
CL	cool grey neutral	+\$ o
WN	warm grey neutral	+\$ o
8Q	folkstone grey	+ \$o
98	studio white	+\$ o
WL	sandstone	+\$0
Metal	lic Paint	
CN	metallic champagne	+\$5
EH	metallic bronze	+\$5
MS	metallic silver	+\$5



Specification Information

Step 1.

FT160.

Step	2. Height			
35	35" high			
42	42" high			
46	46" high			
53	53" high			
57	57" high			
68	68" high			

Step 3. Base Option


open base, tapered foot

base cover/to-the-floor tile

Step 4. Surface Material painted

Prices for Steps 1-4.	
	P
FT160. 35 A	\$48
В	\$53
42 A	\$51
В	\$56
46 A	\$53
В	\$58
53 A	\$56
В	\$61
57 A	\$58
В	\$63
68 A	\$63
В	\$68

Step	5. Surface Finish	
91	white	+\$o
CL	cool grey neutral	+\$0
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$7
EH	metallic bronze	+\$7
MS	metallic silver	+\$7



Step 1.

FT161.

S	tep	2.	Не	į	gl	nt	

11 11" high

15" high (for use with 42" or 53" high frames)

22 22" high

26" high (for use with 42" or 53" high frames)

33 33" high

Step 3. Type


A standard, no cable routing

Step 4. Surface Material

P painted

Prices for Steps 1-4.	
	P
FT161. 11 A	\$43
15 A	\$45
22 A	\$48
26 A	\$50
33 A	\$53

Step	5. Surface Finish	
91	white	+\$o
CL	cool grey neutral	+\$o
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$7
EH	metallic bronze	+\$7
MS	metallic silver	+\$7



Specification Information

Step 1.

FT112.

Step 2.	Width
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Step 3. Type


A standard

Step 4. Surface Material

P painted

Prices for Steps 1-4.	
	P
FT112. 24 A	\$28
30 A	\$31
36 A	\$35
42 A	\$39
48 A	\$42

Step 5	. Surface Finish	
91	white	+\$o
CL	cool grey neutral	+\$o
WN	warm grey neutral	+\$o
CN	metallic champagne	+\$5
EH	metallic bronze	+\$5
MS	metallic silver	+\$5



Step 1.

FT126.

Step 2	Step 2. Configuration		
1A	for 1 frame top cap		
2A	for 2 frame top caps, 90°		
2B	for 2 frame top caps, 180°		
3A	for 3 frame top caps		
4A	for 4 frame top caps		


Step 3. Surface Material

P painted

Prices for Steps 1-3.	
	P
FT126. 1A	\$29
2A	\$29
2B	\$29
3A	\$29
4A	\$29

Step 4. Surface Finish

Bright	Sand Texture Paint	
91	white	+\$0
CL	cool grey neutral	+\$0
WN	warm grey neutral	+\$ o
Metall	ic Paint	
CN	metallic champagne	+\$5
EH	metallic bronze	+\$5
MS	metallic silver	+\$5



Specification Information

Step 1.

FT136.

Step 2.	Step 2. Configuration				
1	connects into 1 frame top cap				
2	connects into 2 frame top caps				
3	connects into 3 frame top caps				

Step 3. Surface Material

For connects into 1 frame top cap (1) or connects into 2 frame top caps (2)

P painted


For connects into 3 frame top caps (3)

P painted

Prices for Steps 1-3.	
	P
FT136. 1	\$33
2	\$33
3	\$33

Step 4.	. Surface Finish	
Metalli	ic Paint	
EH	metallic bronze	+\$5
MS	metallic silver	+\$5

Wall Start FT190. Wall Fastener X1192.



Specification Information

Step 1.

FT190.

Step 2. Height

35 35" high


42 42" high

46 46" high

57 57" high

68 68" high





Specification Information

Step 1.


X1192.

Step 2. Size

- 1 no. 10, $1^{1}/2^{"}$ sheet metal screw
- 2 no. 10, 3" sheet metal screw
- **3** no. 10, 3" machine screw

Prices for Steps 1-2.	
X1192. 1	\$31
2	\$31
3	\$53

Wall Start Filler Wall Strip FT920. FT191.




Specification Information

Step 1.

FT920.

Step	2. Height			
35	35" high			
42	42" high			
46	46" high			
57	57" high			
68	68" high			

Prices for Steps 1-2.	
FT920. 35	\$133
42	\$139
46	\$145
57	\$167
68	\$173



Specification Information

Step 1.

FT191.

Step 2. Heigh	t
---------------	---

46" high 46

68" high 68

Prices for Steps 1-2.

FT191. 46


68

Step 3. Finish

BU black umber **+\$**o

\$58

\$67




Step 1

FT192.

Step 2. Tile Height					
11	11" high				
19	19" high				
22	22" high				
30	30" high				
33	33" high				

Prices for Steps 1-2.	
FT192. 11	\$22
19	\$43
22	\$22
30	\$63
33	\$43



Specification Information

Step 1.

FT167.

Step 2	. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			


Step 3. Application

A top/mid-level lower tile trim

B top/base-level lower tile trim

Prices for Steps 1-3.		
	Α	В
FT167. 24	\$107	45
30	\$113	50
36	\$119	52
42	\$124	54
48	\$132	58

Finish	
folkstone grey	+ \$0
white	+\$ o
studio white	+ \$0
cool grey neutral	+ \$0
soft white	+\$ 0
medium tone	+\$ 0
sandstone	+\$o
warm grey neutral	+\$o
	folkstone grey white studio white cool grey neutral soft white medium tone sandstone




Specification Information Step 1. FT197.

Step 2. Height								
46A	46" high							
68A	68" high							

Prices for Steps 1-2.	
FT197. 46A	\$61
68A	\$77

Step 3	3. Finish	
Bright	t Sand Texture Paint	
91	white	+\$0
CL	cool grey neutral	+ \$o
WN	warm grey neutral	+\$ o
8Q	folkstone grey	+\$ o
98	studio white	+\$o
WL	sandstone	+\$0




Specification Information

Prices for Steps 1-2.

Step 1.					
FT150.					
Step 2.	. Width				
24	24" wide				
30	30" wide				
36	36" wide				
42	42" wide				
48	48" wide				

FT150. 24	\$124
30	\$129
36	\$134
42	\$141
48	\$149
Step 3. Wiring Type	
17 D\/C-free	±\$0



Step 1.


FT152.

Canvas Office Landscape® Walls

Step	2. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			

Prices for Steps 1-2.	
FT152. 24	\$170
30	\$178
36	\$182
42	\$187
48	\$192

Step :	3. Wiring Type	
LZ	PVC-free	+\$0




Specification Information

Step 1.


FT157.

Step	Step 2. Width				
24	24" wide				
30	30" wide				
36	36" wide				
42	42" wide				
48	48" wide				

Prices for Steps 1-2.	
FT157. 24	\$32
30	\$34
36	\$37
42	\$40
48	\$42



Specification Information	
Step 1.	
FT151.	\$28




Specii	ication information	
Step 1.		
FT154.		
Step 2.	Length	
2	36" long	
3	47" long	
4	58" long	
Prices f	for Steps 1-2.	
FT154.	2	\$99
	3	\$112
	4	\$124
Step 3.	Wiring Type	
LZ	PVC-free	+\$0

Power Entry, Internal Direct Connect, 4 Circuit

FT144.

Power Entry, External Direct Connect

FT140.



Specification Information

Step 1.

FT144.


Step 2. Length **06** 6' long **12** 12' long

Prices for Steps 1-2.

FT144. 06 \$195

12 \$270

Step 3. Wiring Type
LZ PVC-free +\$0



Specification Information

Step 1.

FT140.

Step 2. Length

06 6' long

12 12' long

Prices for Steps 1-2.

FT140. 06

12

\$230


\$171

+\$0

Step 3. Wiring Type

LZ PVC-free

Canvas Office Landscape® Walls



Specification Information	
Stan 1	

FT141.


EΗ

MS

Step 2	Step 2. Width			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			

Step 3.	Usage
Α	use with open base
В	use with base covers

Prices	s for Steps 1-3.		
		Α	В
FT14:	1. 30	\$557	577
	36	\$577	596
	42	\$618	641
	48	\$660	682
Step	4. Wiring Type		
LZ	PVC-free		+ \$0
Step	5. Base Finish		
For us	se with base covers (B)		
Brigh	t Sand Texture Paint		
WN	warm grey neutral		+\$ 0
Metal	llic Paint		
CN	metallic champagne		+\$10



Specification Information

Metallic Paint

metallic champagne

metallic bronze

metallic silver

 CN

EΗ

MS

+\$10

+\$10

Step	1.
FT143	3.
Stan	2. Frame Height
•	
46	46" high
57	57" high
68	68" high
Step	3. Power
E	4-circuit power connects in base

D :		
Prices	for Steps 1-3.	
		E
FT143	3. 46	\$978
	57	\$928
	68	\$875
Step 2	4. Wiring Type	
LZ	PVC-free	+\$0
Step 5	5. Finish	
Bright	: Sand Texture Paint	
91	white	+\$0
CL	cool grey neutral	+ \$o
WN	warm grey neutral	+\$o


metallic bronze

metallic silver

+\$20

+\$20

+\$20



Step 1


FT155.

Canvas Office Landscape® Walls

Step 2	. Туре
Α	duplex, circuit a
В	duplex, circuit b
C	duplex, circuit c
DN	duplex, circuit d
D	duplex, circuit d, isolated ground

Prices for Steps 1-2.	
FT155. A	\$180
В	\$180
С	\$180
DN	\$180
D	\$180

Step :	Step 3. Finish		
91	white	+\$o	
CL	cool grey neutral	+\$o	
WN	warm grev neutral	+\$0	



Specification Information

Step 1.

FT193.

Step 2.	Width
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide


Prices for Steps 1-2.	
FT193. 24	\$48
30	\$50
36	\$53
42	\$56
48	\$59

Communication Port Faceplate Reducer


G1189.

Communication Port Faceplate Extender


G1189.




Specification Information	
Step 1.	
G1189.A	\$49



Spec	cification Information		
Step :	1.		
G118	9.B	\$62	:
Step :	2. Surface Finish		
8Q	folkstone grey	+\$o	
BU	black umber	+\$o	,
CL	cool grey neutral	+\$o	
HF	inner tone light	+\$o	
MT	medium tone	+\$o	
WL	sandstone	+\$o	
WN	warm grey neutral	+\$o	



Speci	fication information	
Step 1.		
X1313.	•	\$56
Step 2.	. Finish	
91	white	+\$o
CL	cool grey neutral	+\$o
WN	warm grey neutral	+\$o




Specif	ication Information
Step 1.	
FT180.	
Step 2.	Height
37	37" high
41	41" high
48	48" high
52	52" high
63	63" high

Step 3	Step 3. Width				
24	24" wide				
30	30" wide				
36	36" wide				
42	42" wide				
48	48" wide				

Step	4. Surface Material
For 3	7" high (37) or 41" high (41)
T	tackable fabric
For 4	8" high (48), 52" high (52), or 63" high (63)
T	tackable fabric

Prices for Steps 1-4.		
	Т	
FT180. 37 24	\$133	
30	\$141	
36	\$173	
42	\$184	
48	\$193	
41 24	\$139	
30	\$151	
36	\$185	
42	\$197	
48	\$209	
48 24	\$141	
30	\$155	
36	\$195	
42	\$206	
48	\$217	



52 24	\$159
30	\$175
36	\$219
42	\$230
48	\$248
63 24	\$179
30	\$197
36	\$250
42	\$268
48	\$285

Step 5	. Horizontal Bead Finish	
8Q	folkstone grey	+\$o
91	white	+\$o
CL	cool grey neutral	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

Step 6. Fabric See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

	37T	41T	48T	52T	63T
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$22	25	27	31	37
Price Category 3	+\$39	42	46	51	59
Price Category 4	+\$60	66	74	82	97

Specification Information
Step 1.
FT170.

Step 2	2. Height			
11	11" high			
19	19" high			
30	30" high			

Step 3.	Width
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide

Step 4	. Surface Material
P	painted
Т	tackable fabric

Prices for Steps 1-4.		
	P	Т
FT170. 11 24	\$52	73
30	\$55	79
36	\$58	85
42	\$61	92
48	\$64	96
19 24	\$72	99
30	\$77	109
36	\$82	116
42	\$87	126
48	\$92	135
30 24	\$94	132
30	\$100	139
36	\$108	151
42	\$114	159
48	\$120	169

Step 5. Surface Finish For painted (P)

Bright Sand Texture Paint			
91	white	+\$o	
CL	cool grey neutral	+\$0	
WN	warm grey neutral	+\$0	


Mota	allic Paint	
Meta	IIIIC FAIIIL	
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10

Step 6	. Horizontal Bead Finish	
8Q	folkstone grey	+ \$o
91	white	+ \$o
CL	cool grey neutral	+ \$o
LU	soft white	+ \$o
MT	medium tone	+ \$o
WL	sandstone	+ \$o
WN	warm grey neutral	+ \$o

Step 7. Surface Finish

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

For tackable fabric (T)			
	11	19	30
Price Category 1	+\$0	0	0
Price Category 2	+\$7	13	19
Price Category 3	+\$13	21	33
Price Category 4	+\$18	33	51



Specification Information

Step 2.	Surface	Material	

1. painted

2. fabric

Step 1. **FT17**

Step 3.	Height
11	11" high
19	19" high
30	30" high

Step 4. \	Width
-----------	-------

24	24 WIG
30	30" wide
36	36" wide
42	42" wide

48

Step 5. Cutout Location

48" wide

For p	painted (1.) with 11" high (11)
Α	power/data cutouts above work surface
В	power/data cutouts above work surface (meets Chicago
	electrical code requirements)

For painted (1.) with 19" high (19)

C power/data cutouts below work surface

For fabric (2.) with 11" high (11)

A power/data cutouts above work surface

For fabric (2.) with 19" high (19)

C power/data cutouts below work surface

For painted (1.) with 30" high (30)

- **A** power/data cutouts above work surface
- **B** power/data cutouts above work surface (meets Chicago electrical code requirements)
- **C** power/data cutouts below work surface

For fabric (2.) with 30" high (30)

- **A** power/data cutouts above work surface
- **C** power/data cutouts below work surface

	s for Steps 1-5.			
		Α	В	(
FT17	1. 11 24	\$88	88	_
	30	\$91	91	-
	36	\$94	94	_
	42	\$97	97	_
	48	\$100	100	_
	19 24	_	_	\$103
	30	_	_	\$109
	36	_	_	\$112
	42	_	_	\$119
	48	_	_	\$124
	30 24	\$128	128	128
	30	\$134	134	134
	36	\$141	141	141
	42	\$148	148	148
	48	\$154	154	154
		A	В	(
FT172	2. 11 24	\$110	_	-
	30	\$114	_	-
	36	\$117	_	-
	42	\$120	_	-
	48	\$123	_	_
	19 24	_	_	\$131
	30	_	_	\$136
				\$141
	36	_	_	
	36 42	_	_	\$146
		- - -	_ _ _	
	42	 _ _ _ \$154	- - -	\$146
	42 48	 \$154 \$162	- - -	\$146 \$153
	42 48 30 24		_ _ _ _ _ _	\$146 \$153 154
	42 48 30 24 30	\$162	_ _ _ _ _ _ _	\$146 \$153 154 162
	42 48 30 24 30 36	\$162 \$177	_ _ _ _ _ _ _	\$146 \$153 152 162 177
	42 48 30 24 30 36 42 48	\$162 \$177 \$185	- - - - - -	\$146 \$153 152 162 177 185
	42 48 30 24 30 36 42 48	\$162 \$177 \$185	- - - - - -	\$146 \$153 154 162
	42 48 30 24 30 36 42 48	\$162 \$177 \$185	- - - - -	\$146 \$153 152 162 177 185
For p	42 48 30 24 30 36 42 48 6. Surface Finish	\$162 \$177 \$185	- - - - -	\$146 \$153 152 162 177
For po	42 48 30 24 30 36 42 48 6. Surface Finish ainted (1.)	\$162 \$177 \$185	- - - - -	\$146 \$153 154 162 177 185 194
For po Brigh 91	42 48 30 24 30 36 42 48 6. Surface Finish ainted (1.) t Sand Texture Paint white	\$162 \$177 \$185	- - - - - -	\$146 \$153 152 162 177 185 192
For p	42 48 30 24 30 36 42 48 6. Surface Finish ainted (1.)	\$162 \$177 \$185	- - - - -	\$146 \$153 152 162 177 185

+\$5 +\$5

+\$5

Step 7	7. Horizontal Bead Finish			
8Q	folkstone grey			+\$0
91	white			+\$0
98	studio white			+\$0
CL	cool grey neutral			+\$0
LU	soft white			+\$0
MT	medium tone			+\$0
WL	sandstone			+\$0
WN	warm grey neutral			+\$0
MS	metallic silver			+\$5
Step 8	3. Receptacle Trim Finish			
8Q	folkstone grey			+\$0
98	studio white			+\$0
WL	sandstone			+\$0
91	white			+\$0
CL	cool grey neutral			+\$0
WN	warm grey neutral			+\$0
Step	o. Surface Finish			
See a _l	pplication chart and textiles list for fabric usage o	ind r	numbers	
First 2	e digits of number indicate fabric line; remaining	digit	(s) indic	ate
fabric	color.			
For fa	bric (2.)			
	1	l 1	19	30
Price	Category 1 +9	60	0	0
Price	Category 2 +5	57	13	19
Price	Category 3 +\$	13	21	33
Price	Category 4 +\$	18	33	51

metallic bronze

metallic silver


metallic champagne

Metallic Paint

CN

EΗ

MS



Specification Information Step 1. FT181.

Step 2.	Height
07	7" high (for 42" and 53" high frames only)
11	11" high
18	18" high (for 53" high frames only)
22	22" high
33	33" high

Step :	3. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			

For 7" high (for 42" and 53" high frames only) (07)					
Р	painted				
Т	tackable fabric				

L laminate

Step 4. Surface Material

For 11" high (11), 18" high (for 53" high frames only) (18), 22" high (22), or 33" high (33)

T tackable fabricM marker board

Prices for Steps 1-4.				
	P	Т	M	L
FT181. 07 24	\$44	63	_	197
30	\$46	69	_	209
36	\$49	73	_	220
42	\$52	77	_	231
48	\$56	82	_	244
11 24	_	\$73	125	_
30	_	\$79	137	_
36	_	\$85	151	_
42	_	\$92	165	_
48	_	\$96	182	_
18 24	_	\$99	165	_
30	_	\$109	182	_
36	_	\$116	199	_
42	_	\$126	220	_
48	_	\$135	241	_

22 24	_	\$99	165	_
30	_	\$109	182	_
36	_	\$116	199	_
42	_	\$126	220	_
48	_	\$135	241	_
33 24	_	\$134	212	_
30	_	\$144	232	_
36	_	\$155	255	_
42	_	\$166	281	_
48	_	\$177	309	_

Step !	5. Surface Finish	
Bright	t Sand Texture Paint	
For po	ainted (P)	
91	white	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
WN	warm grey neutral	+\$0
	lic Paint	
For po	ninted (P)	
	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10
For la	minate (L)	
LU	soft white	+\$0

Stan 6	. Horizontal Bead Finish	
•		*
8Q	folkstone grey	+\$o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o
EH	metallic bronze	+\$5

Step 7. Surface Finish					
For tackable fabric (T)					
	07	11	18	22	33
Price Category 1	+\$o	0	0	0	0
Price Category 2	+\$4	7	13	13	19
Price Category 3	+\$8	13	21	21	33
Price Category 4	+\$11	18	33	33	51

EΗ


MS

metallic bronze

metallic silver


+\$5

+\$5




Specification Information

Step 1.	•	
Y7231		\$128
		¥
Step 2	. Finish	
91	white	+\$o
BK	black	+\$o
MS	metallic silver	+\$o



Spe	cification Information				
Step	1.	_			
FT490.					
Step	2. Type				
S	for standard top cap				
Price	es for Steps 1-2.				
FT49	00. S	\$108			
Step	3. Finish				
Brigh	nt Sand Texture Paint				
91	white	+\$0			
CL	cool grey neutral	+\$ o			
WN	warm grey neutral	+\$ o			
8Q	folkstone grey	+\$0			
98	studio white	+\$0			
WL	sandstone	+\$0			
Meta	allic Paint				
CN	metallic champagne	+\$5			




Step 1

FT900.

Step 2. Width			
24	24" wide		
30	30" wide		
36	36" wide		
42	42" wide		
48	48" wide		

Prices for Steps 1-2.	
FT900. 24	\$63
30	\$74
36	\$83
42	\$93
48	\$99

Step	3. Finish	
91	white	+ \$o
CL	cool grey neutral	+ \$o
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10
WN	warm grey neutral	+ \$o



Specification Information

Step 1.

FT183.

Step 2.	Height


22 22" high

Step 3. Width	1		
24 24" W	vide		
30 30" W	vide		
36 " w	vide		
42 42" W	vide		
48 48" w	vide		
40 40 W	nue		

Prices for Steps 1-3.					
	24	30	36	42	48
FT183. 22	\$310	336	362	388	414

Brigh	t Sand Texture Paint	
91	white	+\$0
CL	cool grey neutral	+\$0
WN	warm grey neutral	+\$0
Metal	llic Paint	
CN	metallic champagne	+\$5
EH	metallic bronze	+\$!
MS	metallic silver	+\$!
Step	5. Glass Finish	
TR	clear	+\$0

Step	6. Horizontal Bead Finish	
8Q	folkstone grey	+\$0
91	white	+ \$o
98	studio white	+ \$o
CL	cool grey neutral	+ \$o
LU	soft white	+ \$o
MT	medium tone	+ \$o
WL	sandstone	+ \$o
WN	warm grey neutral	+\$0



Step 1.

FT

Step 2. Edge

S10. squared-edge

5	tep	3.	De	pt	:h

20 20" deep

24 24" deep

30 30" deep

Step 4. Width

24 24" wide

30" wide 30

36 36" wide

42 42" wide

48 48" wide

54 54" wide 60 60" wide

66" wide

66 72 72" wide

84 84" wide

90 90" wide

96 96" wide

Step 5. Surface Material

laminate top/thermoplastic edge

Step 6. Attachment Bracket

For 20" deep (20) with 24" wide (24), 30" wide (30), 66" wide (66), 72" wide (72), 84" wide (84), 90" wide (90), or 96" wide (96)

Canvas frame attached surface

For 20" deep (20) with 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), or 60" wide (60)

D surface attachment bracket

F Canvas frame attached surface

For 24" deep (24) or 30" deep (30) with 24" wide (24) or 30" wide (30)

Canvas frame attached surface

S no brackets, for freestanding or use with low credenza For 24" deep (24) or 30" deep (30) with 36" wide (36), 42" wide (42), 48" wide (48), or 54" wide (54)

D surface attachment bracket

F Canvas frame attached surface

S no brackets, for freestanding or use with low credenza

For 24" deep (24) or 30" deep (30) with 60" wide (60)

D surface attachment bracket

F Canvas frame attached surface

no brackets, for freestanding or use with low credenza S

For 24" deep (24) or 30" deep (30) with 66" wide (66), 72" wide (72), 84" wide (84), 90" wide (90), or 96" wide (96)

Canvas frame attached surface

S no brackets, for freestanding or use with low credenza

Prices for Steps 1-6.			
	LD	LF	LS
FTS10. 20 24	_	\$176	_
30	_	\$198	_
36	\$214	224	_
42	\$237	248	_
48	\$262	272	_
54	\$310	320	_
60	\$349	359	_
66	_	\$400	_
72	_	\$442	_
84	_	\$537	_
90	_	\$552	_
96	_	\$576	_
24 24	_	\$176	134
30	_	\$198	157
36	\$214	224	182
42	\$237	248	205
48	\$262	272	231
54	\$310	320	279
60	\$349	359	307
66	_	\$400	349
72	_	\$442	390
84	_	\$537	496
90	_	\$552	501
96	_	\$576	503

30 24	_	\$193	152
30	_	\$242	200
36	\$269	280	238
42	\$306	316	274
48	\$343	354	312
54	\$406	417	376
60	\$451	462	409
66	_	\$521	469
72	_	\$579	526
84	_	\$666	613
90	_	\$704	639
96	_	\$736	664

Step 7	7. Top Finish	
8Q	folkstone grey	+\$o
91	white	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o
76	light brown walnut	+\$o
нм	natural maple	+\$o
нх	aged cherry	+\$o

Step 8	. Edge Finish	
76	light brown walnut	+\$o
8Q	folkstone grey	+\$o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBU	medium matte walnut	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$ 0
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	+\$o
WL	sandstone	+\$ 0
WN	warm grey neutral	+\$ 0
HF	inner tone light	+\$ 0
нм	natural maple	+\$ 0
HP	light anigre	+\$ 0
HT	inner tone	+\$ 0
нх	aged cherry	+\$ 0
HY	walnut on cherry	+\$ 0
LU	soft white	+\$ 0
OG	honey maple	+\$o

+\$0


+\$o

+\$o

+\$o

+\$o

+\$o



	¥	
Speci	ification Information	
Step 1		
FT		
Step 2	Edge	
S 11.	squared-edge	
Step 3	Depth	
3L	36" deep left	
3R	36" deep right	
Step 4	Width	
72	72" wide	
84	84" wide	
96	96" wide	
Step 5	. Surface Material	
L	laminate top/thermoplastic edge	
Step 6	. Attachment	
F	Canvas frame attached surface	
Prices	for Steps 1-6.	
		LF
FTS11	. 3L 72	\$883
	84	\$999
************	96	\$1106
	3R 72	\$883
	84	\$999
	96	\$1106
Step 7	. Top Finish	
8Q	folkstone grey	+ \$o

Step 8	3. Edge Finish	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
НХ	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0
OG	honey maple	+\$0

91

 \mathbf{WL}

WN

76

нм

НΧ

white

sandstone

warm grey neutral

light brown walnut

natural maple

aged cherry

+\$o

+\$o


+\$o

+\$o

+\$o

+\$o

+\$o



Specif	fication Information	
Step 1.		
FT		
Step 2.	Edge	
S18.	squared-edge	
Step 3.	Depth	
36	36" deep	
Step 4.	Width	
72	72" wide	
84	84" wide	
96	96" wide	
Step 5.	Surface Material	
For squ	uared-edge (S18.) with 72" wide (72)	
L	laminate top/thermoplastic edge	
For squ	uared-edge (S18.) with 84" wide (84) or 96" wide (96)	
L	laminate top/thermoplastic edge	
Step 6.	Attachment	
S	no brackets, for free standing or use with low credenza	
Prices	for Steps 1-6.	
		LS
FTS18.	36 72	\$822
	84	\$947
	96	\$1055

Step 8.	Edge Finish	
76	light brown walnut	+\$0
BQ	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0
OG	honey maple	+\$0

Step 7. Top Finish

white

sandstone

folkstone grey

warm grey neutral

light brown walnut

natural maple

aged cherry

8Q

91


WL

 $\mathbf{W}\mathbf{N}$

76

нм

HX



Specification Information	
Step 1.	

FT

Step 2. Edge

S12. squared-edge

Step 3. Depth

24 24" deep left, 30" deep right

30 30" deep left, 24" deep right

 Step 4. Width

 36
 36" wide

 42
 42" wide

 48
 48" wide

 60
 60" wide

 72
 72" wide

Step 5. Surface Material

L laminate top/thermoplastic edge

For 36" wide (36) or 42" wide (42)

Factorial Converse Canvas frame attached surface

For 48" wide (48), 60" wide (60), or 72" wide (72)


F Canvas frame attached surface

S no brackets, for free standing or use with low credenza

Prices for Steps 1-6.		
	LF	LS
FTS12. 24 36	\$319	_
42	\$369	_
48	\$422	380
60	\$438	396
72	\$588	546
30 36	\$319	_
42	\$369	_
48	\$422	380
60	\$438	396
72	\$588	546


step 7	. Top Finish	
Q	folkstone grey	+\$o
1	white	+\$o
8	studio white	+\$0
:L	cool grey neutral	+ \$o
lF	inner tone light	+ \$o
łT	inner tone	+ \$o
.U	soft white	+ \$o
۷L	sandstone	+\$0
VN	warm grey neutral	+\$0
6	light brown walnut	+\$0
IM	natural maple	+\$0
ΙP	light anigre	+\$0
IX	aged cherry	+\$0
ΙY	walnut on cherry	+\$0
Α	light ash	+\$0
.BA	clear on ash	+\$0
.BU	medium matte walnut	+\$0
BB.	oak on ash	+\$0
BC	walnut on ash	+\$0
.BD	dark brown walnut	+\$0
BE.	medium red walnut	+\$0
)G	honey maple	+\$0
BF	neutral twill	+\$0
.BG	sarum twill	+\$0
.BH	earthen twill	+\$0
.BJ	graphite twill	+\$0
.BQ	white twill	+\$0
.BK	pewter mesh	+\$0
.BL	steel mesh	+\$0
.BM	crisp linen	+\$0
.BN	classic linen	+\$0
BP	casual linen	+\$0






Speci	ification Information		
Step 1			
FT			
Step 2	Edge		
S20.	squared-edge		
Step 3	. Depth		
24	24" deep		
30	30" deep		
Step 4	Width		
For 24	" deep (24)		
36	36" wide		
42	42" wide		
48	48" wide		
For 30	" deep (30)		
42	42" wide		
48	48" wide		
Step 5	. Surface Material		
L	laminate top/thermoplastic edge		
Step 6	. Attachment		
F	Canvas frame attached surface		
S	for freestanding applications		
Prices	for Steps 1-6.		
		LF	LS
FTS20	. 24 36	\$335	292
	42	\$406	363
	48	\$478	435
	30 42	\$509	466
	48	\$570	527

Step 7.	Top Finish	
8Q	folkstone grey	+\$ 0
91	white	+\$0
WL	sandstone	+\$ 0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$ 0
HM	natural maple	+\$ 0
нх	aged cherry	+\$ 0






Case	ification Information		
Step 1			
FT			
Step 2	2. Edge		
S21.	squared-edge		
Step 3	3. Depth		
24	24" deep		
30	30" deep		
Step 2	4. Width		
For 24	;" deep (24)		
36	36" wide		
42	42" wide		
48	48" wide		
For 30	o" deep (30)		
42	42" wide		
48	48" wide		
Step	5. Surface Material		
L	laminate top/thermoplastic edge		
Step 6	5. Attachment		
F	Canvas frame attached surface		
S	for freestanding applications		
Prices	for Steps 1-6.		
		LF	LS
FTS21	1. 24 36	\$335	292
	42	\$406	363
	48	\$478	435
	30 42	\$509	466
	48	\$570	527
Step 7	7. Top Finish		
8Q	folkstone grey		+ \$0
91	white		+\$0

Step 7. Top Finish			
8Q	folkstone grey	+ \$o	
91	white	+ \$o	
WL	sandstone	+ \$o	
WN	warm grey neutral	+ \$o	
76	light brown walnut	+\$0	
нм	natural maple	+\$0	
нх	aged cherry	+\$o	

Extended Corner Surface, Rectangular End

FTS22. FTS23.



Step 8	. Edge Finish		Specif	fication Information
76	light brown walnut	+\$o	Step 1.	
8Q	folkstone grey	+\$o	FT	
91	white	+\$o		
98	studio white	+\$o	Step 2.	Edge
CL	cool grey neutral	+\$o	S22.	squared-edge, 24" deep
LA	light ash	+\$o	S23.	squared-edge, 30" deep
LBA	clear on ash	+\$o		
LBU	medium matte walnut	+\$o	Step 3.	Width
LBB	oak on ash	+\$o		
LBC	walnut on ash	+\$o	For squ	lared-edge, 24" deep (S22.)
LBD	dark brown walnut	+\$o	4260	42" wide left x 60" wide right
LBE	medium red walnut	+\$o	4266	42" wide left x 66" wide right
LBF	neutral twill	+\$o	4272	42" wide left x 72" wide right
LBG	sarum twill	+\$o	4860	48" wide left x 60" wide right
LBH	earthen twill	+\$o	4866	48" wide left x 66" wide right
LBJ	graphite twill	+\$o	4872	48" wide left x 72" wide right
LBK	pewter mesh	+\$o	6042	60" wide left x 42" wide right
LBL	steel mesh	+\$o	6048	60" wide left x 48" wide right
LBM	crisp linen	+ \$0	6642	66" wide left x 42" wide right
LBN	classic linen	+\$o	6648	66" wide left x 48" wide right
LBP	casual linen	+\$o	7242	72" wide left x 42" wide right
LBQ	white twill	+\$o	7248	72" wide left x 48" wide right
WL	sandstone	+\$o		
WN	warm grey neutral	+\$o	***************************************	ıared-edge, 30" deep (S23.)
HF	inner tone light	+\$o	4860	48" wide left x 60" wide right
НМ	natural maple	+\$o	4866	48" wide left x 66" wide right
HP	light anigre	+\$o	4872	48" wide left x 72" wide right
HT	inner tone	+\$o	6048	60" wide left x 48" wide right
НХ	aged cherry	+\$o	6648	66" wide left x 48" wide right
HY	walnut on cherry	+\$o	7248	72" wide left x 48" wide right
LU	soft white	+\$o		
OG	honey maple	+\$0	Step 4.	Surface Material
			For squ	ared-edge, 24" deep (S22.)
			L	laminate top/thermoplastic edge
			For squ	lared-edge, 30" deep (S23.)
			L	laminate top/thermoplastic edge
			Step 5.	Attachment
			F	Canvas frame attached surface
			S	for freestanding applications

Prices for Steps 1-5.

FTS22. 4260 L

\$732

690

Extended Corner Surface, Rectangular End continued


4266 L

	4272	L	\$820	779
	4860	L	\$776	734
	4866	L	\$820	779
***************************************	4872	L	\$865	823
***************************************	6042	L	\$732	690
***************************************	6048	L	\$776	734
***************************************	6642	L	\$776	734
***************************************	6648	L	\$820	779
***************************************	7242	L	\$820	779
***************************************	7248	L	\$865	823
			_	
			F	<u>S</u>
FTS23.			\$868	826
	4866	L	\$913	871
	4872	L	\$956	915
	6048	L	\$868	826
***************************************	6648	L	\$913	871
	7248	L	\$956	915
Step 6.	Top Fi	nish		
8Q		one grey		+\$o
91	white			+\$o
WL	sands	stone		+\$o
76	light l	brown walnut		+\$o
нм	-			
	natur	al maple		+\$o
HX		al maple cherry		+\$0 +\$0

\$776

734

Step 7	. Edge Finish	
76	light brown walnut	+\$o
8Q	folkstone grey	+\$o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBU	medium matte walnut	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$ o
LBF	neutral twill	+\$ o
LBG	sarum twill	+\$ o
LBH	earthen twill	+\$ o
LBJ	graphite twill	+\$ o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$ o
LBM	crisp linen	+\$ o
LBN	classic linen	+\$ o
LBP	casual linen	+\$o
LBQ	white twill	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o
HF	inner tone light	+\$o
НМ	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$ 0
HX	aged cherry	+ \$0
HY	walnut on cherry	+\$ 0
LU	soft white	+\$o
OG	honey maple	+\$0



Specification Information	
Step 1.	
FT	

Step 2. Edge

S34. squared-edge

Step 3. Depth

24 24" deep 30 30" deep

Step 4. Width 60 6o" wide 66 66" wide 72 72" wide

Step 5. Surface Material laminate top/thermoplastic edge

Step 6. Attachment

D

surface attachment bracket F Canvas frame attachment brackets

S no brackets, for free standing or use with low credenza


Prices for Steps 1-6.			
	LD	LF	LS
FTS34. 24 60	\$317	338	275
66	\$359	380	317
72	\$400	422	359
30 60	\$431	451	389
66	\$490	511	448
72	\$547	568	506

Step 7	7. Top Finish	
8Q	folkstone grey	+\$o
91	white	+\$o
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$0
нм	natural maple	+\$0
нх	aged cherry	+\$0

Step 8	. Edge Finish	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$ 0
LBF	neutral twill	+\$ 0
LBG	sarum twill	+\$ 0
LBH	earthen twill	+\$ 0
LBJ	graphite twill	+\$ 0
LBK	pewter mesh	+\$ o
LBL	steel mesh	+\$ o
LBM	crisp linen	+\$ o
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
НХ	aged cherry	+\$0
HY	walnut on cherry	+\$o
LU	soft white	+\$o
OG	honey maple	+\$ 0
	Bracket Finish	
	nvas frame attachment brackets (F)	
8Q	folkstone grey	+\$0
98	studio white	+\$0
WL	sandstone	+\$0
Bright	Sand Texture Paint	
91	white	+\$0
CL	cool grey neutral	+\$o
WN	warm grey neutral	+\$o

Peninsula Surface, Round End

Peninsula Surface, Rectangular End continued



Meta	ıllic Paint	
CN	metallic champagne	+\$5
EH	metallic bronze	+\$5
MS	metallic silver	+\$5

Step 2. Edge

Specification Information	
Step 1.	
FT	

S35.	squared-edge		
Step 3	. Depth		
24	24" deep		
30	30" deep		
Step 4	. Width		

Step 4.	Width
60	6o" wide
72	72" wide

Step	5. Surface Material
L	laminate top/thermoplastic edge


Step 6.	Attachment
D	surface attachment bracket
F	Canvas frame attached surface
S	no brackets, for free standing or use with low credenza

Prices for Steps 1-6.			
	LD	LF	LS
FTS35. 24 60	\$357	378	315
72	\$504	524	462
30 60	\$489	510	447
72	\$636	656	594

Step	7. Top Finish	
8Q	folkstone grey	+ \$o
91	white	+ \$o
WL	sandstone	+ \$o
WN	warm grey neutral	+ \$o
76	light brown walnut	+ \$o
нм	natural maple	+ \$o
нх	aged cherry	+\$o

Step 8	3. Edge Finish	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$c
98	studio white	+\$c
CL	cool grey neutral	+\$c
LA	light ash	+\$c
LBA	clear on ash	+\$c
LBU	medium matte walnut	+\$c
LBB	oak on ash	+\$c
LBC	walnut on ash	+\$c
LBD	dark brown walnut	+\$c
LBE	medium red walnut	+\$c
LBF	neutral twill	+\$c
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$c
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
нх	aged cherry	+\$c
HY	walnut on cherry	+\$0
LU	soft white	+\$0
OG	honey maple	+\$0
, ,	o. Bracket Finish	
For Ca	invas frame attached surface (F)	
8Q	folkstone grey	+\$0
98	studio white	+\$0
WL	sandstone	+\$0
Bright	Sand Texture Paint	
91	white	+\$0
CL	cool grey neutral	+\$0
WN	warm grey neutral	+\$0

Metal	llic Paint	
CN	metallic champagne	+\$5
EH	metallic bronze	+\$5
MS	metallic silver	+\$5



Step 1.

Y2091.


Step 2. Surface Material		
L	laminate top/thermoplastic edge	
U	laminate top/universal edge	

Prices for Steps 1-2.	
Y2091. L	\$110
U	\$107

Step 3	. Top Finish	
76	light brown walnut	+\$0
BQ	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
нх	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
.BC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Step 4. Edge Finish

For lar	minate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+ \$o
8Z	neutral grey	+ \$o
91	white	+ \$o
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
НΧ	aged cherry	+\$0
HY	walnut on cherry	+\$0
JB	millwork cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+ \$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+ \$0
LBF	neutral twill	+ \$0
LBG	sarum twill	+ \$0
LBH	earthen twill	+ \$0
LBJ	graphite twill	+ \$0
LBK	pewter mesh	+ \$0
LBL	steel mesh	+ \$0
LBM	crisp linen	+ \$0
LBN	classic linen	+ \$0
LBP	casual linen	+ \$0
LBQ	white twill	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$o



Step 1.

FT280.

Step 2.	Width
24	24" wide

30 30" wide36 36" wide42 42" wide

48 48" wide **60** 60" wide

72 72" wide

Step 3. Surface Material

L laminate top/thermoplastic edge

Step 4. Top Cap Material

P painted standard top cap

A painted architectural top cap

Prices for Steps 1-4.		
	P	Α
FT280. 24 L	\$516	624
30 L	\$533	656
36 L	\$550	687
42 L	\$567	722
48 L	\$586	756
60 L	\$880	1080
72 L	\$913	1147

+\$o
+\$o
+ + +

Step 6	s. Edge Finish	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
НΧ	aged cherry	+\$0
HY	walnut on cherry	+\$0
LU	soft white	+\$0
Step 7	7. Top Cap Finish	
Bright	Sand Texture Paint	
91	white	+\$0
CL	cool grey neutral	+\$0
WN	warm grey neutral	+\$0
Metal	lic Paint	
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
	. 111 11	

MS


metallic silver

+\$10

Canvas Office Landscape® Work Surfaces

Squared-Edge Transaction Surface continued

Step	8. Stanchion Finish	
Brigh	t Sand Texture Paint	
91	white	+\$o
CL	cool grey neutral	+\$o
WN	warm grey neutral	+ \$o
Meta	llic Paint	
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10
Step	9. Application	
LD	stacking on 35", 46", 57", 68", 79" base frame	+\$ o




Surface Cantilever

Spec	ification Information		
Step 1	ı		
FT290).		
Step 2	2. Surface Depth		
24	for 20"- or 24"-deep surfaces		
30	for 30"-deep surface		
Step :	3. Position		
L	left-hand cantilever		
R	right-hand cantilever		
Prices	s for Steps 1-3.		
		L	R
FT290	0. 24	\$33	33
	30	\$39	39
Step	4. Finish		
Recla	imed Paint		
RS	ironstone		-\$5
Bright	t Sand Texture Paint		
91	white		+ \$o
CL	cool grey neutral		+\$o
WN	warm grey neutral		+\$o
Metal	lic Paint		
CN	metallic champagne		+\$5
EH	metallic bronze		+\$5
MS	metallic silver		+\$5


\$41

2

Step	1.	
FT29	В.	
Step	2. Type	
1	single	
2	pair	
Price	s for Steps 1-2.	
FT29	B. 1	\$21



Spec	ification Information	
Step :	1.	
FT29/	Α.	\$186
_		
Step :	2. Finish	
CL	cool grey neutral	+\$0
WN	warm grey neutral	+\$0
91	white	+ \$o
CN	metallic champagne	+\$10
MS	metallic silver	+\$10




Specification Information	
Step 1.	
F2931.	

Step	2. Position			
L	left			
R	right			
Price	s for Steps 1-2.			

E2931. L	\$59
R	\$59
Sten a Finish	

Step 3.	Finish	
BU	black umber	+\$o
HF	inner tone light	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o



48" wide

Step 1.

48

FT29	5.			
Step	2. Frame Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	" wido			

Prices for Steps 1-2.	
FT295. 24	\$81
30	\$96
36	\$107
42	\$118
48	\$124


Step 3.	. Finish	
91	white	+\$o
CL	cool grey neutral	+\$o
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10
WN	warm grey neutral	+\$0

Support Panel, Tapered Foot, Frame Attached

FT291.

Open Support, Tapered Foot, Frame Attached

FT294.



Specification Information


Step 1.

FT291.

Step 2	Step 2. Depth		
12L	12" deep, mid-run		
20L	20" deep		
24L	24" deep		
30L	30" deep		

Prices for Steps 1-2.	
FT291. 12L	\$193
20L	\$263
24L	\$273
30L	\$283

Step 3	3. Surface Finish	
91	white	+\$0
WN	warm grey neutral	+\$o



Specification Information

Step 1.

FT294.

Step 4. Finish

Step 2	2. Depth
12	12" deep, mid-run
20	20" deep
24	24" deep
30	30" deep
36	36" deep

Step 3.	Position
L	left-hand support
R	right-hand support


_	
L	R
\$311	311
\$419	419
\$431	431
\$442	442
\$453	453
	\$419 \$431 \$442

впуп 91	t Sand Texture Paint white	+\$0
CL	cool grey neutral	+\$0
WN	warm grey neutral	+\$0
Meta	llic Paint	
Meta CN	llic Paint metallic champagne	+\$20
		+\$20 +\$20

Canvas Office Landscape® Work Surfaces

FV2D1.

Open Support Leg, Tapered Foot, Peninsula/D-Shaped Surface Attached



Specification	

Step 1.

FT2F2.

Step 2. Leg Position

A inset

Step 3. Surface Dimension

for 24"-deep peninsula

30 for 30"-deep peninsula

Prices for Steps 1-3.

FT2F2. A \$283 339
Step 4. Surface Finish

Bright Sand Texture Paint


91 white +\$0

CL cool grey neutral +\$0

WN warm grey neutral +\$0

Meta	llic Paint		
CN	metallic champagne	+\$10	
EH	metallic bronze	+\$10	
MS	metallic silver	+\$10	

Square Open Support Leg, Peninsula Attached



Specification Information

Step 1.

FT2F2.

FV2D1.

Step 2. Leg Position

A inset

Step 3. Surface Depth

for 24"-deep surface

30 for 30"-deep surface


36 for 36"-deep surface

Step 4. Leg Type


F fixed height

Prices for S		
		F
FV2D1. A	24	\$218
	30	\$337
	36	\$337

Step	Step 5. Surface Finish		
Brigh	t Sand Texture Paint		
91	white	+\$0	
CL	cool grey neutral	+\$0	
WN	warm grey neutral	+\$0	
8Q	folkstone grey	+\$0	
98	studio white	+ \$o	
WL	sandstone	+\$0	
Metal	lic Paint		
CN	metallic champagne	+\$10	
EH	metallic bronze	+\$10	
MS	metallic silver	+\$10	



Spec	Specification Information		
Step 1.			
FV689	9.P	\$158	
Cton	a Curfaca Einich		
step :	2. Surface Finish		
Brigh	t Sand Texture Paint		
91	white	+\$0	
CL	cool grey neutral	+\$o	
WN	warm grey neutral	+\$0	
Metal	llic Paint		
CN	metallic champagne	+\$10	
EH	metallic bronze	+\$10	
MS	metallic silver	+\$10	




Step 1.

FV696.

Step	2. Width	
34	33 ⁷ / ₈ " wide	
39	38⁵/ ₈ ″ wide	
43	431/4" wide	
48	48" wide	
57	57³/8" wide	
62	62¹/8" wide	
67	66³/₄" wide	
71	71 ¹ / ₂ " wide	
81	8o ⁷ / ₈ " wide	

Prices for Steps 1-2.	
FV696. 34	\$69
39	\$71
43	\$71
48	\$71
57	\$71
62	\$71
67	\$71
71	\$71
81	\$71



Specification Information	
Step 1.	
FV2D2.	

Step 2. Surface Edge Type for squared edge surface

Step 3. Depth 2A 12" deep, shared 2B 24" deep, shared 24 24" deep 30 30" deep 36" deep

Step 4. Leg Type fixed height

Step 5. Position For 12" deep, shared (2A) or 24" deep, shared (2B)

S shared


For 24" deep (24), 30" deep (30), or 36" deep (36)

R right

Prices for Steps 1-5.					
		FL	FS	FR	
FV2D2. S	2A	_	\$218	_	
	2B	_	\$337	_	
	24	\$337	_	337	
	30	\$346	_	346	
	36	\$356	_	356	

Step	6. Surface Finish	
8Q	folkstone grey	+\$o
98	studio white	+\$o
WL	sandstone	+\$o
Brigh	t Sand Texture Paint	
91	white	+\$o
CL	cool grey neutral	+\$o
WN	warm grey neutral	+\$0

Metalli	c Paint	
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10



Step 1.

FV2E2.

Step 2. Surface Edge Type S

for squared edge surface

Step 3. Depth

12" deep, shared

2B 24" deep, shared

24 24" deep

30 30" deep

36 36" deep


Step 4. Leg Type

fixed height

Step 5. Surface Material

laminate

Prices	for Steps 1-5.	
		FL
FV2E2	. S 2A	\$173
	2B	\$285
	24	\$285
	30	\$290
	36	\$295
Step 6	. Surface Finish	
Solid-	Color Laminate	
91	white	+\$0
WN	warm grey neutral	+\$0 +\$0
14/	Grain Laminate	



Specification Information

Step 1.


+\$o

Bracket

FV692. \$66

нм

natural maple




Specification Information Step 1. FV695.

Step 2. Width 18 18" wide 24" wide 24 30 30" wide 36 36" wide 42 42" wide 48" wide 48


Prices for Steps 1-2.	
FV695. 18	\$65
24	\$71
30	\$77
36	\$82
42	\$89
48	\$97

Brigh	Sand Texture Paint	
91	white	+\$0
CL	cool grey neutral	+\$0
WN	warm grey neutral	+\$0
8Q	folkstone grey	+\$0
98	studio white	+\$0
WL	sandstone	+\$0
Metal	lic Paint	
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10




Specification Information	
Step 1.	
FT199.	\$67

Step 3. Surface Finish



Specification Information Step 1. G1331. \$20

PL




lock

Prices for Steps 1-5.

Specification Information				
Step	1.			
FT41	0.			
Step	2. Height			
1	15" high			
Step	3. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
Step	4. Door Material			
P	painted door			
Step	5. Lock			

FT410.	1 24	\$366
	30	\$387
	36	\$416
	42	\$448
	48	\$474
Step 6.	ock Option	
For lock	(L)	
KA	keyed alike	+\$o
KC	keyed differently, chrome	+\$0
Step 7. (Case Finish	
Bright S	and Texture Paint	
91	white	+\$0
CL	cool grey neutral	+\$o
WN	warm grey neutral	+\$0
Metallic	Paint	
CN	metallic champagne	+\$40
EH	metallic bronze	+\$40
MS	metallic silver	+\$40

Sten	8. Door Finish	
этер і	0. B001 1 mil 5 m	
 Brigh	t Sand Texture Paint	
91	white	+\$0
CL	cool grey neutral	+\$0
WN	warm grey neutral	+\$0
Meta	llic Paint	
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
Step	9. Pull Finish	
91	white	+\$0
CL	cool grey neutral	+\$0
WN	warm grey neutral	+\$0
Step	10. End Panel Option	
SM	on module	+\$o




Step 1.

FT411.

Step	2. Width	
24	24" wide	
30	30" wide	
36	36" wide	
42	42" wide	
48	48" wide	
Price	s for Steps 1-2.	
FT41	1. 24	\$145
	30	\$153

1 11ccs 101 Steps 1 2.	
FT411. 24	\$145
30	\$153
36	\$163
42	\$175
48	\$181

Bright	t Sand Texture Paint	
91	white	+\$0
CL	cool grey neutral	+\$0
WN	warm grey neutral	+\$0
Metal	llic Paint	
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20



Specification Information

Step 1.

FT420.

Step :	2. Width		
24	24" wide		
30	30" wide		
36	36" wide		
42	42" wide		
48	48" wide		
Step :	3. Door Material		
Р	painted door		
F	fabric door		

Step 4. Lock L lock

Prices for Steps 1-4.	
	L
FT420. 24 P	\$417
F	\$430
30 P	\$440
F	\$454
36 P	\$475
F	\$488
42 P	\$510
F	\$524
48 P	\$540
F	\$553


Step	5. Lock Option	
KA	keyed alike	+ \$o
KD	keyed differently	+ \$o

Step	6.	Case	Finish	

Brigh	t Sand Texture Paint	
91	white	+\$0
CL	cool grey neutral	+\$0
WN	warm grey neutral	+\$o
8Q	folkstone grey	+\$o
98	studio white	+\$o
WL	sandstone	+\$o

+\$0

Metal	llic Paint	
CN	metallic champagne	+\$40
EH	metallic bronze	+\$40
MS	metallic silver	+\$40
Step	7. Door Finish	
For po	ainted door (P)	
Brigh	t Sand Texture Paint	
91	white	+\$0
CL	cool grey neutral	+\$o
WN	warm grey neutral	+\$o
8Q	folkstone grey	+\$o
98	studio white	+\$o
WL	sandstone	+\$0
Metal	llic Paint	
CN	metallic champagne	+\$40
EH	metallic bronze	+\$40
MS	metallic silver	+\$40
Step	8. End Panel Option	
SM	on module	+\$0
Step	9. Door Finish	
For 22	4" wide (24), 30" wide (30), 36" wide (36), 42" wid	de (42), or 48"
wide	(48) with fabric door (F)	
See a	pplication chart and textiles list for fabric usage a	nd numbers.
First 2	2 digits of number indicate fabric line; remaining a	ligit(s) indicate
fabric	color.	
Price	Category 1	+\$o
Price	Category 2	+\$18



Step 2. Height

15

 $7^{1}/_{2}$ " high

15¹/₂" high

Step 4. Surface Finish

+\$37

+\$54

Bright Sand Texture Paint white

Specification Information	
Step 1.	
FT422.	

Step 3	. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

Prices for Steps 1-3.						
	24	30	36	42	48	60
FT422. 07	\$127	134	143	153	158	196
15	\$171	177	187	197	202	237


CL WN 8Q 98	cool grey neutral warm grey neutral folkstone grey studio white	+\$0 +\$0 +\$0 +\$0
WL	sandstone	+ \$o
Metall	ic Paint	
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
Step 5	. End Panel Option	
For 15	¹ / ₂ " high (15)	
SM	on module	+\$0

Price Category 3

Price Category 4

+\$o

Prices for Steps 1-3.



Specification Information	
Step 1.	
FT430.	

Sten	2. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			

Step 3.	Door Material
F	fabric door

		F
FT430.	24	\$494
	30	\$532
	36	\$573
	42	\$609
	48	\$648
Step 4.	Lock Option	
KA	keyed alike	+\$0
KD	keyed differently	+\$0
Step 5.	Case Finish	
Bright :	Sand Texture Paint	
91	white	+\$0
CL	cool grey neutral	+\$0
WN	warm grey neutral	+\$0
8Q	folkstone grey	+\$0
98	studio white	+\$0
WL	sandstone	+\$0
Motalli	c Paint	
MEtalli	metallic champagne	+\$40
CN	metatiic champagne	+440
	metallic bronze	+\$40

Step 7. Door Finish


See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1	+\$0
Price Category 2	+\$18
Price Category 3	+\$37
Price Category 4	+\$54

SM

on module

+\$o



Specification Information

48" wide

Step 1.


FT432.

48

Step	2. Height				
07	71/2" high				
15	15 ¹ / ₂ " high				
Step	3. Width				
Step 24	3. Width 24" wide				
	=				
24	24" wide				

Prices for Steps 1-3.					
	24	30	36	42	48
FT432. 07	\$207	223	238	250	260
15	\$242	262	280	300	316

Bright	t Sand Texture Paint	
91	white	+\$0
CL	cool grey neutral	+\$0
WN	warm grey neutral	+\$0
8Q	folkstone grey	+\$0
98	studio white	+\$0
WL	sandstone	+\$0
Metal	lic Paint	
CN	metallic champagne	+\$20
EH	metallic bronze	+\$20
MS	metallic silver	+\$20
Step	5. End Panel Option	
For 15	⁻¹ / ₂ " high (15)	
SM	on module	+\$0



Specification Information

Step 1.

X3750.

Step :	2. Width				
24	24" wide				
30	30" wide				
36	36" wide				
42	42" wide				
48	48" wide				

Step 3. Mechanism

Step 5. Lock Option

keyed alike

KA

SP standard mechanism


Step 4.	Lift Handle
N	no lift handle

Prices for Steps 1-4.	
	N
X3750. 24 SP	\$588
30 SP	\$625
36 SP	\$663
42 SP	\$710
48 SP	\$761

KD	keyed differently	+\$0
2:		
Step	6. Attachment Bracket	
AO	for Action Office® system	+\$0
E1	for Ethospace® System	+\$ o
F8	for Canvas	+ \$o
OM	for Ethospace® off module	+\$o

Step	7. Case/Lift Handle Finish	
8Q	folkstone grey	+ \$o
91	white	+\$ o
BU	black umber	+\$ o
CN	metallic champagne	+\$40
EH	metallic bronze	+\$40
HF	inner tone light	+\$ o
LT	light tone	+\$ o
LU	soft white	+\$ o
MT	medium tone	+\$ o
WL	sandstone	+ \$o
WN	warm grey neutral	+\$o

Step 8. Door Finish



For Action Office® system (AO), Ethospace® System (E1), Canvas (F8), or Ethospace® off module (OM) 8Q folkstone grey 1. White

8Q	folkstone grey	+\$0
91	white	+\$o
BU	black umber	+\$o
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

Specification Information

Step 1.


X3710.

Step 2	Width
24SP	24" wide
30SP	30" wide
36SP	36" wide
42SP	42" wide
48SP	48" wide
Step 3	Lift Handle
N	no lift handle

Prices	for Steps 1-3.	
		N
X371	0. 24SP	\$367
	30SP	\$392
	36SP	\$428
	42SP	\$462
	48SP	\$495
Step	4. Lock Option	
KA	keyed alike	+\$ o
KD	keyed differently	+\$ o

Step 5	5. Top/Lift Handle Finish	
8Q	folkstone grey	+ \$o
91	white	+\$ o
BU	black umber	+ \$o
EH	metallic bronze	+\$20
HF	inner tone light	+\$ o
LT	light tone	+\$ o
LU	soft white	+\$ o
MT	medium tone	+\$ o
WL	sandstone	+ \$o
WN	warm grey neutral	+ \$o

Step 4. Surface Finish



Step 6	. Door Finish	
8Q	folkstone grey	+\$o
91	white	+\$o
BU	black umber	+\$o
EH	metallic bronze	+\$10
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

Specification Information	
tep 1.	
3730.	
ton a Width	

Step 2	2. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			

Prices for Steps 1-2.	
X3730. 24	\$241
30	\$250
36	\$262
42	\$278
48	\$290

Step 3	3. Attachment Bracket	
AO	for Action Office® system	+\$o
E1	for Ethospace® System	+\$o
F8	for Canvas	+\$o
OM	for Ethospace® off module	+\$o

8Q	folkstone grey	+\$o
91	white	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
MT	medium tone	+\$o
EH	metallic bronze	+\$20
CN	metallic champagne	+\$20
WL	sandstone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o

\$43

Specification Information	
Step 1.	
X3910.	


for C-/E-style flipper unit/shelf

Step 2. Usage

2


2	for utility shell (£3234.)	
Price	es for Steps 1-2.	
X39:	10. 1	\$43

Step	3. Surface Finish	
For (C-/E-style flipper unit/shelf (1)	
98	studio white	+\$0
BU	black umber	+\$0



Specification Information

Step 1.		
G7330.		\$247
Step :	2. Surface Finish	
8Q	folkstone grey	+\$0
91	white	+\$ o
BU	black umber	+\$ o
HF	inner tone light	+\$ o
LT	light tone	+ \$o
LU	soft white	+\$ o
MT	medium tone	+\$ o
SG	slate grey	+\$ o
WL	sandstone	+\$ o
WN	warm grey neutral	+\$ o
CN	metallic champagne	+\$5
EH	metallic bronze	+\$5



Specification Information

Step 1.

FV984.

Step 2. Height

12 12" high

24" high 24

Prices for Steps 1-2.

FV984. 12

24 \$117



Step 1.

FV440.

Step 2. Attachment Bracket

Canvas frame connection

WM wall mount

Step 3. Height

\$77

07 71/2" high

15 15" high

Step 4. Width

For 7¹/₂" high (07)

36 36" wide

48 48" wide

For Canvas frame connection (F8) with 15" high (15)

24" wide

30 30" wide

36 36" wide

42 42" wide

48" wide 48

For wall mount (WM) with 15" high (15)

24" wide 24

30 30" wide

36 36" wide

42 42" wide

48 48" wide

60 6o" wide

72 72" wide

Step 5. Case Material

laminate

Prices for St	teps 1-5.						
		24L	30L	36L	42L	48L	60L
FV440. F8	07	_	_	\$747	_	810	_
	15	\$795	827	858	889	920	_
WN	ا 07	_	_	\$802	_	865	_
	15	\$852	881	913	945	975	1284

72L

FV440. WM 15 \$1382

Step 6. Top/Case/Edge Finish

Solid-Color Laminate Top/Case/Thermoplastic Edge For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 60" wide (60), or 72" wide (72) with laminate (L)


91	white	+\$o
WN	warm grey neutral	+\$o

Wood-Grain Laminate Top/Case/Thermoplastic Edge For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), or 60" wide (60) with laminate (L)

HM natural maple +\$o

Overhead Storage Cabinet, Partial Enclosure

FV441.



Specification Information

Step 1.

FV441.

Step 2. Attachment Bracket

F8 Canvas frame connection

WM wall mount

Step 3. Height

07 7¹/₂" high

15 15" high

Step 4. Width

For Canvas frame connection (F8) with $7^{1}/2^{1}$ high (07)

36" wide

48 48" wide

For Canvas frame connection (F8) with 15" high (15)

24 24" wide

30 30" wide

36 36" wide

42 42" wide

48 48" wide

For wall mount (WM) with $7^{1}/2^{"}$ high (07)

36" wide

48 48" wide

For wall mount (WM) with 15" high (15)

24 24" wide

30 30" wide

36 36" wide

42 42" wide

48 48" wide

60 60" wide

72 72" wide

Step 5. Case/Door Material

L laminate

Step 6. Lock


N no lock

L lock

FV442.

Overhead Storage Cabinet, Partial Enclosure *continued*

Overhead Storage Cabinet, Full Enclosure



Spec	cification Information
Step 1	
FV442	2.
Step 2	2. Attachment Bracket
F8	Canvas frame connection
wm	wall mount
Step 3	3. Height
07	7 ¹ / ₂ " high
15	15" high
Step 2	4. Width
For Co	anvas frame connection (F8) with 7½" high (07)
36	36" wide
42	42" wide
48	48" wide
For Co	anvas frame connection (F8) with 15" high (15)
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
For w	all mount (WM) with 7¹/₂" high (07)
36	36" wide
48	48" wide
For w	all mount (WM) with 15" high (15)
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
60	60" wide
72	72" wide

Prices for	Ste	eps 1-6.						
			24LN	24LL	30LN	30LL	36LN	36LL
FV441. F	8	07	_	_	_	_	\$948	958
		15	\$1008	1019	1047	1058	1086	1096
V	٧M	07	_	_	_	_	\$1003	1014
		15	\$1063	1074	1101	1114	1141	1152
			42LN	42LL	48LN	48LL	60LN	60LL
FV441. F	8	07	_	_	\$1025	1037	_	_
		15	\$1124	1136	1163	1173	_	_
V	٧M	07	_	_	\$1081	1091	_	_
		15	\$1179	1191	1218	1230	1605	1616
		1)	\$11/9	1191	1210	1230	1005	1010

Step 7.	. Lock Option	
For loca	k (L)	
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$o

\$1727

+\$o

+\$0

FV441. WM 15

WN

warm grey neutral

KC	keyed differently, chrome	+⊅0
Step 8	B. Top/Case/Edge Finish	
Solid-	Color Laminate Top/Case/Thermoplastic Edge	

91	white	+\$o
(48), 6	6o" wide (6o), or 72" wide (72) with laminate (L)	
For 24'	" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48"	wide

Wood-Grain Laminate Top/Case/Thermoplastic Edge
For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide
(48), or 60" wide (60) with laminate (L)

HM	natural maple	+\$0
Step	9. Door Finish	

Solid-	-Color Laminate	
91	white	+\$0
WN	warm grey neutral	+\$ 0

Step 6. Secon	dary Door Material

Step 5. Case/Primary Door Material

A translucent plastic

laminate

P painted

natural maple

Overhead Storage Cabinet, Full Enclosure *continued*

Step 7. Lock

N	no lo	ck						
L	lock							
Prices f	or Ste	eps 1-7.						
			24LAN	24LAL	24LPN	24LPL	30LAN	30LAL
FV442.	F8	15	\$1222	1232	1136	1147	1267	1278
	WM	15	\$1276	1286	1191	1201	1323	1334
			30LPN	30LPL	36LAN	36LAL	36LPN	36LPL
FV442.	F8	07	_	_	\$1148	1159	1067	1079
		15	\$1178	1190	1312	1325	1224	1234
	WM	07	_	_	\$1202	1214	1123	1135
		15	\$1234	1245	1369	1380	1278	1288
			42LAN	42LAL	42LPN	42LPL	48LAN	48LAL
FV442.	F8	07	\$1196	1206	1113	_	1241	_
		15	\$1359	1372	1266	1277	1406	1418
	WM	07	_	_	_	_	\$1296	1306
		15	\$1416	1427	1322	1333	1462	1472
			48LPN	48LPL	60LAN	60LAL	60LPN	60LPL
FV442.	F8	07	\$1154	1165	_	_	_	_
		15	\$1308	1321				_
	WM	07	\$1208	1222	_	_	_	_
		15	\$1364	1376	1927	1938	1797	1809
							72LPN	
FV442.	WM	15			\$2073	2093	1934	1956
Step 8.	Lock	Option						
For lock	(L)							
KA	keye	ed alike						+\$o
KC	keye	d differen	tly, chrom	e				+\$o
Step 9.	Top/	Case/Edg	e Finish					
Solid-C	olor L	.aminate T	op/Case/	Thermop	olastic Ed	dge		
For 24"	wide	(24), 30"	wide (30),	36" wid	le (36), 4	42" wide	(42), 48	3" wide
			72" wide (
91	whit							+\$o
WN	warr	n grey neu	ıtral					+\$0
			Top/Case/ wide (30),		•	_	((2) (o" wide
10124	wide	(24), 30	wide (30),	30 WIL	10 (30), 4	t∠ wide	(42), 40	wide

Step	10. Primary Door Finish	
Solid	-Color Laminate	
91	white	+\$0
WN	warm grey neutral	+\$0
Wood	d-Grain Laminate	
нм	natural maple	+\$0
Step	11. Secondary Door Finish	
Trans	slucent Plastic	
For tr	ranslucent plastic (A)	
J9	opal frosted	+\$0
Brigh	t Sand Texture Paint	
For po	ainted (P)	
91	white	+\$0
CL	cool grey neutral	+\$0
WN	warm grey neutral	+\$0
Meta	llic Paint	
For po	ainted (P)	
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10


+\$o

(48), or 60" wide (60) with laminate (L)

natural maple

нм

Tackboard FV980.



Specification Inform	mation		
Step 1.			
FV980.			

Step 2	. Mount Option	
нм	hutch mounted	
WM	wall mount	

Step	3. Height				
For h	utch mounted	НМ)			
12	12" high		 		
15	15" high				

For w	all mount (WM)	
12	12" high	
24	24" high	

Step	4. Width	
For h	utch mounted (HM)	
59	59" wide	
60	6o" wide	
65	65" wide	
66	66" wide	
71	71" wide	

For w	all mount (WM)				
48	48" wide	 	 	 	
60	6o" wide				
66	66" wide				
72	72" wide				

Step 5. S	Surface I	Material
-----------	-----------	----------

72" wide

72

For 48	3" wide (48)
T	tackable fabric
R	tackable fabric, horizontal


For 59" wide (59), 60" wide (60), 65" wide (65), 66" wide (66), 71" wide (71), or 72" wide (72)

tackable fabric, horizontal

Prices for Ste	eps 1-5.						
		48T	48R	59R	60R	65R	66R
FV980. HM	12	_	_	\$321	321	332	332
	15	_	_	\$332	332	344	344
WM	12	\$260	260	_	321	_	332
	24	\$407	407	_	502	_	516
						71R	72R
FV980. HM	12					\$344	344
	15					\$357	357
WM	12					_	\$344
	24					_	\$527


Step 6. Fabric	
See application chart and textiles list for fabric usage and nu	mbers.
First 2 digits of number indicate fabric line; remaining digit(s) indicate
fabric color.	

	12	15	24
Price Category 1	+\$0	0	0
Price Category 2	+\$19	21	25
Price Category 3	+\$33	37	42
Price Category 4	+\$51	55	66



Specification Information		
Step :		•
Y5010	0.	\$48
Cı	C (F: :)	
Step 2	2. Surface Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$ o
SG	slate grey	+\$ o
WL	sandstone	+ \$o
WN	warm grey neutral	+ \$o

Screen FV694.



Specification Information	
Step 1.	
FV694.	

Step 2. Surface Material

A translucent plastic

P painted

For painted (P)

12A 12" below work surface

For translucent plastic (A)

12A 12" below work surface

18A 6" above/12" below work surface

18B 12" above/6" below work surface

24A 12" above/12" below work surface

Step 4. Width

For 12" below work surface (12A)

	,	. ,		
30	30" wide		 	
36	36" wide			
42	42" wide			
48	48" wide			
54	54" wide			
60	6o" wide			
66	66" wide			
72	72" wide			

For 6" above/12" below work surface (18A), 12" above/6" below work surface (18B), or 12" above/12" below work surface (24A)

30 30" wide 36 36" wide 42 42" wide 48 48" wide 54 54" wide

Prices for S	Steps 1-4.						
		30	36	42	48	54	60
FV694. A	12A	\$692	721	748	775	803	831
	18A	\$728	758	786	816	843	_
	18B	\$728	758	786	816	843	_
	24A	\$831	865	898	931	964	_
P	12A	\$630	654	679	705	730	755

		66	72
FV694. A		\$859	885
Р	12A	\$781	804

Step	5. Surface Finish	
Sand	Texture Paint	
For po	ainted (P)	
8Q	folkstone grey	+\$ 0
98	studio white	+\$ 0
WL	sandstone	+\$0
Brigh	t Sand Texture Paint	
For po	ainted (P)	
91	white	+\$0
CL	cool grey neutral	+\$0
WN	warm grey neutral	+\$0
Metal	llic Paint	
For po	ainted (P)	
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10
Trans	lucent Plastic	
For tr	anslucent plastic (A)	
J9	opal frosted	+\$0
Step	6. Bracket Finish	
Brigh	t Sand Texture Paint	
91	white	+\$0
CL	cool grey neutral	+\$0
WN	warm grey neutral	+\$0
8Q	folkstone grey	+\$0
98	studio white	+\$0
WL	sandstone	+\$0
	llic Paint	
CN	metallic champagne	+\$10
ЕН	metallic bronze	+\$10
MS	metallic silver	+\$10

54


60

54" wide

6o" wide

Step 4. Surface Material


L laminate



Spec	Specification Information						
Step	Step 1.						
FV693.							
Step	. Height						
29	29" high						
42	42" high						
46	46" high						
Step	. Width						
For 2	" high (29)						
33	33" wide						
36	36" wide						
48	48" wide						
54	54" wide						
60	6o" wide						
66	66" wide						
72	72" wide						
84	84" wide						
For 4	" high (42) or 46" high (46)						
48	48" wide						

Prices for Steps 1-4.	
	L
FV693. 29 33	\$278
36	\$303
48	\$401
54	\$452
60	\$502
66	\$552
72	\$602
84	\$701
42 48	\$487
54	\$547
60	\$607
46 48	\$509
54	\$575
60	\$638

Step	5. Surface Finish	
Solid	-Color Laminate	
91	white	+\$0
WN	warm grey neutral	+\$0
Wood	d-Grain Laminate	
For 3	3" wide (33), 48" wide (48), 36" wide (36	6), 54" wide (54), or 60"
wide	(6o) with laminate (L)	
нм	natural maple	+\$0
Step	6. Support Finish	
Brigh	nt Sand Texture Paint	
8Q	folkstone grey	+\$0
91	white	+ \$o
98	studio white	+\$0
CL	cool grey neutral	+ \$o
WL	sandstone	+ \$o
WN	warm grey neutral	+\$0
Meta	llic Paint	
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10



Specification Information

Step 1.

FV697.

Step	Step 2. Width					
60	6o" wide					
66	66" wide					
72	72" wide					
84	84" wide					
96	96" wide					

Step 3. Modesty Panel Type


F	full modesty panel
Н	half modesty panel

Step 4. Surface Material

laminate

Prices for Steps 1-4.			
	L		
FV697. 60 F	\$502		
Н	\$352		
66 F	\$552		
н	\$386		
72 F	\$602		
Н	\$419		
84 F	\$701		
Н	\$433		
96 F	\$804		
Н	\$446		

Step 5. Surface Finish				
Solid	d-Color Laminate			
91	white	+\$0		
WN	warm grey neutral	+\$0		
Wood	d-Grain Laminate			
For 6	60" wide (60) with laminate (L)			
нм	natural maple	+\$0		



Specification Information	
Step 1.	
G612	

Step 2. Code Requirements

0. meets local codes including Canada

- 1. meets Chicago codes
- 3. meets New York City codes

Step 3	. Width			
24	24" wide			
30	30" wide			
36	36" wide			
42	42" wide			
48	48" wide			
60	6o" wide			

Ste	ep 4. Dimmer		
Foi	r 24" wide (24)		
N	no dimmer	 	

For 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), or 60" wide (60)

N no dimmer

D 3-step dimmer

Step 5. Bracket Option

S for Action Office® or Ethospace® Systems or Canvas

Q for C-style storage or E3234.

P for Passage® Desking System

Prices for Steps 1-5.			
	S	Q	Р
G6120. 24 N	\$323	323	323
30 N	\$334	334	334
D	\$367	367	367
36 N	\$343	343	343
D	\$377	377	377
42 N	\$359	359	359
D	\$392	392	392
48 N	\$366	366	366
D	\$401	401	401
60 N	\$399	399	399
D	\$440	440	440


		S	Q	P
G6121. 24	N	\$370	370	370
30	N	\$388	388	388
	D	\$422	422	422
36	N	\$395	395	395
	D	\$436	436	436
42	N	\$407	407	407
	D	\$448	448	448
48	N	\$415	415	415
	D	\$455	455	455
60	N	\$453	453	453
	D	\$499	499	499
		S	Q	Р
G6123. 24	N	\$	Q 320	P 320
G6123. 24 30				
		\$320	320	320
	N D	\$320 \$347	320 347	320 347
30	N D	\$320 \$347 \$384	320 347 384	320 347 384
30	N D N D	\$320 \$347 \$384 \$357	320 347 384 357	320 347 384 357
30 36	N D N D	\$320 \$347 \$384 \$357 \$391	320 347 384 357 391	320 347 384 357 391
30 36	N D N D N D	\$320 \$347 \$384 \$357 \$391 \$366	320 347 384 357 391 366	320 347 384 357 391 366
36 42	N D N D N D	\$320 \$347 \$384 \$357 \$391 \$366 \$401	320 347 384 357 391 366 401	320 347 384 357 391 366 401
36 42	N D N D N D N D N D	\$320 \$347 \$384 \$357 \$391 \$366 \$401 \$376	320 347 384 357 391 366 401 376	320 347 384 357 391 366 401 376

Step 6. Surface Finish

For Action Office® or Ethospace® Systems or Canvas (S) or C-style storage or E3234. (Q)

8Q	folkstone grey	+\$0
91	white	+\$0
BU	black umber	+\$o
CL	cool grey neutral	+\$o
EH	metallic bronze	+\$15
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+ \$o
WL	sandstone	+ \$o
WN	warm grey neutral	+ \$o

For Pa	ssage® Desking System (P)	
BU	black umber	+\$0



Specification Information

Step 1.

G613

Step 2. Code Requirements

6. meets local codes including Canada and New York City

7. meets Chicago codes

Step 3. Width

24 24" wide

30 30" wide

42 42" wide

60 60" wide

Step 4. Attachment Bracket

S for Action Office® or Ethospace® Systems or Canvas

Q for C-style storage or E₃₂₃₄.

P for Passage® Desking System

F for 5000 Series Furniture

T for transaction surface/counter top/wood cabinets


Prices for Steps 1-4.					
	S	Q	Р	F	Т
G6136. 24	\$238	238	238	238	238
30	\$242	242	242	242	242
42	\$266	266	266	266	266
60	\$296	296	296	296	296
G6137. 24	\$320	320	320	320	320
30	\$324	324	324	324	324
42	\$347	347	347	347	347
60	\$380	380	380	380	380

Canvas Office Landscape® Storage 10-Day or Less


Freestanding Attaching (Legacy Products) Accessories **Accessories (Legacy Products)**

Canvas Office Landscape® Freestanding

Canvas Cabinet/Wall Attachment FV692. Bracket



Specification Information	
Step 1.	
FV692.	\$66




Specif	Specification Information			
Step 1.				
FV451.				
Step 2.	Height			
29	28 ¹ / ₂ " high			
40	39 ¹ / ₂ " high			
Step 3.	Width			
59	59" wide			
60	60" wide			
71	71" wide			
72	72" wide			
Step 4.	Case/Primary Door Material			
L	laminate			
Step 5.	Secondary Door Material			
Α	translucent plastic			
Р	painted			
Step 6.	Lock			
N	no lock			
L	lock			

Prices for Steps 1-6.				
	LAN	LAL	LPN	LPL
FV451. 29 59	\$1909	1921	1826	1838
60	\$1909	1921	1826	1838
71	\$2175	2197	2082	2104
72	\$2175	2197	2082	2104
40 59	\$2138	2150	2046	2056
60	\$2138	2150	2046	2056
71	\$2437	2459	2331	2353
72	\$2437	2459	2331	2353

Step	7. Lock Option	
For lo	ock (L)	
KA	keyed alike	+\$0
KC	keyed differently, chrome	+\$0
Step	8. Case/Stanchion Finish	
Solid-	-Color Laminate	
91	white	+\$0
WN	warm grey neutral	+\$0

Wood	-Grain Laminate	
For 59	o" wide (59) or 60" wide (60) with laminate	(L)
нм	natural maple	+\$0
Step). Primary Door Finish	
Solid-	Color Laminate	
91	white	+\$0
WN	warm grey neutral	+\$0
Wood	-Grain Laminate	
НМ	natural maple	+\$0
Step 1	o. Secondary Door Finish	
Trans	lucent Plastic	
For tro	anslucent plastic (A)	
J9	opal frosted	+\$0
Sand	Texture Paint	
For po	ninted (P)	
8Q	folkstone grey	+\$0
98	studio white	+\$0
WL	sandstone	+\$0
Bright	Sand Texture Paint	
For po	iinted (P)	
91	white	+\$0
CL	cool grey neutral	+\$0
WN	warm grey neutral	+\$0
Metal	lic Paint	
For po	iinted (P)	
CN	metallic champagne	+\$10
EH	metallic bronze	+\$10
MS	metallic silver	+\$10



Specification Information

Step 1.

FV984.


Step 2. Height		
12	12" high	
24	24" high	

Prices for Steps 1-2.	
FV984. 12	\$77
24	\$117

66

71

72



Spec	ification Information
Step 1	
FV980).
Step 2	2. Mount Option
нм	hutch mounted
WM	wall mount
Step 3	3. Height
For hu	itch mounted (HM)
12	12" high
15	15" high
For we	all mount (WM)
12	12" high
24	24" high
Step 2	_i . Width
For hu	utch mounted (HM)
59	59" wide
60	60" wide
65	65" wide
Step 2 For hu 59 60	utch mounted (HM) 59" wide 60" wide

Prices for St	eps 1-5.						
		48T	48R	59R	60R	65R	66R
FV980. HM	12	_	_	\$321	321	332	332
	15	_	_	\$332	332	344	344
WM	12	\$260	260	_	321	_	332
	24	\$407	407	_	502	_	516
						71R	72R
FV980. HM	12					\$344	344
	15					\$357	357
WM	12					_	\$344
	24					_	\$527
	24						
Step 6. Fabr							

fabric color.			
	12	15	24
Price Category 1	+\$o	0	0
Price Category 2	+\$19	21	25
Price Category 3	+\$33	37	42
Price Category 4	+\$51	55	66

First 2 digits of number indicate fabric line; remaining digit(s) indicate

F	or	wal	l mount	(WM)

66" wide

71" wide

72" wide

48	48" wide
60	6o" wide
66	66" wide
72	72" wide

Step 5. Surface Material

For	48" wide (48)
T	tackable fabric
R	tackable fabric horizontal

For 59" wide (59), 60" wide (60), 65" wide (65), 66" wide (66), 71" wide (71), or 72" wide (72)

R tackable fabric, horizontal

Canvas Office Landscape® 10-Day or Less	
90° Connector Cover	page(s) 9
90° Connector Top Cap	13
90° Universal Connector	7
90° Universal Stacking Connector	8
120° Connector Cover	10
120° Connector Top Cap	13
120° Universal Connector	8
Base Power Harness	17
Bowtie Rectangular Surface	34
B-Style Flipper Door Unit	56
B-Style Shelf	57
Cable Management Trough	53
Cable Manager	53
Cable Tray	22
Canvas Cabinet/Wall Attachment Bracket	52
Ceiling Power Entry, Connector	21
Closed Support Leg	52
Coat Hook	29
Communication Faceplate Extender	24
Communication Port Faceplate Extender	23
Communication Port Faceplate Reducer	23
Component Brace	62
Concave Corner Surface	37
Concave Rectangular Surface	33
Connector Base Filler	11
Cord Cleat	54
Cord Manager	63
Corner Surface	36
C-Style Flipper Door	60
C-Style Flipper Door Unit	59
C-Style Shelf	61
Curvilinear Surface	35
Energy-Efficient Task Light	72
E-Style Flipper Door Unit	58
E-Style Shelf	59
Extended Corner Surface, Rectangular End	38
Finished End	11
Finished End, Change of Height	12
Frame	5
Frame-to-Frame Connection Hardware	7
Frame Top Cap	
F-Style Shelf	56
F-Style Sliding Door Storage Unit	55
Full-Height Tile	رر 24
Hardwire Mounting Kit	18
Lower Power/Data Tile	26

·	
Lower Tile	25
Marker/Eraser Holder	29
Modesty Panel Open Support Leg, Tapered Foot, Peninsula/D-Shaped Surface	71
Attached	40
Open Support, Tapered Foot, Frame Attached	49
Overhead Storage Cabinet, Full Enclosure	48 65
Overhead Storage Cabinet, Open	63
Overhead Storage Cabinet, Open Overhead Storage Cabinet, Partial Enclosure	64
Pencil Drawer	68
Peninsula Support Bracket	46
Peninsula Surface, Rectangular End	40
Peninsula Surface, Round End	41
Power Entry, External Direct Connect	20
Power Entry, Internal Direct Connect, 4 Circuit	20
Power Entry, New York City	21
Power Harness Extender	19
Power Harness, Lower Power/Data Tile	18
Power Jumper	19
Privacy Panel	70
Receptacle, 15 Amp (package of 6)	22
Rectangular Surface	31
Retrofit Base Cover for Power Entry	6
Screen	69
Shelf Divider, Angled	62
Squared-Edge Corner Wedge	43
Squared-Edge Transaction Surface	44
Square Open Support Leg	51
Square Open Support Leg, Peninsula Attached	49
Stacking Frame	6
Stiffener	50
Support Leg, Post	50
Support Panel, Tapered Foot, Frame Attached	48
Surface Cantilever	45
Surface Ganging Bracket	46
Surface Support Rail	47
Tackboard	67
Tile Adapters, Wall Strip	16
Tile Trim, Wall Strip	16
Tool Bar	30
Upper Tile	28
Upper Window Tile	30
Utility Task Light	73
Vertical Trim, Wall Strip	17
Wall Start	14
Wall Start Filler	14
Wall Start Filler	15

Wall Strip	1
Work Surface Support Bracket	47
Canvas Office Landscape® Storage 10-Day or Less	5
Canvas Cabinet/Wall Attachment Bracket	page(s) 7
Cord Manager	79
Hutch, Full Enclosure	78
Tackboard	80

E2931.	Work Surface Support Bracket	page(s) 47	FT295.	Surface Su
FT2F2.	Open Support Leg, Tapered Foot, Peninsula/D-S	Shaped Surface	FT410.	F-Style Slic
	Attached	49	FT411.	F-Style She
FT29A.	Peninsula Support Bracket	46	FT420.	B-Style Fliր
FT29B.	Surface Ganging Bracket	46	FT422.	B-Style Sh
FT110.	Frame	5	FT430.	E-Style Flip
FT111.	Stacking Frame	6	FT432.	E-Style Sh
FT112.	Frame Top Cap	12	FT490.	Coat Hook
FT121.	90° Universal Connector	7	FT900.	Tool Bar
FT122.	90° Universal Stacking Connector	8	FT920.	Wall Start
FT123.	90° Connector Cover	9	FTS10.	Rectangula
FT126.	90° Connector Top Cap	13	FTS11.	Concave R
FT128.	Frame-to-Frame Connection Hardware	7	FTS12.	Curvilinear
FT131.	120° Universal Connector	8	FTS18.	Bowtie Red
FT133.	120° Connector Cover	10	FTS20.	Corner Sur
FT136.	120° Connector Top Cap	13	FTS21.	Concave C
FT140.	Power Entry, External Direct Connect	20	FTS22.	Extended (
FT141.	Power Entry, New York City	21	FTS23.	
FT143.	Ceiling Power Entry, Connector	21	FTS34.	Peninsula
FT144.	Power Entry, Internal Direct Connect, 4 Circuit	20	FTS35.	Peninsula
FT150.	Base Power Harness	17	FV2D1.	Square Op
FT151.	Power Harness Extender	19	FV2D2.	Square Op
FT152.	Power Harness, Lower Power/Data Tile	18	FV2E2.	Closed Sup
FT154.	Power Jumper	19	FV440.	Overhead
FT155.	Receptacle, 15 Amp (package of 6)	22	FV441.	Overhead
FT157.	Hardwire Mounting Kit	18	FV442.	Overhead
FT160.	Finished End	11	FV451.	Hutch, Full
FT161.	Finished End, Change of Height	12	FV689.	Support Le
FT162.	Retrofit Base Cover for Power Entry	6	FV692.	Canvas Ca
FT165.	Connector Base Filler	11	FV693.	Privacy Pa
FT167.	Tile Trim, Wall Strip	16	FV694.	Screen
FT170.	Lower Tile	25	FV695.	Cable Man
FT171.	Lower Power/Data Tile	26	FV696.	Stiffener
FT172.			FV697.	Modesty P
FT180.	Full-Height Tile	24	FV980.	Tackboard
FT181.	Upper Tile	28	FV984.	Cord Mana
FT183.	Upper Window Tile	30	G1189.	Communic
FT190.	Wall Start			Communic
FT191.	Wall Strip		G1331.	Cord Cleat
FT192.	Tile Adapters, Wall Strip	16	G6120.	Energy-Eff
FT193.	Cable Tray	22	G6121.	
FT197.	Vertical Trim, Wall Strip		G6123.	
FT199.	Cable Management Trough	53	G6136.	Utility Tasl
FT280.	Squared-Edge Transaction Surface	44	G6137.	
FT290.	Surface Cantilever		G7330.	Shelf Divid
FT291.	Support Danal Tanarad Foot Frama Attached	48	X1192.	Wall Faste
FT294.	Open Support, Tapered Foot, Frame Attached	48	X1313.	Communic

FT295.	Surface Support Rail	47
FT410.	F-Style Sliding Door Storage Unit	55
FT411.	F-Style Shelf	56
FT420.	B-Style Flipper Door Unit	56
FT422.	B-Style Shelf	57
FT430.	E-Style Flipper Door Unit	58
FT432.	E-Style Shelf	59
FT490.	Coat Hook	29
FT900.	Tool Bar	30
FT920.	Wall Start Filler	15
FTS10.	Rectangular Surface	31
FTS11.	Concave Rectangular Surface	33
FTS12.	Curvilinear Surface	35
FTS18.	Bowtie Rectangular Surface	34
FTS20.	Corner Surface	36
FTS21.	Concave Corner Surface	37
FTS22.	Extended Corner Surface, Rectangular End	38
FTS23.		
FTS34.	Peninsula Surface, Rectangular End	40
FTS35.	Peninsula Surface, Round End	4:
FV2D1.	Square Open Support Leg, Peninsula Attached	49
FV2D2.	Square Open Support Leg	51
FV2E2.	Closed Support Leg	52
FV440.	Overhead Storage Cabinet, Open	63
FV441.	Overhead Storage Cabinet, Partial Enclosure	64
FV442.	Overhead Storage Cabinet, Full Enclosure	65
FV451.	Hutch, Full Enclosure	78
FV689.	Support Leg, Post	50
FV692.	Canvas Cabinet/Wall Attachment Bracket	77,52
FV693.	Privacy Panel	70
FV694.	Screen	69
FV695.	Cable Manager	53
FV696.	Stiffener	50
FV697.	Modesty Panel	71
FV980.	Tackboard	80,67
FV984.	Cord Manager	79,63
G1189.	Communication Port Faceplate Extender	23
	Communication Port Faceplate Reducer	23
G1331.	Cord Cleat	
	Energy-Efficient Task Light	54 72
G6121.	J. J.	, -
G6123.		
	Utility Task Light	73
G6137		
	Shelf Divider, Angled	
X1192.		
	Wall Fastener Communication Faceplate Extender	2/

X3710.	C-Style Flipper Door	60
X3730.	C-Style Shelf	6:
X3750.	C-Style Flipper Door Unit	59
X3910.	Component Brace	62
Y2091.	Squared-Edge Corner Wedge	43
Y5010.	Pencil Drawer	68
Y7231.	Marker/Eraser Holder	20

10-Day or Less Program

10-day or less products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple West Michigan manufacturing facilities. These include Holland, Spring Lake, and Zeeland. Orders will be shipped within 10 business days or less from the date of Herman Miller acknowledgement.

Ordering Procedures

- Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.
 - Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.
 - Order Entry fax number for all other products: (616) 654 3085.
- 2. Orders must be clearly marked "10-day or less program" and include only 10-day or less products. Orders not marked this way will be processed under standard lead times. Orders for standard lead times must be placed on a separate purchase order.
- Only fabrics and finishes listed with each product are available through the 10-day or less program.
- 4. For any 10-day or less project over \$250,000 list price, please contact your Customer Care representative within 48 hours of order entry to reserve lead time.
- For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

HermanMiller for Government March 2009



Keyed-Alike Locks

All components with locks may be specified keyed alike. Products with keyed-alike locks will be shipped with lock chassis installed. Installation of lock cylinders will be on-site according to instructions provided. Herman Miller, Inc. will not be responsible for lock cylinder installation.

When specifying product keyed-alike, include separate lines on your order for the lock cylinders.

For Action Office®, **Ethospace®**, **and Passage® products**, list cylinder part number and key number (232092-XXX); select a key number (or numbers) between 226 and 427, excluding numbers 408 and 412.

For Meridian® Storage or 5000 Series, see the following charts. Keyed-alike locks are field installed.

To order keyed-alike locks for Action Office® Series 1 and 2 door panels, please contact Customer Care.

A master key can be used to open any lock on an attached or freestanding component. In addition, a removal key or lock change tool is required to remove lock plugs. Customers interested in ordering master keys, removal keys, or lock change tools should contact Customer Care.

For Meridian Storage or 5000 Series desk components with pedestals, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX ¹	black	UM series 226-427
KA	1B2JK7-XXX ¹	chrome	UM series 226-427

For 5000 Series flipper door unit with bezel or credenza storage cabinet with bezel, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX ¹	black	UM series 226-427

Key Number:

XXX¹ = a key number between 226 and 427 (excluding 408 and 412)

HermanMiller for Government April 2016



Proprietary Textiles Application Chart — 10-Day Workspaces	ectors				Ş	IS	iles	-	and Tackboards
• Available	Action Office® Panels/Connectors	ors	ls	ors	Ethospace® Tiles/Connectors	Ethospace Attaching Screens	Canvas Office Landscape™ Tiles	S	ige and la
Application Note: Herman Miller cannot guarantee material/pattern alignment in	Par	r Do	oard	r Do	les/	ach	Lan	ndaı	Storage
adjacent products. For example, a fabric's pattern may not align from one	ice®	bbe	ckb	ppe	ij. ⊛	Att	fice	30ul	2 2 2
screen to the next, or from one panel to the next.	Off	il.	- Ta	臣	асе	асе	s of	e _®	g
	ction	B-Style Flipper Doors	B-Style Tackboards	E-Style Flipper Doors	thosp	thosp	anva	Resolve® Boundary	5000 Series Seating
Price Category 1	✓	<u> </u>	<u>B</u>	Ш	Ш	Ш	0	ا یم	2 S
8A Bubbletack	Т							•	
2V_ Chain	•	•	•	•	•	Н	22	\top	3
8T Crossing (85)	5	2	2	•	—		•	\neg	3 6
95 Gem	2	2	2	•	•		•	\neg	3 •
2l Grasscloth	•	•	•	•	•		•		3
1MNMonologue	•	•	•	•	•	П	•	\top	•
8B Multiscrim™				П	_	•	П	•	
5T Resonance	•	•	•	•	•	П	•	T	3
8C Scrim Trim				П	\neg			•	
2M Silkworm	•	•	•	•	•		•		3
1WSWhisper	•	•	•	•	•		•		•
Price Category 2									
51 Cord	•	•	•	•	•		•		3
92 Crepe	2	•	•	•	•		•		3 •
57 Frost	•	•	•	•	•		•		3
84 Grosgrain	5			•	•		•		3
4N Horizon	2	2	2	•	•		•		3
1LMLoom	•	•	•	•			•		
3A Moiré	\perp	2	2	•	•		22	\perp	3
8R Twist (5S)	4	2	2	•	•		•		3 6
Price Category 3	$\overline{}$							\Box	
70 Bento	2	2	2	•			•		3 •
8Z Glaze	•	•	•	•	•		•		3
47 Ground Cloth®	•	•	•	•	•		•		3
5D Kira 2	2	2	2	•	•		•		3
8L Savannah	•	20	•	•	•	Ш	•	•	
8U Stitches (5Z)	\perp	\perp		Ш		Ш	Щ	\dashv	3 6
8W Strands	<u> </u>	•	•	•	•		•		3
Price Category 4									
65 Quilty	2	2	2	•	•		•		3

- 2 Available on all products except 54" and 60" wide.
- 3 Fabric is railroaded for all widths.

Sironetta

- 4 Not available on Action Office acoustical panels and not available on 54" and 60" wide products.
- 5 Not available on Action Office acoustical panels.
- 6 Available on seating products in select colors. See the "Proprietary Textile Colors–10-Day Seating" appendix.
- 10 Not available on Action Office connectors, cable management, and spacers.
- 20 Available only on Ethospace B-Style.
- 22 Not available as railroaded application option for Chain (2V__) and Moiré (3A__).

HermanMiller for Government February 2018



Appendix: Proprietary Textile Colors - 10 - Day Workspaces

Price Category 1

Bubbletack				
100%	polyester			
8A01	Seashell White			
8A02	Pearl Grey			
8A07	Pebble Beige			
8A19	Spa Blue			

Chain
66" wide
100% recycled polyester
2V01 Pearl
2V02 Oyster
2V03 Wheat
2V04 Linen
2V05 Wicker
2V06 Bamboo
2V07 Sage
2V08 Spring Wood
2V09 Iceberg

Crossing
54" wide
86% antimony-free polyester
14% polyester
8T03 Wicker
8T04 Porcelain
8T05 Warm Grey
8T06 Sepia
8T07 Pumpkin
8T08 Copper
8T09 Cranberry
8T10 Tomato
8T11 Mulberry
8112 Plum
8T13 Green Apple
8T14 Loden
8T15 Spruce
8T16 Periwinkle
8T17 Cerulean
8T18 Indigo
8T19 Shale
8T20 Brownstone
8T21 Bark
8T22 Tin
8T23 Graphite
8T24 Black

Crossing For systems products only. 54" wide 86% antimony-free polyester 14% polyester 8501 Ivory 8502 Oyster

Gem	
54" w	vide
100%	antimony-free polyester
9501	Sesame
9502	Tangerine
9503	Red
9510	Berry Blue
9512	Green Apple
9514	Black
9515	Slate Grey
9516	Fog

Grass	scloth
66" w	ide
100%	recycled polyester
2101	Silver Birch
2102	Pampas
2103	Sedge
2107	Lea
2108	Taro
2109	Steam Grey
2110	Cayenne
2111	Bottle Green
2112	Surf
2113	Gravel

Monolog	Monologue		
54" wide	54" wide		
56% recyc	led polyester		
44% polye	ester		
1MN01	Linen		
1MN02	Alabaster		
1MN03	Truffle		
1MN04	Folkstone		
1MN05	Silver Pine		
1MN06	Slate		
1MN07	Seed		
1MN08	Yellow Oxide		
1MN09	Persimmon		
1MN10	Tundra		
1MN11	Meadow		
1MN12	Blue Sky		
1MN13	Blue Spruce		
1MN14	Deep Sea		

Multiscrim™		
60" wide		
100% polyester		
8B01	Seashell White	
8B02	Pearl Grey	
8B07	Pebble Beige	
8B19	Spa Blue	

Resonance	
66" w	ride
100%	polyester
5T04	Greige
5T05	Porcelain
5T06	Alabaster
5T15	Iris
5T28	Sugar
5T54	Saltbush

61" wide	
82% polyester	
18% 9	spandex
8C01	Seashell White
8C02	Pearl Grey

Scrim Trim

Silkw	Silkworm		
66" wi	ide		
58% re	ecycled polyester		
42% p	olyester		
2M01	Cocoon		
2M02	Pongee		
2M03	Saffron		
2M04	Tussah		
2M05	Ceylon		
2M06	Jasmine		
2M07	Shale		
2M08	Monsoon		

Whisper		
54" wide		
73% recycled polyester		
27% poly	ester	
1WS01	Sand Dollar	
1WS02	Pebble	
1WS03	Silver Birch	
1WS04	Iceberg	
1WS05	Silver Pine	
1WS06	Carbon	
1WS07	Cumin	
1WS08	Adobe	
1WS09	Strawberry	
1WS10	Blush	
1WS11	Eggplant	
1WS12	Willow	
1WS13	Sea Grass	
1WS14	Pool	
1WS15	Blueberry	

HermanMiller for Government February 2018 1

Price Category 2 Price Category 3

Cord		
66" wide		
52% antimony-free polyester		
48% polyester		
5101	lvory	
5102	White Ash	
5103	Linen	
5104	Bamboo	
5105	Sepia	
5106	Wicker	
5107	Sesame	
5108	Kiwi Green	
5109	Bayou	
5110	Shade	
5111	Spring Wood	
5112	Summer White	

Crepe	•
54" w	ide
100%	recycled polyester
9201	Licorice
9203	Smoke
9209	Claret
9223	
9241	
9243	
9244	Artichoke
9251	Fog
9252	Slate Grey
9260	Brownstone
9261	Shale
9262	Graphite
9263	Tomato
9264	Green Apple

Frost	
66" w	ide
100%	recycled polyester
5701	Bisque
5702	Abalone
5703	Porcelain
5704	Honey
5706	Sage
5710	Sable Grey

Grosgrain	
66" w	ide
100%	recycled polyester
8401	Pearl
8402	White Ash
8403	Warm Grey
8404	Khaki
8405	Oyster
8406	Celedon
8412	Tin

Horizon		
54" W	ide	
65% antimony-free polyester		
35% polyester		
4N01	Rye Grass	
4N02	Sugar Pine	
4N04	White Ash	
4N05	Spring Wood	
4N09	Oat Grass	

Loom		
54" wide		
100% polyester		
1LM01	Linen	
1LM02	Brown Sugar and Spice	
1LM03	Brick and Mortar	
1LM04	Salt and Pepper	
1LM07	Рорру	
1LM09	Loden	
1LM11	Deep Sea	

Moiré				
54" w	54" wide			
100%	recycled polyester			
3A01	Concrete			
3A03	Rattan			
3A04	Chambray			
3A12	Cork			

Twist				
54" wide				
80% antimony-free polyester				
13% recycled polyester				
7% polyester				
8R05 Wicker				
8R10 Poppy				
8R14 Tin				
8R15 Shale				
8R16 Graphite				
8R17 Birch				
8R18 Sepia				
8R22 Blueberry				
8R23 Green Apple				
8R26 Gunmetal				
8R28 Citrus				
8R30 Tangerine				
8R32 Wisteria				
8R35 Waterfall				
8R37 Carbon Dark				

	TWISE						
For systems products only. 54" wide 80% antimony-free polyeste							
							13% recycled polyester
							7% polyester
	5S01 Pearl						
	5S02 Ivory						
	5S03 Oyster						

	Bento			
	54" W	ide		
100% antimony-free polyeste				
	7001	Frost		
	7003	Khaki		
	7004	Truffle		

Glaze	:				
66" wide					
100%	recycled polyester				
8Z01	Wicker				
8Z03	Porcelain				
8Z06	Rye				
8Z07	Frost				
8Z08	Silver Birch				

Ground Cloth®					
66" wide					
100% polyester					
4701	Vapor Grey				
4721	Warm White				
4722	Fog				
4723	Straw				
4724	Red Orange				
4725	Wild Berry				
4726	Green Apple				
4727	Caribbean				
4728	Midnight				
4729	Cappuccino				

Category 3 continued on next page

February 2018 HermanMiller for Government

Proprietary Textile Colors -10-Day Workspaces

continued

Price Category 3

continued

Price Category 4

Kira 2

54" wide

100% recycled polyester

5D13 Oasis

5D15 Ash

5D16 Falcon

Savannah

66" wide

76% recycled polyester

24% polypropelene

8L01 Pearl

8L07 Linen

8L10 Frost

Strands

66" wide

100% recycled polyester

8W01 Pebble

8W02 Porcelain

8W03 Taupe

8W05 Khaki

8W08 Tin

Quilty

56" wide

100% antimony-free polyester

GreenShield

6S04 Straw

6S07 Brick

6S10 Mink

6S11 Green Apple

6S13 Indigo

Sironetta

66" wide

100% recycled polyester

6301 Acapella

6302 Sonata

6303 Interlude

6308 Harmony

Appendix: Proprietary Textile Colors - 10 - Day Workspaces

HermanMiller for Government



For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2018 Herman Miller, Inc., Zeeland, Michigan

[®] HermanMiller, ♠, Action Office, Aeron, Aside, Avive, Canvas Office Landscape, Caper, Celle, Co/Struc, Eames, Embody, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Herman Miller Healthcare, Layout Studio, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Resolve, Sayl, Setu, Thrive, Tu, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

TM AireWeave, Bubbletack, Cellular Suspension, Compass, Connect, DOT, Durawrap, Everywhere, Flex-Edge, Hopsak 2, Intent, Iota, Keyless Entry, Latitude, Lyris 2, Motia, Multiscrim, Nelson, Renew, Stackable, Swoop, TriFlex, Twist, and Verus are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

 ${}^{\rm S}{\rm Chemsurf}^{\otimes}$ is a registered trademark of Wilsonart International.

 ${\sf Corian}^{\circledast}$ is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver $\mathsf{Glide}^{\texttt{@}}$ is a registered trademark of Carpin Manufacturing, Inc.

 $\mathsf{Geiger}^{\circledast}$ is a registered trademark of Geiger International.

 ${\rm Microsoft}^{\otimes}$ and ${\rm Natural}^{\otimes}$ Keyboard are registered trademarks of Microsoft Corporation.

Place Textiles $^{\!\scriptscriptstyle{(\!0)}}$ is a registered trademark of Place Textiles.