

GSA prices effective May 30, 2018 (based on February 6, 2017, commercial price list) Published November 2018

Laboratory Furniture

Mora[™] System

General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!", a menu-driven database system. The Internet address for GSA Advantage! is www.gsaadvantage.gov. For more information on ordering from Federal Supply Schedules, click on the FSS Schedules button at www.fss.gsa.gov.

FSC Group 66, Part II, Section N FSC Classes 6640 Contract Number: GS-07F-5623R

Contract Period: February 1, 2015, through January 31, 2020

Herman Miller, Inc. 855 East Main Avenue Zeeland, Michigan 49464 (616) 654 3000 Phone (616) 654 8278 Fax HermanMiller.com/government

Business Size: Large

1a. Special Item Numbers (SIN)

566-1: Modular Laboratory Furniture Systems, all product except non-modular Laboratory Tables.

- **1b.** Lowest Price Model: CH800.NH \$20.00
- 1c. Not applicable.
- 2. Maximum Order. \$400,000 net product value.
- 3. Minimum Order. \$50 net.
- 4. Geographic Coverage. 48 contiguous states and District of Columbia. Other geographic locations see box below.
- 5. Production Points. Zeeland, Michigan, County of Ottawa.
- Pricing. Prices shown are list. To calculate contract prices, deduct 58.5%.
- 7. Quantity Discounts. Reference item #6.
- 8. Payment Terms. Net 30 days.
- Government Purchase Cards. ARE accepted below the micropurchase threshold.
- 9b. Government Purchase Cards. ARE accepted above the micropurchase threshold.
- 10. Foreign Items. Not applicable.
- 11a. Time of Delivery. 56 days ARO.
- 11b. Expedited Delivery. Select items may be available for expedited delivery. Contact Herman Miller, Inc., or local authorized dealer for availability.
- 11c. Overnight and 2-Day Delivery. Select items may be available for overnight or 2-day delivery. Contact Herman Miller, Inc., or local authorized dealer for availability.
- 11d. Urgent Requirements. Select items may be available for urgent delivery. Contact Herman Miller, Inc., or local authorized dealer for availability.
- F.O.B. Point. Destination within the 48 contiguous states and Dist. of Columbia.

- **13a. Order Address.** Herman Miller, Inc., Government Customer Care o161, 855 East Main Avenue, Zeeland, MI 49464.
- 13b. Order Procedures. For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's), and a sample BPA can be found at the GSA/FSS Schedule home page (www.fss.gsa.gov/schedules).
- **14. Payment Address.** Herman Miller, Inc., 22764 Network Place, Chicago, IL 60673-1227.
- Warranty Provisions. Herman Miller, Inc., commercial warranty applies.
- 16. Export Packing Charges. Prices supplied on request.
- Terms and Conditions of Government Commercial Credit Card Acceptance. None.
- **18.** Terms and Conditions of Rental, Maintenance, and Repair. Not applicable.
- Terms and Conditions of Installation. Installation services shall be negotiated between ordering agency and Herman Miller local authorized dealer.
- 20. Terms and Conditions of Repair Parts. Not applicable.
- 20a. Terms and Conditions for Any Other Services. Services shall be negotiated between ordering agency and Herman Miller local authorized dealer.
- List of Service and Distribution Points. Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com.
- **22. List of Participating Dealers.** Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com.
- 23. Preventive Maintenance. Not applicable.
- 24. Special Attributes. Reconfigurable, renewable.
- **25. DUNS Number.** 006012801
- 26. Registered in Central Contractor Registration (CCR) Database. "Herman Miller, Inc."

Herman Miller Miscellaneous Information: Federal ID Number: 38-0837640

Commercial and Government Entity Code (CAGE): 40636

Introduction	page 2
Mora™ System	3
Wall Attachment	5
Base Cabinets	3
Overhead Cabinets	27
Towers	51
Surfaces	69
Technology Support Solutions	102
Accessories	108
Indices	127
By Name	127
By Number	129
Appendices	
20-Day or Less/Assigned Lead-Time Order Information - Healthca	re
Packaging/Keyed-Alike Information-Mora™ System	
For the latest materials information, refer to the Materials pages on	HermanMiller.com.

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective May 30, 2018, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www. Herman Miller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest $^{1}/_{8}$ ". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.


20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon <a> a will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an A are on the assigned leadtime program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Mora[™] System

Wall Attachment **Base Cabinets Overhead Cabinets** Towers Surfaces **Technology Support Solutions** Accessories



Description

This hanging cleat attaches to an architectural wall to support installation of wall-hanging components. It attaches directly to finished $^{5}\!/_{8}$ "-thick or thicker drywall using wall anchors specified separately.

Notes

Cleat can span multiple cabinets.

Order hanging cleat hardware pack (CH105.) separately.

Dimensions






Specification Information

Step 1.

CH100.

Step 2	2. Width				
15	15" wide				
18	18" wide				
24	24" wide				
30	30" wide				
36	36" wide				
42	42" wide				
48	48" wide				
54	54" wide				
60	6o" wide				
63	63" wide				
66	66" wide				
72	72" wide				

Prices for Steps 1-2.	
CH100. 15	\$29
18	\$29
24	\$31
30	\$35
36	\$40
42	\$43
48	\$45
54	\$55
60	\$58
63	\$62
66	\$64
72	\$66




Description

This hardware pack is used to attach a hanging cleat to an architectural

Notes

Order hanging cleat (CH100.) separately.

Dimensions



Specification Information

Step 1.


CH105.

Step 2. Quantity

25100100

Prices for Steps 1-2.

CH105. 25 \$70 100 \$240



Description

This hardware joins 2 side-by-side cabinets and eliminates gaps. 3 fasteners are recommended for each set of cabinet connections.

Dimensions





Specification Information

Step 1.

CH110.

Step 2. Quantity

12 12


50 50

Prices for Steps 1-2.

CH110. 12 50

\$75

\$32



Description

These cases attach to a hanging cleat to provide storage below a work surface and have drawers will full-extension ball-bearing slides. Cases come in several widths and storage configurations. Finish applies throughout.

Notes


Order the following products separately:

- Hanging cleat (CH100.)
- Work surface
- Ganging hardware pack (CH110.)

Lock options lock top drawer only.

For keyed-alike locks, order lock plugs separately.

Case height is 20".



Spec	cification Information	
Step	1.	
CH20	0.	
Step	2. Width	
18	18" wide	+\$871
24	24" wide	+\$936
Step	3. Depth	
19	19" deep	+\$0
Step	4. Storage Options	
For 18	3" wide (18)	
SM	individual drawer fronts, 1 small drawer and 1 large drawer	+\$0
SD	individual drawer fronts, 3 small drawers	+\$140
FM	full drawer front, 1 small drawer and 1 large drawer	+\$0
For 2	4" wide (24)	
SM	individual drawer fronts, 1 small drawer and 1 large drawer	+\$0
SD	individual drawer fronts, 3 small drawers	+\$140
FM	full drawer front, 1 small drawer and 1 large drawer	+\$0
PC	printer cabinet with pull-out shelf	+\$35
Step	5. Location in Run (for back-notching)	
M	middle of run	+\$0
L	left finished end	+\$0
R	right finished end	+\$0
S	standalone (no notching)	+\$0
Step	6. Lock Option	
For in	dividual drawer fronts, 1 small drawer and 1 large drawer	· (SM),
indiv	idual drawer fronts, 3 small drawers (SD), or full drawer fr	ront, 1
	drawer and 1 large drawer (FM)	
NL	no lock	+\$0
KA	keyed lock, keyed alike	+\$60
KC	keyed lock, keyed differently, chrome	+\$60
KD	keyed lock, keyed differently, black	+\$60
KP	keyless lock	+\$275

Step	7. Pull Type	
	dividual drawer fronts, 1 small drawer (S	
	idual drawer fronts, 3 small drawers (SL ' drawer and 1 large drawer (FM))), or full arawer front, 1
Α	arc pull	+\$24
K	bar pull	+\$24
Т	tab pull	+\$56
Р	profile pull	+\$56
C	curved pull	+\$50
N	no pull	+\$0
For pi	rinter cabinet with pull-out shelf (PC)	
N	no pull	+\$0
Step	8. Case/Front/Side Material	
L	low-pressure laminate	+\$ o
Н	high-pressure laminate	+\$225
Step	9. Grain Direction	
HRG	horizontal grain	+\$ o
VTG	vertical grain	+\$ o


no lock

NL

For printer cabinet with pull-out shelf (PC)

+\$o

Step 10	o. Finish		HY	walnut on cherry	
			LA	light ash	
For lov	r-pressure laminate (L)		LBA	clear on ash	
76	light brown walnut	+\$0	LBB	oak on ash	
3Q	folkstone grey	+ \$o	LBC	walnut on ash	
01	white	+\$o	LBD	dark brown walnut	
8	studio white	+\$o	LBE	medium red walnut	
:L	cool grey neutral	+\$o	LBF	neutral twill	
IM	natural maple	+\$o	LBG	sarum twill	
IP	light anigre	+\$o	LBH	earthen twill	
X	aged cherry	+\$o	LBJ	graphite twill	
Υ	walnut on cherry	+\$o	LBK	pewter mesh	
Α	light ash	+\$0	LBL	steel mesh	
ВА	clear on ash	+\$0	LBM	crisp linen	
вв	oak on ash	+\$0	LBN	classic linen	
ВС	walnut on ash	+\$0	LBP	casual linen	
BD	dark brown walnut	+\$0	LBQ	white twill	
BE	medium red walnut	+\$0	LBR	phantom ecru	
BF	neutral twill	+\$0	LBS	phantom cocoa	
BG	sarum twill	+\$0	LBU	medium matte walnut	
ВН	earthen twill	+\$0	LBV	warm grey teak	
BJ	graphite twill	+\$0	LM	mahogany	
BK	pewter mesh	+\$0	LT	light tone	
BL	steel mesh	+\$0	LU	soft white	
3M	crisp linen	+\$0	MT	medium tone	
BN	classic linen	+\$0	OG	honey maple	
3P	casual linen	+\$0	WL	sandstone	
BQ	white twill	+\$0	WN	warm grey neutral	
BR	phantom ecru	+\$0	****	warm grey neutrat	
BS	phantom cocoa	+\$0	Stan 1	1. Pull Finish	
BU	medium matte walnut	+\$0	Step 1	1. Full Fillion	
BV	warm grey teak	+\$0	Forno	pull (N)	
U	soft white	+\$0	NN		
			ININ	none	
/L	sandstone	+\$0		c pull (A), tab pull (T), profile pull (P), or curved pu	.11 (C)
VN	warm grey neutral	+\$0	***************************************		III (C)
· l- ! -	L		STD	standard finish	
	h-pressure laminate (H)	Φ-			
6	light brown walnut	+\$o	************	r pull (K)	
Q	folkstone grey	+\$o	98	studio white	
1	white	+\$o	8Q	folkstone grey	
8	studio white	+\$0	91	white	
L -	cool grey neutral	+\$0	G1	graphite	
IF	inner tone light	+\$0	CN	metallic champagne	
IM	natural maple	+\$0	MS	metallic silver	
IP	light anigre	+\$0			
łΤ	inner tone	+\$0			
НX	aged cherry	+\$0			



Description

These cases attach to a hanging cleat to provide storage below a work surface, trash solutions, or act as sink cabinets. The trash cabinet accommodates a 7-gallon waste bin. Finish applies throughout.

Notes

When specifying full door with trash opening (DT), waste bin not included. See Planning Guide for recommendations.

Order work surface or work surface with sink separately.

When using cabinet as a sink cabinet, a fixed panel front option is recommended to hide plumbing.


Full door with trash opening (DT) storage option cannot be used as a sink cabinet.

All storage options have adjustable shelf.

Case height is 20".

Order the following products separately:

- Hanging cleat (CH100.)
- Ganging hardware (CH110.)




	circation information	
Step		
CH21	10.	
Step	2. Width	
18	18" wide	+\$649
24	24" wide	+\$691
30	30" wide	+\$776
36	36" wide	+\$816
Step	3. Depth	
19	19" deep	+\$0
Step	4. Storage Options	
For 1	8" wide (18) or 24" wide (24)	
FD	full door	+\$o
DT	full door with trash opening	+\$35
FP	removable panel front	+\$20
For 3	30" wide (30) or 36" wide (36)	
DD	double doors	+\$0
Step	5. Location in Run (for back-notching)	
M	middle of run	+\$0
L	left finished end	+\$0
R	right finished end	+\$0
S	standalone (no notching)	+\$0
Step	6. Door Hinge Location	
For f	ull door (FD) or full door with trash opening (DT)
L	left	+\$0
R	right	+\$0
For r	emovable panel front (FP)	
N	no hinge	+\$0
For a	double doors (DD)	
R	left and right	+\$0

Step 7	7. Lock Option	
<u></u>	(D) - (D)	
************	puble doors (DD) or full door (FD)	
NL	no lock	+\$0
KA	keyed lock, keyed alike	+\$60
KC	keyed lock, keyed differently, chrome	+\$60
KD	keyed lock, keyed differently, black	+\$60
KP	keyless lock	+\$27
For fu	ll door with trash opening (DT) or removable pand	el front (FP)
NL	no lock	+\$0
Step 8	3. Pull Type	
	ouble doors (DD), full door (FD), or full door with t	rash opening
(DT)		
Α	arc pull	+\$12
K	bar pull	+\$12
T	tab pull	+\$28
Р	profile pull	+\$28
C	curved pull	+\$2!
N	no pull	+\$0
For re	movable panel front (FP)	
N	no pull	+\$0
Step 9	o. Case/Front/Side Material	
L	low-pressure laminate	+\$0
Н	high-pressure laminate	+\$22
Step 1	o. Grain Direction	
HRG	horizontal grain	+\$0
VTG	vertical grain	+\$0

Step 1	1. Finish		HY	walnut on cherry	+\$o
			LA	light ash	+\$o
For lo	w-pressure laminate (L)		LBA	clear on ash	+\$o
76	light brown walnut	+\$o	LBB	oak on ash	+\$o
8Q	folkstone grey	+\$o	LBC	walnut on ash	+\$o
91	white	+\$o	LBD	dark brown walnut	+\$o
98	studio white	+\$o	LBE	medium red walnut	+\$o
CL	cool grey neutral	+\$o	LBF	neutral twill	+\$o
нм	natural maple	+\$o	LBG	sarum twill	+\$o
HP	light anigre	+\$o	LBH	earthen twill	+\$o
нх	aged cherry	+\$o	LBJ	graphite twill	+\$o
HY	walnut on cherry	+\$o	LBK	pewter mesh	+\$o
LA	light ash	+\$o	LBL	steel mesh	+\$o
LBA	clear on ash	+\$o	LBM	crisp linen	+\$o
LBB	oak on ash	+\$o	LBN	classic linen	+\$o
LBC	walnut on ash	+\$o	LBP	casual linen	+\$o
LBD	dark brown walnut	+\$o	LBQ	white twill	+\$o
LBE	medium red walnut	+\$ o	LBR	phantom ecru	+\$o
LBF	neutral twill	+\$ o	LBS	phantom cocoa	+\$o
LBG	sarum twill	+\$ o	LBU	medium matte walnut	+\$o
LBH	earthen twill	+\$ o	LBV	warm grey teak	+\$o
LBJ	graphite twill	+\$ o	LM	mahogany	+\$o
LBK	pewter mesh	+\$ o	LT	light tone	+\$o
LBL	steel mesh	+\$ o	LU	soft white	+\$o
LBM	crisp linen	+\$ o	MT	medium tone	+\$o
LBN	classic linen	+\$ o	OG	honey maple	+\$o
LBP	casual linen	+\$ o	WL	sandstone	+\$o
LBQ	white twill	+\$ o	WN	warm grey neutral	+\$o
LBR	phantom ecru	+ \$o			
LBS	phantom cocoa	+\$o	Step 1	2. Pull Finish	
LBU	medium matte walnut	+\$o			
LBV	warm grey teak	+\$o	For no	pull (N)	
LU	soft white	+\$o	NN	none	+\$o
WL	sandstone	+\$o			
WN	warm grey neutral	+\$o	For ar	c pull (A), tab pull (T), profile pull (P), or curved pull (C)	
			STD	standard finish	+\$o
For hi	gh-pressure laminate (H)				
76	light brown walnut	+\$0	For bo	r pull (K)	
8Q	folkstone grey	+\$o	98	studio white	+\$o
91	white	+\$o	8Q	folkstone grey	+\$o
98	studio white	+\$o	91	white	+\$o
CL	cool grey neutral	+\$o	G1	graphite	+\$o
HF	inner tone light	+\$o	CN	metallic champagne	+\$0
нм	natural maple	+\$o	MS	metallic silver	+\$0
HP	light anigre	+\$o			
HT	inner tone	+\$o			
нх	aged cherry	+ \$o			

Step 1	13. Grommet Finish	
For fu	ll door with trash opening (DT)	
8Q	folkstone grey	+\$
91	white	+\$
CL	cool grey neutral	+\$
WL	sandstone	+\$
WN	warm grey neutral	+\$



Description

These cases provide storage below a work surface and sit on a plinth base with $1^1/2^n$ adjustable glides. Cases come in several sizes and storage configurations, with or without locks. Finish applies throughout.

Notes


Order plinth base (CH250., CH255.) separately.

Order work surface separately.

Lock options lock the top drawer only.

For keyed-alike locks, order lock plugs separately.

For service parts, bottom large drawer has slightly different dimension than middle large drawer.




Specification Information

Step 1. CH220. Step 2. Height 34 34" high +\$1330 36" high 36 +\$1345 Step 3. Width 18 18" wide +\$o 24 24" wide +\$30 30 30" wide +\$100 36 36" wide +\$o Step 4. Depth +\$o 19 19" deep 24 24" deep +\$30 30 30" deep +\$450 Step 5. Storage Options For 18" wide (18) SD individual drawer fronts, 3 small drawers, 1 large +\$o FΜ full drawer front, 1 small drawer, 2 large drawers -\$145 -\$300 SS door and small drawer with shelf For 24" wide (24) individual drawer fronts, 3 small drawers, 1 large SD +\$o drawer FM full drawer front, 1 small drawer, 2 large drawers -\$135 SS door and small drawer with shelf -\$285 PC printer cabinet with pull-out shelf +\$o For 30" wide (30) SD individual drawer fronts, 3 small drawers, 1 large +\$0 FM full drawer front, 1 small drawer, 2 large drawers -\$125 DR double doors with drawer and shelf -\$200 For 36" wide (36) DR double doors with drawer and shelf -\$90 Step 6. Door Hinge Location L left +\$o R right +\$o

For do	uble doors with drawer and shelf (DR), individual	drawer fronts,	
3 sma	ll drawers, 1 large drawer (SD), full drawer front, 1	small drawer, 2	
large (drawers (FM), or door and small drawer with shelf	(SS)	
NL	no lock	+\$0	
KA	keyed lock, keyed alike	+\$60	
KC	keyed lock, keyed differently, chrome	+\$60	
KD	keyed lock, keyed differently, black	+\$60	
KP	keyless lock	+\$275	
For pr	inter cabinet with pull-out shelf (PC)		
NL	no lock	+\$0	
Step 8	3. Pull Type		
Α	arc pull	+\$24	
K	bar pull	+\$24	
T	tab pull	+\$56	
P	profile pull	+\$56	
C	curved pull	+\$50	
N	no pull	+\$0	
Step 9	o. Case/Front/Side Material		
L	low-pressure laminate	+\$0	
Н	high-pressure laminate	+\$240	
Step 1	o. Grain Direction		
HRG	horizontal grain	+\$0	
VTG	vertical grain	+\$0	

Step 7, Lock Option

Step :	11. Finish		HY	walnut on cherry	+\$o
			LA	light ash	+\$o
For lo	w-pressure laminate (L)		LBA	clear on ash	+\$o
76	light brown walnut	+\$0	LBB	oak on ash	+\$o
8Q	folkstone grey	+\$o	LBC	walnut on ash	+\$o
91	white	+\$o	LBD	dark brown walnut	+\$o
98	studio white	+\$o	LBE	medium red walnut	+\$o
CL	cool grey neutral	+\$o	LBF	neutral twill	+\$o
нм	natural maple	+\$o	LBG	sarum twill	+\$o
HP	light anigre	+\$o	LBH	earthen twill	+\$o
нх	aged cherry	+\$o	LBJ	graphite twill	+\$o
HY	walnut on cherry	+\$o	LBK	pewter mesh	+\$o
LA	light ash	+ \$o	LBL	steel mesh	+\$o
LBA	clear on ash	+ \$o	LBM	crisp linen	+\$o
LBB	oak on ash	+ \$o	LBN	classic linen	+\$o
LBC	walnut on ash	+\$o	LBP	casual linen	+\$o
LBD	dark brown walnut	+\$o	LBQ	white twill	+\$o
LBE	medium red walnut	+ \$o	LBR	phantom ecru	+\$o
LBF	neutral twill	+ \$o	LBS	phantom cocoa	+\$o
LBG	sarum twill	+ \$o	LBU	medium matte walnut	+\$o
LBH	earthen twill	+ \$o	LBV	warm grey teak	+\$o
LBJ	graphite twill	+ \$o	LM	mahogany	+\$o
LBK	pewter mesh	+\$o	LT	light tone	+\$o
LBL	steel mesh	+\$o	LU	soft white	+\$o
LBM	crisp linen	+\$o	MT	medium tone	+\$o
LBN	classic linen	+\$o	OG	honey maple	+\$o
LBP	casual linen	+\$o	WL	sandstone	+\$o
LBQ	white twill	+\$o	WN	warm grey neutral	+\$o
LBR	phantom ecru	+ \$o			
LBS	phantom cocoa	+ \$o	Step 1	2. Pull Finish	
LBU	medium matte walnut	+ \$o			
LBV	warm grey teak	+ \$o	For no	pull (N)	
LU	soft white	+ \$o	NN	none	+\$0
WL	sandstone	+ \$o			
WN	warm grey neutral	+\$o	For ar	c pull (A), tab pull (T), profile pull (P), or curved pull (C)	
			STD	standard finish	+\$0
For hi	gh-pressure laminate (H)				
76	light brown walnut	+\$0	For ba	r pull (K)	
8Q	folkstone grey	+ \$o	8Q	folkstone grey	+\$0
91	white	+ \$o	91	white	+\$o
98	studio white	+ \$o	98	studio white	+\$o
CL	cool grey neutral	+ \$o	CN	metallic champagne	+\$o
HF	inner tone light	+\$o	G1	graphite	+\$o
нм	natural maple	+ \$o	MS	metallic silver	+\$o
HP	light anigre	+ \$0			
HT	inner tone	+ \$0			
нх	aged cherry	+\$o			



Description

These cases provide storage below a work surface, trash solutions, or act as sink cabinets. The cases sit on a plinth base with $1^1\!/_2$ " adjustable glides. The trash cabinet accommodates a 7-gallon waste bin. Finish applies throughout.

Notes

When specifying full door with trash cutout (TC), waste bin not included. See Planning Guide for recommendations.

Order work surface or work surface with sink separately.


Order plinth base (CH250., CH255.) separately.

When using cabinet as a sink cabinet, a fixed panel front option is recommended to hide plumbing.

Door with trash cutout (TC) storage option cannot be used as a sink cabinet.

All storage options have adjustable shelf.

Order ganging hardware (CH110.) separately.




Step	1.	
CH23	0.	
Step	2. Height	
34	34" high	+\$773
36	36" high	+\$783
Step	3. Width	
18	18" wide	+\$0
24	24" wide	+\$35
30	30" wide	+\$285
36	36" wide	+\$325
48	48" wide	+\$415
Step	4. Depth	
19	19" deep	+\$0
24	24" deep	+\$30
30	30" deep	+\$130
Step	5. Storage Options	
For 18	3" wide (18) or 24" wide (24)	
DS	full door with shelf	+\$0
TC	door wth trash cutout	+\$30
DF	door with false drawer front and shelf	+\$20
For 30	o" wide (30), 36" wide (36), or 48" wide (48)	
DD	double doors with shelf	+\$0
FD	double doors with false drawer front and shelf	+\$20
Step	6. Door Hinge Location	
For fu	ll door with shelf (DS), door wth trash cutout (TC), or do	oor with
false	drawer front and shelf (DF)	
L	left	+\$0
R	right	+\$0
For de	ouble doors with shelf (DD) or double doors with false o	drawer front
and c	helf (FD)	

Step	7. Lock Option	
For do	ouble doors with shelf (DD) or full door with shelf (DS)
NL	no lock	+\$0
KA	keyed lock, keyed alike	+\$60
KC	keyed lock, keyed differently, chrome	+\$60
KD	keyed lock, keyed differently, black	+\$60
KP	keyless lock	+\$275
For do	ouble doors with false drawer front and shelf (FD),	door wth trash
cutou	t (TC), or door with false drawer front and shelf (DI	5
NL	no lock	+\$0
Step	3. Pull Type	
Α	arc pull	+\$12
K	bar pull	+\$12
Т	tab pull	+\$28
Р	profile pull	+\$28
C	curved pull	+\$25
N	no pull	+\$0
Step	9. Case/Front/Side Material	
L	low-pressure laminate	+\$0
Н	high-pressure laminate	+\$240
Step	10. Grain Direction	
HRG	horizontal grain	+\$0
VTG	vertical grain	+\$0

left and right

Step 1	11. Finish		нх	aged cherry	+\$
			HY	walnut on cherry	+\$
	w-pressure laminate (L)		LA	light ash	+\$
76	light brown walnut	+\$0	LBA	clear on ash	+\$
3Q	folkstone grey	+ \$0	LBB	oak on ash	+\$
91	white	+ \$0	LBC	walnut on ash	+\$
98	studio white	+ \$0	LBD	dark brown walnut	+\$
CL	cool grey neutral	+ \$0	LBE	medium red walnut	+\$
НМ	natural maple	+\$0	LBF	neutral twill	+\$(
HP	light anigre	+\$0	LBG	sarum twill	+\$
НХ	aged cherry	+\$0	LBH	earthen twill	+\$(
HY	walnut on cherry	+\$0	LBJ	graphite twill	+\$
LA	light ash	+ \$0	LBK	pewter mesh	+\$
LBA	clear on ash	+ \$0	LBL	steel mesh	+\$
LBB	oak on ash	+ \$0	LBM	crisp linen	+\$
LBC	walnut on ash	+ \$0	LBN	classic linen	+\$
LBD	dark brown walnut	+ \$0	LBP	casual linen	+\$
LBE	medium red walnut	+ \$0	LBQ	white twill	+\$
LBF	neutral twill	+ \$0	LBR	phantom ecru	+\$
LBG	sarum twill	+ \$0	LBS	phantom cocoa	+\$
LBH	earthen twill	+\$o	LBU	medium matte walnut	+\$
LBJ	graphite twill	+\$o	LBV	warm grey teak	+\$
LBK	pewter mesh	+ \$0	LM	mahogany	+\$
LBL	steel mesh	+ \$0	LT	light tone	+\$
LBM	crisp linen	+ \$0	LU	soft white	+\$
LBN	classic linen	+\$o	MT	medium tone	+\$
LBP	casual linen	+\$0	OG	honey maple	+\$
LBQ	white twill	+\$o	WL	sandstone	+\$
LBR	phantom ecru	+\$0	WN	warm grey neutral	+\$
LBS	phantom cocoa	+\$o			
LBU	medium matte walnut	+\$ 0	Step 1	2. Pull Finish	
LBV	warm grey teak	+\$o			
LU	soft white	+\$ 0	For no	pull (N)	
WL	sandstone	+\$o	NN	none	+\$
WN	warm grey neutral	+\$o			
			For ar	pull (A), tab pull (T), profile pull (P), or curve	d pull (C)
For hi	gh-pressure laminate (H)		STD	standard finish	+\$
76	light brown walnut	+\$0			
BQ	folkstone grey	+\$o	For ba	r pull (K)	
91	white	+\$o	8Q	folkstone grey	+\$
98	studio white	+\$o	91	white	+\$
BU	black umber	+\$o	98	studio white	+\$
CL	cool grey neutral	+ \$0	CN	metallic champagne	+\$
HF	inner tone light	+\$0	G1	graphite	+\$
HM	natural maple	+\$0	MS	metallic silver	+\$
ΗP	light anigre	+\$0			
НT	inner tone	+\$o			


Step	13. Grommet Finish	
For d	door wth trash cutout (TC)	
8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
WL	sandstone	+\$0
WN	warm grev neutral	+\$0



Description

This HPL plinth base raises to-the-floor cabinets off the floor creating a toe-kick area, is designed to span multiple cabinets, and has $1^1\!/_2$ " adjustable glides. It is designed to be used without cove molding. Shipped assembled.

Dimensions



Specification Information

Step 1.

3X

4X

5X

celery

coriander

chamomile

CH250.


CH250	J.	
Step 2	e. Depth	
19	19" deep	+\$250
24	24" deep	+\$275
30	30" deep	+\$325
6.	are tel	
	s. Width	Φ.
15	15" wide	-\$12
18	18" wide	-\$10
24	24" wide	+\$0
30	30" wide	+\$15
36	36" wide	+\$30
42	42" deep	+\$50
48	48" wide	+\$60
54	54" wide	+\$80
60	6o" wide	+\$95
63	63" wide	+\$100
66	66" wide	+\$110
72	72" wide	+\$125
Sten /	. Inset (for cabinet)	
B	inset on both (recommended)	+\$0
ī	inset on one side	+\$0
c	flush on both (inline)	+\$0
	nusir on both (intine)	04+
Step 5	. Case/Front/Side Material	
Н	high-pressure laminate	+\$o
Cton (Crain Direction	
	6. Grain Direction	.
HRG	horizontal grain	+\$0
Step 7	r. Finish	
LBR	phantom ecru	+\$o
LBS	phantom cocoa	+\$o
LBV	warm grey teak	+ \$o
1X	vanilla	+\$o
28	canyon	+ \$o
29	misted	+\$o
2X	wheat	+\$o
38	twilight	+\$o
39	desert	+\$0
		• •

+\$o

+\$o

+\$o


6X	cinnamon	+\$0
76	light brown walnut	+\$0
7X	cardamom	+\$0
8Q	folkstone grey	+\$0
8X	kale	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBU	medium matte walnut	+\$(
LG	light grey (discontinuing)	+\$0
LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
X1	chalk white	+\$6



Description

This unfinished plinth base raises to-the-floor cabinets off the floor creating a toe-kick area, is designed to span multiple cabinets, and has $1^1/2^n$ adjustable glides. It is designed to be used without cove molding and has unfinished ends. Shipped assembled.

Dimensions




Specification Information

Step 1.

CH255.

Step	2. Depth	
19	19" deep	+\$215
24	24" deep	+\$240
30	30" deep	+\$290
Step	3. Width	
15	15" wide	-\$12
18	18" wide	-\$10
24	24" wide	+\$0
30	30" wide	+\$15
36	36" wide	+\$30
42	42" wide	+\$50
48	48" wide	+\$60
54	54" wide	+\$80
60	6o" wide	+\$95
63	63" wide	+\$100
66	66" wide	+\$110
72	72" wide	+\$125
Step	4. Inset (for cabinet)	
В	inset on both (recommended)	+\$0
C	flush on both (inline)	+\$0
I	inset on one side	+\$0
Step	5. Finish	
91	white	+\$0





Description


This sink enclosure hangs from an architectural wall. Enclosure has a removable front panel to allow access to plumbing.

Notes

Order Corian® worksurface with ADA sink (CH6o7.) separately. Faucet must be field supplied.







Specification Information	
Step 1.	
CH2/r0	


Step 2	2. Depth	
19	19" deep	+\$900
24	24" deep	+\$950
Step 3	3. Width	
24	24" wide	-\$15
30	30" wide	+\$0
Step 2	4. Height	
STD	standard	+\$0
Step	5. Surface Material	
Н	high-pressure laminate	+\$170
L	low-pressure laminate	+\$0
Step 6	6. Grain Direction	
HRG	horizontal grain	+ \$o
VTG	vertical grain	+\$o

Step 7. Finish For high-pressure laminate (H) 76 light brown walnut **+**\$0 For low-pressure laminate (L) 8Q folkstone grey **+**\$o light brown walnut +\$o 91 white +\$0 8Q folkstone grey 98 studio white +\$o +\$0 91 white +\$o CLcool grey neutral +\$0 98 studio white +\$o HF inner tone light +\$o CL cool grey neutral нм natural maple **+**\$0 +\$o НМ natural maple +\$o HP light anigre +\$0 HP light anigre HT +\$0 +\$o inner tone HX aged cherry +\$o HX aged cherry +\$0 HY walnut on cherry +\$o HY walnut on cherry **+**\$0 LA light ash +\$o LA light ash **+**\$0 LBA LBA clear on ash +\$o clear on ash **+**\$0 LBB oak on ash LBB oak on ash +\$0 +\$o LBC walnut on ash +\$o LBC walnut on ash +\$0 LBD dark brown walnut +\$o LBD dark brown walnut +\$0 LBE **LBE** medium red walnut +\$o medium red walnut +\$o LBF neutral twill **LBF** neutral twill **+**\$0 +\$o LBG sarum twill +\$o **LBG** sarum twill +\$0 LBH earthen twill LBH earthen twill +\$0 +\$o LBJ graphite twill +\$o LBJ graphite twill +\$0 LBK **LBK** pewter mesh **+**\$0 pewter mesh +\$o LBL steel mesh +\$o LBL steel mesh **+**\$0 LBM LBM crisp linen +\$o crisp linen **+**\$0 LBN LBN classic linen +\$0 classic linen +\$o LBP casual linen **LBP** casual linen +\$o +\$0 LBQ white twill +\$o LBQ white twill +\$0 LBU LBU medium matte walnut +\$o medium matte walnut **+**\$0 LU mahogany soft white +\$o LM **+**\$0 WL sandstone +\$o LT light tone +\$0 WN warm grey neutral +\$o LU soft white +\$0 MT medium tone +\$0 WL sandstone **+**\$0

WN

warm grey neutral

+\$0



Description

These overhead cabinets attach to an architectural wall with a hanging cleat. They are available in several sizes and storage configurations. All storage options include an adjustable shelf.

Notes

Overhead cabinets wider than 36" have vertical divider.


When specifying paper towel cabinet (P) or paper towel/glove holder combo cabinet (C), paper towel dispenser is field supplied.

For keyed-alike locks, order lock plugs separately.

Order the following products separately:


- Hanging cleat (CH100.)
- Ganging hardware (CH110.)

Dimensions






Glove Box/Paper Towel Combo



Double Door




	cification Information		Step ;	7. Door Hinge
Step				
CH30	0.			ngle door (S)
C+	- 11-1-1-4			cabinet (P),
	2. Height	* 0	L	left : , ,
19	19" high	+\$548	R	right
31	31" high	+\$653		
Ston	a Width		S	ouble door (L default
18	3. Width 18" wide	+\$o	3	uerautt
24	24" wide	+\$0	Ston	8. Lock Optio
30	30" wide	+\$30 +\$130	Step	5. LUCK OPIIO
36	36" wide	+\$130	Ford	ouble door (L
	48" wide		***************************************	
48	46 wide	+\$300	NL	no lock
C+	. Develo		KA	keyed locl
Step.	4. Depth		KC	keyed locl
	"1:14		KD	keyed locl
	ין" high (19)		KP	keyless lo
11	11" deep	+\$0		
				aper towel/gl
For 3	1" high (31)		***************************************	r glove holde
13	13" deep	+\$0	NL	no lock
Step	5. Storage Options		Step	9. Pull Type
For 19	9" high (19) with 18" wide (18) or 24" wide (24)		For do	ouble door (L
S	single door	+\$0		er cabinet (G)
С	paper towel/glove holder combo cabinet	+\$150	Α	arc pull
Р	paper towel cabinet	+\$o	K	bar pull
G	glove holder cabinet	+\$150	Т	tab pull
	3	, 5-	Р	profile pul
For 3:	1" high (31) with 18" wide (18) or 24" wide (24)		С	curved pu
S	single door	+\$o	N	no pull
P	paper towel cabinet	+\$0		patt
•	paper tower cubinet	140	For no	aper towel/gl
For 10	o" high (19) or 31" high (31) with 30" wide (30), 36" wide	(26) or	N	no pull
	vide (48)	(30), 01		no putt
D	double door	+\$o	Ston	10. Surface N
D	double door	+40	L	
Cton	6 Location in Dun			low-press
	6. Location in Run standalone	¢ -	Н	high-press
5		+\$o	C:	C' D'
M	middle of run	+\$0 +\$0		11. Grain Dire
	left end	±%∩	HRG	horizontal
L R	right end	+\$0	VTG	vertical gr

<i>F</i>	-1-4(6)	h:
	ngle door (S), paper towel/glove holder combo ca	binet (C), paper
L	cabinet (P), or glove holder cabinet (G)	+\$0
R	right	+\$(
For do	puble door (D)	
S	default	+\$0
Step 8	3. Lock Option	
For do	ouble door (D) or single door (S)	
NL	no lock	+\$
KA	keyed lock, keyed alike	+\$6
KC	keyed lock, keyed differently, chrome	+\$6
KD	keyed lock, keyed differently, black	+\$6
KP	keyless lock	+\$27
	per towel/glove holder combo cabinet (C), paper calove holder cabinet (G)	towel cabinet
	per towel/glove holder combo cabinet (C), paper glove holder cabinet (G) no lock	towel cabinet + +\$0
(P), or	glove holder cabinet (G)	
(P), or	no lock Description: Pull Type	+\$
(P), or NL Step 9	glove holder cabinet (G) no lock	+\$
(P), or NL Step 9	r glove holder cabinet (G) no lock p. Pull Type puble door (D), single door (S), paper towel cabine	+\$ et (P), or glove
(P), or NL Step 9	r glove holder cabinet (G) no lock p. Pull Type puble door (D), single door (S), paper towel cabiner cabinet (G)	+\$i et (P), or glove +\$1
Step s For do holde	no lock D. Pull Type Suble door (D), single door (S), paper towel cabinar cabinet (G) arc pull	+\$
Step 9 For do holde K	no lock p. Pull Type suble door (D), single door (S), paper towel cabinar cabinet (G) arc pull bar pull	+\$1 +\$1 +\$1 +\$2
Step 9 For do holde A K T	r glove holder cabinet (G) no lock p. Pull Type suble door (D), single door (S), paper towel cabiner cabinet (G) arc pull bar pull tab pull	+\$1 +\$1 +\$2 +\$2
Step s For do holde A K T P	r glove holder cabinet (G) no lock p. Pull Type suble door (D), single door (S), paper towel cabiner cabinet (G) arc pull bar pull tab pull profile pull	+\$1 +\$1 +\$1
Step s For do holde K T P C N	no lock Description of the profile pull tab pull profile pull curved pull curved pull	+\$1 +\$1 +\$1 +\$2 +\$2 +\$2
Step s For do holde K T P C N	r glove holder cabinet (G) no lock p. Pull Type suble door (D), single door (S), paper towel cabiner cabinet (G) arc pull bar pull tab pull profile pull curved pull no pull	+\$1 +\$2 +\$2 +\$2 +\$2
(P), on NL Step 9 For docholde A K T P C N	r glove holder cabinet (G) no lock p. Pull Type suble door (D), single door (S), paper towel cabiner cabinet (G) arc pull bar pull tab pull profile pull curved pull no pull	+\$1 +\$2 +\$2 +\$2 +\$2
(P), on NL Step 9 For docholde A K T P C N	r glove holder cabinet (G) no lock p. Pull Type suble door (D), single door (S), paper towel cabiner cabinet (G) arc pull bar pull tab pull profile pull curved pull no pull	+\$1 +\$2 +\$2 +\$2 +\$3
(P), oo NL Step 9 For do holde A K T P C N For po	r glove holder cabinet (G) no lock p. Pull Type suble door (D), single door (S), paper towel cabiner cabinet (G) arc pull bar pull tab pull profile pull curved pull no pull sper towel/glove holder combo cabinet (C) no pull o. Surface Material	+\$1 +\$2 +\$2 +\$2 +\$2 +\$2 +\$2
(P), on NL Step 9 For docholde A K T P C N For pa	no lock Pull Type Suble door (D), single door (S), paper towel cabiner cabinet (G) arc pull bar pull tab pull profile pull curved pull no pull sper towel/glove holder combo cabinet (C) no pull o. Surface Material low-pressure laminate high-pressure laminate	+\$1 +\$1 +\$1 +\$2 +\$2 +\$2
(P), on NL Step 9 For docholde A K T P C N For pa	r glove holder cabinet (G) no lock p. Pull Type suble door (D), single door (S), paper towel cabiner cabinet (G) arc pull bar pull tab pull profile pull curved pull no pull sper towel/glove holder combo cabinet (C) no pull o. Surface Material low-pressure laminate	+\$ et (P), or glove +\$1 +\$2 +\$2 +\$2 +\$2 +\$

Step 1	12. Finish		HY	walnut on cherry	+ \$o
			LA	light ash	+\$ 0
For lo	w-pressure laminate (L)		LBA	clear on ash	+\$ 0
76	light brown walnut	+\$o	LBR	phantom ecru	+\$ 0
8Q	folkstone grey	+\$o	LBS	phantom cocoa	+\$ 0
91	white	+\$o	LBV	warm grey teak	+\$ 0
98	studio white	+\$o	LBU	medium matte walnut	+\$0
CL	cool grey neutral	+\$o	LBB	oak on ash	+\$0
нм	natural maple	+\$o	LBC	walnut on ash	+\$0
HP	light anigre	+\$o	LBD	dark brown walnut	+\$0
НΧ	aged cherry	+\$o	LBE	medium red walnut	+\$0
HY	walnut on cherry	+\$o	LBF	neutral twill	+ \$o
LA	light ash	+\$o	LBG	sarum twill	+ \$o
LBA	clear on ash	+\$o	LBH	earthen twill	+ \$o
LBR	phantom ecru	+\$o	LBJ	graphite twill	+\$0
LBS	phantom cocoa	+\$o	LBK	pewter mesh	+\$0
LBU	medium matte walnut	+\$o	LBL	steel mesh	+\$0
LBV	warm grey teak	+\$o	LBM	crisp linen	+\$0
LBB	oak on ash	+\$o	LBN	classic linen	+\$ o
LBC	walnut on ash	+\$o	LBP	casual linen	+\$ o
LBD	dark brown walnut	+\$o	LBQ	white twill	+\$ o
LBE	medium red walnut	+\$o	LM	mahogany	+\$ o
LBF	neutral twill	+\$o	LT	light tone	+\$o
LBG	sarum twill	+\$o	LU	soft white	+\$o
LBH	earthen twill	+\$o	MT	medium tone	+\$o
LBJ	graphite twill	+\$o	OL	white oak (nonstandard)	+\$o
LBK	pewter mesh	+\$o	WL	sandstone	+\$o
LBL	steel mesh	+\$o	WN	warm grey neutral	+\$o
LBM	crisp linen	+\$o			
LBN	classic linen	+\$o	Step 1	3. Pull Finish	
LBP	casual linen	+\$o			
LBQ	white twill	+\$o	For no	pull (N)	
LU	soft white	+\$o	NN	no pull finish	+\$o
WL	sandstone	+\$o		·	
WN	warm grey neutral	+\$o	For ar	c pull (A), tab pull (T), profile pull (P), or curve	ed pull (C)
	<i>5</i> ,		STD	standard finish	+\$0
For hi	gh-pressure laminate (H)				
76	light brown walnut	+\$0	For bar pull (K)		
8Q	folkstone grey	+\$o	8Q	folkstone grey	+\$o
91	white	+\$o	91	white	+\$0
98	studio white	+\$ 0	98	studio white	+\$0
CL	cool grey neutral	+\$0	CN	metallic champagne	+\$0
HF	inner tone light	+\$0	G1	graphite	+\$0
нм	natural maple	+\$0	MS	metallic silver	+\$0
HP	light anigre	+\$ 0			, ,
нт	inner tone	+\$ 0			
нх	aged cherry	+\$ 0			

Step 14	. Grommet Finish	
For pap	per towel/glove holder combo cabinet (C) or glove hol	der cabinet
(G)		
8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0



Description


These overhead cabinets attach to an architectural wall with a hanging cleat. They are available in several sizes and have a door that is hinged at the top and opens upward. Adjustable shelf included.

Notes

Overhead cabinets wider than 36" have vertical divider.


Order the following products separately:

- Hanging cleat (CH100.)
- Ganging hardware (CH110.)



Spec	ification Information	
Step 1	1.	
CH30	1.	
Step 2	2. Height	
19	19" high	+\$925
Step 3	3. Width	
30	30" wide	+ \$o
36	36" wide	+\$75
48	48" wide	+\$175
Step	4. Depth	
11	11" deep	+\$0
Step	5. Storage Options	
Α	awning door	+\$0
Step 6	6. Location in Run	
S	standalone	+\$0
M	middle of run	+\$0
L	left end	+ \$0
R	right end	+\$0
Step ;	7. Lock Option	
NL	no lock	+\$0
Step 8	3. Pull Type	
Α	arc pull	+\$12
K	bar pull	+\$12
Т	tab pull	+\$28
Р	profile pull	+\$28
C	curved pull	+\$25
N	no pull	+\$0
Step	9. Surface Material	
L	low-pressure laminate	+\$0
Н	high-pressure laminate	+\$240
Step 1	10. Grain Direction	
HRG	horizontal grain	+\$0
VTG	vertical grain A	+\$0

Step 1:	ı. Finish		HY	walnut on cherry	+\$0
			LA	light ash	+\$0
For lov	v-pressure laminate (L)		LBA	clear on ash	+\$0
76	light brown walnut	+\$0	LBR	phantom ecru	+\$0
8Q	folkstone grey	+\$o	LBS	phantom cocoa	+\$0
91	white	+\$o	LBV	warm grey teak	+\$0
98	studio white	+\$o	LBU	medium matte walnut	+\$0
CL	cool grey neutral	+\$o	LBB	oak on ash	+\$0
нм	natural maple	+\$o	LBC	walnut on ash	+\$0
HP	light anigre	+\$o	LBD	dark brown walnut	+\$0
нх	aged cherry	+\$o	LBE	medium red walnut	+\$0
HY	walnut on cherry	+\$o	LBF	neutral twill	+\$0
LA	light ash	+\$o	LBG	sarum twill	+\$0
LBA	clear on ash	+\$o	LBH	earthen twill	+\$0
LBR	phantom ecru	+\$o	LBJ	graphite twill	+\$0
LBS	phantom cocoa	+\$o	LBK	pewter mesh	+\$0
LBU	medium matte walnut	+\$o	LBL	steel mesh	+\$0
LBV	warm grey teak	+\$o	LBM	crisp linen	+\$0
LBB	oak on ash	+\$o	LBN	classic linen	+\$0
LBC	walnut on ash	+\$o	LBP	casual linen	+\$0
LBD	dark brown walnut	+\$o	LBQ	white twill	+\$0
LBE	medium red walnut	+\$o	LM	mahogany	+\$0
LBF	neutral twill	+\$o	LT	light tone	+\$0
LBG	sarum twill	+\$o	LU	soft white	+\$0
LBH	earthen twill	+\$o	MT	medium tone	+\$0
LBJ	graphite twill	+\$o	OL	white oak (nonstandard)	+\$0
LBK	pewter mesh	+\$o	WL	sandstone	+\$0
LBL	steel mesh	+\$o	WN	warm grey neutral	+\$0
LBM	crisp linen	+\$o			
LBN	classic linen	+\$o	Step 1	2. Pull Finish	
LBP	casual linen	+\$o			
LBQ	white twill	+\$o	For no	pull (N)	
LU	soft white	+\$o	NN	no pull finish	+\$0
WL	sandstone	+\$o			
WN	warm grey neutral	+\$o	For ar	c pull (A), tab pull (T), profile pull (P), or curved pull (C)	
			STD	standard finish	+\$0
For hig	nh-pressure laminate (H)				
76	light brown walnut	+\$0	For bo	ar pull (K)	
8Q	folkstone grey	+\$o	8Q	folkstone grey	+\$0
91	white	+\$o	91	white	+\$0
98	studio white	+\$o	98	studio white	+\$0
CL	cool grey neutral	+\$o	CN	metallic champagne	+\$0
HF	inner tone light	+\$o	G1	graphite	+\$0
нм	natural maple	+\$o	MS	metallic silver	+\$0
HP	light anigre	+\$0			
		.			
HT	inner tone	+\$o			



Description


These open-shelf cabinets attach to an architectural wall with a hanging cleat. They are available in several sizes and have an adjustable shelf.


Notes


Cabinets wider than 36" have vertical divider.


Order the following products separately:

- Hanging cleat (CH100.)
- Ganging hardware (CH110.)










	cification Information	
Step	1.	
CH30	2.	
Step	2. Height	
31	31" high	+\$575
Step	3. Width	
24	24" wide	-\$50
30	30" wide	+\$0
36	36" wide	+\$30
48	48" wide	+\$75
Step	4. Depth	
13	13" deep	+\$0
Step	5. Storage Options	
0	open shelves	+\$0
Step	6. Location in Run	
S	standalone	+\$0
M	middle of run	+\$0
L	left finished end	+\$0
R	right finished end	+\$0
Step	7. Surface Material	
L	low-pressure laminate	+\$0
Н	high-pressure laminate	+\$200
Step	8. Grain Direction	
HRG	horizontal grain	+ \$o
VTG	vertical grain	+\$0

Step 9	Finish	
For lov	y-pressure laminate (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+ \$o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+ \$o
нм	natural maple	+\$o
HP	light anigre	+\$o
HX	aged cherry	+\$o
HY	walnut on cherry	+\$o
LA	light ash	+\$ 0
LBA	clear on ash	+\$ 0
LBR	phantom ecru	+\$o
LBS	phantom cocoa	+\$o
LBU	medium matte walnut	+\$o
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG LBH	sarum twill earthen twill	+\$0 +\$0
	graphite twill	+\$0 +\$0
LBJ LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	sandstone	+\$o
WN	warm grey neutral	+\$0
For hig	h-pressure laminate (H)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
HF	inner tone light	+\$0
НМ	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$o
НХ	aged cherry	+\$o

HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBV	warm grey teak	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
OL	white oak (nonstandard)	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Soffit CH320.



Product Information

Description

This soffit sits on top of overhead storage cabinets to finish off the space between cabinet and ceiling. Soffit can span multiple cabinets. Attachment hardware included. Shipped knocked down.

Notes


Order overhead storage cabinets separately.

Default ceiling height is 9' AFF.

23"-high (23) soffit to be used with 30"-high overhead cabinets. Soffit depth is 13".

35"-high (35) soffit to be used with 19"-high overhead cabinets. Soffit depth is 11".

Dimensions



Specification Information

Step 1

Н

CH32	20.	
Step	2. Height	
23	23" high	+\$680
35	35" high	+\$730
Step	3. Width	
30	30" wide	+\$0
36	36" wide	+\$45
42	42" wide	+\$110
48	48" wide	+\$170
54	54" wide	+\$240
60	6o" wide	+\$300
66	66" wide	+\$370
72	72" wide	+\$430
Step	4. Depth of Overhead Cabinets	
For 3	5" high (35)	
11	11" deep	+\$0
For 2	3" high (23)	
13	13" deep	+ \$c
Step	5. Material	

Step 6. Grain Direction		

high-pressure laminate

low-pressure laminate

For 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), or 60" wide (60)

HRG	horizontal grain	+\$o
VTG	vertical grain	+\$o

For 66	5" wide (66) or 72" wide (72)	
HRG	horizontal grain	+\$o


+\$240

+\$0

+\$o **+\$**0 **+\$**0 **+\$**o **+\$**0 **+\$**o

+\$o **+\$**0 **+**\$0 **+\$**0 **+\$**0 **+\$**0 **+\$**0 **+\$**0 **+\$**o **+\$**0 **+\$**o **+\$**o **+\$**o **+\$**o **+**\$o **+\$**o **+**\$o **+\$**o **+\$**0 **+\$**o **+\$**0

Step 7	Finish		НҮ	walnut on cherry
			LA	light ash
For low	y-pressure laminate (L)		LBA	clear on ash
76	light brown walnut	+\$o	LBB	oak on ash
8Q	folkstone grey	+\$o	LBC	walnut on ash
91	white	+\$o	LBD	dark brown walnut
98	studio white	+\$o	LBE	medium red walnut
CL	cool grey neutral	+\$o	LBF	neutral twill
HM	natural maple	+\$o	LBG	sarum twill
HP	light anigre	+\$o	LBH	earthen twill
нх	aged cherry	+\$o	LBJ	graphite twill
HY	walnut on cherry	+\$o	LBK	pewter mesh
LA	light ash	+\$o	LBL	steel mesh
LBA	clear on ash	+\$o	LBM	crisp linen
LBB	oak on ash	+\$o	LBN	classic linen
LBC	walnut on ash	+ \$0	LBP	casual linen
LBD	dark brown walnut	+\$o	LBQ	white twill
LBE	medium red walnut	+ \$0	LBR	phantom ecru
LBF	neutral twill	+\$o	LBS	phantom cocoa
LBG	sarum twill	+\$o	LBU	medium matte walnut
LBH	earthen twill	+\$o	LBV	warm grey teak
LBJ	graphite twill	+\$o	LM	mahogany
LBK	pewter mesh	+\$o	LT	light tone
LBL	steel mesh	+\$o	LU	soft white
LBM	crisp linen	+\$o	MT	medium tone
LBN	classic linen	+\$o	WL	sandstone
LBP	casual linen	+\$o	WN	warm grey neutral
LBQ	white twill	+\$o		
LBR	phantom ecru	+\$o		
LBS	phantom cocoa	+\$o		
LBU	medium matte walnut	+\$o		
LBV	warm grey teak	+\$o		
LU	soft white	+\$o		
WL	sandstone	+\$o		
WN	warm grey neutral	+ \$0		
For hig	h-pressure laminate (H)			
76	light brown walnut	+\$o		
8Q	folkstone grey	+\$o		
91	white	+\$o		
98	studio white	+\$o		
CL	cool grey neutral	+\$o		
HF	inner tone light	+\$o		
нм	natural maple	+\$o		
HP	light anigre	+\$o		
HT	inner tone	+\$o		
HX	aged cherry	+\$o		




Description

This panel attaches to an overhead storage cabinet to finish the sloped top. Panel can span multiple overhead storage cabinets.

Notes

Dimensions



Specification Information

Step 1.

VTG

vertical grain

For 66" wide (66) or 72" wide (72)

HRG horizontal grain

CH315.

05	•	
Step 2	2. Width	
18	18" wide	+\$105
24	24" wide	+\$110
30	30" wide	+\$125
36	36" wide	+\$140
42	42" wide	+\$155
48	48" wide	+\$170
54	54" wide	+\$190
60	6o" wide	+\$205
66	66" wide	+\$230
72	72" wide	+\$245
Step 3	3. Depth	
11	11" deep	+\$0
13	13" deep	+\$0
Step 4	4. Material	
Н	high-pressure laminate	+\$125
L	low-pressure laminate	+\$0
Step 5	5. Grain Direction	
For 18	" wide (18), 24" wide (24), 30" wide (30), 36"	wide (36), 42" wide
(42), 4	48" wide (48), 54" wide (54), or 60" wide (60)	
HRG	horizontal grain 🛽 🔻	+\$0


+\$o

+\$o

+\$0 +\$0 +\$0 +\$0 +\$0 +\$0

+\$o **+\$**0 **+**\$o **+\$**0 +\$o **+\$**o **+\$**0 **+\$**0 **+\$**o **+\$**0 **+\$**o **+\$**o **+\$**o **+\$**o **+\$**o **+\$**o **+\$**o **+\$**o **+\$**0 **+\$**o **+\$**o **+\$**o

Step 6	. Finish		HY	walnut on cherry
			LA	light ash
For lov	v-pressure laminate (L)		LBA	clear on ash
76	light brown walnut	+\$o	LBR	phantom ecru
8Q	folkstone grey	+\$o	LBS	phantom cocoa
91	white	+\$o	LBU	medium matte walnut
98	studio white	+\$o	LBV	warm grey teak
CL	cool grey neutral	+\$o	LBB	oak on ash
нм	natural maple	+\$o	LBC	walnut on ash
HP	light anigre	+\$o	LBD	dark brown walnut
нх	aged cherry	+\$o	LBE	medium red walnut
HY	walnut on cherry	+\$o	LBF	neutral twill
LA	light ash	+\$o	LBG	sarum twill
LBA	clear on ash	+\$o	LBH	earthen twill
LBR	phantom ecru	+\$o	LBJ	graphite twill
LBS	phantom cocoa	+\$o	LBK	pewter mesh
LBU	medium matte walnut	+\$o	LBL	steel mesh
LBV	warm grey teak	+\$o	LBM	crisp linen
LBB	oak on ash	+\$o	LBN	classic linen
LBC	walnut on ash	+\$o	LBP	casual linen
LBD	dark brown walnut	+\$o	LBQ	white twill
LBE	medium red walnut	+\$o	LM	mahogany
LBF	neutral twill	+\$o	LT	light tone
LBG	sarum twill	+\$o	LU	soft white
LBH	earthen twill	+\$o	MT	medium tone
LBJ	graphite twill	+\$o	OG	honey maple
LBK	pewter mesh	+\$o	WL	sandstone
LBL	steel mesh	+\$o	WN	warm grey neutral
LBM	crisp linen	+\$o		
LBN	classic linen	+\$o		
LBP	casual linen	+\$o		
LBQ	white twill	+\$o		
LU	soft white	+\$o		
WL	sandstone	+\$o		
WN	warm grey neutral	+\$o		
	ηh-pressure laminate (H)			
	light brown walnut	+\$o		
8Q	folkstone grey	+\$o		
91	white	+\$o		
98	studio white	+\$o		
CL	cool grey neutral	+\$o		
HF	inner tone light	+\$o		
HM	natural maple	+\$o		
HP	light anigre	+\$o		
HT	inner tone	+\$o		
HX	aged cherry	+\$o		



Description

These overhead storage cabinets attach to an architectural wall with a hanging cleat. They are available in several sizes and storage configurations. All storage options include an adjustable shelf.

Notes


Order sloped top panel (CH315.) separately.

Order hanging cleat (CH100.) separately.

Overhead cabinets wider than 36" have vertical divider.


When specifying paper towel cabinet (P) or paper towel/glove holder combo cabinet (C), paper towel dispenser is field supplied.

For keyed-alike locks, order lock plugs separately.






Glove Box/Paper Towel Combo



Double Door



Spe	cification Information	
Step	1.	
CH31	0.	
Step	2. Height	
23	23" high	+\$613
36	36" high	+\$731
Step	3. Width	
18	18" wide	-\$25
24	24" wide	+\$0
30	30" wide	+\$130
36	36" wide	+\$170
48	48" wide	+\$300
Step	4. Depth	
<u></u>	-# b:-b ()	
• • • • • • • • • • • • •	3" high (23)	
11	11" deep	+\$0
For 3	6" high (36)	
13	13" deep	+\$0
Step	5. Storage Options	
For 2	3" high (23) with 18" wide (18) or 24" wide (24)	
S	single door	+\$0
C	paper towel/glove holder combo cabinet	+\$150
Р	paper towel cabinet	+\$0
G	glove holder cabinet	+\$150
For 3	6" high (36) with 18" wide (18) or 24" wide (24)	
S	single door	+\$0
Р	paper towel cabinet	+\$0
For 2	3" high (23) or 36" high (36) with 30" wide (30), 36"	wide (36), or
48" v	vide (48)	
D	double door	+\$0
Step	6. Location in Run	
S	standalone	+\$0
M	middle of run	+\$0
L	left end	+\$0
R	right end	+\$0

Step 7	7. Door Hinge Location	
		1: (6)
	ngle door (S), paper towel/glove holder combo	cabinet (C), paper
	cabinet (P), or glove holder cabinet (G)	
L	left	+\$0
R	right	+\$0
For do	ouble door (D)	
S	default	+\$0
Step 8	3. Lock Option	
For do	ouble door (D) or single door (S)	
NL	no lock	+\$0
KA	keyed lock, keyed alike	+\$60
KC	keyed lock, keyed differently, chrome	+\$60
KD	keyed lock, keyed differently, black	+\$60
KP	keyless lock	+\$275
	aper towel/glove holder combo cabinet (C), pap r glove holder cabinet (G)	er towel cabinet
NL	no lock	+\$0
Step	9. Pull Type	
Α	arc pull	+\$12
K	bar pull	+\$12
T	tab pull	+\$28
Р	profile pull	+\$28
C	curved pull	+\$25
N	no pull	+\$0
Step 1	10. Surface Material	
L	low-pressure laminate	+\$0
Н	high-pressure laminate	+\$240
Step 1	11. Grain Direction	
Step 1	11. Grain Direction horizontal grain	+\$0

Step 1	2. Finish		HY	walnut on cherry	+\$0
			LA	light ash	+\$0
For lo	w-pressure laminate (L)		LBA	clear on ash	+\$0
76	light brown walnut	+\$0	LBR	phantom ecru	+\$0
8Q	folkstone grey	+\$o	LBS	phantom cocoa	+\$0
91	white	+\$o	LBV	warm grey teak	+\$0
98	studio white	+\$o	LBU	medium matte walnut	+\$0
CL	cool grey neutral	+\$o	LBB	oak on ash	+\$0
нм	natural maple	+\$o	LBC	walnut on ash	+\$0
HP	light anigre	+\$o	LBD	dark brown walnut	+\$0
нх	aged cherry	+\$o	LBE	medium red walnut	+\$0
HY	walnut on cherry	+\$o	LBF	neutral twill	+\$0
LA	light ash	+\$o	LBG	sarum twill	+\$0
LBA	clear on ash	+\$o	LBH	earthen twill	+\$0
LBR	phantom ecru	+\$o	LBJ	graphite twill	+\$0
LBS	phantom cocoa	+\$o	LBK	pewter mesh	+\$0
LBU	medium matte walnut	+\$o	LBL	steel mesh	+\$0
LBV	warm grey teak	+\$o	LBM	crisp linen	+\$0
LBB	oak on ash	+\$o	LBN	classic linen	+\$0
LBC	walnut on ash	+\$o	LBP	casual linen	+\$0
LBD	dark brown walnut	+ \$o	LBQ	white twill	+\$0
LBE	medium red walnut	+\$o	LM	mahogany	+\$0
LBF	neutral twill	+ \$o	LT	light tone	+\$0
LBG	sarum twill	+\$o	LU	soft white	+\$0
LBH	earthen twill	+ \$o	MT	medium tone	+\$0
LBJ	graphite twill	+ \$o	OL	white oak (nonstandard)	+\$0
LBK	pewter mesh	+ \$o	WL	sandstone	+\$0
LBL	steel mesh	+\$o	WN	warm grey neutral	+\$0
LBM	crisp linen	+ \$o			
LBN	classic linen	+ \$o	Step 1	3. Pull Finish	
LBP	casual linen	+ \$o			
LBQ	white twill	+\$o	***************************************	pull (N)	
LU	soft white	+\$o	NN	no pull finish	+\$0
WL	sandstone	+\$o			
WN	warm grey neutral	+\$o	***************************************	c pull (A), tab pull (T), profile pull (P), or curved pull (C)	
			STD	standard finish	+\$0
For hi	gh-pressure laminate (H)				
76	light brown walnut	+\$0	***************************************	r pull (K)	
8Q	folkstone grey	+\$0	98	studio white	+\$0
91	white	+\$o	8Q	folkstone grey	+\$0
98	studio white	+\$0	91	white	+\$0
CL	cool grey neutral	+\$0	CN	metallic champagne	+\$0
HF	inner tone light	+\$0	G1	graphite	+\$0
HM	natural maple	+\$0	MS	metallic silver	+\$0
HP	light anigre	+\$0			
HT	inner tone	+\$o			
НХ	aged cherry	+\$0			


Sloped Top Overhead Storage

continued

Step 14	. Grommet Finish	
For pap	er towel/glove holder combo cabinet (C) or glove holde	r cabinet
(G)		
8Q	folkstone grey	+\$0
91	white	+\$o
CL	cool grey neutral	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

Sloped Top Awning Overhead Storage

CH311.



Product Information

Description

These overhead storage cabinets attach to an architectural wall with a hanging cleat. Cabinet includes an adjustable shelf.


Notes

Order the following products separately:

- Hanging cleat (CH100.)
- Ganging hardware (CH110.)

Overhead cabinets wider than 36" have vertical divider.

Dimensions



Step	1.	
CH31	11.	
Step	2. Height	
23	23" high	+\$1036
Step	3. Width	
30	30" wide	+\$0
36	36" wide	+\$75
48	48" wide	+\$175
Step	4. Depth	
11	11" deep	+\$0
Step	5. Storage Options	
Α	awning door	+\$0
Step	6. Location in Run	
S	standalone	+\$0
M	middle of run	+ \$o
L	left end	+ \$o
R	right end	+\$ 0
Step	7. Lock Option	
NL	no lock	+\$0
Step	8. Pull Type	
Α	arc pull	+\$12
K	bar pull	+\$12
Т	tab pull	+\$28

Specification Information

Step 1.

Ρ

C

Н

HRG

VTG

profile pull

curved pull

no pull

Step 9. Surface Material

Step 10. Grain Direction

horizontal grain

vertical grain

low-pressure laminate

high-pressure laminate

+\$28

+\$25

+\$0

+\$o


+\$o

+\$0

+\$240

Sloped Top Awning Overhead Storage continued

Step 1	11. Finish		HY	walnut on cherry	+\$0
			LA	light ash	+\$o
For lo	w-pressure laminate (L)		LBA	clear on ash	+\$o
76	light brown walnut	+\$0	LBR	phantom ecru	+\$0
8Q	folkstone grey	+ \$0	LBS	phantom cocoa	+\$o
91	white	+ \$0	LBV	warm grey teak	+ \$0
98	studio white	+ \$0	LBU	medium matte walnut	+ \$0
CL	cool grey neutral	+ \$0	LBB	oak on ash	+\$0
нм	natural maple	+ \$0	LBC	walnut on ash	+ \$0
HP	light anigre	+\$ 0	LBD	dark brown walnut	+\$o
нх	aged cherry	+ \$0	LBE	medium red walnut	+\$o
HY	walnut on cherry	+ \$0	LBF	neutral twill	+ \$0
LA	light ash	+ \$0	LBG	sarum twill	+ \$0
LBA	clear on ash	+ \$0	LBH	earthen twill	+ \$0
LBR	phantom ecru	+ \$0	LBJ	graphite twill	+ \$0
LBS	phantom cocoa	+ \$0	LBK	pewter mesh	+ \$0
LBU	medium matte walnut	+ \$0	LBL	steel mesh	+ \$0
LBV	warm grey teak	+\$o	LBM	crisp linen	+\$o
LBB	oak on ash	+\$o	LBN	classic linen	+\$o
LBC	walnut on ash	+\$o	LBP	casual linen	+\$o
LBD	dark brown walnut	+\$o	LBQ	white twill	+\$o
LBE	medium red walnut	+\$o	LM	mahogany	+\$o
LBF	neutral twill	+\$o	LT	light tone	+\$o
LBG	sarum twill	+\$o	LU	soft white	+\$o
LBH	earthen twill	+\$o	MT	medium tone	+\$o
LBJ	graphite twill	+\$o	OL	white oak (nonstandard)	+\$o
LBK	pewter mesh	+\$o	WL	sandstone	+\$o
LBL	steel mesh	+\$o	WN	warm grey neutral	+\$o
LBM	crisp linen	+\$o			
LBN	classic linen	+\$o	Step 1	2. Pull Finish	
LBP	casual linen	+\$o			
LBQ	white twill	+\$o	For no	pull (N)	
LU	soft white	+\$0	NN	no pull finish	+\$0
WL	sandstone	+\$o			
WN	warm grey neutral	+\$o	For ar	c pull (A), tab pull (T), profile pull (P), or curved pull (C)	
			STD	standard finish	+\$0
For hi	gh-pressure laminate (H)	_			
76	light brown walnut	+\$0	For bo	r pull (K)	
8Q	folkstone grey	+\$o	98	studio white	+\$0
91	white	+\$o	8Q	folkstone grey	+\$o
98	studio white	+\$o	91	white	+\$0
CL	cool grey neutral	+\$o	G1	graphite	+\$0
HF	inner tone light	+\$o	CN	metallic champagne	+\$0
нм	natural maple	+\$0	MS	metallic silver	+\$0
HP	light anigre	+\$0			
нт	inner tone	+\$0			
нх	aged cherry	+\$o			



Description

These open-shelf overhead storage cabinets attach to an architectural wall with a hanging cleat. Cabinet includes an adjustable shelf.


Notes

Order the following products separately:


- Hanging cleat (CH100.)
- Ganging hardware (CH110.)

Overhead cabinets wider than 36" have vertical divider.









Spec	ification Information	
Step 1	1.	
CH31:	2.	
Step 2	2. Height	
36	36" high	+\$644
Step 3	3. Width	
30	30" wide	+\$0
36	36" wide	+\$30
48	48" wide	+\$75
Step 2	4. Depth	
13	13" deep	+\$0
Step <u>5</u>	5. Storage Options	
0	open shelves	+\$0
Step 6	6. Location in Run	
S	standalone	+\$0
M	middle of run	+\$0
L	left finished end	+\$0
R	right finished end	+\$0
Step 7	7. Surface Material	
L	low-pressure laminate	+\$0
Н	high-pressure laminate	+\$200
Step 8	3. Grain Direction	
HRG	horizontal grain	+\$0
VTG	vertical grain	+\$0


Step	9. Finish	
For lo	w-pressure laminate (L)	
76	light brown walnut	+ \$o
8Q	folkstone grey	+\$ o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+\$0
НМ	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$o +\$o
LBJ	graphite twill	+\$0 +\$0
LBK LBL	pewter mesh steel mesh	+\$0 +\$0
LBL		+\$0
LBN	crisp linen classic linen	+\$0
LBN	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
	gh-pressure laminate (H)	*
76	light brown walnut	+\$0
8Q	folkstone grey	+\$o +\$o
91	white studio white	+\$0 +\$0
98 CL		+\$0 +\$0
CL	cool grey neutral	
HF LM	inner tone light	+\$0
HM HD	natural maple	+\$o +\$o
HP HT	light anigre inner tone	+\$0 +\$0
нı НХ	aged cherry	+\$0 +\$0
пл	aged cherry	+\$0

walnut on cherry

HY

LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBV	warm grey teak	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
OL	white oak (nonstandard)	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

+\$o




Description

This top panel attaches to and finishes a sloped-top tower cabinet.


Notes

Order sloped top tower cabinets separately.



Speci	fication Information	
Step 1		
CH316	. A	
Step 2	. Width	
15	15" wide A	+\$130
30	30" wide A	+\$170
45	45" wide A	+\$210
60	60" wide A	+\$250
75	75" wide 🛕	+\$290
Step 3	. Depth	
19	19" deep 🛕	+ \$0
24	24" deep A	+\$25
Step 4	. Material	
Н	high-pressure laminate A	+\$125
L	low-pressure laminate A	+\$ 0
Step 5	. Grain Direction	
For 15	" wide (15), 30" wide (30), 45" wide (45), or 60" wide (60)	
HRG	horizontal grain 🛕	+\$0
VTG	vertical grain A	+\$ o
For 75	" wide (75)	
HRG	horizontal grain 🛕	+\$0

Step 6	5. Finish		HP	light anigre A	+\$0
			HT	inner tone A	+\$0
•	w-pressure laminate (L)		НХ	aged cherry A	+\$0
76	light brown walnut A	+\$0	HY	walnut on cherry A	+\$0
8Q	folkstone grey A	+\$0	LA	light ash A	+\$0
91	white A	+\$o	LBA	clear on ash A	+\$o
98	studio white A	+\$o	LBB	oak on ash 🛕	+\$0
CL	cool grey neutral A	+\$0	LBC	walnut on ash A	+\$0
HM	natural maple A	+\$0	LBD	dark brown walnut A	+\$0
HP	light anigre A	+\$0	LBE	medium red walnut A	+\$0
нх	aged cherry A	+\$0	LBF	neutral twill A	+\$0
HY	walnut on cherry A	+\$0	LBG	sarum twill A	+\$0
LA	light ash 🖪	+\$0	LBH	earthen twill 🖪	+\$0
LBA	clear on ash 🛕	+\$0	LBJ	graphite twill A	+\$0
LBB	oak on ash 🛕	+ \$0	LBK	pewter mesh 🛕	+\$0
LBC	walnut on ash 🛕	+ \$0	LBL	steel mesh 🛕	+\$0
LBD	dark brown walnut 🛕	+\$o	LBM	crisp linen 🛕	+\$ 0
LBE	medium red walnut 🛕	+\$o	LBN	classic linen 🖪	+ \$0
LBF	neutral twill A	+\$o	LBP	casual linen 🛕	+ \$0
LBG	sarum twill 🛕	+\$o	LBQ	white twill A	+\$ 0
LBH	earthen twill A	+ \$0	LBU	medium matte walnut 🖪	+\$ 0
LBJ	graphite twill A	+ \$0	LM	mahogany 🖪	+\$0
LBK	pewter mesh [A]	+ \$0	LT	light tone 🛕	+\$ 0
LBL	steel mesh 🛕	+ \$0	LU	soft white A	+\$ 0
LBM	crisp linen A	+ \$0	MT	medium tone A	+\$0
LBN	classic linen 🛕	+ \$0	WL	sandstone A	+\$0
LBP	casual linen 🛕	+ \$0	WN	warm grey neutral A	+\$0
LBQ	white twill A	+ \$0			
LBR	phantom ecru A	+\$o			
LBS	phantom cocoa A	+\$o			
LBU	medium matte walnut 🛕	+\$o			
LBV	warm grey teak 🛕	+\$o			
LU	soft white A	+\$o			
WL	sandstone A	+\$o			
WN	warm grey neutral A	+\$0			
For hig	gh-pressure laminate (H)				
LBR	phantom ecru [A]	+ \$0			
LBS	phantom cocoa A	+\$0			
LBV	warm grey teak 🛕	+\$0			
76	light brown walnut 🛕	+\$0			
8Q	folkstone grey A	+\$0			
91	white A	+\$0			
98	studio white A	+\$0			
CL	cool grey neutral A	+\$o			
HF	inner tone light A	+\$o			
нм	natural maple A	+\$o			



Description

The wall-mounted door towers attach to an architectural wall with a cleat. The towers provide easy access to storage or house gloves and trash. The trash tower is designed for a 10-gallon waste bin. The door towers have 2 adjustable shelves. The door tower shares a lower cleat with the adjacent product, and comes with 1 additional 15"-wide cleat to mount on the top location (separate 15"-wide cleat not included). Glove box holders are included but field installed.

Notes

When specifying side trash/glove access with interior shelving (T), waste bin not included. See Planning Guide for recommendations.

When specifying woodgrain laminate, grain direction is always vertical.

For keyed-alike locks, order lock plugs separately.


Order the following products separately:

- Hanging cleat (CH100.15)
- Ganging hardware (CH110.)

Dimensions




Shelves/




Shelves/

Front



Gloves/

Drawers



Side

Gloves/

Trash

Specification Information
Step 1.
CH400.

Step 2. Width

15	15" wide	+\$1650
Step 3	3. Depth	
19	19" deep	+\$0
Step 2	4. Height (off finished floor)	
66	66" high	+ \$o
74	74" high	+\$85

Step 5	. Storage Options	
G	glove access and 3 pullout drawers	+\$410
S	shelves and 3 pullout drawers	+\$260
T	side trash/glove access with interior shelving	+ \$o

Step	6. Location in Run and Features	
L	left end, right handed	+ \$o
R	right end, left handed	+\$ 0
S	standalone, left handed	+\$ 0
T	standalone, right handed	+ \$0

Step 7	7. Door Hinge Location	
L	left-hinged door	+ \$o
R	right-hinged door	+\$0


Step	8. Lock Option	
KA	keyed lock, keyed alike	+\$60
KC	keyed lock, keyed differently, chrome	+\$60
KD	keyed lock, keyed differently, black	+\$60
KP	keyless lock	+\$275
NL	no lock	+\$o

Step	9. Pull Type	
Α	arc pull	+\$12
C	curved pull	+\$25
K	bar pull	+\$12
N	no pull	+ \$o
P	profile pull	+\$28
T	tab pull	+\$28

Step 10. Surface Material			
Н	high-pressure laminate	+\$300	
L	low-pressure laminate	+\$o	

Step 1	ıı. Finish		HY	walnut on cherry	+\$0
			LA	light ash	+\$0
For lo	w-pressure laminate (L)		LBA	clear on ash	+\$0
76	light brown walnut	+\$0	LBR	phantom ecru	+\$0
BQ.	folkstone grey	+\$o	LBS	phantom cocoa	+\$0
91	white	+\$o	LBU	medium matte walnut	+\$0
98	studio white	+\$o	LBV	warm grey teak	+\$0
CL	cool grey neutral	+\$o	LBB	oak on ash	+\$0
нм	natural maple	+\$ 0	LBC	walnut on ash	+\$
HP	light anigre	+\$ 0	LBD	dark brown walnut	+\$
HX	aged cherry	+\$ 0	LBE	medium red walnut	+\$
ΗY	walnut on cherry	+\$ 0	LBF	neutral twill	+\$
LA	light ash	+\$ 0	LBG	sarum twill	+\$
LBA	clear on ash	+\$ o	LBH	earthen twill	+\$
LBR	phantom ecru	+\$ 0	LBJ	graphite twill	+\$
LBS	phantom cocoa	+\$ 0	LBK	pewter mesh	+\$
LBU	medium matte walnut	+ \$0	LBL	steel mesh	+\$
LBV	warm grey teak	+ \$0	LBM	crisp linen	+\$
LBB	oak on ash	+ \$0	LBN	classic linen	+\$
LBC	walnut on ash	+ \$0	LBP	casual linen	+\$
LBD	dark brown walnut	+ \$0	LBQ	white twill	+\$
LBE	medium red walnut	+ \$0	LM	mahogany	+\$
LBF	neutral twill	+ \$0	LT	light tone	+\$
LBG	sarum twill	+ \$0	LU	soft white	+\$
LBH	earthen twill	+ \$0	MT	medium tone	+\$
LBJ	graphite twill	+ \$0	WL	sandstone	+\$
LBK	pewter mesh	+ \$0	WN	warm grey neutral	+\$
LBL	steel mesh	+\$ 0			
LBM	crisp linen	+\$ 0	Step 1	12. Pull Finish	
LBN	classic linen	+\$0	-		
LBP	casual linen	+\$0	***************************************	p pull (N)	
LBQ	white twill	+\$0	NN	no pull finish	+\$
LU	soft white	+\$0	-		
WL	sandstone	+\$0	***************************************	c pull (A), curved pull (C), profile pull (P), or tab pull (T)	
WN	warm grey neutral	+\$0	STD	standard finish	+\$0
For hi	gh-pressure laminate (H)		For bo	ar pull (K)	
76	light brown walnut	+ \$0	8Q	folkstone grey	+\$0
BQ	folkstone grey	+ \$0	91	white	+\$0
91	white	+ \$0	98	studio white	+\$0
98	studio white	+ \$0	CN	metallic champagne	+\$0
CL	cool grey neutral	+\$ 0	G1	graphite	+\$
HF	inner tone light	+\$0	MS	metallic silver	+\$
нм	natural maple	+ \$0			
HP	light anigre	+\$ 0			
НТ	inner tone	+\$ 0			
HX	aged cherry	+ \$o			

Step 13	g. Grommet Finish	
For glo	ve access and 3 pullout drawers (G) or side trash/g	love access
with in	terior shelving (T)	
8Q	folkstone grey	+\$
91	white	+\$0
CL	cool grey neutral	+\$0
WL	sandstone	+\$
WN	warm grey neutral	+\$



Description

These towers sit on a plinth base with $1^1/2^n$ adjustable glides. They provide storage, easy access to gloves, and trash solutions. Towers with trash access are designed to hold a 10-gallon waste bin.


Notes

When specifying side glove and front trash access with interior shelving (C) or front trash access with interior shelving (T), waste bin not included. See Planning Guide for recommendations.

When specifying woodgrain laminate, grain direction is always vertical. For keyed-alike locks, order lock plugs separately.

Order the following products separately:

- Plinth base (CH250. or CH255.)
- Ganging hardware (CH110.)




Spec	cification Information		Step :	10. Surface Material	
Step			Н	high-pressure laminate	+\$320
CH40	5.		L	low-pressure laminate	+\$0
Step	2. Width		Step :	11. Finish	
15	15" wide	+\$1750			
			For lo	w-pressure laminate (L)	
Step	3. Depth		76	light brown walnut	+\$0
19	19" deep	+\$o	8Q	folkstone grey	+\$0
24	24" deep	+\$40	91	white	+\$0
			98	studio white	+\$0
Step	4. Height (off finished floor)		CL	cool grey neutral	+\$0
66	66" high	+\$o	нм	natural maple	+\$0
74	74" high	+\$85	HP	light anigre	+\$0
			НХ	aged cherry	+\$0
Step	5. Storage Options		HY	walnut on cherry	+\$0
C	side glove and front trash and access with interior	+\$o	LA	light ash	+\$0
	shelving		LBA	clear on ash	+\$0
G	glove access and 4 pullout drawers	+\$560	LBR	phantom ecru	+ \$o
S	shelves and 4 pullout drawers	+\$400	LBS	phantom cocoa	+ \$o
Т	front trash access with interior shelving	-\$50	LBU	medium matte walnut	+ \$o
			LBV	warm grey teak	+\$o
Step	6. Location in Run and Features		LBB	oak on ash	+\$o
L	left end, right handed	+\$o	LBC	walnut on ash	+ \$o
R	right end, left handed	+\$o	LBD	dark brown walnut	+\$o
S	standalone, left handed	+ \$o	LBE	medium red walnut	+\$o
Т	standalone, right handed	+ \$o	LBF	neutral twill	+\$o
			LBG	sarum twill	+\$0
Step	7. Door Hinge Location		LBH	earthen twill	+\$0
L	left-hinged door	+\$o	LBJ	graphite twill	+ \$o
R	right-hinged door	+\$o	LBK	pewter mesh	+ \$o
			LBL	steel mesh	+\$0
Step	8. Lock Option		LBM	crisp linen	+ \$o
KA	keyed lock, keyed alike	+\$60	LBN	classic linen	+ \$o
KC	keyed lock, keyed differently, chrome	+\$60	LBP	casual linen	+ \$o
KD	keyed lock, keyed differently, black	+\$60	LBQ	white twill	+\$0
KP	keyless lock	+\$275	LU	soft white	+\$0
NL	no lock	+\$0	WL	sandstone	+\$0
			WN	warm grey neutral	+\$0
Step	9. Pull Type			<i>,</i>	
Α	arc pull	+\$12	For hi	gh-pressure laminate (H)	
C	curved pull	+\$25	76	light brown walnut	+\$0
K	bar pull	+\$12	8Q	folkstone grey	+\$0
N	no pull	+\$0	91	white	+\$0
Р	profile pull	+\$28	98	studio white	+\$0
Т	tab pull	+\$28	CL	cool grey neutral	+\$0
			HF	inner tone light	+\$0

нм	natural maple	+\$o
HP	light anigre	+\$0
HT	inner tone	+\$0 +\$0
		+\$0 +\$0
HX	aged cherry	
HY	walnut on cherry	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBR	phantom ecru	+\$o
LBS	phantom cocoa	+\$o
LBU	medium matte walnut	+\$ 0
LBV	warm grey teak	+\$ 0
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$o
****	warm grey neutrat	+40
Step 1	2. Pull Finish	
<u>ган н</u>	mull (AI)	
•	pull (N)	<i>.</i>
NN	no pull finish	+\$0
For are	pull (A), curved pull (C), profile pull (P), or tab pull (T)	
STD	standard finish	+\$0
For ba	r pull (K)	
8Q	folkstone grey	+\$0
91	white	+\$o
98	studio white	+\$o
CN	metallic champagne	+\$o
G1	graphite	+\$o
MS	metallic silver	+\$o

Step 1	3. Grommet Finish	
For sia	le glove and front trash and access with interior shelving (C),	
glove i	access and 4 pullout drawers (G), or front trash access with	
interio	r shelving (T)	
8Q	folkstone grey	+\$o
91	white	+ \$0
CL	cool grey neutral	+ \$0
WL	sandstone	+\$o
WN	warm grey neutral	+ \$0

Sloped Top Wall-Mounted Door CH410. Towers



Product Information

Description

The sloped-top wall-mounted door towers attach to an architectural wall with a cleat. The towers provide easy access to storage or house gloves and trash. The trash tower is designed for a 10-gallon waste bin. Glove box holders are included but field installed.

Notes

When specifying side trash/glove access with interior shelving (T), waste bin not included. See Planning Guide for recommendations.

When specifying woodgrain laminate, grain direction is always vertice.

When specifying woodgrain laminate, grain direction is always vertical. Sloped top grain direction should match the grain direction of adjacent sloped top panels.


For keyed-alike locks, order lock plugs separately.

Order the following products separately:

- Tower sloped top panel (CH316.)
- Hanging cleat (CH100.15)
- Ganging hardware (CH110.)

Dimensions





Specification Information

19" deep

Step 1.

CH410.

19

Step 2. Width				
15	15" wide	+\$1848		
Sten 2 Denth				

Step	4. Height (off finished floor)	
78	78" high	+\$0

Step 5. Storage Options			
S	shelves and 3 pullout drawers	+\$260	
G	glove access and 3 pullout drawers	+\$410	
T	side trash/glove access with interior shelving	+\$o	

Step 6. Location in Run and Features

Fors	shelves and 3 pullout drawers (S)	
L	left end, right handed	+\$0
R	right end, left handed	+\$0
S	standalone	+\$0

For glove access and 3 pullout drawers (G) or side trash/glove access with interior shelving (T)

L	left end, right handed	+\$0
R	right end, left handed	+\$o
S	standalone, left handed	+\$o
T	standalone, right handed	+\$o

L	7. Door Hinge Location left-hinged door	+\$0
R	right-hinged door	+\$0
Cton	8. Lock Option	

Step	o. Luck Option	
NL	no lock	+\$0
KA	keyed lock, keyed alike	+\$60
KC	keyed lock, keyed differently, chrome	+\$60
KD	keyed lock, keyed differently, black	+\$60
KP	keyless lock	+\$275

Step 9. Pull Type

Α	arc pull	+\$12
C	curved pull	+\$25
K	bar pull	+\$12
N	no pull	+\$0
P	profile pull	+\$28
Т	tab pull	+\$28
Step 1	10. Surface Material	
Н	high-pressure laminate	+\$300
L	low-pressure laminate	+\$0
Step 1	11. Case Finish	
For lo	w-pressure laminate (L)	
76	light brown walnut	+\$o
8Q	folkstone grey	+\$o
91	white	+ \$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
нм	natural maple	+ \$o
HP	light anigre	+\$o
нх	aged cherry	+ \$o
HY	walnut on cherry	+\$o
LA	light ash	+\$0
LBA	clear on ash	+\$o
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$0
LBG	sarum twill	+\$ 0
LBH	earthen twill	+\$ 0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$ 0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+ \$o
LU	soft white	+\$0
WL	sandstone	+\$o

For hi	gh-pressure laminate (H)	
76	light brown walnut	+\$o
8Q	folkstone grey	+\$o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
HF	inner tone light	+\$o
нм	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$o
НΧ	aged cherry	+\$o
HY	walnut on cherry	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	+\$o
LM	mahogany	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$0
Step 1	2. Pull Finish	
For no	pull (N)	
NN	no pull finish	+\$0
For ar	c pull (A), curved pull (C), profile pull (P), or tab pull (T)	
STD	standard finish	+\$0

+\$o

 $\mathbf{W}\mathbf{N}$


warm grey neutral

Sloped Top Wall-Mounted Door

Towers continued

For b	ar pull (K)	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CN	metallic champagne	+\$0
G1	graphite	+\$0
MS	metallic silver	+\$0
Step	13. Grommet Finish	
For g	love access and 3 pullout drawers (G) or side tro	ash/glove access
with i	interior shelving (T)	
8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Sloped Top To-the-Floor Door CH415. Towers



Product Information

Description

These sloped-top towers sit on a plinth base with $1^1/2^n$ adjustable glides. They provide storage, easy access to gloves, and trash solutions. Towers with trash access are designed to hold a 10-gallon waste bin.

Notes


When specifying side glove and front trash access with interior shelving (C) or front trash access with interior shelving (T), waste bin not included. See Planning Guide for recommendations.

When specifying woodgrain laminate, grain direction is always vertical. Sloped top grain direction should match the grain direction of adjacent sloped top panels.

For keyed-alike locks, order lock plugs separately.

Order the following products separately:

- Tower sloped top panel (CH316.)
- Plinth base (CH250. or CH255.)
- Ganging hardware (CH110.)



Sloped Top To-the-Floor Door

Towers continued

C	-: (Co 1)	
	cification Information	
Step		
CH41	5.	
Step	2. Width	
15	15" wide	+\$2055
Step	3. Depth	
19	19" deep	+\$o
24	24" deep	+\$40
Step	4. Height (off finished floor)	
78	78" high	+\$0
Step	5. Storage Options	
S	shelves and 4 pullout drawers	+\$400
G	glove access and 4 pullout drawers	+\$560
С	side glove and front trash and access with interior shelving	+\$0
Т	front trash access with interior shelving	-\$50
Step	6. Location in Run and Features	
For si	helves and 4 pullout drawers (S) or front trash access win	th interior
	ing (T)	
S	standalone	+\$0
For g	love access and 4 pullout drawers (G) or side glove and p	front trash
and c	access with interior shelving (C)	
L	left end, right handed	+\$0
R	right end, left handed	+\$0
Step	7. Door Hinge Location	
L	left hinged	+\$o
R	right hinged	+\$0
Step	8. Lock Option	
NL	no lock	+\$0
KA	keyed lock, keyed alike	+\$60
KC	keyed lock, keyed differently, chrome	+\$60
KD	keyed lock, keyed differently, black	+\$60
KP	keyless lock	+\$275

Step 9	o. Pull Type	
Α	arc pull	+\$12
K	bar pull	+\$12
T	tab pull	+\$28
Р	profile pull	+\$28
C	curved pull	+\$25
N	no pull	+\$0
C+ ·	- Confere Makerial	
	o. Surface Material	,¢226
H L	high-pressure laminate	+\$320 +\$0
_	low-pressure laminate	+⊅0
Step 1	1. Case Finish	
	w-pressure laminate (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut medium red walnut	+\$0
LBE LBF		+\$0
LBG	neutral twill sarum twill	+\$0
LBG		+\$0
	earthen twill	+\$0
LBJ LBK	graphite twill	+\$0
	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0

WN


warm grey neutral

+\$o

+\$o

For hig	gh-pressure laminate (H)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
НΧ	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Step 1	2. Pull Finish	
For no	pull (N)	
NN	no pull finish	+\$0
For are	c pull (A), tab pull (T), profile pull (P), or curved pull (C)	
STD	standard finish	+\$0

For bo	ar pull (K)	
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CN	metallic champagne	+\$0
G1	graphite	+\$0
MS	metallic silver	+\$0
Step :	13. Grommet Finish	
For gl	love access and 4 pullout drawers (G), sid	de glove and front trash
and a	access with interior shelving (C), or front t	trash access with interior
shelv	ring (T)	
8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0




Description

This wall-mounted shelf tower attaches to an architectural wall with a wall rail. The tower provides easy access to storage. The trash access tower accommodates a 7-gallon waste bin.

Notes

Waste bin not included. See Planning Guide for recommendations. Shelves are adjustable: 1 shelf on 66"-high tower; 2 shelves on 74"-high tower.

When specifying wood-grain laminate, grain direction is always vertical. Order ganging hardware pack (CH110.) separately.



Spe	ecification Information				
Step 1.					
CH4	20.				
Step	2. Width				
15	15" wide	+\$1785			
Step	3. Depth				
19	19" deep	+\$0			
Step	4. Height (off finished floor)				
66	66" high	+\$o			
74	74" high	+\$85			
Step	5. Storage Options				
T	open side shelves, trash access	+\$0			
Step	6. Location in Run and Features				
L	left end, right handed	+\$o			
R	right end, left handed	+\$o			
S	standalone, left handed	+ \$o			
Т	standalone, right handed	+\$0			
Step	7. Hinge Location				
L	left-hinged door	+\$o			
R	right-hinged door	+\$0			
Step	8. Pull Type				
Α	arc pull	+\$12			
С	curved pull	+\$25			
K	bar pull	+\$12			
N	no pull	+ \$o			
Р	profile pull	+\$28			
Т	tab pull	+\$28			
Step	9. Surface Material				
Н	high-pressure laminate	+\$225			
L	low-pressure laminate	+\$0			


Step 1	10. Finish		HY	walnut on cherry	+\$0
			LA	light ash	+\$0
For lo	w-pressure laminate (L)		LBA	clear on ash	+\$0
76	light brown walnut	+\$o	LBR	phantom ecru	+\$0
8Q	folkstone grey	+\$o	LBS	phantom cocoa	+\$0
91	white	+\$o	LBU	medium matte walnut	+\$0
98	studio white	+\$o	LBV	warm grey teak	+\$0
CL	cool grey neutral	+\$o	LBB	oak on ash	+\$0
нм	natural maple	+\$o	LBC	walnut on ash	+\$0
HP	light anigre	+\$o	LBD	dark brown walnut	+\$0
нх	aged cherry	+\$o	LBE	medium red walnut	+\$0
HY	walnut on cherry	+\$o	LBF	neutral twill	+\$0
LA	light ash	+\$o	LBG	sarum twill	+\$0
LBA	clear on ash	+\$o	LBH	earthen twill	+\$0
LBR	phantom ecru	+\$o	LBJ	graphite twill	+\$0
LBS	phantom cocoa	+\$o	LBK	pewter mesh	+\$0
LBU	medium matte walnut	+\$o	LBL	steel mesh	+\$0
LBV	warm grey teak	+\$o	LBM	crisp linen	+\$0
LBB	oak on ash	+\$o	LBN	classic linen	+\$0
LBC	walnut on ash	+\$o	LBP	casual linen	+\$0
LBD	dark brown walnut	+\$o	LBQ	white twill	+\$0
LBE	medium red walnut	+\$o	LM	mahogany	+\$0
LBF	neutral twill	+\$o	LT	light tone	+\$0
LBG	sarum twill	+\$o	LU	soft white	+\$0
LBH	earthen twill	+\$o	MT	medium tone	+\$0
LBJ	graphite twill	+\$o	OG	honey maple	+\$0
LBK	pewter mesh	+\$o	WL	sandstone	+\$0
LBL	steel mesh	+\$o	WN	warm grey neutral	+\$0
LBM	crisp linen	+\$o			
LBN	classic linen	+\$o	Step 1	1. Pull Finish	
LBP	casual linen	+\$o			
LBQ	white twill	+\$o	For no	pull (N)	
LU	soft white	+\$o	NN	no pull finish	+\$0
WL	sandstone	+\$o			
WN	warm grey neutral	+\$o	For ar	c pull (A), curved pull (C), profile pull (P), or tab	pull (T)
			STD	standard finish	+\$0
For hi	gh-pressure laminate (H)				
76	light brown walnut	+\$o	For bo	ır pull (K)	
8Q	folkstone grey	+\$o	98	studio white	+\$0
91	white	+\$o	8Q	folkstone grey	+\$0
98	studio white	+\$o	91	white	+\$0
CL	cool grey neutral	+\$o	G1	graphite	+\$0
HF	inner tone light	+\$0	CN	metallic champagne	+\$0
нм	natural maple	+\$0	MS	metallic silver	+\$0
HP	light anigre	+\$0			•
нт	inner tone	+\$0			
нх	aged cherry	+\$0			
	•				

Wall-Mounted Shelf Towers

continued

_
\geq
2
Ö
- 2
-
Ä
70
Towe

Step	12. Grommet Finish	
8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0




Description

This 1"-thick shelf replaces the standard shelf in a shelf tower when a floating shelf is used next to it.

Notes

Order shelf tower (CH420.) separately.

Dimensions




Specification Information Step 1. CH421. A Step 2. Width 15 15" wide 🛕 +\$110 Step 3. Depth 19 19" deep 🛛 +\$0 Step 4. Surface Material high-pressure laminate [A] **+**\$o Step 5. Finish 76 light brown walnut A +\$o 8Q folkstone grey A +\$0 91 white A **+**\$o 98 studio white A +\$o CLcool grey neutral A **+**\$o HF inner tone light A +\$0 нм natural maple A +\$0 HP light anigre A +\$0 HT inner tone A +\$0 НΧ aged cherry A **+**\$o ΗY walnut on cherry A **+**\$0 LA light ash A +\$0 LBA clear on ash A +\$0 LBB oak on ash A +\$0 LBC walnut on ash A +\$o LBD dark brown walnut 🖪 **+**\$o LBE medium red walnut A **+**\$0 **LBF** neutral twill A +\$0 LBG sarum twill A +\$0 LBH earthen twill A +\$0 LBJ graphite twill A **+**\$o **LBK** pewter mesh A **+**\$0 LBL steel mesh A +\$0 LBM crisp linen A +\$0 LBN classic linen A +\$0 LBP casual linen A +\$o **LBQ** white twill A **+**\$o LM mahogany A +\$0 LT light tone A +\$0 LU soft white A **+**\$0 MT medium tone A +\$0 WL sandstone A **+**\$0

WN

warm grey neutral A


+\$0



Description

This 4"-wide component fills space in a run of cases, overheads, or towers. The straight filler fills the space between a run of base cabinets and a wall.

Dimensions



Specification Information

Step 1.

CH430. A

Step 2. Height			
190	19"-high overhead case 🛕	+\$95	
20W	wall-mounted base case A	+\$95	
235	23"-high soffit A	+\$100	
310	31"-high overhead case A	+\$110	
34T	34"-high to-the-floor base case A	+\$110	
35 S	35"-high soffit A	+\$100	
36T	36"-high to-the-floor base case A	+\$110	
66T	66"-high to-the-floor tower A	+\$230	
66W	66"-high wall-mounted tower	+\$180	
74T	74"-high to-the-floor tower 🖪	+\$245	
74W	74"-high wall-mounted tower 🛽 🗚	+\$210	

Step 3. Material				
L	low-pressure laminate A	+\$o		
Н	high-pressure laminate A	+\$25		

Step 4. Grain Direction


For 19"-high overhead case (190), wall-mounted base case (20W), 23"-high soffit (23S), 31"-high overhead case (310), 34"-high to-the-floor base case (34T), 35"-high soffit (35S), or 36"-high to-the-floor base case (36T)

HRG	horizontal grain 🛕	+\$ 0
VTG	vertical grain A	+\$ o

For 66"-high to-the-floor tower (66T), 66"-high wall-mounted tower (66W), 74"-high to-the-floor tower (74T), or 74"-high wall-mounted tower (74W)

VTG vertical grain A +\$o

Step 5	;. Finish		нү	walnut on cherry A	+\$0
	•		LA	light ash A	+\$0
For lo	w-pressure laminate (L)		LBA	clear on ash A	+\$0
76	light brown walnut 🛕	+\$0	LBB	oak on ash 🛕	+\$0
8Q	folkstone grey A	+\$o	LBC	walnut on ash [A]	+\$0
91	white A	+\$o	LBD	dark brown walnut 🛕	+\$0
98	studio white A	+\$o	LBE	medium red walnut A	+\$0
CL	cool grey neutral A	+\$o	LBF	neutral twill 🛕	+\$0
нм	natural maple 🛕	+\$o	LBG	sarum twill 🖪	+\$0
HP	light anigre A	+\$o	LBH	earthen twill 🖪	+\$0
нх	aged cherry A	+ \$o	LBJ	graphite twill 🛕	+\$0
HY	walnut on cherry A	+ \$o	LBK	pewter mesh 🛕	+\$0
LA	light ash 🛕	+ \$o	LBL	steel mesh 🛕	+\$0
LBA	clear on ash 🛕	+ \$o	LBM	crisp linen 🛕	+\$0
LBB	oak on ash 🛕	+ \$o	LBN	classic linen 🖪	+\$0
LBC	walnut on ash 🛕	+ \$o	LBP	casual linen 🖪	+\$0
LBD	dark brown walnut 🛕	+ \$o	LBQ	white twill A	+\$0
LBE	medium red walnut 🖪	+ \$o	LBR	phantom ecru A	+\$0
LBF	neutral twill 🛕	+ \$o	LBS	phantom cocoa A	+\$0
LBG	sarum twill 🛕	+ \$o	LBU	medium matte walnut 🛕	+\$0
LBH	earthen twill A	+\$o	LBV	warm grey teak A	+\$0
LBJ	graphite twill A	+\$o	LM	mahogany A	+\$0
LBK	pewter mesh A	+\$o	LT	light tone A	+\$0
LBL	steel mesh 🛕	+\$o	LU	soft white A	+\$0
LBM	crisp linen 🛕	+\$o	MT	medium tone A	+\$0
LBN	classic linen A	+\$o	WL	sandstone A	+\$0
LBP	casual linen 🛕	+\$o	WN	warm grey neutral A	+\$0
LBQ	white twill A	+\$o			
LBR	phantom ecru A	+\$o			
LBS	phantom cocoa A	+\$o			
LBU	medium matte walnut 🛕	+\$o			
LBV	warm grey teak 🛕	+\$o			
LU	soft white A	+\$o			
WL	sandstone A	+\$o			
WN	warm grey neutral A	+\$0			
For his	gh-pressure laminate (H)				
76	light brown walnut 🛕	+\$0			
8Q	folkstone grey A	+\$o			
91	white A	+\$o			
98	studio white A	+\$ 0			
CL	cool grey neutral A	+ \$o			
HF	inner tone light A	+ \$o			
нм	natural maple A	+\$o			
HP	light anigre A	+\$o			
HT	inner tone A	+\$o			
нх	aged cherry A	+\$o			



Description


This Corian® work surface attaches to the top of 1 or more base cabinets or extends over the side of a base cabinet with an end panel support. It is available with integrated backsplash or without backsplash. Attachment hardware included.

Notes

Order the following products separately:

- Wall-mounted drawer or door base cabinets (CH200., CH210.)
- To-the-floor drawer or door base cabinets (CH220., CH230.)
- End panel (CH655.)

Dimensions




Specification Information

Step 1		
CH600		
Step 2	2. Depth	
19	19" deep	+\$600
24	24" deep	+\$650
30	30" deep	+\$1200
Step 3	3. Width	
18	18" wide	+\$0
24	24" wide	+\$75
30	30" wide	+\$150
36	36" wide	+\$300
42	42" wide	+\$450
48	48" wide	+\$550
54	54" wide	+\$650
60	6o" wide	+\$800
66	66" wide	+\$900
72	72" wide	+\$1050
	4. Backsplash " deep (19) or 24" deep (24)	
4	4" high integrated	+\$0
8	8" high integrated	+\$300
N	no backsplash	-\$100
For 30	o" deep (30)	
4	4" high integrated	+\$0
N	no backsplash	-\$100
Step 5	5. Work Surface Finish	
15	savannah	+\$170
1U	sahara	+\$35
41	sandstone	+\$35
58	cameo white	+\$0
CQ	glacier white	+\$0
CRT	concrete	+\$300
FWN	fawn	+\$300
0Q	silt	+\$170
PGY	pearl gray	+\$300
QB	bisque	+\$0
SNS	serene sage	+\$300
	~	

Corian Work Surface with Oval Sink

CH605.



Product Information

Description

This Corian® work surface with sink attaches to the top of 1 or more base cabinets or extends over the side of a base cabinet with an end panel support. Work surface comes with integrated backsplash. Attachment hardware included.

Notes

Surface is 1" thick.

If extended surface is desired, the extension must be on opposite end from sink.

Sink will always be centered over a sink cabinet.


Faucet must be field supplied.

Order the following products separately:

- Wall-mounted door base cabinets (CH210.)
- To-the-floor door base cabinets (CH230.)
- End panel (CH655.)

Dimensions





Specification Information

Step 1.

CH605.

Step 2.	. Depth	
19	19" deep	+\$1200
24	24" deep	+\$1250

Step	3. Width	
18	18" wide	+\$0
36	36" wide	+\$300
42	42" wide	+\$450
48	48" wide	+\$550
54	54" wide	+\$650
60	6o" wide	+\$800
66	66" wide	+\$900
72	72" wide	+\$1050

Step 4. Sink Cutout/Sink Cabinet Size & Location (sink centered above cabinets)

For 18"	wide (18)	
SAO	stand-alone 18" wide sink cabinet	+\$o


For 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

18L	18" sink cabinet on left	+\$0
18R	18" sink cabinet on right	+\$o

Step 5. Backsplash		
4	4" high integrated	+ \$o
8	8" high integrated	+\$300

Step 6. Work Surface Finish		
15	savannah	+\$170
1U	sahara	+\$35
41	sandstone	+\$35
58	cameo white	+ \$o
CQ	glacier white	+ \$o
CRT	concrete	+\$300
FWN	fawn	+\$300
0Q	silt	+\$170
PGY	pearl gray	+\$300
QB	bisque	+\$0
SNS	serene sage	+\$300

Corian Work Surface with Oval Sink *continued*




+\$0

+\$1640

Corian Work Surface with Rectangular Sink

CH606.



Product Information

Description

This Corian® work surface with sink attaches to the top of 1 or more base cabinets or extends over the side of a base cabinet with an end panel support. Work surface comes with integrated backsplash. Attachment hardware included.

Notes

Surface is 1" thick.

If extended surface is desired, the extension must be on opposite end from sink


Sink will always be centered over a sink cabinet.

Faucet must be field supplied.

Order the following products separately:

- Wall-mounted door base cabinets (CH210.)
- To-the-floor door base cabinets (CH230.)
- End panel (CH655.)

Dimensions



Specification Information

19" deep

Step 1.

CH606.

Step 2. Depth

24	24" deep	+\$1690
Step	3. Width	
24	24" wide	+\$0
30	30" wide	+\$75
36	36" wide	+\$225
42	42" wide	+\$375
48	48" wide	+\$475
54	54" wide	+\$575
60	6o" wide	+\$725
66	66" wide	+\$825
72	72" wide	+\$975

Step 4. Sink Cutout/Sink Cabinet Size & Location (sink centered above cabinets)

For 24" wide (24), 30" wide (30), or 36" wide (36)

24" sink cabinet on right

30" sink cabinet on left

30" sink cabinet on right

36" sink cabinet on left

24R

30L

30R

36L

SAR	stand-alone 24", 30", 36" wide sink cabinet	+\$0
For 42	e" wide (42)	
24L	24" sink cabinet on left	+\$0
24R	24" sink cabinet on right	+\$0
For 48	3" wide (48)	
24L	24" sink cabinet on left	+ \$o
24R	24" sink cabinet on right	+\$o
30L	30" sink cabinet on left	+\$o
30R	30" sink cabinet on right	+\$0
For 54	q" wide (54), 60" wide (60), 66" wide (66), or 72" wide	(72)
24L	24" sink cabinet on left	+ \$ o

36" sink cabinet on right	+\$0
. Backsplash	
4" high integrated	+\$0
8" high integrated	+\$300
	. Backsplash 4" high integrated

+\$0

+\$o


+\$o

+\$o

Step 6	5. Work Surface Finish	
15	savannah	+\$170
1U	sahara	+\$35
41	sandstone	+\$35
58	cameo white	+\$0
CQ	glacier white	+\$0
CRT	concrete	+\$300
FWN	fawn	+\$300
0Q	silt	+\$170
PGY	pearl gray	+\$300
QB	bisque	+\$0
SNS	serene sage	+\$300
Step 7	7. Sink Finish	
CRM	crema	+\$0
WFR	white frost	+\$0

Corian Work Surface with ADA Sink

CH607.




Product Information

Description

This Corian® work surface with ADA sink attaches to the top of an ADA sink enclosure or spans multiple cases.

Notes
Order ADA sink enclosure (CH240.) separately.
Order wall-mounted or to-the-floor door cases separately.
Sink will always be centered over a sink cabinet.
Surface is 1" thick.
For extended surface, the extension must be on opposite end from sink.
Order end panel (CH655.) separately.
Faucet must be field supplied.

Dimensions



Specification Information

Step 1.

CH607.

Step 2. Depth

19	19" deep	+\$1500
24	24" deep	+\$1600
Step	3. Width	
24	24" wide	+\$75
30	30" wide	+ \$o
36	36" wide	+\$150
42	42" wide	+\$300
48	48" wide	+\$450
54	54" wide	+\$600
60	6o" wide	+\$700
66	66" wide	+\$820
72	72" wide	+\$950

For 24	" wide (24), 30" wide (30), or 36" wide (36)	
SAA	standalone 24" or 30" wide ADA sink enclosure	+\$0
 For 42	" wide (42)	
SAA	stand-alone 42" wide ADA sink enclosure	+\$0
24L	24" ADA sink enclosure on left	+\$0
24R	24" ADA sink enclosure on right	+\$0
30L	30" ADA sink enclosure on left	+\$0
30R	30" ADA sink enclosure on right	+\$0
 For 48	8" wide (48)	
SAA	stand-alone 48" wide ADA sink enclosure	+\$0
24L	24" ADA sink enclosure on left	+\$0
24R	24" ADA sink enclosure on right	+\$0
30L	30" ADA sink enclosure on left	+\$0
30R	30" ADA sink enclosure on right	+\$0

Step 4. Sink Cutout/Sink Cabinet Size & Location

For 52	4" wide (54), 60" wide (60), 66" wide (66), or 72"	wide (72)
24L	24" ADA sink enclosure on left	+\$0
24R	24" ADA sink enclosure on right	+ \$o
30L	30" ADA sink enclosure on left	+ \$o
30R	30" ADA sink enclosure on right	+ \$o
36L	36" ADA sink enclosure on left	+ \$o
36R	36" ADA sink enclosure on right	+\$o
42L	42" ADA sink enclosure on left	+\$o
42R	42" ADA sink enclosure on right	+\$o


Corian Work Surface with ADA Sink continued

Step 5. Backsplash

4	4" high integrated	+\$0
8	8" high integrated	+\$200
Step 6	6. Work Surface Finish	
15	savannah	+\$170
1U	sahara	+\$35
41	sandstone	+\$35
58	cameo white	+ \$o
CQ	glacier white	+ \$o
CRT	concrete	+\$300
FWN	fawn	+\$300
0Q	silt	+\$170
PGY	pearl gray	+\$300
QB	bisque	+\$0
SNS	serene sage	+\$300
Step 7	7. Sink Finish	
QB	bisque	+\$ o
CQ	glacier white	+\$o

Corian Work Surface with Work End





Product Information

Description

This Corian® work surface with work end attaches to the top of 1 or more base cabinets. The work end allows for a quick touchdown space and can integrate technology. Work surface comes with integrated backsplash. Attachment hardware included.

Notes

Surface is 1" thick.

Work end adds 18" to width and is 26" deep.


When using in-line technology cabinet (CH720.) below, do not include its width when specifying the total width of cabinets below surface.

To use Flo® monitor arm, order Flo single screen monitor arm support with grommet mount (Y91171.GROI) separately. Grommet hole is field cut. See Planning Guide for more information.

Order the following products separately:

- Wall-mounted drawer or door base cabinets (CH200., CH210.)
- To-the-floor drawer or door base cabinets (CH220., CH230.)

Dimensions



Specification Information

Step 1.

CH610.

Step 2.	. Depth	
19	19" deep	+\$1450


Step 3	. Total Surface Width and Width of Cabinets Below Surface	
48	48" wide surface, for use with 30" wide cabinets	+\$0
54	54" wide surface, for use with 36" wide cabinets	+\$150
60	60" wide surface, for use with 42" wide cabinets	+\$300
66	66" wide surface, for use with 48" wide cabinets	+\$450
72	72" wide surface, for use with 54" wide cabinets	+\$600
78	78" wide surface, for use with 60" wide cabinets	+\$750

Step 4. Work End/Extension Side		
L	surface extension to left	+\$o
R	surface extension to right	+\$o

Step 5. Backsplash		
4	4" high integrated	+\$ o

Step 6	. Work Surface Finish	
15	savannah	+\$210
1U	sahara	+\$45
41	sandstone	+\$45
58	cameo white	+\$o
CQ	glacier white	+\$o
CRT	concrete	+\$350
FWN	fawn	+\$350
0Q	silt	+\$210
PGY	pearl gray	+\$350
QB	bisque	+\$o
SNS	serene sage	+\$350

Corian Work Surface with Work CH615. End and Oval Sink



Product Information

Description

This Corian® work surface with work end and sink attaches to the top of 1 or more base cabinets. The work end allows for a quick touchdown space and can integrate technology. Work surface comes with integrated backsplash. Attachment hardware included.

Notes

Surface is 1" thick.

Work end adds 18" to width and is 26" deep.

When sink is on the left, work end is on the right. When sink is on the right, work end is on the left.

Sink will always be centered over a sink cabinet.

Faucet must be field supplied.


When using in-line technology cabinet (CH720.) below, do not include its width when specifying the total width of cabinets below surface.

To use Flo® monitor arm, order cast grommet (Y92050.OI) for use with Flo monitor arm separately. Grommet hole is field cut. See Planning Guide for more information.

Order the following products separately:

- Wall-mounted drawer or door base cabinets (CH200., CH210.)
- To-the-floor drawer or door base cabinets (CH220., CH230.)

Dimensions



Specification Information

Step 1.


CH61	5.	
Step	2. Depth	
19	19" deep	+\$2250
Step	3. Width	
54	54" wide surface, for use with 36" total run of cabinets	+\$0
60	60" wide surface, for use with 42" total run of cabinets	+\$150
66	66" wide surface, for use with 48" total run of cabinets	+\$300
72	72" wide surface, for use with 54" total run of cabinets	+\$450
78	78" wide surface, for use with 60" total run of cabinets	+\$600
Step	4. Sink Cabinet Size Location	
18L	18" sink cabinet on left	+\$0
18R	18" sink cabinet on right	+\$0
Step	5. Backsplash	
4	4" high integrated	+\$0
Step	6. Work Surface Finish	
15	savannah	+\$210
1U	sahara	+\$45
41	sandstone	+\$45

Step 6.	Work Surface Finish	
15	savannah	+\$210
1U	sahara	+\$45
41	sandstone	+\$45
58	cameo white	+\$o
CQ	glacier white	+\$o
CRT	concrete	+\$350
FWN	fawn	+\$350
0Q	silt	+\$210
PGY	pearl gray	+\$350
QB	bisque	+\$o
SNS	serene sage	+\$350

Step 7.	Sink Finish		
CQ	glacier white	+	\$o

Corian Work Surface with Work End and Rectangular Sink

CH616.



Product Information

Description

This Corian® work surface with work end and sink attaches to the top of 1 or more base cabinets. The work end allows for a quick touchdown space and can integrate technology. Work surface comes with integrated backsplash. Attachment hardware included.

Notes

Surface is 1" thick.

Work end adds 18" to width and is 26" deep.

When sink is on the left, work end is on the right. When sink is on the right, work end is on the left.

Sink will always be centered over a sink cabinet.

Faucet must be field supplied.


When using in-line technology cabinet (CH720.) below, do not include its width when specifying the total width of cabinets below surface.

To use Flo® monitor arm, order cast grommet (Y92050.OI) for use with Flo monitor arm separately. Grommet hole is field cut. See Planning Guide for more information.

Order the following products separately:

- Wall-mounted drawer or door base cabinets (CH200., CH210.)
- To-the-floor drawer or door base cabinets (CH220., CH230.)

Dimensions



Specification Information

Step 1.

CH616.

Step 2.	Depth		
19	19" deep		+\$2450

Step 3	Step 3. Surface Width			
48	48" wide surface, for use with 30" wide cabinets	+\$0		
54	54" wide surface, for use with 36" total run of cabinets	+\$150		
60	60" wide surface, for use with 42" total run of cabinets	+\$300		
66	66" wide surface, for use with 48" total run of cabinets	+\$450		
72	72" wide surface, for use with 54" total run of cabinets	+\$600		
78	78" wide surface, for use with 60" total run of cabinets	+\$750		

Step 4. Sink Cabinet Size Location

30L	30" sink cabinet on left	+\$0
30R	30" sink cabinet on right	+\$0

For 54	" wide surface, for use with 36" total run of cabinets (54)	
36L	36" sink cabinet on left	+\$0
36R	36" sink cabinet on right	+\$0

For 60	" wide surface, for use with 42" total run of cabinets (60)	
24L	24" sink cabinet on left	+\$0
24R	24" sink cabinet on right	+ \$0


For 66" wide surface, for use with 48" total run of cabinets (66)			
24L	24" sink cabinet on left	+\$0	
24R	24" sink cabinet on right	+\$o	
30L	30" sink cabinet on left	+\$o	
30R	30" sink cabinet on right	+ \$0	

For 72" wide surface, for use with 54" total run of cabinets (72) or 78" wide surface, for use with 60" total run of cabinets (78)

24L	24" sink cabinet on left	+\$o
24R	24" sink cabinet on right	+\$o
30L	30" sink cabinet on left	+\$o
30R	30" sink cabinet on right	+\$o
36L	36" sink cabinet on left	+\$o
36R	36" sink cabinet on right	+\$o

36K	36 Sink cabinet on right	+\$0
Step 5	5. Backsplash	
4	4" high integrated	+\$0

Step 6	. Work Surface Finish	
15	savannah	+\$210
1U	sahara	+\$45
41	sandstone	+\$45
58	cameo white	+\$0
CQ	glacier white	+\$0
CRT	concrete	+\$350
FWN	fawn	+\$350
0Q	silt	+\$210
PGY	pearl gray	+\$350
QB	bisque	+\$0
SNS	serene sage	+\$350
Step 7	. Sink Finish	
WFR	white frost	+\$0
CRM	crema	+\$0




Description

This sidesplash attaches to a wall or a Mora™ System tower. Finish is Corian®. Attachment hardware not included.

Notes

It is recommended to seal the sidesplash attachment with silicone or caulk.

Dimensions



Specification Information

Step 1.

CH618.

Step 2.	Depth	
W19	19" deep, wall	+\$130
W24	24" deep, wall	+\$140
T19	19" deep, tower	+\$130
T24	24" deep, tower	+\$140
W30	30" deep, wall	+\$160

Step 3. Height


For 19" deep, wall (W19), 24" deep, wall (W24), 19" deep, tower (T19), or 24" deep, tower (T24)

4	4" high	+\$0
8	8" high	+\$50

For 30" deep, wall (W30) 4 4" high +\$0

Step 4	Step 4. Placement			
L	left	+\$0		
R	right	+\$0		

Step 5	. Work Surface Finish	
15	savannah	+\$10
1U	sahara	+\$5
41	sandstone	+\$5
58	cameo white	+ \$o
CQ	glacier white	+ \$o
CRT	concrete	+\$20
FWN	fawn	+\$20
0Q	silt	+\$10
PGY	pearl gray	+\$20
QB	bisque	+ \$o
SNS	serene sage	+\$20



Description

This HPL work surface attaches to the top of 1 or more base cabinets or extends over the side of a base cabinet with an end panel support. Attachment hardware included.

Notes

Surface is 1" thick.


Grain direction is horizontal for woodgrain finishes.

If sink is desired, the sink cutout must be field cut and sink and faucet must be field supplied.

Order the following products separately:

- Wall-mounted drawer or door base cabinets (CH200., CH210.)
- To-the-floor drawer or door base cabinets (CH220., CH230.)
- End panel (CH655.)
- HPL backsplash (CH650.)

Dimensions



Specification Information


Step 1.

CH620.

Step 2	. Depth	
19	19" deep	+\$200
24	24" deep	+\$225
30	30" deep	+\$300
Step 3	. Width	
18	18" wide	+\$o
24	24" wide	+\$20
30	30" wide	+\$40
36	36" wide	+\$70
42	42" wide	+\$90
48	48" wide	+\$110
54	54" wide	+\$170
60	6o" wide	+\$185
66	66" wide	+\$200
72	72" wide	+\$220
Step 4	. Finish	
76	light brown walnut	+\$o
8Q	folkstone grey	+\$o
91	white	+ \$o
98	studio white	+\$o
BU	black umber	+\$o
CL	cool grey neutral	+\$o
HF	inner tone light	+\$o
нм	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$o
нх	aged cherry	+\$o
HY	walnut on cherry	+\$o
LA	light ash	+\$ 0
LBA	clear on ash	+ \$o
LBR	phantom ecru	+ \$o
LBS	phantom cocoa	+ \$o
LBV	warm grey teak	+ \$0
LBU	medium matte walnut	+ \$o
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$0

+\$0 +\$0 +\$0 +\$0 +\$0

LBJ	graphite twill	+\$o	LBQ	white twill
LBK	pewter mesh	+\$o	LU	soft white
LBL	steel mesh	+\$o	MT	medium tone
LBM	crisp linen	+\$o	WL	sandstone
LBN	classic linen	+\$o	WN	warm grey neutral
LBP	casual linen	+\$o		
LBQ	white twill	+\$o		
LU	soft white	+\$o		
MT	medium tone	+\$o		
OL	white oak (nonstandard)	+\$o		
WL	sandstone	+\$o		
WN	warm grey neutral	+\$o		
Step 5.	. Edge Finish			
76	light brown walnut	+\$o		
8Q	folkstone grey	+\$ 0		
8Z	neutral grey	+\$o		
91	white	+\$ 0		
98	studio white	+\$ 0		
BU	black umber	+\$o		
CL	cool grey neutral	+\$o		
HF	inner tone light	+\$ 0		
нм	natural maple	+\$ 0		
HP	light anigre	+\$o		
HT	inner tone	+\$o		
нх	aged cherry	+\$o		
HY	walnut on cherry	+\$o		
JB	millwork cherry	+\$o		
LA	light ash	+\$o		
LBA	clear on ash	+\$ 0		
LBR	phantom ecru	+\$ 0		
LBS	phantom cocoa	+\$ 0		
LBV	warm grey teak	+\$ o		
LBU	medium matte walnut	+\$ o		
LBB	oak on ash	+\$ o		
LBC	walnut on ash	+\$ o		
LBD	dark brown walnut	+\$o		
LBE	medium red walnut	+\$o		
LBF	neutral twill	+\$ o		
LBG	sarum twill	+\$ 0		
LBH	earthen twill	+\$ 0		
LBJ	graphite twill	+\$ 0		
LBK	pewter mesh	+\$ o		
LBL	steel mesh	+\$ o		
LBM	crisp linen	+\$ 0		
LBN	classic linen	+ \$0		
LBP	casual linen	+\$o		



Description

This HPL work surface with work end attaches to the top of 1 or more base cabinets. The work end allows for a quick touchdown space and can integrate technology.

Notes

Surface is 1" thick.

Work end adds 18" to width and is 26" deep.


When using in-line technology cabinet (CH720.) below, do not include its width when specifying the total width of cabinets below surface.

To use Flo° monitor arm attached to surface, order cast grommet (Y92050.0I) for use with Flo monitor arm (Y91171.GRoI) separately. Grommet hole is field cut.

Order the following products separately:

- Wall-mounted drawer or door base cabinets (CH200., CH210.)
- To-the-floor drawer or door base cabinets (CH220., CH230.)
- (2) Surface wall attachment supports (CH646.)
- HPL backsplash (CH650.)

Dimensions



Specification Information

crisp linen

LBM

Step 1.

CH630.

Step 2	2. Depth	
19	19" deep	+\$330
Step 3	3. Width	
48	48" wide surface, for use with 30" wide cabinets	+\$0
54	54" wide surface, for use with 36" wide cabinets	+\$30
60	60" wide surface, for use with 42" wide cabinets	+\$60
66	66" wide surface, for use with 48" wide cabinets	+\$90
72	72" wide surface, for use with 54" wide cabinets	+\$110
78	78" wide surface, for use with 60" wide cabinets	+\$135
Step 2	. Work End/Extension Side	
L	surface extension to left	+\$0
R	surface extension to right	+\$0
Step ^r	;. Top Finish	
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBV	warm grey teak	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
нт	inner tone	+\$0
нх	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
		. 40

+\$0

LBN	classic linen	+\$o	LU	soft white	+\$o
LBP	casual linen	+\$0	MT	medium tone	+\$0
LBQ	white twill	+\$0	WL	sandstone	+\$0
LBU	medium matte walnut	+\$0	WN	warm grey neutral	+\$0
LM	mahogany	+\$0			
LT	light tone	+\$0			
LU	soft white	+\$0			
MT	medium tone	+\$0			
OL	white oak (nonstandard)	+\$0			
WL	sandstone	+\$0			
WN	warm grey neutral	+\$0			
Step 6	. Edge				
76	light brown walnut	+\$o			
8Q	folkstone grey	+\$o			
8Z	neutral grey	+\$o			
91	white	+\$o			
98	studio white	+\$o			
BU	black umber	+\$o			
CL	cool grey neutral	+\$o			
HF	inner tone light	+\$o			
нм	natural maple	+\$o			
HP	light anigre	+\$o			
HT	inner tone	+\$o			
нх	aged cherry	+\$o			
HY	walnut on cherry	+\$o			
JB	millwork cherry	+\$o			
LA	light ash	+\$o			
LBA	clear on ash	+\$o			
LBR	phantom ecru	+ \$0			
LBS	phantom cocoa	+ \$0			
LBV	warm grey teak	+ \$0			
LBU	medium matte walnut	+ \$0			
LBB	oak on ash	+ \$o			
LBC	walnut on ash	+ \$o			
LBD	dark brown walnut	+\$ 0			
LBE	medium red walnut	+\$ 0			
LBF	neutral twill	+\$0			
LBG	sarum twill	+\$o			
LBH	earthen twill	+\$0			
LBJ	graphite twill	+\$o			
LBK	pewter mesh	+\$o			
LBL	steel mesh	+\$o			
LBM	crisp linen	+\$o			
LBN	classic linen	+\$o			
LBP	casual linen	+\$o			
LBQ	white twill	+ \$0			

Description

This bracket attaches to a wall to support a work surface with work end, peninsula, or seated height work surface.

Dimensions


Specification Information

Step 1.

CH646.


\$70





+\$160

+\$175



Product Information

Description

This HPL backsplash sits on top of the HPL work surface.


Notes

Backsplash is 1" thick.

Backsplash edges must be silicone sealed in the field.

Order HPL work surface (CH620.) or HPL work surface with work end (CH630.) separately.

Dimensions



Specification Information

Step 1.

66

72

66" wide

72" wide


CH650.

Step 2. Height

4	4 nign	+\$120
Step	3. Width	
18	18" wide	+\$0
24	24" wide	+\$30
30	30" wide	+\$50
36	36" wide	+\$65
42	42" wide	+\$80
48	48" wide	+\$95
54	54" wide	+\$130
60	6o" wide	+\$145

Step 4	. Finish	
76	light brown walnut	+ \$o
8Q	folkstone grey	+ \$o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+\$o
HF	inner tone light	+\$o
нм	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$o
нх	aged cherry	+\$o
HY	walnut on cherry	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	+\$o

LBR	phantom ecru	+\$0	МТ	medium tone	+\$o
LBS	•	+\$o	WL	sandstone	+\$0
LBU	•	+\$o	WN	warm grey neutral	+\$0
LBV		+\$o		3 ,	
LM	mahogany	+\$o			
LT	light tone	+\$o			
LU	soft white	+\$o			
MT	medium tone	+\$o			
WL	sandstone	+\$o			
WN		+\$0			
	g.cycanan				
Step	5. Edge Finish				
76	light brown walnut	+\$o			
8Q	folkstone grey	+\$o			
8Z	neutral grey	+\$o			
91	white	+\$o			
98	studio white	+\$o			
BU	black umber	+\$o			
CL	cool grey neutral	+\$o			
HF	inner tone light	+\$o			
нм		+\$o			
НР	light anigre	+\$o			
нт	inner tone	+\$o			
нх	aged cherry	+\$o			
HY	walnut on cherry	+\$o			
JB	millwork cherry	+\$o			
ĹA	light ash	+\$o			
LBA		+\$o			
LBR		+\$o			
LBS		+\$o			
LBV	•	+\$o			
LBU		+\$o			
LBB		+\$o			
LBC		+\$o			
LBD		+\$o			
LBE		+\$o			
LBF		+\$o			
LBG	sarum twill	+\$o			
LBH		+\$o			
LBJ		+\$o			
LBK		+\$o			
LBL		+\$o			
LBM		+\$o			
LBN		+\$o			
LBP		+\$o			
LBQ		+\$o			
LU	soft white	+\$o			
		* -			



Description


This laminate panel supports an extended work surface. The panel has one 2" adjustable glide to level the surface above an uneven floor. Attachment hardware sold separately.

Notes

Order the following products separately:

- Corian® work surface (CH6oo.)
- Corian work surface with sink (CH6o5., CH6o6., CH6o7)
- HPL work surface (CH620.)
- (2) Surface wall attachment supports (CH646.). See planning guide for further instructions.


Dimensions



Specification Information	
Step 1.	
CH655.	

Step 2	2. Height	
34	34" high	+\$220
36	36" high	+\$225
Step 3	3. Depth of Worksurface	
19	19" deep	+\$o
24	24" deep	+\$20
30	30" deep	+\$30
<u> </u>		
	4. Material	A
Н	high-pressure laminate	+\$0
Step 5	5. Grain Direction	
HRG	horizontal grain	+\$o
VTG	vertical grain	+\$0
	<u> </u>	
Step 6	6. Finish	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+ \$o
98	studio white	+ \$o
CL	cool grey neutral	+\$o
HF	inner tone light	+\$o
нм	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+ \$o
HX	aged cherry	+ \$o
HY	walnut on cherry	+\$ 0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$ 0
LBS	phantom cocoa	+\$ 0
LBV	warm grey teak	+\$ 0
LBU	medium matte walnut	+\$ 0
LBB	oak on ash	+\$ 0
LBC	walnut on ash	+\$ 0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0

LBL	steel mesh	+ \$o
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
OL	white oak (nonstandard)	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0



Description


This cantilever attaches to an architectural wall to support a work surface. Attachment hardware not included.

Notes

Order the following surfaces separately:

- Corian® work surface (CH6oo.)
- Corian work surface with sink (CH605., CH606.)
- HPL work surface (CH620.)
- Surface wall attachment support (CH646.)


Dimensions



Spec	cification Information	
Step :	1.	
CH66	0. A	
CI	D. d. CW. L. C	
Step :	2. Depth of Worksurface	
19	19" deep 🛕	+\$165
24	24" deep A	+\$185
Step	3. Material	
Н	high-pressure laminate A	+\$75
L	low-pressure laminate A	+\$0
Step 4	4. Grain Direction	
HRG	horizontal grain 🛕	+\$0
VTG	vertical grain A	+\$0
Step !	5. Finish	
For lo	nw-nressure laminate (I)	

For lov	y-pressure laminate (L)	
76	light brown walnut 🛕	+\$0
8Q	folkstone grey A	+\$o
91	white A	+\$o
98	studio white A	+\$o
CL	cool grey neutral A	+\$o
нм	natural maple A	+\$o
HP	light anigre A	+\$o
нх	aged cherry A	+\$o
HY	walnut on cherry A	+\$o
LA	light ash [A]	+\$o
LBA	clear on ash A	+\$ 0
LBB	oak on ash 🛕	+\$ 0
LBC	walnut on ash A	+\$ 0
LBD	dark brown walnut 🛕	+\$ 0
LBE	medium red walnut A	+\$0
LBF	neutral twill A	+\$0
LBG	sarum twill A	+\$ 0
LBH	earthen twill A	+\$ 0
LBJ	graphite twill A	+\$0
LBK	pewter mesh [A]	+\$0
LBL	steel mesh A	+\$0
LBM	crisp linen A	+\$0
LBN	classic linen A	+\$0
LBP	casual linen 🛕	+\$0
LBQ	white twill A	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$o

For hig	gh-pressure laminate (H)	
76	light brown walnut 🛕	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
CL	cool grey neutral A	+\$0
HF	inner tone light A	+\$0
нм	natural maple A	+\$0
HP	light anigre A	+\$0
HT	inner tone A	+\$0
нх	aged cherry A	+\$0
HY	walnut on cherry A	+\$0
LA	light ash 🛕	+\$0
LBA	clear on ash 🛕	+\$0
LBB	oak on ash 🛕	+\$0
LBC	walnut on ash A	+\$0
LBD	dark brown walnut 🛕	+\$0
LBE	medium red walnut 🛕	+\$0
LBF	neutral twill 🛕	+\$0
LBG	sarum twill 🖪	+\$0
LBH	earthen twill 🔺	+\$0
LBJ	graphite twill A	+\$0
LBK	pewter mesh A	+\$0
LBL	steel mesh A	+\$0
LBM	crisp linen 🖪	+\$0
LBN	classic linen A	+\$0
LBP	casual linen A	+\$0
LBQ	white twill A	+\$0
LM	mahogany A	+\$0
LT	light tone A	+\$0
LU	soft white A	+\$0
MT	medium tone A	+\$0
N1	grey nebula (nonstandard) [A]	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0
ZZ	open line laminate (nonstandard)	+\$20




Description

This panel attaches above a work surface or technology cabinet to provide a home for technology. Attachment hardware included.

Notes

Variety of heights allow panel to align with top of all overhead cabinets and towers, including sloped tops. See Planning Guide for height alignment.

Dimensions



Specification Information

Step 1.

CH670.

Step	2. Height	
11	11" high	+\$335
15	15" high	+\$340
19	19" high	+\$345
22	22" high	+\$450
26	26" high	+\$355
29	29" high	+\$360
30	30" high	+\$362
32	32" high	+\$368
33	33" high	+\$370
37	37" high	+\$378
38	38" high	+\$380
45	45" high	+\$400

Step	3. Width	
24	24" wide	-\$50
27	27" wide	-\$47
30	30" wide	-\$45
36	36" wide	-\$30
42	42" wide	-\$15
48	48" wide	+\$0
54	54" wide	+\$15
60	6o" wide	+\$30
66	66" wide	+\$40
72	72" wide	+\$50

Step 4	. Material	
L	low-pressure laminate	+\$ o
Н	high-pressure laminate	+\$150

Step 5. Grain Direction

For 24" wide (24), 27" wide (27), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), or 60" wide (60)


HRG	horizontal grain	+\$0
VTG	vertical grain	+\$0
For 66	(" wide (66) or 72" wide (72)	

For 66" wide (66) or 72" wide (72)

HRG horizontal grain

+\$o

Step 6	5. Finish		нх	aged cherry	+\$0
			HY	walnut on cherry	+\$0
	w-pressure laminate (L)		LA	light ash	+\$0
76	light brown walnut	+\$0	LBA	clear on ash	+\$0
8Q	folkstone grey	+\$0	LBR	phantom ecru	+\$0
91	white	+\$0	LBS	phantom cocoa	+\$0
98	studio white	+\$0	LBV	warm grey teak	+\$0
CL	cool grey neutral	+\$0	LBU	medium matte walnut	+\$0
НМ	natural maple	+\$0	LBB	oak on ash	+\$0
HP	light anigre	+\$0	LBC	walnut on ash	+\$0
HX	aged cherry	+\$0	LBD	dark brown walnut	+\$0
HY	walnut on cherry	+\$0	LBE	medium red walnut	+\$0
LA	light ash	+\$0	LBF	neutral twill	+\$0
LBA	clear on ash	+\$0	LBG	sarum twill	+\$0
LBR	phantom ecru	+\$0	LBH	earthen twill	+\$0
LBS	phantom cocoa	+\$0	LBJ	graphite twill	+\$0
LBU	medium matte walnut	+\$0	LBK	pewter mesh	+\$0
LBV	warm grey teak	+\$0	LBL	steel mesh	+\$0
LBB	oak on ash	+\$0	LBM	crisp linen	+\$0
LBC	walnut on ash	+\$0	LBN	classic linen	+\$0
LBD	dark brown walnut	+\$0	LBP	casual linen	+\$0
LBE	medium red walnut	+\$0	LBQ	white twill	+\$0
LBF	neutral twill	+\$0	LM	mahogany	+\$0
LBG	sarum twill	+\$0	LT	light tone	+\$0
LBH	earthen twill	+\$0	LU	soft white	+\$0
LBJ	graphite twill	+\$0	MT	medium tone	+\$0
LBK	pewter mesh	+\$0	WL	sandstone	+\$0
LBL	steel mesh	+\$0	WN	warm grey neutral	+\$0
LBM	crisp linen	+\$0			
LBN	classic linen	+\$0			
LBP	casual linen	+\$0			
LBQ	white twill	+\$0			
LU	soft white	+\$0			
WL	sandstone	+\$0			
WN	warm grey neutral	+ \$0			
For hi	gh-pressure laminate (H)				
76	light brown walnut	+\$0			
8Q	folkstone grey	+ \$0			
91	white	+ \$0			
98	studio white	+ \$0			
BU	black umber	+\$0			
CL	cool grey neutral	+\$0			
HF	inner tone light	+\$0			
НМ	natural maple	+\$0			
HP	light anigre	+\$0			
HT	inner tone	+\$o			




Description

This HPL shelf attaches directly to a wall or backdrop panel. Attachment hardware included.

Notes
Shelf is 1" thick.
Grain direction is always horizontal.

Dimensions



Specification Information


Step 1.

CH675.

Step:	2. Width	
24	24" wide	+\$275
30	30" wide	+\$300
36	36" wide	+\$325
42	42" wide	+\$350
48	48" wide	+\$375
54	54" wide	+\$400
60	6o" wide	+\$425
66	66" wide	+\$450
72	72" wide	+\$475

Step 3	3. Finish	
LBR	phantom ecru	+ \$o
LBS	phantom cocoa	+ \$o
LBV	warm grey teak	+\$0
76	light brown walnut	+\$ 0
8Q	folkstone grey	+\$ 0
91	white	+\$ 0
98	studio white	+\$ 0
CL	cool grey neutral	+\$o
HF	inner tone light	+\$o
нм	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$o
HX	aged cherry	+\$o
HY	walnut on cherry	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	+\$o
LBU	medium matte walnut	+\$o

M	mahogany	+ \$o	WN	warm grey net
	light tone	+\$o		
U	soft white	+\$o		
١T	medium tone	+\$o		
)L	white oak (nonstandard)	+\$o		
٧L	sandstone	+\$o		
٧N	warm grey neutral	+ \$o		
ZZ	open line laminate (nonstandard)	+\$20		
	open and tanimate (nonstandard)	.420		
Sten 4	Edge Finish			
.BR	phantom ecru	+\$o		
.BS	phantom cocoa	+\$0		
LBV	warm grey teak	+\$0		
76	light brown walnut	+\$0		
70 8Q	folkstone grey	+\$0		
oų 8Z	neutral grey	+\$0		
	white	+\$0 +\$0		
91 00				
98	studio white	+\$0		
BU	black umber	+\$0		
CL	cool grey neutral	+\$0		
HF	inner tone light	+\$0		
нм	natural maple	+\$0		
HP	light anigre	+\$o		
HT	inner tone	+\$0		
HX	aged cherry	+ \$0		
HY	walnut on cherry	+\$o		
JB	millwork cherry	+\$o		
LA	light ash	+ \$o		
LBA	clear on ash	+ \$o		
LBB	oak on ash	+\$o		
LBC	walnut on ash	+ \$o		
LBD	dark brown walnut	+\$o		
LBE	medium red walnut	+\$o		
LBF	neutral twill	+\$o		
LBG	sarum twill	+ \$0		
LBH	earthen twill	+\$o		
LBJ	graphite twill	+\$0		
LBK	pewter mesh	+\$0		
LBL	steel mesh	+\$0		
LBM	crisp linen	+\$0		
LBN	classic linen	+\$0		
LBN	casual linen	+\$0		
LBQ	white twill	+\$0 +\$0		
LBU	medium matte walnut	+\$0		
LU	soft white	+\$0		
MT	medium tone	+\$0		
WL	sandstone	+\$ 0		



Description

This Corian® peninsula is designed to be used with a technology cabinet or as a stand-alone surface to create a conversation zone.

Notes


Order surface wall attachment support (CH646.) separately.

Order peninsula leg (CH690.) or Ethospace® peninsula column support (E2394.DY) separately.

To use Flo® monitor arm attached to wall, order Flo single screen monitor arm support (Y91171.WMol) separately.

When specifying grommet cutout (C) option, to hide the raw wood in the hole, order Logic mini rectangle grommet (Y1412.1) separately.

Dimensions



Specification Information

Step 2. Grommet Cutout

cutout

Step 1.

CH680.

N	no cutout		
Price	s for Steps 1-2.		

Prices for Steps 1-2.	
CH680. C	\$1550
N	\$1500

Step 3	. Finish	
15	savannah	+\$250
1U	sahara	+\$50
41	sandstone	+\$50
58	cameo white	+\$ 0
CQ	glacier white	+\$ 0
CRT	concrete	+\$415
FWN	fawn	+\$415
OQ.	silt	+\$250
PGY	pearl gray	+\$415
QB	bisque	+\$ 0
SNS	serene sage	+\$415



Description

This HPL peninsula is designed to be used with a technology cabinet or as a stand-alone surface to create a conversation zone.

Notes


Order surface wall attachment support (CH646.) separately.

Order peninsula leg (CH690.) or Ethospace® peninsula column support (E2394.DY) separately.

To use Flo® monitor arm attached to wall, order Flo single screen monitor arm support (Y91171.WMoI) separately.

When specifying grommet cutout (C) option, to hide the raw wood in the hole, order Logic mini rectangle grommet (Y1412.1) separately.

Dimensions



Specification Information

Step 1.

CH685. A

Step 2. Grommet Cutout


C cutout

N no cutout

Prices for Steps 1-2.	
CH685. C	\$295
N	\$275

Step 3	. Finish	
76	light brown walnut	+ \$o
BQ	folkstone grey	+\$o
91	white	+\$o
98	studio white	+\$o
CL	cool grey neutral	+ \$0
HF	inner tone light	+ \$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$o
НΧ	aged cherry	+\$o
HY	walnut on cherry	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBR	phantom ecru	+\$o
LBS	phantom cocoa	+\$o
LBV	warm grey teak	+\$o
LBU	medium matte walnut	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+ \$0
LBD	dark brown walnut	+ \$0
LBE	medium red walnut	+ \$0
LBF	neutral twill	+ \$0
LBG	sarum twill	+\$0
_BH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+ \$0
LBP	casual linen	+ \$0
LBQ	white twill	+ \$0
LM	mahogany	+\$ 0
LT	light tone	+\$0
LU	soft white	+\$o

MI	medium tone	+\$0
OL	white oak (nonstandard)	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
ZZ	open line laminate (nonstandard)	+\$20
2.		
	4. Edge	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
8Z	neutral grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
НХ	aged cherry	+\$0
HY	walnut on cherry	+\$0
JB	millwork cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBV	warm grey teak	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0



Description


This peninsula leg supports Corian® and HPL peninsulas. Attachment hardware included.

Notes

Order peninsulas separately:

- Corian peninsula (CH680.)
- HPL peninsula (CH685.)

Dimensions



Specification Information

Step 1.


CH690.

Step 2. Style

E everywhere leg

Prices for Steps 1-2. CH690. E \$220

Step 3	3. Finish	
BU	black umber	+ \$o
8Q	folkstone grey	+ \$o
91	white	+\$o
CL	cool grey neutral	+\$o
G2	graphite satin	+\$o
HF	inner tone light	+\$o
LU	soft white	+\$o
MT	medium tone	+\$0
SG	slate grey	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$0
CN	metallic champagne	+\$0
EH	metallic bronze	+\$o
MS	metallic silver	+\$o
CD	polished aluminum	+\$70




Description

This column attaches to the far end of a peninsula or D-shaped surface. The column adjusts the work surface height from $27^1/2$ " to $31^1/2$ ". Attachment hardware is included.

Dimensions





Specification Information


Step 1.


E2394.

Step 2.	Column Option
DY	plain column
DZ	tiered column

Prices for Steps 1-2.	
E2394. DY	\$274
DZ	\$274

Step 3	3. Surface Finish	
8Q	folkstone grey	+\$0
91	white	+\$ 0
BU	black umber	+\$o
HF	inner tone light	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
SG	slate grey	+\$o
WL	sandstone	+\$o
CN	metallic champagne	+\$o
EH	metallic bronze	+\$o
MS	metallic silver	+\$o





Description

This wall-mounted technology cabinet is designed to conceal a CPU. A peninsula or small technology cabinet surface complete the solution.


Notes


Bottom panel inside cabinet has 1" gap along back edge for venting. Cabinet comes standard with cutout in top for wire management.


Order the following products separately:

- Corian® peninsula (CH68o.)
- HPL peninsula (CH685.)
- Small technology cabinet surface (CH710.)
- Backdrop panel (CH670.)
- Hanging cleat (CH100.)
- Thrive® wall-mounted technology supports

Dimensions







Specification Information

Step 1.

CH700.

Step 2	2. Width	
27	27" wide	+\$790
Step 3	3. Depth	
09	9" deep	+\$o
Cı	AA (' 1	
Step 4	4. Material	
Step 4 H	4. Material high-pressure laminate	+\$220
	•	+\$220 +\$0
	high-pressure laminate	+\$220 +\$0
H L	high-pressure laminate	+\$220 +\$0
H L	high-pressure laminate low-pressure laminate	+\$220 +\$0 +\$0

For lov	v-pressure laminate (L)	
76	light brown walnut	+\$0
BQ	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
НΧ	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
For hig	nh-pressure laminate (H)	
76	light brown walnut	+\$0
BQ	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
HX	aged cherry	+\$0

HY	walnut on cherry	+\$o
	•	
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+ \$0
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	+\$o
LBR	phantom ecru	+\$o
LBS	phantom cocoa	+\$o
LBU	medium matte walnut	+\$o
LBV	warm grey teak	+\$o
LM	mahogany	+\$o
LT	light tone	+\$o
LU	soft white	+ \$0
MT	medium tone	+ \$0
WL	sandstone	+ \$0
WN	warm grey neutral	+\$o

Specification Information

Step 1.

LT

LU

ΜT

OL

WL

WN

ΖZ

light tone

soft white


sandstone

medium tone

white oak (nonstandard)

open line laminate (nonstandard)

warm grey neutral



Product Information

Description


This HPL surface finishes off a technology cabinet and provides a small storage surface. Attachment hardware included.

Notes

Order technology cabinet (CH700.) separately.

To hide the raw wood in the cutout, order Logic mini rectangle grommet (Y1412.1) separately.

Dimensions



CH710	0.	\$180
Step 2. Finish		
LBR	phantom ecru	+\$o
LBS	phantom cocoa	+\$0
LBV	warm grey teak	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$o
HF	inner tone light	+\$o
нм	natural maple	+\$o
HP	light anigre	+\$o
HT	inner tone	+\$o
нх	aged cherry	+\$o
HY	walnut on cherry	+\$o
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+ \$o
LBD	dark brown walnut	+ \$o
LBE	medium red walnut	+ \$o
LBF	neutral twill	+ \$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	+\$o
LBU	medium matte walnut	+\$o
LM	mahogany	+\$o

Step 3.	Edge Finish	
LBR	phantom ecru	+\$0

+\$0

+\$o

+\$o


+\$0

+\$0

+\$0

+\$20

LBS	phantom cocoa	+\$0
LBV	warm grey teak	+\$0
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
8Z	neutral grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
НΧ	aged cherry	+\$0
HY	walnut on cherry	+\$0
JB	millwork cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$ 0
LBF	neutral twill	+\$ 0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$ 0
LBK	pewter mesh	+\$ 0
LBL	steel mesh	+\$ 0
LBM	crisp linen	+\$ 0
LBN	classic linen	+\$ 0
LBP	casual linen	+\$0
LBQ	white twill	+\$ 0
LBU	medium matte walnut	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$ o



Description

This wall-mounted CPU cabinet accommodates a CPU and attaches next to other wall cabinets, under the work end of surfaces with a work end.


Notes

Order the following products separately:

- Hanging cleat (CH100.)
- Work surface with work end (CH610., CH615., CH616., CH630.)
- Ganging hardware pack (CH110.)

Hinge is on same side as run of cabinets.

Dimensions



Specification Information

Step 1.

HRG

horizontal grain

vertical grain

CH720.


Step	2. Width	
09	9" wide	+\$580
Step	3. Depth	
19	19" deep	+\$0
Step	4. Material	
Н	high-pressure laminate	+\$150
L	low-pressure laminate	+\$0
Step	5. Location in Run	
L	left finished end	+\$o
M	middle of run	+\$0
R	right finished end	+\$0
Step	6. Grain Direction	

+\$0

+\$0

Step 7	. Case Finish	
, .		
	v-pressure laminate (L)	ф.
76	light brown walnut	+\$
3Q	folkstone grey	+\$
91	white	+\$
98	studio white	+\$
:L	cool grey neutral	+\$
IM.	natural maple	+\$
IP	light anigre	+\$
ΙX	aged cherry	+\$
ΙΥ	walnut on cherry	+\$
Α	light ash	+\$
.BA	clear on ash	+\$
.BB	oak on ash	+\$
.BC	walnut on ash	+\$
.BD	dark brown walnut	+\$
.BE	medium red walnut	+\$
.BF	neutral twill	+\$
.BG	sarum twill	+\$
.BH	earthen twill	+\$
.BJ	graphite twill	+\$
.BK	pewter mesh	+\$
.BL	steel mesh	+\$
.BM	crisp linen	+\$
.BN	classic linen	+\$
.BP	casual linen	+\$
.BQ	white twill	+\$
.BR	phantom ecru	+\$
.BS	phantom cocoa	+\$
.BU	medium matte walnut	+\$
.BV	warm grey teak	+\$
.U	soft white	+\$
VL.	sandstone	+\$
VN	warm grey neutral	+\$
or hig	gh-pressure laminate (H)	
'6	light brown walnut	+\$
Q	folkstone grey	+\$
1	white	+\$
8	studio white	+\$
:L	cool grey neutral	+\$
lF.	inner tone light	+\$
IM	natural maple	+\$
ΙP	light anigre	+\$
łT	inner tone	+\$
łΧ	aged cherry	+\$


HY	walnut on cherry	+ \$0
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBB	oak on ash	+\$o
LBC	walnut on ash	+\$o
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$o
LBJ	graphite twill	+\$o
LBK	pewter mesh	+\$o
LBL	steel mesh	+\$o
LBM	crisp linen	+\$o
LBN	classic linen	+\$o
LBP	casual linen	+\$o
LBQ	white twill	+\$o
LBR	phantom ecru	+\$o
LBS	phantom cocoa	+\$o
LBU	medium matte walnut	+\$o
LBV	warm grey teak	+\$o
LM	mahogany	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
OL	white oak (nonstandard)	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o





Description

This coat hook attaches to the sides of towers or to a wall. Attachment hardware included.

Dimensions








Description

This aluminum rail attaches to the front of a tile to hold rail-mounted components. It has a satin oxide laminate insert and grey end caps. Attachment hardware included.

Notes

Rail can match tile width, or span multiple tiles. For easy removal of tiles, accessory rail width should be equal to or less than the width of the tile it's attached to.

Dimensions



Specification Information


Step 1.

TW700.

Step 2. Width					
18	18" wide				
24	24" wide				
30	30" wide				
36	36" wide				
42	42" wide				
48	48" wide				

Prices for Steps 1-2.	
TW700.18	\$72
24	\$95
30	\$119
36	\$142
42	\$167
48	\$188






Description

This universal aluminum clamp attaches to an accessory rail and has holes for attaching customer supplied components. It has a push button mechanism that locks the clamp in place and allows for easy attachment and removal.

Notes

Order accessory rail (TW700.) separately.

Dimensions



Specification Information


Step 1.

TW705. \$121

\$396

Soap and Sanitizer Mounting Bracket

TW706.



Product Information


Description

This aluminum mounting bracket is designed for use with customer supplied components such as soap and sanitizer dispensers or sharps containers. It includes 1 universal rail clamp (TW705.) for attachment. The clamp has a push-button locking mechanism for easy attachment and removal.

Notes

Order accessory rail (TW700.) separately. Screws must be customer supplied.

Dimensions



Specification Information

Step 1.

TW706.




This aluminum mounting bracket is designed for use with customer supplied paper towel dispensers. It includes 2 universal rail clamps (TW705.) for attachment. The clamps have a push-button locking mechanism for easy attachment and removal.


Order accessory rail (TW700.) separately. Screws and dispensers must be customer supplied.

Wide paper towel dispenser dimensions are approximately 10" wide x 5" deep x 8" high. Tall dispenser dimensions are approximately 13" wide x

See $\mathsf{Compass}^{\mathsf{m}}$ planning guide for additional specification information.

Dimensions





Step 1.

TW707.


Step 2. Size

used with wide paper towel dispensers

В used with tall paper towel dispensers

Prices for Steps 1-2.

TW707.A \$447 В \$447




Description

This powder-coated wire basket attaches to an accessory rail to hold small items. It includes 2 rail clamps for attachment. The clamps have a push button mechanism that locks the clamp in place and allows for easy attachment and removal. Finish is off-white.

Order accessory rail (TW700.) separately.

Dimensions



Specification Information

Step 1.


TW720.

Step 2. Size

4" high x 8" deep x 10" wide 01 02 7" high x 8" deep x 10" wide

Prices for Steps 1-2.

TW720.01 \$409 02




Description

This painted holder attaches to an accessory rail and has a strap for holding a variety of customer-supplied sharps containers. It includes a rail clamp for attachment. The clamp has a push button mechanism that locks the clamp in place and allows for easy attachment and removal. Finish is off-white.

Notes

Order accessory rail (TW700.) separately.


Dimensions



Specification Information

Step 1.

TW722.




Description

This aluminum slide attaches to an accessory rail and accepts a customer-supplied vacuum bottle with mounting ring. It includes a rail clamp for attachment. The clamp has a push button mechanism that locks the clamp in place and allows for easy attachment and removal.

Notes

Order accessory rail (TW700.) separately.

Dimensions




Specification Information

Step 1.

TW723. \$147






Description

This holder attaches to an accessory rail and holds 2 10" \times 5" \times 3" boxes of gloves. It includes a rail clamp for attachment. The clamp has a push button mechanism that locks the clamp in place and allows for easy attachment and removal. Finish is off-white

Notes

Order accessory rail (TW700.) separately.


Dimensions



Specification Information

Step 1.

TW724. \$507




Description

This aluminum organizer attaches to an accessory rail and has $\mathfrak 3$ stainless steel clips for holding IV bags, catheters, and other items. It includes a rail clamp for attachment.

Notes

Order accessory rail (TW700.) separately.

Dimensions




Specification Information

Step 1.

TW725. \$320






Description

This aluminum bracket attaches to an accessory rail to hold a customer-supplied sphygmomanometer, ophthalmoscope with holder, or thermometer with holder. It is designed for products that adhere to the Fairfield standards. The bracket includes a rail clamp for attachment. The clamp has a push button mechanism that locks the clamp in place and allows for easy attachment and removal.

Notes

Order accessory rail (TW700.) separately.

Dimensions




Specification Information

Step 1.

TW726. \$314






Description

This stainless steel wire basket attaches to an accessory rail to hold a customer-supplied blood pressure arm cuff or other small items. It includes a rail clamp for attachment. The clamp has a push button mechanism that locks the clamp in place and allows for easy attachment and removal.

Notes

Order accessory rail (TW700.) separately.

Dimensions




Specification Information

Step 1.

TW727. \$264





Description


This aluminum clamp attaches to an accessory rail to hold components with a post-mount attachment method. It has a push button mechanism that locks the clamp in place and allows for easy attachment and removal.

Notes

Order the following products separately:

- Accessory rail (TW700.)
- Chart holder (TW746.)
- IV pole (TW743.)
- Utility Hook (TW747.)


Dimensions



Specification Information

Step 1.

TW740. \$156




Description

This adjustable stainless steel pole holds up to $3\,\text{IV}$ bags and has a post for attaching to a mounting clamp.

Notes

Order accessory rail (TW700.) and mounting clamp (TW740.) separately.


Dimensions



Specification Information

Step 1.

TW743.24




Description

This powder-coated holder has a clear acrylic front and holds a chart or other paper items. It has a post for attaching to a mounting clamp. Finish is off-white.

Notes

Order accessory rail (TW700.) and mounting clamp (TW740.) separately.


Dimensions



Specification Information

Step 1.

TW746.




Description

This stainless steel hook holds tubing, charts, catheters, or other equipment. It has a post for attaching to a mounting clamp.

Notes

Order accessory rail (TW700.) and mounting clamp (TW740.) separately.


Dimensions



Specification Information

Step 1.

TW747.



Description

This wall-mounted technology combo arm allows the keyboard and monitor to effortlessly move together as a single unit, and mounts to either a 34" wall track. This solution can support up to 20 pounds and be adjusted with one hand through 22" of vertical adjustment and 9½" of independent, knob-free monitor adjustment. The monitor float tower and keyboard tray can rotate independently of each other. This solution can also store in as little as 10" of space and can be installed on Compass™ wall tiles and directly to drywall. Rotation limiter and cable management included.

Notes

All painted surfaces are finished with anti-microbial powder coat paint to support infectious control policies.

OSHPD and Engineer certified.


Supports 75mm and 100mm VESA patterns.

Fasteners provided for virtually all applications except masonry surfaces.

Additional accessories sold separately:

- Track Mount Small Cradle CPU Support (Y94100.)
- Track Mount CPU Enclosure (Y94102.)

Dimensions



Specification Information

Step 1.

Y94015. A

Step 2. Track Length

34 34" long A

Prices for Steps 1-2.

Y94015. 34


\$1900

Step 3. Arm Finish

OJ white A

+\$o





Description

This extension arm adds 20" of horizontal movement. It can be retrofitted in the field.

Notes

All painted surfaces are finished with anti-microbial powder coat paint to support infectious control policies.

Engineer certified.

Supports 75mm and 100mm VESA patterns.

Extension arm can be used with the following products:

• Mbrace wall-mounted technology (Y94015.)

Dimensions







Specification Information

Step 1.

Y94105. A

Mora [™] System	
1" Shelf for Shelf Towers	page(s) 66
3 Clip Organizer	117
Accessory Rail	109
ADA Sink Enclosure	25
Awning Overhead Storage	31
Backdrop Panel	93
Cantilever	91
Chart Holder	122
Coat Hook	108
Corian Peninsula	97
Corian Work Surface	69
Corian Work Surface with ADA Sink	75
Corian Work Surface with Oval Sink	71
Corian Work Surface with Rectangular Sink	73
Corian Work Surface with Work End	77
Corian Work Surface with Work End and Oval Sink	78
Corian Work Surface with Work End and Rectangular Sink	79
End Panel	89
Floating Shelf	95
Ganging Hardware Pack	7
Glove Box Holder	116
Hanging Cleat	5
Hanging Cleat Hardware Pack	6
HPL Backsplash	87
HPL Peninsula	98
HPL Work Surface	82
HPL Work Surface with Work End	84
In-line Technology Cabinet	106
Instrument Mounting Bracket	118
IV Pole	121
Mbrace Extension Arm	125
Mbrace Wall-Mounted Technology	124
Mounting Clamp	120
Open Shelving Overheads	33
Overhead Storage	27
Paper Towel Dispenser Mounting Bracket	112
Peninsula Column Support	101
Peninsula Leg	100
Plinth Base - Finished	22
Plinth Base - Unfinished	24
Sharps Container Holder	114
Sidesplash	81
Sloped Top Awning Overhead Storage	44
Sloped Top Open Shelving Overheads	46
Sloped Top Overhead Storage	40
Sloped Top Panel	38

Sloped Top To-the-Floor Door Towers	60
Sloped Top Wall-Mounted Door Towers	57
Small Tech Cabinet Surface	104
Soap and Sanitizer Mounting Bracket	111
Soffit	36
Sphygmomanometer Basket	119
Straight Filler	67
Surface Wall Attachment Support	86
To-The-Floor Door Cases	18
To-The-Floor Door Towers	54
To-The-Floor Drawer Cases	15
Tower Sloped Top Panel	49
Universal Rail Clamp	110
Utility Basket	113
Utility Hook	123
Vacuum Bottle Slide	115
Wall Mounted Door Case	11
Wall-Mounted Door Towers	51
Wall Mounted Drawer Cases	8
Wall-Mounted Shelf Towers	63
Wall-Mounted Technology Cabinet	102

CH100.	Hanging Cleat	page(s) 5
CH105.	Hanging Cleat Hardware Pack	6
CH110.	Ganging Hardware Pack	7
CH200.	Wall Mounted Drawer Cases	8
CH210.	Wall Mounted Door Case	11
CH220.	To-The-Floor Drawer Cases	15
CH230.	To-The-Floor Door Cases	18
CH240.	ADA Sink Enclosure	25
CH250.	Plinth Base - Finished	22
CH255.	Plinth Base - Unfinished	24
CH300.	Overhead Storage	27
CH301.	Awning Overhead Storage	31
CH302.	Open Shelving Overheads	33
CH310.	Sloped Top Overhead Storage	40
CH311.	Sloped Top Awning Overhead Storage	44
CH312.	Sloped Top Open Shelving Overheads	46
CH315.	Sloped Top Panel	38
CH316.	Tower Sloped Top Panel	49
CH320.	Soffit	36
CH400.	Wall-Mounted Door Towers	51
CH405.	To-The-Floor Door Towers	54
CH410.	Sloped Top Wall-Mounted Door Towers	57
CH415.	Sloped Top To-the-Floor Door Towers	60
CH420.	Wall-Mounted Shelf Towers	63
CH421.	1" Shelf for Shelf Towers	66
CH430.	Straight Filler	67
CH600.	Corian Work Surface	69
CH605.	Corian Work Surface with Oval Sink	71
CH606.	Corian Work Surface with Rectangular Sink	73
CH607.	Corian Work Surface with ADA Sink	75
CH610.	Corian Work Surface with Work End	77
CH615.	Corian Work Surface with Work End and Oval Sink	78
CH616.	Corian Work Surface with Work End and Rectangular S	ink 79
CH618.	Sidesplash	81
CH620.	HPL Work Surface	82
CH630.	HPL Work Surface with Work End	84
CH646.	Surface Wall Attachment Support	86
CH650.	HPL Backsplash	87
CH655.	End Panel	89
CH660.	Cantilever	91
CH670.	Backdrop Panel	93
CH675.	Floating Shelf	95
CH680.	Corian Peninsula	97
CH685.	HPL Peninsula	98
CH690.	Peninsula Leg	100
CH700.	Wall-Mounted Technology Cabinet	102
CH710.	Small Tech Cabinet Surface	104

CH720.	In-line Technology Cabinet	106
CH800.	Coat Hook	108
E2394.	Peninsula Column Support	101
TW700.	Accessory Rail	109
TW705.	Universal Rail Clamp	110
TW706.	Soap and Sanitizer Mounting Bracket	111
TW707.	Paper Towel Dispenser Mounting Bracket	112
TW720.	Utility Basket	113
TW722.	Sharps Container Holder	114
TW723.	Vacuum Bottle Slide	115
TW724.	Glove Box Holder	116
TW725.	3 Clip Organizer	117
TW726.	Instrument Mounting Bracket	118
TW727.	Sphygmomanometer Basket	119
TW740.	Mounting Clamp	120
TW743.	IV Pole	121
TW746.	Chart Holder	122
TW747.	Utility Hook	123
Y94015	Mbrace Wall-Mounted Technology	124
Y94105	Mbrace Extension Arm	125



20-Day or Less/Assigned Lead-Time Order Information — Healthcare

20-Day or Less/Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon $\boxed{\mathbb{A}}$ will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an $\boxed{\mathbb{A}}$ are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number: (616) 654 3085.

For more information, contact your Customer Care representative at: $(866)\ 854\ 3048\ \text{EXT}\ 3400$

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

HermanMiller Healthcare April 2014



Packaging/Keyed-Alike Information — Mora™ System

Packaging

Packaging varies according to individual product. A surcharge may be added for special packaging requests. Contact Customer Care for specific information.

Keyed-Alike Locks

All components with locks may be specified keyed alike.

Keyed-alike Mora™ System components will be shipped with lock chassis installed. Lock plugs will be shipped separately, tagged for product and location as specified. Installation of lock plugs will be on-site according to instructions provided. Herman Miller Inc., will not be responsible for lock plug installation.

To order keyed-alike locks for Mora™ System components, specify keyed alike. Then place a separate order for plugs and locks:

- 1. List plug part number and key number (232092-XXX); select a key number (or numbers) between 226 and 427, excluding numbers 408 and 412.
- 2. List quantity of locks per key number.
- Indicate this is a no charge order.
 Keyed-alike locks are field installed.

A master key can be used to open any lock on a Mora™ System component. To remove lock plugs from existing components, a removal key (#232228) or lock change tool (#234559) is required. Customers interested in ordering master keys, removal keys, or lock change tools should contact Customer Care with a written request.

HermanMiller Healthcare June 2018

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2018 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

Mattiazzi — Exclusive distribution rights in the US and Canada. For all other areas, please contact Mattiazzi.

HermanMiller, Action Office, Aeron, Aside, Avive, Canvas Office Landscape, Caper, Celle, Co/Struc, Eames, Embody, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Herman Miller Healthcare, Layout Studio, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Resolve, Sayl, Setu, Thrive, Tu, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

MireWeave, Bubbletack, Cellular Suspension, Compass, Connect, Cosm, DOT, Durawrap, Everywhere, Flex-Edge, Hopsak 2, Intent, Iota, Keyless Entry, Latitude, Lino, Lyris 2, Mora, Motia, Multiscrim, Nelson, Renew, Stackable, Swoop, TriFlex, Twist, and Verus are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SChemsurf® is a registered trademark of Wilsonart International.

Corian $^{\circ}$ is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide^{\otimes} is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark of Geiger International.

 ${\rm Microsoft}^{\circ}$ and ${\rm Natural}^{\circ}$ Keyboard are registered trademarks of Microsoft Corporation.

Place Textiles $^{\! \circ}$ is a registered trademark of Place Textiles.