



GSA prices effective April 2, 2018
(based on February 6, 2017, commercial price list)
Published April 2018

Conference Room and Multipurpose Tables Renew™ Sit-to-Stand Tables

General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!, a menu-driven database system. The Internet address for GSA Advantage! is www.gsaadvantage.gov.

Office Furniture
FSC Group 71, Part 1
Contract Number: GS-03F-036DA
Contract Period: December 21, 2015—December 20, 2020

Herman Miller, Inc.
855 East Main Avenue
Zeeland, Michigan 49464
(616) 654 3000 Phone
(616) 654 8278 Fax
www.HermanMiller.com/government

Business Size: Large

Contract Information

1a. Special Item Numbers (SIN)

SIN 71-1
Packaged Offices

SIN 711-1
Furniture Systems

SIN 711-2
Computer Furniture

SIN 711-3
Filing and Storage Cabinets

SIN 711-11
Tables and Accessories

SIN 711-16
Upholstered Seating

SIN 711-18
Multi-Purpose Seating

SIN 711-91
Project Management

Services under this SIN may be used only in conjunction with the purchase of new furniture. Please contact your local Herman Miller representative to discuss the available labor categories (listed below). The hourly rates listed are "Not To Exceed" or "NTE" values.

Furniture Project Manager: \$64.75 per hour
Furniture Project Coordinator: \$49.00 per hour
Build-Out Project Manager: \$80.00 per hour

SIN 711-93
Reconfiguration and Relocation Services

Reconfiguration and Relocation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour, which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis. This SIN may only be used with the purchase of new product under SIN 711-1.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

SIN 711-94
Design/Layout

Design service will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$65 per hour.

SIN 711-95

Installation Services

Installation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation), which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis.

See * Additional Notes for Installation & Reconfiguration and Relocation Services.

* Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/ storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

SIN 711-96

Leasing

Contact Herman Miller participating government dealer for current leasing information.

SIN 711-99

New Product Introductions

Contract Information

continued

1b. Lowest Priced Model

SIN 711-1:	G9999.B	\$7
SIN 711-2:	6-5-D	\$35
SIN 711-3:	9M10018	\$14
SIN 711-11:	DT9A.	\$36
SIN 711-16:	OA401	\$41
SIN 711-18:	AS90598	\$46
SIN 711-99:	R1366	\$27

1c. Not applicable

2. Maximum Order

SIN 711-1, SIN 711-2
\$500,000 net product value

SIN 711-3, SIN 711-11
\$300,000 net product value

SIN 711-16, SIN 711-18
\$200,000 net product value

SIN 711-93
\$150,000

SIN 711-94
\$150,000

SIN 711-95
\$150,000

SIN 711-96
\$500,000 net product value

SIN 711-99
\$50,000 net product value

3. Minimum Order

\$100 net

4. Geographic Coverage

Continental U.S.

Orders for Alaska, Hawaii, and Puerto Rico will be shipped F.O.B. inland carrier point of exportation.

5. Point of Production

Zeeland, Ottawa County, Michigan
Spring Lake, Ottawa County, Michigan

6. Pricing

Prices shown are list. Discounts include Industrial Funding Fee.

SIN 711-1

Product: Selected Action Office 1, Action Office 2, C-Style Overhead Storage, Ethospace System, Quadrant Pedestals, Supplemental Products, Tu Pedestals and Pedastools, and approved Herman Miller Options Products.

Standard Lead Time	Single Order Net Purchase	Discount From list
	\$100 - 250,000	73.8%
	\$250,001 - 500,000	76.8%

SIN 711-1

Product: Selected Renew™ Tables, Renew Link and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 500,000	72.8%

SIN 711-1

Product: Selected Motia™ Tables, and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 500,000	73.8%

SIN 711-1

Product: Tu Wood Pedestals and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 300,000	74.3%

SIN 711-1

Product: Selected Canvas Office Landscape and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 500,000	74.8%

SIN 711-1

Product: Selected Layout Studio® and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 500,000	60.7%

SIN 711-1

Product: Selected Meridian Pedestals, Meridian Pedastools, and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 500,000	64.2%

Contract Information

continued

SIN 711-1

Product: Selected Thrive Portfolio and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 250,000	62%
	\$250,001 - 500,000	66.4%

SIN 711-2

Product: Passage Desking System and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 500,000	56.7%

SIN 711-2

Product: 5000 Series Furniture and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 500,000	58.7%

SIN 711-3

Product: Meridian Laterals, Verticals, Towers, and Storage products and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List Laterals	Verticals	Towers & Storage
	\$100 - 300,000	67.3%	66.3%	62.7%

SIN 711-3

Product: Tu Lateral Files, Tu Storage, Tu Towers, Tu Wood Cases, Tu Wood Cubbies, Tu Wood Credenzas, Tu Wood Towers, and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 300,000	74.3%

SIN 711-11

Product: Selected Tables and Accessories and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Avive® Tables	\$100 - 250,000	72.8%
	\$250,001 - 500,000	74.8%
Herman Miller Eames® Tables	\$100 - 250,000	73.6%
	\$250,001 - 300,000	77.6%
Everywhere™ Tables	\$100 - 300,000	72.8%

SIN 711-16

Product: Swoop upholstered seating products and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Swoop™	\$100 - 200,000	60.7%

SIN 711-18

Product: Selected Seating and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Aeron® (Classic and New)	\$100 - 200,000	64.5%
Aside®	\$100 - 200,000	64.2%
Caper®	\$100 - 200,000	61.5%
Celle®	\$100 - 200,000	59.7%
Embody®	\$100 - 200,000	59.7%
Equa 2®	\$100 - 200,000	65.8%
Ergon 3®	\$100 - 200,000	68.8%
Keyn	\$100 - 200,000	57.7%
Mirra® 2	\$100 - 200,000	61.7%
Setu®	\$100 - 200,000	59.7%
Sayl®	\$100 - 200,000	62.2%
Verus™	\$100 - 200,000	63.7%

SIN 711-99

Product: Selected Exclave™, Locale®, Public Office Landscape®, Resolve® System, and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Exclave	\$100 - 50,000	61.7%
Locale	\$100 - 50,000	63.7%
Public Office Landscape	\$100 - 50,000	61.7%
Resolve System	\$100 - 50,000	69.8%
Intent Solution	\$100 - 50,000	58.7%

7. Quantity Discounts

Reference item #6.

8. Payment Term

Net 30 days

9. Government Commercial Credit Card

- Government commercial credit cards are accepted below the micropurchase threshold.
- Government commercial credit cards are accepted above the micropurchase threshold.

10. Foreign Items

None

11. Time of Delivery

- 90 day ARO
- Expedited delivery: Items listed in the 10-Day section of the catalogs are available for expedited delivery.
- Overnight/2-day delivery: Select items may be available for overnight or 2-day delivery. Contact Herman Miller or a participating dealer for availability and rates.
- Urgent requirements: Agencies may contact contractor or participating dealer to request faster delivery.

Contract Information

continued

12. F.O.B.

F.O.B. destination except Alaska, Hawaii, and Puerto Rico, which will be shipped F.O.B. inland carrier point of exportation.

13. Ordering Address

- a. Herman Miller, Inc.,
Government Customer Care 0161
855 East Main Avenue
Zeeland MI 49464.
- b. For supplies and services, the ordering procedures information on Blanket Purchase Agreements (BPA's) and a sample BPA can be found at the GSA/FSS Schedule homepage (www.fss.gsa.gov/schedules).

14. Payment Address.

Herman Miller, Inc.
22764 Network Place
Chicago, IL 60673-1227

15. Warranty

Herman Miller, Inc., commercial warranty applies.

16. Export Packing Charge

Prices supplied on request.

17. Terms and Conditions of Government Purchase Card Acceptance

(any thresholds above the micropurchase level)
None.

18. Rental Maintenance and Repair Terms

Not applicable

19. Terms and Conditions of Installation

Installation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation), which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis.

Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

20. Terms and Conditions of Repair Parts

Not applicable

21. Service and Distribution Points

For service and distribution points nearest you, call (800) 851 1196.

22. Participating Dealers

Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com/government.

23. Preventive Maintenance

Not applicable

24a. Special Attributes.

2018

For the 11th consecutive year, Herman Miller received a perfect score on the Corporate Equality Index and we were designated as Best Place to Work for LGBT equality. This report evaluates U.S. companies in terms of diversity, particularly their LGBT-related policies and practices.

Contract Information

continued

2017

Herman Miller was named the 2017 “Corporation of the Year” in the consumer products sector by the Michigan Minority Supplier Development Council (MMSDC).

Herman Miller has received a 2017 SEAL (Sustainability, Environmental Achievement and Leadership) Business Sustainability Award.

Herman Miller has earned the 4 Star Diversity Visionary Award. This award celebrates the diversity, equality, and inclusion work of Herman Miller. The award is presented at the annual Diversity Equity Inclusion Summit, held by the Grand Rapids Area Chamber of Commerce.

Herman Miller named one of the Best and Brightest in Wellness for the fifth year in a row.

Working Mother magazine has recognized Herman Miller as one of the 2017 Working Mother 100 Best Companies.

Herman Miller earned our tenth consecutive perfect score in Human Rights Campaign (HRC) Foundation’s 2017 Corporate Equality Index.

As one of the top-scoring companies in our industry for the thirteenth consecutive year, Herman Miller has qualified for inclusion in RobecoSAM’s 2017 Sustainability Yearbook and received the Bronze Class distinction for our excellent economic, environmental, and social sustainability performance.

Herman Miller has once again earned the WorldatWork Seal of Distinction, a unique standard of excellence in work-life effectiveness that shows we provide a distinct, mutually beneficial workplace experience.

2016

Herman Miller was recognized as the Business of the Year at the Annual Meeting of the West Michigan Environmental Action Council (WMEAC). This award goes to the business with the greatest depth and breadth of support, unwavering dedication to environmental action in West Michigan, and a strong corporate commitment to environmental advocacy.

The 101 Best and Brightest Sustainable Companies once again (fifth consecutive year) recognized Herman Miller as an organization in Michigan (and for the first time, in the nation) that exhibits leadership and innovation in its approach to sustainability.

Herman Miller has been recognized by the Michigan Minority Supplier Development Council (MMSDC), as a “Corporation of the Year”, and we also received a “2016 Excellence in Supplier Diversity Award” from the Great Lakes Women’s Business Council. Additionally, we are the only West Michigan company this year to receive an “Ambassadors Championing Excellence” Award from the MMSDC.

Plex Lounge Furniture from Herman Miller receives #MetropolisLikes award at NeoCon 2016.

Plex Lounge Furniture from Herman Miller receives Interior Design HiP Award for Workplace Seating/Lounge at NeoCon 2016.

Spot Stools from Herman Miller Collection receive Interior Design HiP Award for Hospitality Seating at NeoCon 2016.

Herman Miller has been named a 2020 Women on Boards Winning Company. Companies selected for this recognition are considered champions of board diversity as 20 percent or more of their board seats are occupied by women.

Herman Miller selected for inclusion in the 2016 RobecoSAM Sustainability Yearbook for twelfth consecutive year.

Herman Miller again earns the WorldatWork Work-Life 2016 Seal of Distinction. This award identifies organizations that focus on programs that promote work-life balance and overall well-being.

2015

Herman Miller earns ninth consecutive perfect score in Human Rights Campaign (HRC) Foundation’s 2016 Corporate Equality Index and we were designated as Best Place to Work for LGBT equality.

This is the fourth consecutive year that Herman Miller was named one of Michigan’s Best and Brightest Sustainable Companies.

Herman Miller has received the Best and Brightest in Wellness Award for the third year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller received the Forest Stewardship Council (FSC) Leadership Award for longstanding commitment to manufacturing with wood sourced from responsibly managed forests, which reduces environmental impacts by protecting against deforestation and forest degradation.

Herman Miller accepted its second Excellence in Reusable Packaging Award from the Reusable Packaging Association.

Herman Miller has once again been recognized for its commitment to best-in-class economic, environmental, and societal sustainability, earning a spot on the prestigious Dow Jones Sustainability Index (DJSI) for the twelfth consecutive year. We are the only contract furniture company recognized globally for its corporate sustainability leadership.

Herman Miller selected for inclusion in the 2015 RobecoSAM Sustainability Yearbook; awarded Bronze Class distinction for excellent sustainability performance for the second consecutive year.

Contract Information

continued

Herman Miller received a Michigan Business Pollution Prevention (MBP₃) Certificate – a recognition given by the Michigan Department of Environmental Quality (MDEQ) to organizations committed to environmental stewardship, conservation, and sustainable operations. This basic partnership with the MDEQ, which we've maintained since 1998, makes us eligible for our Clean Corporate Citizen (CCC) status that began in 2004 and our Environmental Leader status, which we received for the first time this past year.

MedAssets named Herman Miller Healthcare as Platinum Suppliers. MedAssets, a large group purchasing organization, helps providers enhance operational and financial performance so they can sustainably serve the needs of their community.

Herman Miller honored with five of 20 spots for the Michigan Environmental Leaders Award by the Michigan Department of Environmental Quality for our outstanding, voluntary environmental stewardship.

Renew Sit-to-Stand tables recognized on Record Products 2014 list by Architectural Record.

Herman Miller was again awarded a perfect score in the 2015 Corporate Equality Index. This is the eighth consecutive year we received a perfect score.

2014

Herman Miller has received the Best and Brightest in Wellness Award for the second year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller's Locale wins International Design Excellence Awards (IDEA) Gold in the Office & Productivity category.

Herman Miller achieves eleventh consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability.

2013

Herman Miller achieves tenth consecutive listing on Dow Jones Sustainability World Index.

Herman Miller has received the Best and Brightest in Wellness Award. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller Earns Perfect Score on the Corporate Equality Index. We are one of only 303 major U.S. businesses to receive a perfect score in 2013, an achievement we have now obtained seven years in a row.

Herman Miller is listed in Forbes Magazine inaugural "Platinum List" of America's 400 best managed, large companies.

For the second consecutive year, Herman Miller is honored as one of West Michigan's "101 Best and Brightest Sustainable Companies".

2012

Herman Miller accepted its first Excellence in Reusable Packaging Award from the Reusable Packaging Association.

Herman Miller is named "Corporation of the Year" in the commercial products sector by the Michigan Minority Supplier Development Council.

In July 2012 Herman Miller was inducted into the Made in the USA Hall of Fame. Herman Miller is one of only 20 companies across the nation to receive this distinction.

Herman Miller achieves ninth consecutive listing on Dow Jones Sustainability World Index.

Herman Miller is honored as one of West Michigan's 101 Best and Brightest Sustainable Companies.

The Sustainable Asset Management (SAM) group selected Herman Miller for inclusion in "The Sustainability Yearbook 2012" and has awarded Herman Miller both the "SAM Sector Leader" and "SAM Sector Mover" distinctions.

Herman Miller was named one of 16 Section Leaders on Climate Counts 2011-2012 Scorecard Report, making us the industry leader for Home and office Furnishings.

SGS International Certification Services, Inc., recognizes Herman Miller's manufacturing sites, Midwest Distribution Center, and Design Yard for initial certification to the OHSAS 18001 standard as well as re-certification to ISO 14001.

2011

Trust Across America, a company dedicated to unraveling the complexities of trustworthy business behavior, listed Herman Miller as one of their "Top Ten Most Trustworthy Companies in America 2011."

The U.S. Environmental Protection Agency (EPA) selected Herman Miller, as a WasteWise Gold Achievement—Climate Change winner.

Herman Miller achieves eighth consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability.

The Michigan Minority Supplier Development Council (MMSDC) named Herman Miller as its "Corporation of the Year" in the commercial products sector. This was the fifth time Herman Miller has received this award since 2005.

Contract Information

continued

Herman Miller accepted its third Neighborhood Environmental Partners (NEP) award from the Michigan Department of Natural Resources and Environment.

Herman Miller receives the Reader's Choice award from TreeHugger's Best of Green: Design and Architecture category for the SAYL chair.

Herman Miller earns Citibank's Global Environmental Vendor of the Year award.

The SAYL chair from Herman Miller was dubbed the "Product Design of the Year" from the 2010 International Design Awards (IDA) jury.

Herman Miller Healthcare's Compass system was awarded a 2011 Medical Design Excellence Award (MDEA) for its research-based design and ability to be used in a variety of healing spaces, while simultaneously improving the overall delivery of healthcare.

The Sustainable Asset Management (SAM) Group selected Herman Miller for inclusion in the "Sustainability Yearbook 2011" and awarded us both the "SAM Sector Leader" and "SAM Sector Mover" distinctions.

Herman Miller has received the top rating for a fourth consecutive year in the Human Rights Campaign (HRC) Foundation's eighth annual Corporate Equality Index. The "Best Places to Work for LGBT Equality" distinction is awarded to businesses that scored 100% on the HRC Foundation's 2011 Corporate Equality Index.

Herman Miller again tops contract furniture industry in FORTUNE's "Most Admired" Companies survey. For the 23rd time in 25 years.

2010

The NASDAQ OMX CRD Global Sustainability Index (QCRD) has included Herman Miller among their top 100 companies in the world.

Herman Miller achieves seventh consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability. Herman Miller is one of approximately 300 companies worldwide and the only contract office furniture manufacturer, selected for this index.

Herman Miller has been recognized by Fast Company magazine as one of its 2010 Most Innovative Companies and among the more select Innovation All-Stars.

The U.S. Environmental Protection Agency's Office of Resource Conservation and Recovery has selected Herman Miller to receive the 2010 WasteWise Gold Achievement Award for Green Purchasing.

The Michigan Department of Natural Resources and Environment (MDNRE) has recognized Herman Miller's West Michigan manufacturing sites and Midwest Distribution Center as continuing Clean Corporate Citizens.

Herman Miller makes the U.S. Environmental Protection Agency's (EPA) list of the top fifty users of renewable electricity, of more than 1,200 organizations participating in the Green Power Partnership. This is the second consecutive time Herman Miller was recognized. Herman Miller was the only furniture manufacturer on the list.

Herman Miller accepted its second Neighborhood Environmental Partners (NEP) award from the Michigan Department of Natural Resources and Environment.

For the 22nd time in 24 years, Herman Miller was awarded the No. 1 industry ranking in a survey among the executives and board members of peer companies and independent industry analysts, as published in FORTUNE magazine's annual "Most Admired" companies feature.

The Michigan Department of Environmental Quality (MDEQ) recognizes Herman Miller's GreenHouse as one of Michigan's top environmental performers with a Clean Corporate Citizen (C3) longevity award. This recognizes that the GreenHouse has maintained its C3 designation for the past five years.

For the third year in a row, Herman Miller makes FORTUNE magazine's "100 Best Companies to Work For" list. Herman Miller is one of only three Michigan-based companies to make the list.

24b. Section 508 Compliance

Not applicable

25. Data Universal Numbering System (DUNS): 00-601-2801

26. Registered in System for Award Management (www.SAM.gov) Database

27. Cancellation

Prior to production, no cancellation charge will apply. After production, only actual cost incurred that the contractor can demonstrate if items are sold after 3 months.

28. Restocking Charges

Agencies must notify the contractor for authorization prior to returning any items. The customer agency will be required to pay all packaging and return freight charges. A restocking fee of 50% for Systems Furniture and 35% for all other product lines will be charged for any returned items.

Herman Miller Miscellaneous Information:

Federal ID Number: 38-0837640

Commercial and Government Entity Code (CAGE): 40636

Data Universal Numbering System (DUNS) 00-601-2801

Commercial Entity Code (CEC): 00702290J

Introduction	page 2
Renew™ Sit-to-Stand Tables	3
Adjustable-Height Tables	5
Sit-to-Stand Table Bases	41
Power and Data Support	45
Renew™ Link	51
External Cable Manager	83
Indices	85
By Name	85
By Number	87
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Vary Easy Program	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective April 2, 2018, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.


All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.


Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest $\frac{1}{8}$ ". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Adjustable-Height Tables

Sit-to-Stand Table Bases


Power and Data Support

Renew™ Link

Renew™ Cable Manager

Rectangle Table with C-Foot

DU6ACE
DU6ACS
DU6ACT



Product Information

Description

This rectangular height-adjustable table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range.

Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

On all tables except front crank (FRT) tables, legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8". On front crank (FRT) tables, legs are inset approximately 6" on each side to allow for adequate clearance when rotating the crank handle.

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For crank tables (C or K) with top crank (TOP), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (g1), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Rectangle Table with C-Foot

continued

Renew™ Adjustable-Height Tables

Specification Information

Step 1.

DU6AC A

Step 2. Edge

S. squared-edge A

T. thin-edge A

E. eased-edge A

Step 3. Depth

24 24" deep (23" surface size) A

30 30" deep (29" surface size) A

Step 4. Width

For 24" deep (23" surface size) (24)

36 36" wide (34" surface size) A

42 42" wide (40" surface size) A

48 48" wide (46" surface size) A

54 54" wide (52" surface size) A

60 60" wide (58" surface size) A

66 66" wide (64" surface size) A

72 72" wide (70" surface size) A

84 84" wide (82" surface size) A

For 30" deep (29" surface size) (30)

36 36" wide (34" surface size) A

42 42" wide (40" surface size) A

48 48" wide (46" surface size) A

54 54" wide (52" surface size) A

60 60" wide (58" surface size) A

66 66" wide (64" surface size) A

72 72" wide (70" surface size) A

84 84" wide (82" surface size) A

Step 5. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge A

W veneer top/veneer edge A

P painted Formcoat® top/edge A

For thin-edge (T.)

L laminate top/thermoplastic edge A

W veneer top/veneer edge A

P painted Formcoat® top/edge A

For eased-edge (E.)

P painted Formcoat® top/edge A

Step 6. Height Adjustment

C crank sit-to-stand A

K crank seated A

E electric standard range A

D electric extended range A

Prices for Steps 1-6.

		LC	LK	LE	LD	WC	WK
DU6ACS. 24 36		\$2085	2085	2630	3056	2363	2363
	42	\$2126	2126	2708	3105	2410	2410
	48	\$2167	2167	2786	3132	2458	2458
	54	\$2210	2210	2841	3195	2507	2507
	60	\$2253	2253	2924	3197	2558	2558
	66	\$2297	2297	2981	3260	2609	2609
	72	\$2342	2342	3040	3324	2661	2661
	84	\$2388	2388	3100	3390	2714	2714
	30 36	\$2147	2147	2863	3107	2435	2435
	42	\$2189	2189	2894	3135	2484	2484
	48	\$2232	2232	2926	3164	2533	2533
	54	\$2275	2275	2984	3226	2584	2584
	60	\$2320	2320	3045	3268	2636	2636
	66	\$2365	2365	3105	3332	2688	2688
	72	\$2412	2412	3166	3398	2742	2742
	84	\$2459	2459	3228	3465	2797	2797
		WE	WD	PC	PK	PE	PD
DU6ACS. 24 36		\$2995	3383	2139	2139	2711	3164
	42	\$3085	3439	2181	2181	2793	3215
	48	\$3177	3471	2225	2225	2875	3244
	54	\$3240	3543	2270	2270	2933	3309
	60	\$3336	3546	2315	2315	3020	3312
	66	\$3403	3619	2361	2361	3080	3378
	72	\$3471	3693	2409	2409	3142	3446
	84	\$3540	3770	2457	2457	3205	3514
	30 36	\$3265	3442	2204	2204	2956	3217
	42	\$3301	3474	2248	2248	2988	3246
	48	\$3339	3508	2293	2293	3022	3276
	54	\$3405	3580	2339	2339	3082	3342
	60	\$3476	3628	2386	2386	3147	3386
	66	\$3546	3703	2433	2433	3209	3454
	72	\$3617	3779	2482	2482	3274	3523
	84	\$3689	3857	2532	2532	3339	3593

Rectangle Table with C-Foot

continued

	LC	LK	LE	LD	WC	WK
DU6ACT. 24 36	\$2241	2241	2840	3314	2599	2599
42	\$2285	2285	2926	3368	2651	2651
48	\$2331	2331	3012	3399	2704	2704
54	\$2378	2378	3072	3466	2758	2758
60	\$2425	2425	3164	3469	2813	2813
66	\$2474	2474	3227	3538	2870	2870
72	\$2523	2523	3291	3609	2927	2927
84	\$2574	2574	3357	3681	2985	2985
30 36	\$2309	2309	3097	3371	2678	2678
42	\$2355	2355	3130	3401	2732	2732
48	\$2402	2402	3166	3433	2787	2787
54	\$2450	2450	3229	3501	2842	2842
60	\$2499	2499	3296	3547	2899	2899
66	\$2549	2549	3362	3618	2957	2957
72	\$2600	2600	3430	3690	3016	3016
84	\$2652	2652	3498	3764	3077	3077
	WE	WD	PC	PK	PE	PD
DU6ACT. 24 36	\$3120	3597	2268	2268	2857	3259
42	\$3219	3660	2315	2315	2947	3316
48	\$3319	3695	2363	2363	3038	3348
54	\$3389	3773	2412	2412	3101	3420
60	\$3495	3777	2461	2461	3197	3422
66	\$3568	3857	2512	2512	3263	3495
72	\$3643	3940	2564	2564	3331	3569
84	\$3719	4023	2617	2617	3400	3645
30 36	\$3417	3663	2339	2339	3126	3319
42	\$3456	3697	2388	2388	3162	3350
48	\$3497	3735	2437	2437	3199	3384
54	\$3571	3814	2488	2488	3266	3456
60	\$3649	3867	2539	2539	3336	3504
66	\$3725	3950	2592	2592	3405	3579
72	\$3803	4033	2645	2645	3476	3654
84	\$3883	4119	2700	2700	3548	3732
	WE	WD	PC	PK	PE	PD
DU6ACE. 24 36	—	—	\$2253	2253	2832	3268
42	—	—	\$2300	2300	2922	3325
48	—	—	\$2348	2348	3013	3357
54	—	—	\$2397	2397	3076	3429
60	—	—	\$2446	2446	3172	3431
66	—	—	\$2497	2497	3238	3504
72	—	—	\$2549	2549	3306	3578
84	—	—	\$2602	2602	3375	3654

30 36	—	—	\$2324	2324	3101	3328
42	—	—	\$2373	2373	3137	3359
48	—	—	\$2422	2422	3174	3393
54	—	—	\$2473	2473	3241	3465
60	—	—	\$2524	2524	3311	3513
66	—	—	\$2577	2577	3380	3588
72	—	—	\$2630	2630	3451	3663
84	—	—	\$2685	2685	3523	3741

Step 7. Hidden Power Access

For electric extended range (D)

NNP	no power access	A				+\$0
------------	-----------------	---	--	--	--	------

For crank sit-to-stand (C) or crank seated (K)

NNP	no power access	A				+\$0
PLA	leg access	A				+\$299

For electric standard range (E)

NNP	no power access	A				+\$0
PLA	leg access	A				+\$299

Step 8.

Switch Option

For electric standard range (E) or electric extended range (D) with no power access (NNP), or leg access (PLA)

SUD	simple up down	A				+\$0
SRM	digital read out with memory	A				+\$160

Switch Option/Crank Location

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), or 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP)

FRT	front crank	A				+\$40
TOP	top crank	A				+\$0

Renew™ Adjustable-Height Tables

Rectangle Table with C-Foot

continued

Renew™ Adjustable-Height Tables

Switch Option/Crank Location

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP), or leg access (PLA)

TOP top crank +\$0

Step 9.

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut <input type="checkbox"/>	+\$85
40	dark brown walnut <input type="checkbox"/>	+\$85
A2	white ash <input type="checkbox"/>	+\$85
ED	aged cherry <input type="checkbox"/>	+\$85
EK	medium red walnut <input type="checkbox"/>	+\$85
ET	clear on ash <input type="checkbox"/>	+\$85
EU	oak on ash <input type="checkbox"/>	+\$85
EV	walnut on ash <input type="checkbox"/>	+\$85
OU	walnut <input type="checkbox"/>	+\$85
UL	natural maple <input type="checkbox"/>	+\$85
UX	walnut on cherry <input type="checkbox"/>	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBU	medium matte walnut <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Rectangle Table with C-Foot

continued

Step 10. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
8Z	neutral grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBU	medium matte walnut <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 11. Crank Handle Finish

For crank sit-to-stand (C) or crank seated (K)

91	white <input type="checkbox"/>	+\$0
G1	graphite <input type="checkbox"/>	+\$0

Step 12. Leg/Foot Finish

8Q	folkstone grey leg with folkstone grey foot <input type="checkbox"/>	+\$0
91	white leg with white foot <input type="checkbox"/>	+\$0
98	studio white leg with studio white foot <input type="checkbox"/>	+\$0
G2	graphite satin leg with graphite satin foot <input type="checkbox"/>	+\$0
WL	sandstone leg with sandstone foot <input type="checkbox"/>	+\$0
WN	warm grey neutral leg with warm grey neutral foot <input type="checkbox"/>	+\$0
CN	metallic champagne <input type="checkbox"/>	+\$0
MS	metallic silver leg with metallic silver foot <input type="checkbox"/>	+\$20
LFF	white leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFG	warm grey neutral leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFH	graphite satin leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFJ	metallic silver leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFK	studio white leg with polished aluminum foot <input type="checkbox"/>	+\$0

Step 13. Cord Cover/Cable Management

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

PSC	simple cable <input type="checkbox"/>	+\$0
------------	---------------------------------------	------

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

PSC	simple cable <input type="checkbox"/>	+\$0
PHD	high density cable trough <input type="checkbox"/>	+\$299

Step 14. Power Access Cutout

NNN	no cutout <input type="checkbox"/>	+\$0
------------	------------------------------------	------

For 30" deep (29" surface size) (30) with 54" wide (52" surface size) (54) with high density cable trough (PHD)

NNN	no cutout <input type="checkbox"/>	+\$0
LAC	left cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45

Rectangle Table with C-Foot

continued

Renew™ Adjustable-Height Tables

For 30" deep (29" surface size) (30) with 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with high density cable trough (PHD)


CAC	center cutout 6 port - Y1425.D/G or Y1420.X	<input type="checkbox"/> A	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V	<input type="checkbox"/> A	+\$45
LAC	left cutout 6 port - Y1425.D/G or Y1420.X	<input type="checkbox"/> A	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V	<input type="checkbox"/> A	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X	<input type="checkbox"/> A	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V	<input type="checkbox"/> A	+\$45
NNN	no cutout	<input type="checkbox"/> A	+\$0

Step 15. Casters/Glides

57	glides	<input type="checkbox"/> A	+\$0
-----------	--------	----------------------------	------

Rectangle Table with T-Foot

DU6ATE
DU6ATS
DU6ATT



Product Information

Description

This rectangular height-adjustable table has a T-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range.

Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

On all tables except front crank (FRT) tables, legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8". On front crank (FRT) tables, legs are inset approximately 6" on each side to allow for adequate clearance when rotating the crank handle.

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For crank tables (C or K) with top crank (TOP), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (g1), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Rectangle Table with T-Foot

continued

Specification Information	
Step 1.	
DU6AT	<input type="checkbox"/> A
Step 2. Edge	
S.	squared-edge <input type="checkbox"/> A
T.	thin-edge <input type="checkbox"/> A
E.	eased-edge <input type="checkbox"/> A
Step 3. Depth	
30	30" deep (29" surface size) <input type="checkbox"/> A
36	36" deep (35" surface size) <input type="checkbox"/> A
Step 4. Width	
<i>For 30" deep (29" surface size) (30)</i>	
36	36" wide (34" surface size) <input type="checkbox"/> A
42	42" wide (40" surface size) <input type="checkbox"/> A
48	48" wide (46" surface size) <input type="checkbox"/> A
54	54" wide (52" surface size) <input type="checkbox"/> A
60	60" wide (58" surface size) <input type="checkbox"/> A
66	66" wide (64" surface size) <input type="checkbox"/> A
72	72" wide (70" surface size) <input type="checkbox"/> A
84	84" wide (82" surface size) <input type="checkbox"/> A
<i>For 36" deep (35" surface size) (36)</i>	
42	42" wide (40" surface size) <input type="checkbox"/> A
48	48" wide (46" surface size) <input type="checkbox"/> A
54	54" wide (52" surface size) <input type="checkbox"/> A
60	60" wide (58" surface size) <input type="checkbox"/> A
66	66" wide (64" surface size) <input type="checkbox"/> A
72	72" wide (70" surface size) <input type="checkbox"/> A
84	84" wide (82" surface size) <input type="checkbox"/> A
Step 5. Surface Material	
<i>For squared-edge (S.)</i>	
L	laminated top/thermoplastic edge <input type="checkbox"/> A
W	vener top/vener edge <input type="checkbox"/> A
P	painted Formcoat® top/edge <input type="checkbox"/> A
<i>For thin-edge (T.)</i>	
L	laminated top/thermoplastic edge <input type="checkbox"/> A
W	vener top/vener edge <input type="checkbox"/> A
P	painted Formcoat® top/edge <input type="checkbox"/> A

<i>For eased-edge (E.)</i>	
P	painted Formcoat® top/edge <input type="checkbox"/> A
Step 6. Height Adjustment	
C	crank sit-to-stand <input type="checkbox"/> A
K	crank seated <input type="checkbox"/> A
E	electric standard range <input type="checkbox"/> A
D	electric extended range <input type="checkbox"/> A
Prices for Steps 1-6.	
	LC LK LE LD WC WK
DU6ATS. 30 36	\$2147 2147 2863 3107 2579 2579
42	\$2189 2189 2894 3135 2630 2630
48	\$2232 2232 2926 3164 2683 2683
54	\$2275 2275 2984 3226 2736 2736
60	\$2320 2320 3045 3268 2791 2791
66	\$2365 2365 3105 3332 2847 2847
72	\$2412 2412 3166 3398 2904 2904
84	\$2459 2459 3228 3465 2962 2962
36 42	\$2253 2253 2981 3199 2709 2709
48	\$2297 2297 3014 3262 2763 2763
54	\$2342 2342 3074 3327 2819 2819
60	\$2388 2388 3137 3393 2875 2875
66	\$2435 2435 3199 3459 2932 2932
72	\$2483 2483 3261 3528 2991 2991
84	\$2531 2531 3325 3598 3051 3051
	WE WD PC PK PE PD
DU6ATS. 30 36	\$3172 3764 2204 2204 2711 3217
42	\$3267 3798 2248 2248 2792 3246
48	\$3536 3834 2293 2293 3022 3276
54	\$3606 3911 2339 2339 3082 3342
60	\$3681 3961 2386 2386 3147 3386
66	\$3755 4041 2433 2433 3209 3454
72	\$3830 4122 2482 2482 3274 3523
84	\$3907 4204 2532 2532 3339 3593
36 42	\$3267 3877 2315 2315 2967 3314
48	\$3332 3955 2362 2362 3023 3380
54	\$3399 4033 2409 2409 3080 3447
60	\$3467 4114 2457 2457 3138 3517
66	\$3536 4196 2506 2506 3198 3587
72	\$3607 4281 2556 2556 3258 3659
84	\$3679 4366 2608 2608 3320 3732

Rectangle Table with T-Foot

continued

	LC	LK	LE	LD	WC	WK
DU6ATT. 30 36	\$2309	2309	2840	3371	2836	2836
42	\$2355	2355	2925	3401	2893	2893
48	\$2402	2402	3166	3433	2951	2951
54	\$2450	2450	3229	3501	3010	3010
60	\$2499	2499	3296	3547	3070	3070
66	\$2549	2549	3362	3618	3132	3132
72	\$2600	2600	3430	3690	3194	3194
84	\$2652	2652	3498	3764	3258	3258
36 42	\$2426	2426	2925	3472	2980	2980
48	\$2474	2474	2984	3541	3040	3040
54	\$2524	2524	3044	3612	3100	3100
60	\$2574	2574	3104	3684	3162	3162
66	\$2626	2626	3167	3758	3226	3226
72	\$2678	2678	3230	3833	3290	3290
84	\$2732	2732	3294	3909	3356	3356
	WE	WD	PC	PK	PE	PD
DU6ATT. 30 36	\$3489	4140	2424	2424	2982	3539
42	\$3594	4177	2473	2473	3072	3571
48	\$3889	4217	2522	2522	3324	3605
54	\$3967	4302	2573	2573	3391	3677
60	\$4050	4357	2624	2624	3461	3725
66	\$4131	4445	2677	2677	3530	3799
72	\$4213	4534	2730	2730	3601	3875
84	\$4297	4625	2785	2785	3673	3952
36 42	\$3594	4265	2547	2547	3072	3645
48	\$3666	4350	2598	2598	3133	3718
54	\$3739	4437	2650	2650	3196	3792
60	\$3814	4526	2703	2703	3260	3869
66	\$3890	4617	2757	2757	3325	3946
72	\$3968	4708	2812	2812	3391	4024
84	\$4047	4803	2868	2868	3459	4105
	WE	WD	PC	PK	PE	PD
DU6ATE. 30 36	—	—	\$2349	2349	3126	3292
42	—	—	\$2398	2398	3162	3323
48	—	—	\$2447	2447	3199	3357
54	—	—	\$2498	2498	3266	3429
60	—	—	\$2549	2549	3336	3477
66	—	—	\$2602	2602	3405	3552
72	—	—	\$2655	2655	3476	3627
84	—	—	\$2710	2710	3548	3705

36 42	—	—	\$2472	2472	2947	3398
48	—	—	\$2523	2523	3008	3471
54	—	—	\$2575	2575	3071	3545
60	—	—	\$2628	2628	3135	3621
66	—	—	\$2682	2682	3200	3699
72	—	—	\$2737	2737	3266	3777
84	—	—	\$2793	2793	3334	3858

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access	A	+\$0
PLA	leg access	A	+\$299

For electric extended range (D)

NNP	no power access	A	+\$0
------------	-----------------	---	------

Step 8.

Switch Option

For electric standard range (E) or electric extended range (D) with no power access (NNP), or leg access (PLA)

SUD	simple up down	A	+\$0
SRM	digital read out with memory	A	+\$160

Switch Option/Crank Location

For 30" deep (29" surface size) (30) with 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP)

TOP	top crank	A	+\$0
FRT	front crank	A	+\$40

Switch Option/Crank Location

For 30" deep (29" surface size) (30) or 36" deep (35" surface size) (36) with 36" wide (34" surface size) (36), 42" wide (40" surface size) (42), 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), or 66" wide (64" surface size) (66), or 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84) with crank sit-to-stand (C), or crank seated (K) with no power access (NNP), or leg access (PLA)

TOP	top crank	A	+\$0
------------	-----------	---	------

Renew™ Adjustable-Height Tables

Rectangle Table with T-Foot

continued

Renew™ Adjustable-Height Tables

Step 9.

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut <input type="checkbox"/>	+\$85
40	dark brown walnut <input type="checkbox"/>	+\$85
A2	white ash <input type="checkbox"/>	+\$85
ED	aged cherry <input type="checkbox"/>	+\$85
EK	medium red walnut <input type="checkbox"/>	+\$85
ET	clear on ash <input type="checkbox"/>	+\$85
EU	oak on ash <input type="checkbox"/>	+\$85
EV	walnut on ash <input type="checkbox"/>	+\$85
OU	walnut <input type="checkbox"/>	+\$85
UL	natural maple <input type="checkbox"/>	+\$85
UX	walnut on cherry <input type="checkbox"/>	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBU	medium matte walnut <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Rectangle Table with T-Foot

continued

Renew™ Adjustable-Height Tables

Step 10. Edge Finish

For laminate top/thermoplastic edge (L)

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBU	medium matte walnut <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 11. Crank Handle Finish

For crank sit-to-stand (C) or crank seated (K)

91	white <input type="checkbox"/>	+\$0
G1	graphite <input type="checkbox"/>	+\$0

Step 12. Leg/Foot Finish

8Q	folkstone grey leg with folkstone grey foot <input type="checkbox"/>	+\$0
91	white leg with white foot <input type="checkbox"/>	+\$0
98	studio white leg with studio white foot <input type="checkbox"/>	+\$0
G2	graphite satin leg with graphite satin foot <input type="checkbox"/>	+\$0
WL	sandstone leg with sandstone foot <input type="checkbox"/>	+\$0
WN	warm grey neutral leg with warm grey neutral foot <input type="checkbox"/>	+\$0
CN	metallic champagne <input type="checkbox"/>	+\$0
MS	metallic silver leg with metallic silver foot <input type="checkbox"/>	+\$20
LFF	white leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFG	warm grey neutral leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFH	graphite satin leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFJ	metallic silver leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFK	studio white leg with polished aluminum foot <input type="checkbox"/>	+\$0

Step 13. Cord Cover/Cable Management

For 30" deep (29" surface size) (30) or 36" deep (35" surface size) (36) with 36" wide (34" surface size) (36), or 42" wide (40" surface size) (42)

PSC	simple cable <input type="checkbox"/>	+\$0
------------	---------------------------------------	------

For 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)

PHD	high density cable trough <input type="checkbox"/>	+\$299
PSC	simple cable <input type="checkbox"/>	+\$0

Step 14. Power Access Cutout

For 36" wide (34" surface size) (36) or 42" wide (40" surface size) (42)

NNN	no cutout <input type="checkbox"/>	+\$0
------------	------------------------------------	------

For 48" wide (46" surface size) (48), 54" wide (52" surface size) (54), 60" wide (58" surface size) (60), 66" wide (64" surface size) (66), 72" wide (70" surface size) (72), or 84" wide (82" surface size) (84)


NNN	no cutout <input type="checkbox"/>	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
LAC	left cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45

Step 15. Casters/Glides

57	glides <input type="checkbox"/>	+\$0
-----------	---------------------------------	------

Oval Table with T-Foot

DU6DTE
DU6DTS
DU6DTT



Product Information

Description

This oval height-adjustable table has a T-leg configuration for maximum access on all sides of the surface, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed.

Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (91), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Oval Table with T-Foot *continued*

Specification Information

Step 1.

DU6DT A

Step 2. Edge

- S.** squared-edge A
- T.** thin-edge A
- E.** eased-edge A

Step 3. Depth

- 30** 30" deep (29" surface size) A
- 36** 36" deep (35" surface size) A
- 42** 42" deep (41" surface size) A

Step 4. Width

- 60** 60" wide (58" surface size) A
- 72** 72" wide (70" surface size) A
- 84** 84" wide (82" surface size) A

Step 5. Surface Material

For squared-edge (S.)

- L** laminate top/thermoplastic edge A
- W** veneer top/veneer edge A
- P** painted Formcoat® top/edge A

For thin-edge (T.)

- L** laminate top/thermoplastic edge A
- W** veneer top/veneer edge A
- P** painted Formcoat® top/edge A

For eased-edge (E.)

- P** painted Formcoat® top/edge A

Step 6. Height Adjustment

- C** crank sit-to-stand A
- K** crank seated A
- E** electric standard range A
- D** electric extended range A

Prices for Steps 1-6.

	LC	LK	LE	LD	WC	WK
DU6DTS. 30 60	\$2442	2442	2825	3103	2802	2802
72	\$2491	2491	2883	3166	2976	2976
84	\$2541	2541	2942	3231	3037	3037

36 60	\$2592	2544	3002	3296	3099	3099
72	\$2644	2596	3063	3364	3162	3162
84	\$2696	2648	3125	3431	3225	3225
42 60	\$2749	2701	3187	3500	3290	3290
72	\$2825	2777	3277	3598	3382	3382
84	\$2903	2855	3369	3700	3478	3478

	WE	WD	PC	PK	PE	PD
DU6DTS. 30 60	\$3441	3780	2514	2514	2967	3258
72	\$3512	3856	2566	2566	3027	3324
84	\$3583	3935	2618	2618	3089	3393
36 60	\$3656	4015	2671	2671	3152	3462
72	\$3731	4097	2726	2726	3216	3532
84	\$3806	4179	2780	2780	3281	3603
42 60	\$3882	4263	2836	2836	3346	3675
72	\$3991	4383	2916	2916	3440	3778
84	\$4104	4507	2998	2998	3538	3885

	LC	LK	LE	LD	WC	WK
DU6DTS. 30 60	\$2634	2634	3108	3413	3362	3362
72	\$2688	2688	3171	3483	3571	3571
84	\$2743	2743	3236	3554	3644	3644
36 60	\$2799	2799	3302	3627	3718	3718
72	\$2856	2856	3370	3700	3794	3794
84	\$2913	2913	3437	3774	3870	3870
42 60	\$2971	2971	3506	3850	3948	3948
72	\$3054	3054	3604	3958	4059	4059
84	\$3141	3141	3706	4070	4173	4173

	WE	WD	PC	PK	PE	PD
DU6DTS. 30 60	\$4130	4535	2766	2766	3263	3583
72	\$4214	4627	2822	2822	3330	3657
84	\$4300	4722	2880	2880	3398	3732
36 60	\$4388	4818	2938	2938	3467	3807
72	\$4477	4916	2998	2998	3538	3886
84	\$4567	5015	3058	3058	3609	3963
42 60	\$4658	5115	3120	3120	3681	4042
72	\$4789	5259	3207	3207	3784	4156
84	\$4925	5408	3298	3298	3892	4274

	WE	WD	PC	PK	PE	PD
DU6DTE. 30 60	—	—	\$2766	2766	3263	3583
72	—	—	\$2822	2822	3330	3657
84	—	—	\$2880	2880	3398	3732
36 60	—	—	\$2938	2938	3467	3807
72	—	—	\$2998	2998	3538	3886
84	—	—	\$3058	3058	3609	3963

Oval Table with T-Foot *continued*

Renew™ Adjustable-Height Tables

42 60	—	—	\$3120	3120	3681	4042
72	—	—	\$3207	3207	3784	4156
84	—	—	\$3298	3298	3892	4274

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access <input type="checkbox"/>	+\$0
PLA	leg access <input type="checkbox"/>	+\$299

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD	simple up down <input type="checkbox"/>	+\$0
SRM	digital read out with memory <input type="checkbox"/>	+\$160

Step 9.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBU	medium matte walnut <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Oval Table with T-Foot *continued*

Top/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut <input type="checkbox"/> A	+\$85
40	dark brown walnut <input type="checkbox"/> A	+\$85
A2	white ash <input type="checkbox"/> A	+\$85
ED	aged cherry <input type="checkbox"/> A	+\$85
EK	medium red walnut <input type="checkbox"/> A	+\$85
ET	clear on ash <input type="checkbox"/> A	+\$85
EU	oak on ash <input type="checkbox"/> A	+\$85
EV	walnut on ash <input type="checkbox"/> A	+\$85
OU	walnut <input type="checkbox"/> A	+\$85
UL	natural maple <input type="checkbox"/> A	+\$85
UX	walnut on cherry <input type="checkbox"/> A	+\$85

Top/Edge Finish		
<i>For painted Formcoat® top/edge (P)</i>		
8Q	folkstone grey <input type="checkbox"/> A	+\$0
91	white <input type="checkbox"/> A	+\$0
CL	cool grey neutral <input type="checkbox"/> A	+\$0
LU	soft white <input type="checkbox"/> A	+\$0
WL	sandstone <input type="checkbox"/> A	+\$0
WN	warm grey neutral <input type="checkbox"/> A	+\$0

Step 10. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut <input type="checkbox"/> A	+\$0
8Q	folkstone grey <input type="checkbox"/> A	+\$0
91	white <input type="checkbox"/> A	+\$0
98	studio white <input type="checkbox"/> A	+\$0
CL	cool grey neutral <input type="checkbox"/> A	+\$0
HF	inner tone light <input type="checkbox"/> A	+\$0
HM	natural maple <input type="checkbox"/> A	+\$0
HP	light anigre <input type="checkbox"/> A	+\$0
HT	inner tone <input type="checkbox"/> A	+\$0
HX	aged cherry <input type="checkbox"/> A	+\$0
HY	walnut on cherry <input type="checkbox"/> A	+\$0
LA	light ash <input type="checkbox"/> A	+\$0
LBA	clear on ash <input type="checkbox"/> A	+\$0
LBU	medium matte walnut <input type="checkbox"/> A	+\$0
LBB	oak on ash <input type="checkbox"/> A	+\$0
LBC	walnut on ash <input type="checkbox"/> A	+\$0
LBD	dark brown walnut <input type="checkbox"/> A	+\$0
LBE	medium red walnut <input type="checkbox"/> A	+\$0
LBF	neutral twill <input type="checkbox"/> A	+\$0
LBG	sarum twill <input type="checkbox"/> A	+\$0
LBH	earthen twill <input type="checkbox"/> A	+\$0
LBJ	graphite twill <input type="checkbox"/> A	+\$0
LBK	pewter mesh <input type="checkbox"/> A	+\$0
LBL	steel mesh <input type="checkbox"/> A	+\$0
LBM	crisp linen <input type="checkbox"/> A	+\$0
LBN	classic linen <input type="checkbox"/> A	+\$0
LBP	casual linen <input type="checkbox"/> A	+\$0
LBQ	white twill <input type="checkbox"/> A	+\$0
LU	soft white <input type="checkbox"/> A	+\$0
WL	sandstone <input type="checkbox"/> A	+\$0
WN	warm grey neutral <input type="checkbox"/> A	+\$0

Step 11. Crank Handle Finish		
<i>For crank sit-to-stand (C) or crank seated (K)</i>		
91	white <input type="checkbox"/> A	+\$0
G1	graphite <input type="checkbox"/> A	+\$0

Oval Table with T-Foot *continued*

Step 12. Leg/Foot Finish		
8Q	folkstone grey leg with folkstone grey foot <input type="checkbox"/>	+\$0
91	white leg with white foot <input type="checkbox"/>	+\$0
98	studio white leg with studio white foot <input type="checkbox"/>	+\$0
G2	graphite satin leg with graphite satin foot <input type="checkbox"/>	+\$0
WL	sandstone leg with sandstone foot <input type="checkbox"/>	+\$0
WN	warm grey neutral leg with warm grey neutral foot <input type="checkbox"/>	+\$0
CN	metallic champagne <input type="checkbox"/>	+\$0
MS	metallic silver leg with metallic silver foot <input type="checkbox"/>	+\$20
LFF	white leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFG	warm grey neutral leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFH	graphite satin leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFJ	metallic silver leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFK	studio white leg with polished aluminum foot <input type="checkbox"/>	+\$0

Step 13. Cord Cover/Cable Management		
PSC	simple cable <input type="checkbox"/>	+\$0
PHD	high density cable trough <input type="checkbox"/>	+\$299

Step 14. Power Access Cutout

For simple cable (PSC)

NNN	no cutout <input type="checkbox"/>	+\$0
------------	------------------------------------	------


For high density cable trough (PHD)

NNN	no cutout <input type="checkbox"/>	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45

Step 15. Casters/Glides		
57	glides <input type="checkbox"/>	+\$0

90° Extended Corner Table with C-Foot

DU6ECE
DU6ECS
DU6ECT



Product Information

Description

This height-adjustable 90° extended corner table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed. Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. It will be on the extended side of the corner. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.



For height adjustment options with crank (C or K), crank finish color is white (g1), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



90° Extended Corner Table with C-Foot *continued*

Renew™ Adjustable-Height Tables

Specification Information

Step 1.

DU6EC **A**

Step 2. Edge

S. squared-edge **A**

T. thin-edge **A**

E. eased-edge **A**

Step 3. Depth

24 24" deep (23" surface size) **A**

30 30" deep (29" surface size) **A**

Step 4. Width

4260 42" wide left x 60" wide right (40" x 58" surface size) **A**

4272 42" wide left x 72" wide right (40" x 70" surface size) **A**

4860 48" wide left x 60" wide right (46" x 58" surface size) **A**

4872 48" wide left x 72" wide right (46" x 70" surface size) **A**

5454 54" wide left x 54" wide right (52" x 52" surface size) **A**

6042 60" wide left x 42" wide right (58" x 40" surface size) **A**

6048 60" wide left x 48" wide right (58" x 46" surface size) **A**

6060 60" wide left x 60" wide right (58" x 58" surface size) **A**

7242 72" wide left x 42" wide right (70" x 40" surface size) **A**

7248 72" wide left x 48" wide right (70" x 46" surface size) **A**

Step 5. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge **A**

W veneer top/veneer edge **A**

P painted Formcoat® top/edge **A**

For thin-edge (T.)

L laminate top/thermoplastic edge **A**

W veneer top/veneer edge **A**

P painted Formcoat® top/edge **A**

For eased-edge (E.)

P painted Formcoat® top/edge **A**

Step 6. Height Adjustment

C crank sit-to-stand **A**

K crank seated **A**

E electric standard range **A**

D electric extended range **A**

Prices for Steps 1-6.

		LC	LK	LE	LD	WC	WK
DU6ECS.	24 4260	\$3585	3585	4700	5024	4419	4419
	4272	\$3648	3648	4786	5117	4507	4507
	4860	\$3713	3713	4873	5213	4598	4598
	4872	\$3779	3779	4963	5310	4690	4690
	5454	\$3700	3700	4948	4970	3948	3948
	6042	\$3585	3585	4700	5024	4419	4419
	6048	\$3713	3713	4873	5213	4598	4598
	6060	\$3767	3767	5041	5064	4029	4029
	7242	\$3648	3648	4786	5117	4507	4507
	7248	\$3779	3779	4963	5310	4690	4690
	30 4260	\$3846	3846	4844	5231	4783	4783
	4272	\$3915	3915	4937	5332	4879	4879
	4860	\$3985	3985	5031	5435	4977	4977
	4872	\$4057	4057	5128	5541	5076	5076
	5454	\$3721	3721	5263	5412	4974	4974
	6042	\$3846	3846	4844	5231	4783	4783
	6048	\$3985	3985	5031	5435	4977	4977
	6060	\$3789	3789	5366	5520	5210	5210
	7242	\$3915	3915	4937	5332	4879	4879
	7248	\$4057	4057	5128	5541	5076	5076
		WE	WD	PC	PK	PE	PD
DU6ECS.	24 4260	\$5506	5489	3810	3810	4923	5100
	4272	\$5625	5619	3886	3886	5026	5213
	4860	\$5747	5752	3963	3963	5131	5327
	4872	\$5871	5888	4043	4043	5238	5444
	5454	\$4982	5725	3538	3538	4655	5149
	6042	\$5506	5489	3810	3810	4923	5100
	6048	\$5747	5752	3963	3963	5131	5327
	6060	\$5093	5755	3610	3610	4755	5247
	7242	\$5625	5619	3886	3868	5026	5213
	7248	\$5871	5888	4043	4043	5238	5444
	30 4260	\$5514	5514	4124	4124	4972	5119
	4272	\$5643	5656	4206	4206	5084	5241
	4860	\$5775	5799	4290	4290	5197	5365
	4872	\$5910	5945	4376	4376	5313	5491
	5454	\$5775	5823	3560	3560	4844	4634
	6042	\$5514	5514	4124	4124	4972	5119
	6048	\$5775	5799	4290	4290	5197	5365
	6060	\$5975	5972	3633	3633	4955	5719
	7242	\$5643	5656	4206	4206	5084	5241
	7248	\$5910	5945	4376	4376	5313	5491

90° Extended Corner Table with
C-Foot *continued*

	LC	LK	LE	LD	WC	WK
DU6ECT. 24 4260	\$3892	3892	4862	5105	4411	4411
4272	\$3962	3962	4951	5202	4508	4508
4860	\$4033	4033	5042	5301	4607	4607
4872	\$4106	4106	5135	5402	4708	4708
5454	\$4019	4019	5392	5326	3893	3893
6042	\$3892	3892	4862	5105	4411	4411
6048	\$4033	4033	5042	5301	4607	4607
6060	\$4093	4093	5494	5429	3982	3982
7242	\$3962	3962	4951	5202	4508	4508
7248	\$4106	4106	5135	5402	4708	4708
30 4260	\$3980	3980	5029	5264	4487	4487
4272	\$4056	4056	5126	5368	4592	4592
4860	\$4133	4133	5224	5476	4699	4699
4872	\$4211	4211	5325	5585	4809	4809
5454	\$3843	3843	5769	5767	5100	5100
6042	\$3980	3980	5029	5264	4487	4487
6048	\$4133	4133	5224	5476	4699	4699
6060	\$3917	3917	5883	5884	5451	5451
7242	\$4056	4056	5126	5368	4592	4592
7248	\$4211	4211	5325	5585	4809	4809
	WE	WD	PC	PK	PE	PD
DU6ECT. 24 4260	\$5646	5833	3790	3790	5079	5244
4272	\$5770	5968	3874	3874	5186	5361
4860	\$5896	6107	3960	3960	5295	5480
4872	\$6026	6248	4047	4047	5407	5601
5454	\$5428	5700	3492	3492	5093	5518
6042	\$5646	5833	3790	3790	5079	5244
6048	\$5896	6107	3960	3960	5295	5480
6060	\$5550	5835	3571	3571	5203	5625
7242	\$5770	5968	3874	3874	5186	5361
7248	\$6026	6248	4047	4047	5407	5601
30 4260	\$5672	5860	3836	3836	5100	5286
4272	\$5807	6007	3927	3927	5216	5412
4860	\$5944	6156	4019	4019	5334	5541
4872	\$6084	6308	4114	4114	5455	5673
5454	\$6000	5967	3216	3216	5293	5116
6042	\$5672	5860	3836	3836	5100	5286
6048	\$5944	6156	4019	4019	5334	5541
6060	\$6200	6290	3296	3296	5416	5242
7242	\$5807	6007	3927	3927	5216	5412
7248	\$6084	6308	4114	4114	5455	5673

	WE	WD	PC	PK	PE	PD
DU6ECE. 24 4260	—	—	\$3790	3790	5079	5244
4272	—	—	\$3874	3874	5186	5361
4860	—	—	\$3960	3960	5295	5480
4872	—	—	\$4047	4047	5407	5601
5454	—	—	\$3492	3492	5093	4874
6042	—	—	\$3790	3790	5079	5244
6048	—	—	\$3960	3960	5295	5480
6060	—	—	\$3571	3571	5203	4986
7242	—	—	\$3874	3874	5186	5361
7248	—	—	\$4047	4047	5407	5601
30 4260	—	—	\$3836	3836	5100	5286
4272	—	—	\$3927	3927	5216	5412
4860	—	—	\$4019	4019	5334	5541
4872	—	—	\$4114	4114	5455	5673
5454	—	—	\$3216	3216	5293	5116
6042	—	—	\$3836	3836	5100	5286
6048	—	—	\$4019	4019	5334	5541
6060	—	—	\$3296	3296	5416	5242
7242	—	—	\$3927	3927	5216	5412
7248	—	—	\$4114	4114	5455	5673

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP	no power access	<input type="checkbox"/>	+\$0
PLA	leg access	<input type="checkbox"/>	+\$299

For electric extended range (D)

NNP	no power access	<input type="checkbox"/>	+\$0
------------	-----------------	--------------------------	------

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD	simple up down	<input type="checkbox"/>	+\$0
SRM	digital read out with memory	<input type="checkbox"/>	+\$160

Renew™ Adjustable-Height Tables

90° Extended Corner Table with
C-Foot *continued*

Step 9.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBU	medium matte walnut <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut <input type="checkbox"/>	+\$85
40	dark brown walnut <input type="checkbox"/>	+\$85
A2	white ash <input type="checkbox"/>	+\$85
ED	aged cherry <input type="checkbox"/>	+\$85
EK	medium red walnut <input type="checkbox"/>	+\$85
ET	clear on ash <input type="checkbox"/>	+\$85
EU	oak on ash <input type="checkbox"/>	+\$85
EV	walnut on ash <input type="checkbox"/>	+\$85
OU	walnut <input type="checkbox"/>	+\$85
UL	natural maple <input type="checkbox"/>	+\$85
UX	walnut on cherry <input type="checkbox"/>	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

90° Extended Corner Table with
C-Foot *continued*

Step 10. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut [A]	+\$0
8Q	folkstone grey [A]	+\$0
91	white [A]	+\$0
98	studio white [A]	+\$0
CL	cool grey neutral [A]	+\$0
HF	inner tone light [A]	+\$0
HM	natural maple [A]	+\$0
HP	light anigre [A]	+\$0
HT	inner tone [A]	+\$0
HX	aged cherry [A]	+\$0
HY	walnut on cherry [A]	+\$0
LA	light ash [A]	+\$0
LBA	clear on ash [A]	+\$0
LBU	medium matte walnut [A]	+\$0
LBB	oak on ash [A]	+\$0
LBC	walnut on ash [A]	+\$0
LBD	dark brown walnut [A]	+\$0
LBE	medium red walnut [A]	+\$0
LBF	neutral twill [A]	+\$0
LBG	sarum twill [A]	+\$0
LBH	earthen twill [A]	+\$0
LBJ	graphite twill [A]	+\$0
LBK	pewter mesh [A]	+\$0
LBL	steel mesh [A]	+\$0
LBM	crisp linen [A]	+\$0
LBN	classic linen [A]	+\$0
LBP	casual linen [A]	+\$0
LBQ	white twill [A]	+\$0
LU	soft white [A]	+\$0
WL	sandstone [A]	+\$0
WN	warm grey neutral [A]	+\$0

Step 11. Crank Handle Finish

For crank sit-to-stand (C) or crank seated (K)

91	white [A]	+\$0
G1	graphite [A]	+\$0

Step 12. Leg/Foot Finish

8Q	folkstone grey leg with folkstone grey foot [A]	+\$0
91	white leg with white foot [A]	+\$0
98	studio white leg with studio white foot [A]	+\$0
G2	graphite satin leg with graphite satin foot [A]	+\$0
WL	sandstone leg with sandstone foot [A]	+\$0
WN	warm grey neutral leg with warm grey neutral foot [A]	+\$0
CN	metallic champagne [A]	+\$0
MS	metallic silver leg with metallic silver foot [A]	+\$20
LFF	white leg with polished aluminum foot [A]	+\$160
LFG	warm grey neutral leg with polished aluminum foot [A]	+\$160
LFH	graphite satin leg with polished aluminum foot [A]	+\$160
LFJ	metallic silver leg with polished aluminum foot [A]	+\$160
LFK	studio white leg with polished aluminum foot [A]	+\$0

Step 13. Cord Cover/Cable Management

For 24" deep (23" surface size) (24)

PSC	simple cable [A]	+\$0
------------	------------------	------

For 30" deep (29" surface size) (30)

PSC	simple cable [A]	+\$0
PHD	high density cable trough [A]	+\$299

Step 14. Power Access Cutout

For 24" deep (23" surface size) (24) or 30" deep (29" surface size) (30) with simple cable (PSC)

NNN	no cutout [A]	+\$0
------------	---------------	------

For 30" deep (29" surface size) (30) with 42" wide left x 60" wide right (40" x 58" surface size) (4260), 42" wide left x 72" wide right (40" x 70" surface size) (4272), 48" wide left x 60" wide right (46" x 58" surface size) (4860), 48" wide left x 72" wide right (46" x 70" surface size) (4872), 60" wide left x 42" wide right (58" x 40" surface size) (6042), 60" wide left x 48" wide right (58" x 46" surface size) (6048), or 72" wide left x 42" wide right (70" x 40" surface size) (7242), or 72" wide left x 48" wide right (70" x 46" surface size) (7248) with high density cable trough (PHD)

NNN	no cutout [A]	+\$0
LAC	left cutout 6 port - Y1425.D/G or Y1420.X [A]	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X [A]	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V [A]	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V [A]	+\$45
CAC	center cutout 6 port - Y1425.D/G or Y1420.X [A]	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V [A]	+\$45

90° Extended Corner Table with
C-Foot *continued*

Renew™ Adjustable-Height Tables

For 30" deep (29" surface size) (30) with 54" wide left x 54" wide right (52" x 52" surface size) (5454), or 60" wide left x 60" wide right (58" x 58" surface size) (6060) with high density cable trough (PHD)


NNN	no cutout <input type="checkbox"/>	+\$0
LAC	left cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
RAC	right cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
LC5	left cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45
RC5	right cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45

Step 15. Casters/Glides

57	glides <input type="checkbox"/>	+\$0
-----------	---------------------------------	------

90° Corner Table with C-Foot

DU6FCE
DU6FCS
DU6FCT



Product Information

Description

This height-adjustable 90° corner table has a C-Leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed. Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.



For height adjustment options with crank (C or K), crank finish color is white (g1), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 40, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



90° Corner Table with C-Foot

continued

Renew™ Adjustable-Height Tables

Specification Information

Step 1.

DU6FC A

Step 2. Edge

S. squared-edge A

T. thin-edge A

E. eased-edge A

Step 3. Depth

24 24" deep (23" surface size) A

30 30" deep (29" surface size) A

Step 4. Width

42 42" wide (40" surface size) A

48 48" wide (46" surface size) A

Step 5. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge A

W veneer top/veneer edge A

P painted Formcoat® top/edge A

For thin-edge (T.)

L laminate top/thermoplastic edge A

W veneer top/veneer edge A

P painted Formcoat® top/edge A

For eased-edge (E.)

P painted Formcoat® top/edge A

Step 6. Height Adjustment

C crank sit-to-stand A

K crank seated A

E electric standard range A

D electric extended range A

Prices for Steps 1-6.

	LC	LK	LE	LD	WC	WK
DU6FCS. 24 42	\$2388	2388	2949	3321	2866	2866
48	\$2435	2435	3008	3387	2923	2923
30 42	\$2400	2400	3089	3417	2880	2880
48	\$2448	2448	3151	3485	2938	2938

	WE	WD	PC	PK	PE	PD
DU6FCS. 24 42	\$3416	3671	2555	2555	3031	3329
48	\$3486	3750	2606	2606	3094	3400
30 42	\$3583	3785	2568	2568	3180	3430
48	\$3657	3867	2619	2619	3246	3504

	LC	LK	LE	LD	WC	WK
DU6FCT. 24 42	\$2626	2626	3244	3429	2717	2717
48	\$2679	2679	3309	3501	2778	2778
30 42	\$2640	2640	3398	3533	2732	2732
48	\$2693	2693	3466	3609	2794	2794

	WE	WD	PC	PK	PE	PD
DU6FCT. 24 42	\$3388	3725	2560	2560	3122	3414
48	\$3464	3810	2616	2616	3191	3492
30 42	\$3567	3847	2575	2575	3286	3527
48	\$3646	3934	2631	2631	3359	3607

	WE	WD	PC	PK	PE	PD
DU6FCE. 24 42	—	—	\$2560	2560	3122	3414
48	—	—	\$2616	2616	3191	3492
30 42	—	—	\$2575	2575	3286	3527
48	—	—	\$2631	2631	3359	3607

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP no power access A +\$0

PLA leg access A +\$299

For electric extended range (D)

NNP no power access A +\$0

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD simple up down A +\$0

SRM digital read out with memory A +\$160

Step 9.

Top Finish

For laminate top/thermoplastic edge (L)

J6 frosted slate grey A +\$0

90° Corner Table with C-Foot

continued

Top Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBU	medium matte walnut <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Top/Edge Finish		
<i>For veneer top/veneer edge (W)</i>		
2U	light brown walnut <input type="checkbox"/>	+\$85
40	dark brown walnut <input type="checkbox"/>	+\$85
A2	white ash <input type="checkbox"/>	+\$85
ED	aged cherry <input type="checkbox"/>	+\$85
EK	medium red walnut <input type="checkbox"/>	+\$85
ET	clear on ash <input type="checkbox"/>	+\$85
EU	oak on ash <input type="checkbox"/>	+\$85
EV	walnut on ash <input type="checkbox"/>	+\$85
OU	walnut <input type="checkbox"/>	+\$85
UL	natural maple <input type="checkbox"/>	+\$85
UX	walnut on cherry <input type="checkbox"/>	+\$85

Top/Edge Finish		
<i>For painted Formcoat® top/edge (P)</i>		
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 10. Edge Finish		
<i>For laminate top/thermoplastic edge (L)</i>		
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBU	medium matte walnut <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 11. Crank Handle Finish		
<i>For crank sit-to-stand (C) or crank seated (K)</i>		
91	white <input type="checkbox"/>	+\$0
G1	graphite <input type="checkbox"/>	+\$0

Renew™ Adjustable-Height Tables

90° Corner Table with C-Foot

continued

Renew™ Adjustable-Height Tables

Step 12. Leg/Foot Finish

8Q	folkstone grey leg with folkstone grey foot <input type="checkbox"/>	+\$0
91	white leg with white foot <input type="checkbox"/>	+\$0
98	studio white leg with studio white foot <input type="checkbox"/>	+\$0
G2	graphite satin leg with graphite satin foot <input type="checkbox"/>	+\$0
WL	sandstone leg with sandstone foot <input type="checkbox"/>	+\$0
WN	warm grey neutral leg with warm grey neutral foot <input type="checkbox"/>	+\$0
CN	metallic champagne <input type="checkbox"/>	+\$0
MS	metallic silver leg with metallic silver foot <input type="checkbox"/>	+\$20
LFF	white leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFG	warm grey neutral leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFH	graphite satin leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFJ	metallic silver leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFK	studio white leg with polished aluminum foot <input type="checkbox"/>	+\$0

Step 13. Cord Cover/Cable Management

PSC	simple cable <input type="checkbox"/>	+\$0
PHD	high density cable trough <input type="checkbox"/>	+\$299

Step 14. Power Access Cutout


NNN	no cutout <input type="checkbox"/>	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45

Step 15. Casters/Glides

57	glides <input type="checkbox"/>	+\$0
-----------	---------------------------------	------

120° Corner Table with C-Foot

DU6GCE
DU6GCS
DU6GCT



Product Information

Description

This height-adjustable 120° corner table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, veneer top and edge, or painted Formcoat® top and edge. Power access can be hidden, and there are multiple height adjustment, wire management, and switch options. Glides have 1/2" leveling range. Shipped knocked down. Electric products are UL Listed. Floor to top-of-surface height adjustment ranges are 22"-34" for the crank seated (K) option, 27"-46" for the crank sit-to-stand (C) and electric standard range (E) options, and 22"-48" for the electric extended range (D) option.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. High density cable trough (PHD) not available on 36"-wide or 42"-wide tables of any depth.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (g1), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 4o, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



120° Corner Table with C-Foot

continued

Renew™ Adjustable-Height Tables

Specification Information

Step 1.

DU6GC A

Step 2. Edge

S. squared-edge A

T. thin-edge A

E. eased-edge A

Step 3. Depth

24 24" deep (23" surface size) A

30 30" deep (29" surface size) A

Step 4. Width

42 42" wide (40" surface size) A

48 48" wide (46" surface size) A

Step 5. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge A

W veneer top/veneer edge A

P painted Formcoat® top/edge A

For thin-edge (T.)

L laminate top/thermoplastic edge A

W veneer top/veneer edge A

P painted Formcoat® top/edge A

For eased-edge (E.)

P painted Formcoat® top/edge A

Step 6. Height Adjustment

C crank sit-to-stand A

K crank seated A

E electric standard range A

D electric extended range A

Prices for Steps 1-6.

	LC	LK	LE	LD	WC	WK
DU6GCS. 24 42	\$2683	2683	3368	3601	3351	3351
48	\$2737	2737	3436	3673	3418	3418
30 42	\$2811	2811	3496	3819	3477	3477
48	\$2864	2864	3564	3893	3544	3544

	WE	WD	PC	PK	PE	PD
DU6GCS. 24 42	\$3997	4169	2871	2871	3604	3853
48	\$4086	4264	2928	2928	3676	3930
30 42	\$4125	4419	2998	2998	3732	4078
48	\$4214	4517	3056	3056	3804	4158

	LC	LK	LE	LD	WC	WK
DU6GCT. 24 42	\$2951	2951	3455	3691	3486	3486
48	\$3010	3010	3529	3771	3559	3559
30 42	\$3079	3079	3583	3919	3612	3612
48	\$3138	3138	3657	4001	3686	3686

	WE	WD	PC	PK	PE	PD
DU6GCT. 24 42	\$4170	4329	2736	2736	3400	3730
48	\$4268	4434	2799	2799	3479	3815
30 42	\$4298	4593	2863	2720	3527	3966
48	\$4396	4700	2926	2783	3606	4053

	WE	WD	PC	PK	PE	PD
DU6GCE. 24 42	—	—	\$2736	2736	3400	3730
48	—	—	\$2799	2799	3479	3815
30 42	—	—	\$2863	2720	3527	3966
48	—	—	\$2926	2783	3606	4053

Step 7. Hidden Power Access

For crank sit-to-stand (C), crank seated (K), or electric standard range (E)

NNP no power access A +\$0

PLA leg access A +\$299

For electric extended range (D)

NNP no power access A +\$0

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD simple up down A +\$0

SRM digital read out with memory A +\$160

120° Corner Table with C-Foot

continued

Step 9.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBU	medium matte walnut <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut <input type="checkbox"/>	+\$85
40	dark brown walnut <input type="checkbox"/>	+\$85
A2	white ash <input type="checkbox"/>	+\$85
ED	aged cherry <input type="checkbox"/>	+\$85
EK	medium red walnut <input type="checkbox"/>	+\$85
ET	clear on ash <input type="checkbox"/>	+\$85
EU	oak on ash <input type="checkbox"/>	+\$85
EV	walnut on ash <input type="checkbox"/>	+\$85
OU	walnut <input type="checkbox"/>	+\$85
UL	natural maple <input type="checkbox"/>	+\$85
UX	walnut on cherry <input type="checkbox"/>	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

120° Corner Table with C-Foot

continued

Renew™ Adjustable-Height Tables

Step 10. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBU	medium matte walnut <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 11. Crank Handle Finish

For crank sit-to-stand (C) or crank seated (K)

91	white <input type="checkbox"/>	+\$0
G1	graphite <input type="checkbox"/>	+\$0

Step 12. Leg/Foot Finish

8Q	folkstone grey leg with folkstone grey foot <input type="checkbox"/>	+\$0
91	white leg with white foot <input type="checkbox"/>	+\$0
98	studio white leg with studio white foot <input type="checkbox"/>	+\$0
G2	graphite satin leg with graphite satin foot <input type="checkbox"/>	+\$0
WL	sandstone leg with sandstone foot <input type="checkbox"/>	+\$0
WN	warm grey neutral leg with warm grey neutral foot <input type="checkbox"/>	+\$0
CN	metallic champagne <input type="checkbox"/>	+\$0
MS	metallic silver leg with metallic silver foot <input type="checkbox"/>	+\$20
LFF	white leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFG	warm grey neutral leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFH	graphite satin leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFJ	metallic silver leg with polished aluminum foot <input type="checkbox"/>	+\$160
LFK	studio white leg with polished aluminum foot <input type="checkbox"/>	+\$0

Step 13. Cord Cover/Cable Management

PSC	simple cable <input type="checkbox"/>	+\$0
PHD	high density cable trough <input type="checkbox"/>	+\$299


Step 14. Power Access Cutout

NNN	no cutout <input type="checkbox"/>	+\$0
CAC	center cutout 6 port - Y1425.D/G or Y1420.X <input type="checkbox"/>	+\$45
CC5	center cutout 5 port - Y1425.C/F or Y1420.V <input type="checkbox"/>	+\$45

Step 15. Casters/Glides

57	glides <input type="checkbox"/>	+\$0
-----------	---------------------------------	------

Rectangle Counterbalance Table DU6ACG with C-Foot



Product Information

Description

This rectangular height-adjustable table has a C-leg configuration, comes in multiple edge styles, and has a laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. Glides have 1/2" leveling range. Shipped knocked down.

Floor to top-of-surface height adjustment range is 27"-46". A nonpowered gas-assisted counterbalance mechanism provides smooth operation throughout the entire height range.

Notes

For additional details on available edge options see Appendices.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazards.

Legs are nearly flush with sides of the surface for maximum knee clearance. Knee clearance is equal to nominal top width less 8".

Simple cable cover (PSC) is facility installed only.

For height adjustment options with crank (C or K), crank can be attached above the right or left leg through top of work surface. Requires 6" of clearance from adjacent panel or wall to complete a revolution.


For height adjustment options with crank (C or K), crank finish color is white (g1), with exceptions. For the following top surface finishes, the crank finish is graphite (G1):

- Painted (P) top finishes: CL, LU
- Veneer (W) top finishes: 2U, 4o, ED, EV, EK

For additional edge, finish, and cutout options, see Vary Easy Program in appendices.

Cutouts are specifically sized for 5-wide and 6-wide Logic G1000 grommet mounted electrical distributors (Y1425.F, Y1425.G).

Dimensions



Renew™ Adjustable-Height Tables

Rectangle Counterbalance Table with C-Foot *continued*

Specification Information

Step 1.

DU6ACG A

Step 2. Edge

S. squared-edge A

T. thin-edge A

E. eased-edge A

Step 3. Depth

24 24" deep A

30 30" deep A

Step 4. Width

For 24" deep (24)

48 48" wide A

60 60" wide A

72 72" wide A

For 30" deep (30)

48 48" wide A

60 60" wide A

72 72" wide A

Step 5. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge A

W veneer top/veneer edge A

P painted Formcoat® top/edge A

For thin-edge (T.)

L laminate top/thermoplastic edge A

W veneer top/veneer edge A

P painted Formcoat® top/edge A

For eased-edge (E.)

P painted Formcoat® top/edge A

Prices for Steps 1-5.

	48L	48W	48P	60L	60W	60P
DU6ACG S. 24	\$3218	3733	3379	3411	3957	3582
30	\$3300	3828	3465	3493	4052	3668
T. 24	\$3540	4106	3717	3752	4352	3940
30	\$3630	4211	3812	3842	4457	4034

E. 24	—	—	\$3717	—	—	3940
30	—	—	\$3812	—	—	4034

		72L	72W	72P
DU6ACG S. 24		\$3629	4210	3810
30		\$3711	4305	3897
T. 24		\$3992	4631	4191
30		\$4082	4735	4286
E. 24		—	—	\$4192
30		—	—	\$4286

Step 6. Cord Cover/Cable Management

PSC simple cable A +\$0

Rectangle Counterbalance Table with C-Foot *continued*

Step 7.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBU	medium matte walnut <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Top/Edge Finish: Wood Veneer

For veneer top/veneer edge (W)

2U	light brown walnut <input type="checkbox"/>	+\$85
40	dark brown walnut <input type="checkbox"/>	+\$85
A2	white ash <input type="checkbox"/>	+\$85
ED	aged cherry <input type="checkbox"/>	+\$85
EK	medium red walnut <input type="checkbox"/>	+\$85
ET	clear on ash <input type="checkbox"/>	+\$85
EU	oak on ash <input type="checkbox"/>	+\$85
EV	walnut on ash <input type="checkbox"/>	+\$85
EY	light anigre <input type="checkbox"/>	+\$85
OU	walnut <input type="checkbox"/>	+\$85
UL	natural maple <input type="checkbox"/>	+\$85
UX	walnut on cherry <input type="checkbox"/>	+\$85

Top/Edge Finish: Opaque Formcoat®

For painted Formcoat® top/edge (P)

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Rectangle Counterbalance Table with C-Foot *continued*

Step 8. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBU	medium matte walnut <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 9. Leg/Foot Finish


G2	graphite satin leg with graphite satin foot <input type="checkbox"/>	+\$0
MS	metallic silver leg with metallic silver foot <input type="checkbox"/>	+\$20

Step 10. Casters/Glides

57	glides <input type="checkbox"/>	+\$0
-----------	---------------------------------	------

Height Adjustable Rectangular Worksurface

DU6WS.



Product Information

Description


This rectangular work surface attaches to a height adjustable base to create a height adjustable table. It has a 1 1/4"-thick laminate top with thermoplastic edge or laminate top with a thermoplastic backed plywood edge.

Notes

Order 2-leg table base kit (DU7A.) separately.

Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 2" to minimize possible pinch hazard.

Dimensions



Specification Information

Step 1.

DU6W A

Step 2. Edge

S. squared-edge A

Step 3. Depth

24 24" deep (23" surface size) A

30 30" deep (29" surface size) A

Step 4. Width

48 48" wide (46" surface size) A

54 54" wide (52" surface size) A

60 60" wide (58" surface size) A

66 66" wide (64" surface size) A

72 72" wide (70" surface size) A

Step 5. Surface Material

L laminate top/thermoplastic edge A

Prices for Steps 1-5.

	L
DU6WS.24 48	\$225
54	\$272
60	\$299
66	\$340
72	\$380
30 48	\$304
54	\$366
60	\$399
66	\$457
72	\$513

Step 6. Base Type

V pre-drilled holes for V1 base A +\$0

Height Adjustable Rectangular Worksurface *continued*


Step 7. Top Finish		
1X	vanilla <input type="checkbox"/>	+\$0
76	light brown walnut <input type="checkbox"/>	+\$99
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$99
HY	walnut on cherry <input type="checkbox"/>	+\$99
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LBU	medium matte walnut <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 8. Edge Finish		
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBU	medium matte walnut <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 9. Cutout Option		
NNN	no cutout <input type="checkbox"/>	+\$0

Table Base Kit - 3 Legs

DU7F.



Product Information


Description

This independent 3-leg kit transforms existing work surfaces into height adjustable tables. Legs come in 2 depths with a choice of power access and switch type.

Notes

Order work surface stiffeners separately.
See Renew™ Sit-to-Stand Tables planning guide for design information.

Dimensions



Specification Information

Step 1.

DU7F. A

Step 2. Mechanism

- E** electric standard range A
- D** electric extended range A

Step 3. Depth

- 24** 24" deep (23" actual) A
- 30** 30" deep (29" actual) A

Step 4. Foot Type

- C** C foot A

Prices for Steps 1-4.

			C
DU7F. E	24		\$4180
	30		\$4180
D	24		\$4453
	30		\$4453

Step 5. Hidden Power Access

For electric standard range (E)

- NNP** no power access A +\$0
- PLA** leg access A +\$299

For electric extended range (D)

- NNP** no power access A +\$0

Step 6. Switch Option


- SUD** simple up down A +\$0
- SRM** digital read out with memory A +\$160

Table Base Kit - 3 Legs *continued*

Step 7. Leg/Foot Finish		
8Q	folkstone grey leg with folkstone grey foot <input type="checkbox"/> A	+\$0
91	white leg with white foot <input type="checkbox"/> A	+\$0
98	studio white leg with studio white foot <input type="checkbox"/> A	+\$0
G2	graphite satin leg with graphite satin foot <input type="checkbox"/> A	+\$0
WL	sandstone leg with sandstone foot <input type="checkbox"/> A	+\$0
WN	warm grey neutral leg with warm grey neutral foot <input type="checkbox"/> A	+\$0
MS	metallic silver leg with metallic silver foot <input type="checkbox"/> A	+\$20
CN	metallic champagne <input type="checkbox"/> A	+\$0
LFF	white leg with polished aluminum foot <input type="checkbox"/> A	+\$160
LFG	warm grey neutral leg with polished aluminum foot <input type="checkbox"/> A	+\$160
LFH	graphite satin leg with polished aluminum foot <input type="checkbox"/> A	+\$160
LFJ	metallic silver leg with polished aluminum foot <input type="checkbox"/> A	+\$160
LFK	studio white leg with polished aluminum foot <input type="checkbox"/> A	+\$0
Step 8. Casters/Glides		
57	glides <input type="checkbox"/> A	+\$0

Table Base Kit - 2 Legs

DU7A.



Product Information

Description

This independent 2-leg kit transforms existing work surfaces into height adjustable tables. Legs come in 2 depths with a choice of foot type, power access and switch type.


Notes

Order work surface stiffeners separately.

See Renew™ Sit-to-Stand Tables planning guide for design information.

To use 2-leg base kit on work surfaces 72" wide and wider, order motor extension cable service part U1B7600 separately.

Dimensions



Specification Information

Step 1.

DU7A. A

Step 2. Mechanism

E electric standard range A
D electric extended range A

Step 3. Depth

24 24" deep (23" actual) A
30 30" deep (29" actual) A

Step 4. Foot Type

For 24" deep (23" actual) (24)

C C foot A

For 30" deep (29" actual) (30)

T T foot A

C C foot A

Prices for Steps 1-4.

		T	C
DU7A.	E 24	—	\$2592
	30	\$2592	2592
	D 24	—	\$2907
	30	\$2907	2907

Step 5. Hidden Power Access

For electric standard range (E)

NNP no power access A +\$0
PLA leg access A +\$299

For electric extended range (D)

NNP no power access A +\$0

Step 6. Switch Option


SUD simple up down A +\$0
SRM digital read out with memory A +\$160

Table Base Kit - 2 Legs *continued*

Step 7. Leg/Foot Finish		
8Q	folkstone grey leg with folkstone grey foot <input type="checkbox"/> A	+\$0
91	white leg with white foot <input type="checkbox"/> A	+\$0
98	studio white leg with studio white foot <input type="checkbox"/> A	+\$0
G2	graphite satin leg with graphite satin foot <input type="checkbox"/> A	+\$0
WL	sandstone leg with sandstone foot <input type="checkbox"/> A	+\$0
WN	warm grey neutral leg with warm grey neutral foot <input type="checkbox"/> A	+\$0
CN	metallic champagne <input type="checkbox"/> A	+\$0
MS	metallic silver leg with metallic silver foot <input type="checkbox"/> A	+\$20
LFF	white leg with polished aluminum foot <input type="checkbox"/> A	+\$160
LFG	warm grey neutral leg with polished aluminum foot <input type="checkbox"/> A	+\$160
LFH	graphite satin leg with polished aluminum foot <input type="checkbox"/> A	+\$160
LFJ	metallic silver leg with polished aluminum foot <input type="checkbox"/> A	+\$160
LFK	studio white leg with polished aluminum foot <input type="checkbox"/> A	+\$0
Step 8. Casters/Glides		
57	glides <input type="checkbox"/> A	+\$0

Logic G1000 Grommet Mounted Electrical Distributor

Y1425.



Product Information

Description

This Logic Power Access Solutions™ grommet mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end, a hard-wired connection with electrical conduit, or an IEC connector when used with Renew™ Sit-to-Stand tables. An integrated cord keeper at the face of the unit captures data cords. The unit pivots from a closed position to 135° allowing easy access to power and data cords stored beneath the unit. Product is UL listed.

Notes

Field cutting of grommet cutout is possible.

IEC connector for Renew power type (C) includes short cord designed to connect to the Renew table power cord through-leg option. Actual cord length may vary.







Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.

Refer to Renew™ Sit-to-Stand Tables and Locale® planning guides for specific application information.

20' cord/conduit length (20) is recommended for Exclave® applications.

Dimensions



Logic G1000 Grommet Mounted Electrical Distributor *continued*

Renew™ Power and Data Support

Specification Information

Step 1.

Y1425. A

Step 2. Configuration

- A** 2 simplex receptacles, 2 powered USB A
- C** 4 simplex receptacles, 2 powered USB A
- D** 5 simplex receptacles, 2 powered USB A
- E** 3 simplex receptacles A
- F** 5 simplex receptacles A
- G** 6 simplex receptacles A

Step 3. Power Type

- A** power cord with plug end A
- B** conduit with open end, for hard-wiring A
- C** IEC connector for Renew Tables A

Step 4. Cord/Conduit Length

For power cord with plug end (A)

- 03** 3' cord/conduit A
- 06** 6' cord/conduit A
- 10** 10' cord/conduit A

For conduit with open end, for hard-wiring (B)

- 03** 3' cord/conduit A
- 06** 6' cord/conduit A
- 10** 10' cord/conduit A

For IEC connector for Renew Tables (C)

- 03** 3' cord/conduit A

Prices for Steps 1-4.

		03	06	10
Y1425. A	A	\$639	639	649
	B	\$688	688	698
	C	\$649	—	—
C	A	\$741	741	751
	B	\$790	790	801
	C	\$751	—	—
D	A	\$807	807	817
	B	\$856	856	866
	C	\$817	—	—
E	A	\$491	491	501
	B	\$540	540	550
	C	\$501	—	—


F	A	\$593	593	604
	B	\$643	643	653
	C	\$604	—	—
G	A	\$659	659	669
	B	\$708	708	719
	C	\$669	—	—

Step 5. Finish

91	white <input type="checkbox"/> A			+\$0
98	studio white <input type="checkbox"/> A			+\$0
G1	graphite <input type="checkbox"/> A			+\$0
MS	metallic silver <input type="checkbox"/> A			+\$0

Logic C1000 Universal Clamp Mount Distributor

Y1423.



Product Information

Description

This Logic Power Access Solutions™ clamp mounted electrical distributor comes in several widths and configurations of simplex receptacles and USB charging ports. The unit is powered using a standard power cord with plug end or a hard-wired connection with electrical conduit. Data cords can be routed through the integrated opening at the rear of the unit. Product is UL listed.

Notes



Clamp mounts on worksurfaces 1"-1 1/4" thick.

Faceplate color matches unit color.



Simplex receptacles have alternating orientation and greater than normal plug spacing to accommodate most plug types.

USB ports supply 10-watt power and will charge most small electronic devices. Software in each device controls that devices ability to accept a charge via USB.



Dimensions





2 simplex receptacles, 2 powered USB





4 simplex receptacles, 2 powered USB





5 simplex receptacles, 2 powered USB



3 simplex receptacles



5 simplex receptacles



6 simplex receptacles

Logic C1000 Universal Clamp Mount Distributor *continued*

Specification Information

Step 1.

Y1423. A

Step 2. Configuration

- A** 2 simplex receptacles, 2 powered USB A
- C** 4 simplex receptacles, 2 powered USB A
- D** 5 simplex receptacles, 2 powered USB A
- E** 3 simplex receptacles A
- F** 5 simplex receptacles A
- G** 6 simplex receptacles A

Step 3. Power Type

- A** power cord with plug end A
- B** conduit with open end, for hard-wiring A

Step 4. Cord/Conduit Length

- 03** 3' cord/conduit A
- 06** 6' cord/conduit A
- 10** 10' cord/conduit A


Prices for Steps 1-4.

		03	06	10
Y1423. A	A	\$449	449	459
	B	\$498	498	508
C	A	\$539	539	549
	B	\$588	588	599
D	A	\$577	577	587
	B	\$626	626	637
E	A	\$301	301	312
	B	\$351	351	361
F	A	\$392	392	402
	B	\$441	441	451
G	A	\$429	429	440
	B	\$479	479	489

Step 5. Finish

- 91** white A +\$0
- 98** studio white A +\$0
- G1** graphite A +\$0
- MS** metallic silver A +\$0

Logic G1200 Grommet Pass Thru Y1420.



Product Information




Description

This Logic Power Access Solutions™ grommet mounted metal enclosure provides access to cords kept beneath the surface. The unit has an integrated cord keeper.

Notes

Unit size is based on the grommet mounted electrical distributor (Y1425.) with simplex receptacles.

Dimensions



Specification Information

Step 1.

Y1420. [A]

Step 2. Configuration

- T** three outlet opening [A]
- V** five outlet opening [A]
- X** six outlet opening [A]

Prices for Steps 1-2.

Y1420. T	\$214
V	\$235
X	\$255


Step 3. Finish

91 white [A]	+\$0
98 studio white [A]	+\$0
G1 graphite [A]	+\$0
MS metallic silver [A]	+\$0

Renew™ Power and Data Support

Logic HD Cable Manager


Y1424.



Product Information

Description
 This Logic Power Access Solutions™ stand-alone cable management tray mounts to the underside of most surfaces. It can be used with a Logic unit for cord storage, or used alone with cords routed through the back side of the unit. Tray drops down and holds cords in place while working and can be easily stowed back in place.

Dimensions



Specification Information

Step 1.

Y1424. A

Step 2. Size

17 17" wide tray A

Prices for Steps 1-2.

Y1424. 17 \$235


Step 3. Finish

- 91** white A +\$0
- 98** studio white A +\$0
- G1** graphite A +\$0
- MS** metallic silver A +\$0

Renew™ Power and Data Support

Back to Back Rectangular Height Adjustable Bench

DU2AE.
DU2AS.
DU2AT.



Product Information

Description

This rectangular back to back bench is a 2 workstation unit that can be used in back to back height adjustable benching applications in series with other Renew™ Link back to back benches to create a run. Each workstation has a C-leg configuration, comes in multiple edge styles, and has options for laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. There are multiple height adjustment, wire management, and switch options. Glides have 1/2" of leveling adjustment. Shipped knocked down. Product is UL Listed.

Each table can be specified with a different height adjustment mechanism. Floor to top of surface height adjustment ranges are 27"-46" for the electric standard range (E) option, 22"-48" for the electric extended range (D) option, and 28 1/2" for the fixed height table (F).

Notes

To power bench applications, specify Connect™ separately. See planning guide for details.


Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 1" to minimize possible pinch point hazards between benches.

Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. Available on 30" deep tables only.

Power access cutouts are specifically sized for 5 wide and 6 wide Logic G1000 grommet mounted electrical distributors (Y1425).

Dimensions



Renew™ Link

Back to Back Rectangular Height Adjustable Bench *continued*

Renew™ Link

Specification Information

Step 1.

DU2A A

Step 2. Edge

S. squared-edge A

T. thin-edge A

E. eased-edge A

Step 3. Depth

24 24" deep (23" surface size) A

30 30" deep (29" surface size) A

Step 4. Width

48 48" wide (47" surface size) A

54 54" wide (53" surface size) A

60 60" wide (59" surface size) A

66 66" wide (65" surface size) A

72 72" wide (71" surface size) A

Step 5. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge A

W veneer top/veneer edge A

P painted Formcoat® top/edge A

For thin-edge (T.)

L laminate top/thermoplastic edge A

W veneer top/veneer edge A

P painted Formcoat® top/edge A

For eased-edge (E.)

P painted Formcoat® top/edge A

Step 6. Height Adjustable Table 1

E electric standard range A

D electric extended range A

F fixed table A

Step 7. Height Adjustable Table 2

For electric standard range (E)

E electric standard range A

D electric extended range A

F fixed table A

For electric extended range (D)

D electric extended range A

F fixed table A

For fixed table (F)

F fixed table A

Prices for Steps 1-7.

	LEE	LED	LEF	LDD	LDF	LFF
DU2AS.24 48	\$6032	6588	4899	7906	7915	3766
54	\$6160	6737	5027	8091	8127	3894
60	\$6283	6863	5150	8235	8292	4017
66	\$6417	7034	5284	8460	8549	4151
72	\$6535	7182	5402	8649	8766	4269
30 48	\$6201	6710	5068	7997	8019	3935
54	\$6299	6849	5166	8190	8240	4033
60	\$6386	6975	5253	8370	8446	4120
66	\$6489	7128	5356	8586	8694	4223
72	\$6582	7272	5449	8789	8925	4316

	WEE	WED	WEF	WDD	WDF	WFF
DU2AS.24 48	\$7239	7906	6106	9487	9725	4973
54	\$7392	8084	6259	9710	9979	5126
60	\$7540	8235	6407	9882	10177	5274
66	\$7701	8441	6568	10152	10486	5435
72	\$7842	8619	6709	10379	10745	5576
30 48	\$7441	8052	6308	9596	9849	5175
54	\$7559	8219	6426	9828	10115	5293
60	\$7664	8370	6531	10044	10362	5398
66	\$7787	8554	6654	10304	10659	5521
72	\$7899	8727	6766	10547	10937	5633

	PEE	PED	PEF	PDD	PDF	PFF
DU2AS.24 48	\$6274	6852	5141	8223	8278	4008
54	\$6407	7007	5274	8415	8498	4141
60	\$6535	7137	5402	8565	8669	4269
66	\$6675	7316	5542	8799	8937	4409
72	\$6796	7470	5663	8996	9162	4530
30 48	\$6449	6979	5316	8317	8386	4183
54	\$6551	7124	5418	8518	8615	4285
60	\$6642	7254	5509	8705	8830	4376
66	\$6749	7414	5616	8930	9087	4483
72	\$6846	7564	5713	9141	9328	4580

Back to Back Rectangular Height Adjustable Bench *continued*

	LEE	LED	LEF	LDD	LDF	LFF
DU2AT. 24 48	\$6545	7149	5412	8578	8684	4279
54	\$6684	7310	5551	8780	8915	4418
60	\$6818	7447	5685	8936	9093	4552
66	\$6963	7632	5830	9180	9372	4697
72	\$7091	7794	5958	9385	9607	4825
30 48	\$6728	7281	5595	8677	8798	4462
54	\$6835	7432	5702	8887	9038	4569
60	\$6929	7569	5796	9082	9261	4663
66	\$7042	7735	5909	9316	9529	4776
72	\$7143	7891	6010	9537	9781	4877
	WEE	WED	WEF	WDD	WDF	WFF
DU2AT. 24 48	\$7854	8579	6721	10295	10649	5588
54	\$8021	8773	6888	10536	10925	5755
60	\$8182	8937	7049	10723	11139	5916
66	\$8356	9159	7223	11016	11474	6090
72	\$8509	9352	7376	11262	11756	6243
30 48	\$8075	8737	6942	10413	10785	5809
54	\$8201	8919	7068	10665	11072	5935
60	\$8316	9082	7183	10899	11341	6050
66	\$8451	9282	7318	11180	11662	6185
72	\$8571	9469	7438	11445	11965	6305
	PEE	PED	PEF	PDD	PDF	PFF
DU2AT. 24 48	\$6808	7395	5675	8922	9078	4542
54	\$6952	7603	5819	9132	9318	4686
60	\$7091	7745	5958	9294	9503	4825
66	\$7242	7938	6109	9547	9793	4976
72	\$7375	8106	6242	9761	10038	5109
30 48	\$6998	7572	5865	9025	9195	4732
54	\$7109	7730	5976	9243	9445	4843
60	\$7207	7872	6074	9446	9677	4941
66	\$7324	8045	6191	9690	9956	5058
72	\$7429	8207	6296	9918	10218	5163
	PEE	PED	PEF	PDD	PDF	PFF
DU2AE. 24 48	\$6588	7195	5455	8634	8748	4322
54	\$6727	7358	5594	8837	8980	4461
60	\$6862	7495	5729	8993	9159	4596
66	\$7009	7682	5876	9239	9440	4743
72	\$7136	7844	6003	9446	9677	4870
30 48	\$6773	7328	5640	8734	8863	4507
54	\$6879	7480	5746	8945	9104	4613
60	\$6975	7617	5842	9141	9328	4709
66	\$7087	7785	5954	9378	9599	4821
72	\$7189	7943	6056	9598	9851	4923

Step 8. Central Cable Trough		
ECT	enhanced cable trough w/covers - data/power routing and cord management A	+\$0

Step 9. Switch Option		
<i>For fixed table (F) with fixed table (F)</i>		
SNN	no control A	+\$0

<i>For electric standard range (E) AND electric extended range (D)</i>			
	E	D	F
SUD	simple up down A	+\$0	0
SRM	digital read out with memory A	+\$160	320

Step 10. Workstation Cord Cover/Cable Management Table 1 and 2		
<i>For 24" deep (23" surface size) (24)</i>		
PSC	simple cable A	+\$0

<i>For 30" deep (29" surface size) (30)</i>		
PSC	simple cable A	+\$0
PHD	high density cable trough A	+\$299

Step 11. Power Access Cutout - Table 1 and 2		
NNN	no cutout A	+\$0

<i>For 30" deep (29" surface size) (30) with 54" wide (53" surface size) (54) with high density cable trough (PHD)</i>		
NNN	no cutout A	+\$0
LAC	left cutout 6 port Y1425 A	+\$45
RAC	right cutout 6 port Y1425 A	+\$45
LC5	left cutout 5 port Y1425 A	+\$45
RC5	right cutout 5 port Y1425 A	+\$45

<i>For 30" deep (29" surface size) (30) with 60" wide (59" surface size) (60), or 66" wide (65" surface size) (66), or 72" wide (71" surface size) (72) with high density cable trough (PHD)</i>		
NNN	no cutout A	+\$0
LAC	left cutout A	+\$45
RAC	right cutout A	+\$45
CAC	center cutout A	+\$45
LC5	left cutout 5 port Y1425 A	+\$45
RC5	right cutout 5 port Y1425 A	+\$45
CC5	center cutout 5 port Y1425 A	+\$45

Renew™ Link

Back to Back Rectangular Height Adjustable Bench *continued*

Renew™ Link

Step 12.

Top Finish

For laminate top/thermoplastic edge (L)

1X	vanilla <input type="checkbox"/>	+\$0
28	canyon <input type="checkbox"/>	+\$0
29	misted <input type="checkbox"/>	+\$0
2X	wheat <input type="checkbox"/>	+\$0
38	twilight <input type="checkbox"/>	+\$0
39	desert <input type="checkbox"/>	+\$0
3X	celery <input type="checkbox"/>	+\$0
4X	coriander <input type="checkbox"/>	+\$0
5X	chamomile <input type="checkbox"/>	+\$0
6X	cinnamon <input type="checkbox"/>	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
7X	cardamom <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
8X	kale <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
J4	frosted light grey <input type="checkbox"/>	+\$0
J5	frosted inner tone light <input type="checkbox"/>	+\$0
J7	frosted medium tone <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBU	medium matte walnut <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0

LG	light grey (discontinuing) <input type="checkbox"/>	+\$0
LM	mahogany <input type="checkbox"/>	+\$0
LT	light tone <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
MT	medium tone <input type="checkbox"/>	+\$0
OG	honey maple <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
X1	chalk white <input type="checkbox"/>	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut <input type="checkbox"/>	+\$170
40	dark brown walnut <input type="checkbox"/>	+\$170
ED	aged cherry <input type="checkbox"/>	+\$170
EK	medium red walnut <input type="checkbox"/>	+\$170
ET	clear on ash <input type="checkbox"/>	+\$170
EU	oak on ash <input type="checkbox"/>	+\$170
EV	walnut on ash <input type="checkbox"/>	+\$170
UL	natural maple <input type="checkbox"/>	+\$170
UX	walnut on cherry <input type="checkbox"/>	+\$170

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 13. Edge Finish

For laminate top/thermoplastic edge (L)

28	canyon <input type="checkbox"/>	+\$0
29	misted <input type="checkbox"/>	+\$0
38	twilight <input type="checkbox"/>	+\$0
39	desert <input type="checkbox"/>	+\$0
76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
8Z	neutral grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
9V	tapestry beige <input type="checkbox"/>	+\$0
BU	black umber <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
CM	cinnamon <input type="checkbox"/>	+\$0
CO	chamomile <input type="checkbox"/>	+\$0

Back to Back Rectangular Height Adjustable Bench *continued*


G2	graphite satin <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
JB	millwork cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBU	medium matte walnut <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LG	light grey (discontinuing) <input type="checkbox"/>	+\$0
LM	mahogany <input type="checkbox"/>	+\$0
LT	light tone <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
MT	medium tone <input type="checkbox"/>	+\$0
N3	cool grey <input type="checkbox"/>	+\$0
OG	honey maple <input type="checkbox"/>	+\$0
SG	slate grey <input type="checkbox"/>	+\$0
WA	wheat <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
X1	chalk white <input type="checkbox"/>	+\$0

Step 14. Base Finish

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
G2	graphite satin <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
CN	metallic champagne <input type="checkbox"/>	+\$0
MS	metallic silver <input type="checkbox"/>	+\$50

Back to Back Trapezoid Height Adjustable Bench

DU2TE.
DU2TS.
DU2TT.



Product Information

Description

This bench is a 2 workstation unit that can be used in back to back height adjustable benching applications in series with other Renew™ Link back to back benches to create a run. The trapezoid shape creates individual and group work environments within a traditional benching application. Each workstation has a C-leg configuration, comes in multiple edge styles, and has options for laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. There are multiple height adjustment, wire management, and switch options. Glides have 1/2" of leveling adjustment. Shipped knocked down. Product is UL Listed.

Each table can be specified with a different height adjustment mechanism. Floor to top of surface height adjustment ranges are 27"-46" for the electric standard range (E) option, 22"-48" for the electric extended range (D) option, and 28 1/2" for the fixed height table (F).

Notes

To power bench applications, specify Connect™ separately. See planning guide for details.


Simple cable cover (PSC) is facility installed only.

High density cable trough (PHD) can be accessed by users for daily cord management. Available on 30" deep tables only.


Power access cutouts are specifically sized for 5 wide and 6 wide Logic G1000 grommet mounted electrical distributors (Y1425).

Renew™ Link


Dimensions



Left Hand/Left Hand



Left Hand/Right Hand



Right Hand/Right Hand

Back to Back Trapezoid Height Adjustable Bench *continued*

Specification Information

Step 1.

DU2T [A](#)

Step 2. Edge

S. squared-edge [A](#)

T. thin-edge [A](#)

E. eased-edge [A](#)

Step 3. Width

48 48" wide (47" surface size) [A](#)

54 54" wide (53" surface size) [A](#)

60 60" wide (59" surface size) [A](#)

66 66" wide (65" surface size) [A](#)

72 72" wide (71" surface size) [A](#)

Step 4. Surface Material

For squared-edge (S.)

L laminate top/thermoplastic edge [A](#)

W veneer top/veneer edge [A](#)

P painted Formcoat® top/edge [A](#)

For thin-edge (T.)

L laminate top/thermoplastic edge [A](#)

W veneer top/veneer edge [A](#)

P painted Formcoat® top/edge [A](#)

For eased-edge (E.)

P painted Formcoat® top/edge [A](#)

Step 5. Height Adjustable Table 1

E electric standard range [A](#)

D electric extended range [A](#)

F fixed table [A](#)

Step 6. Height Adjustable Table 2

For electric standard range (E)

E electric standard range [A](#)

D electric extended range [A](#)

F fixed table [A](#)

For electric extended range (D)

D electric extended range [A](#)

F fixed table [A](#)

For fixed table (F)

F fixed table [A](#)

Step 7. Trapezoid Configuration

A left hand/left hand [A](#)

B left hand/right hand [A](#)

C right hand/right hand [A](#)

Prices for Steps 1-7.

	EEA	EEB	EEC	EDA	EDB	EDC
DU2TS. 48 L	\$6511	6511	6511	7046	7046	7046
W	\$7814	7814	7814	8455	8455	8455
P	\$6773	6773	6773	7328	7328	7328
54 L	\$6614	6614	6614	7192	7192	7192
W	\$7937	7937	7937	8631	8631	8631
P	\$6879	6879	6879	7480	7480	7480
60 L	\$6706	6706	6706	7325	7325	7325
W	\$8047	8047	8047	8789	8789	8789
P	\$6975	6975	6975	7617	7617	7617
66 L	\$6814	6814	6814	7485	7485	7485
W	\$8177	8177	8177	8982	8982	8982
P	\$7087	7087	7087	7785	7785	7785
72 L	\$6912	6912	6912	7636	7636	7636
W	\$8294	8294	8294	9163	9163	9163
P	\$7189	7189	7189	7943	7943	7943

	EFA	EFB	EFC	DDA	ddb	DDC
DU2TS. 48 L	\$5321	5321	5321	8397	8397	8397
W	\$6624	6624	6624	10077	10077	10077
P	\$5583	5583	5583	8734	8734	8734
54 L	\$5424	5424	5424	8600	8600	8600
W	\$6747	6747	6747	10320	10320	10320
P	\$5689	5689	5689	8945	8945	8945
60 L	\$5516	5516	5516	8789	8789	8789
W	\$6857	6857	6857	10547	10547	10547
P	\$5785	5785	5785	9141	9141	9141
66 L	\$5624	5624	5624	9016	9016	9016
W	\$6987	6987	6987	10819	10819	10819
P	\$5897	5897	5897	9378	9378	9378
72 L	\$5722	5722	5722	9229	9229	9229
W	\$7104	7104	7104	11074	11074	11074
P	\$5999	5999	5999	9598	9598	9598

	DFA	DFB	DFC	FFA	FFB	FFC
DU2TS. 48 L	\$8421	8421	8421	4132	4132	4132
W	\$10343	10343	10343	5435	5435	5435
P	\$8806	8806	8806	4393	4393	4393

Renew™ Link

Back to Back Trapezoid Height Adjustable Bench *continued*

Renew™ Link

54 L	\$8652	8652	8652	4235	4235	4235
W	\$10621	10621	10621	5557	5557	5557
P	\$9047	9047	9047	4500	4500	4500
60 L	\$8869	8869	8869	4326	4326	4326
W	\$10880	10880	10880	5668	5668	5668
P	\$9272	9272	9272	4595	4595	4595
66 L	\$9128	9128	9128	4435	4435	4435
W	\$11192	11192	11192	5797	5797	5797
P	\$9542	9542	9542	4708	4708	4708
72 L	\$9372	9372	9372	4532	4532	4532
W	\$11484	11484	11484	5915	5915	5915
P	\$9795	9795	9795	4810	4810	4810
	EEA	EEB	EEC	EDA	EDB	EDC
DU2TT. 48 L	\$7065	7065	7065	7645	7645	7645
W	\$8478	8478	8478	9174	9174	9174
P	\$7349	7349	7349	7951	7951	7951
54 L	\$7177	7177	7177	7803	7803	7803
W	\$8612	8612	8612	9365	9365	9365
P	\$7465	7465	7465	8117	8117	8117
60 L	\$7276	7276	7276	7947	7947	7947
W	\$8732	8732	8732	9537	9537	9537
P	\$7568	7568	7568	8266	8266	8266
66 L	\$7394	7394	7394	8122	8122	8122
W	\$8874	8874	8874	9747	9747	9747
P	\$7690	7690	7690	8447	8447	8447
72 L	\$7500	7500	7500	8286	8286	8286
W	\$9001	9001	9001	9944	9944	9944
P	\$7801	7801	7801	8617	8617	8617
	EFA	EFB	EFC	DDA	DDB	DDC
DU2TT. 48 L	\$5876	5876	5876	9112	9112	9112
W	\$7289	7289	7289	10935	10935	10935
P	\$6159	6159	6159	9477	9477	9477
54 L	\$5987	5987	5987	9332	9332	9332
W	\$7423	7423	7423	11198	11198	11198
P	\$6275	6275	6275	9705	9705	9705
60 L	\$6087	6087	6087	9537	9537	9537
W	\$7542	7542	7542	11445	11445	11445
P	\$6378	6378	6378	9918	9918	9918
66 L	\$6204	6204	6204	9783	9783	9783
W	\$7684	7684	7684	11740	11740	11740
P	\$6501	6501	6501	10175	10175	10175
72 L	\$6310	6310	6310	10014	10014	10014
W	\$7811	7811	7811	12017	12017	12017
P	\$6611	6611	6611	10414	10414	10414

	DFA	DFB	DFC	FFA	FFB	FFC
DU2TT. 48 L	\$9239	9239	9239	4686	4686	4686
W	\$11324	11324	11324	6099	6099	6099
P	\$9656	9656	9656	4969	4969	4969
54 L	\$9490	9490	9490	4797	4797	4797
W	\$11626	11626	11626	6233	6233	6233
P	\$9917	9917	9917	5086	5086	5086
60 L	\$9725	9725	9725	4897	4897	4897
W	\$11908	11908	11908	6353	6353	6353
P	\$10161	10161	10161	5189	5189	5189
66 L	\$10006	10006	10006	5015	5015	5015
W	\$12246	12246	12246	6495	6495	6495
P	\$10455	10455	10455	5311	5311	5311
72 L	\$10271	10271	10271	5121	5121	5121
W	\$12563	12563	12563	6621	6621	6621
P	\$10729	10729	10729	5421	5421	5421

	EEA	EEB	EEC	EDA	EDB	EDC
DU2TE. 48 P	\$7112	7112	7112	7695	7695	7695
54 P	\$7223	7223	7223	7855	7855	7856
60 P	\$7324	7324	7324	7999	7999	7999
66 P	\$7441	7441	7441	8174	8174	8174
72 P	\$7548	7548	7548	8341	8341	8341

	EFA	EFB	EFC	DDA	DDB	DDC
DU2TE. 48 P	\$5922	5922	5922	9171	9171	9171
54 P	\$6033	6033	6033	9392	9392	9392
60 P	\$6134	6134	6134	9598	9598	9598
66 P	\$6252	6252	6252	9846	9846	9846
72 P	\$6359	6359	6359	10079	10079	10079

	DFA	DFB	DFC	FFA	FFB	FFC
DU2TE. 48 P	\$9307	9307	9307	4732	4732	4732
54 P	\$9559	9559	9559	4844	4844	4844
60 P	\$9795	9795	9795	4944	4944	4944
66 P	\$10079	10079	10079	5062	5062	5062
72 P	\$10345	10345	10345	5169	5169	5169

Step 8. Central Cable Trough

ECT	enhanced cable trough w/ covers - data/power routing and cord management A	+\$0
------------	--	------

Step 9. Switch Option

For fixed table (F) with fixed table (F)

SNN	no control A	+\$0
------------	------------------------------	------

Back to Back Trapezoid Height Adjustable Bench *continued*

For electric standard range (E) AND electric extended range (D)

		E	D	F
SUD	simple up down A	+\$0	0	0
SRM	digital read out with memory A	+\$160	320	320

Step 10. Workstation Cord Cover/Cable Management Table 1 and 2

PSC	simple cable A			+\$0
PHD	high density cable trough A			+\$299

Step 11. Power Access Cutout - Table 1 and 2

For 48" wide (47" surface size) (48), 54" wide (53" surface size) (54), 60" wide (59" surface size) (60), 66" wide (65" surface size) (66), or 72" wide (71" surface size) (72) with simple cable (PSC), or high density cable trough (PHD)

NNN	no cutout A			+\$0
------------	-----------------------------	--	--	------

For 54" wide (53" surface size) (54), 60" wide (59" surface size) (60), 66" wide (65" surface size) (66), or 72" wide (71" surface size) (72) with high density cable trough (PHD)

NNN	no cutout A			+\$0
OAC	offset center cutout for 6 port Y1425 A			+\$45
OC5	offset center cutout for 5 port Y1425 A			+\$45

Step 12.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut A	+\$0
8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
CL	cool grey neutral A	+\$0
HF	inner tone light A	+\$0
HM	natural maple A	+\$0
HP	light anigre A	+\$0
HT	inner tone A	+\$0
HX	aged cherry A	+\$0
HY	walnut on cherry A	+\$0
LA	light ash A	+\$0
LBA	clear on ash A	+\$0
LBU	medium matte walnut A	+\$0
LBB	oak on ash A	+\$0
LBC	walnut on ash A	+\$0
LBD	dark brown walnut A	+\$0
LBE	medium red walnut A	+\$0
LBF	neutral twill A	+\$0
LBG	sarum twill A	+\$0
LBH	earthen twill A	+\$0
LBJ	graphite twill A	+\$0
LBK	pewter mesh A	+\$0
LBL	steel mesh A	+\$0
LBM	crisp linen A	+\$0
LBN	classic linen A	+\$0
LBP	casual linen A	+\$0
LBQ	white twill A	+\$0
LU	soft white A	+\$0
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Top/Edge Finish

For veneer top/veneered edge (W)

2U	light brown walnut A	+\$170
40	dark brown walnut A	+\$170
ED	aged cherry A	+\$170
EK	medium red walnut A	+\$170
ET	clear on ash A	+\$170
EU	oak on ash A	+\$170
EV	walnut on ash A	+\$170
UL	natural maple A	+\$170
UX	walnut on cherry A	+\$170

Renew™ Link

Back to Back Trapezoid Height Adjustable Bench *continued*

Renew™ Link

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 13. Edge Finish

For laminate top/thermoplastic edge (L)


76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBU	medium matte walnut <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 14. Base Finish

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
G2	graphite satin <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
CN	metallic champagne <input type="checkbox"/>	+\$0
MS	metallic silver <input type="checkbox"/>	+\$50

Single Sided Rectangular Height Adjustable Bench

DU1AE.
DU1AS.
DU1AT.



Product Information


Description

This rectangular single sided bench is a 1 workstation unit that can be used in single sided height adjustable benching applications in series with other Renew™ Link single sided benches to create a run. Each workstation has a C-leg configuration, comes in multiple edge styles, and has options for laminate top with thermoplastic edge, laminate top with a thermoplastic backed plywood edge, veneer top and edge, or painted Formcoat® top and edge. There are multiple height adjustment, wire management, and switch options. Glides have 1/2" of leveling adjustment. Shipped knocked down. Product is UL Listed. Each table can be specified with a different height adjustment mechanism. Floor to top of surface height adjustment ranges are 27"-46" for the electric standard range (E) option, 22"-48" for the electric extended range (D) option, and 28 1/2" for the fixed height table (F).

Notes

To power bench applications, specify Connect™ separately. See planning guide for details.
 Sizes listed for table depth and width are nominal. Depth of surface is reduced 1" for cord management. Width of surface is reduced 1" to minimize possible pinch point hazards between benches.
 Simple cable cover (PSC) is facility installed only.
 High density cable trough (PHD) can be accessed by users for daily cord management. Available on 30" deep tables only.
 Power access cutouts are specifically sized for 5 wide and 6 wide Logic G1000 grommet mounted electrical distributors (Y1425.).

Dimensions



Specification Information

Step 1.

DU1A

Step 2. Edge

- S.** squared-edge
- T.** thin-edge
- E.** eased-edge

Step 3. Depth

- 24** 24" deep (23" surface size)
- 30** 30" deep (29" surface size)

Step 4. Width

- 48** 48" wide (47" surface size)
- 54** 54" wide (53" surface size)
- 60** 60" wide (59" surface size)
- 66** 66" wide (65" surface size)
- 72** 72" wide (71" surface size)

Step 5. Surface Material

For squared-edge (S.)

- L** laminate top/thermoplastic edge
- W** veneer top/veneer edge
- P** painted Formcoat® top/edge

For thin-edge (T.)

- L** laminate top/thermoplastic edge
- W** veneer top/veneer edge
- P** painted Formcoat® top/edge

For eased-edge (E.)

- P** painted Formcoat® top/edge

Step 6. Height Adjustment

- E** electric standard range
- D** electric extended range
- F** fixed table

Prices for Steps 1-6.

	LE	LD	LF	WE	WD	WF
DU1AS.24 48	\$3438	3606	2305	4126	4326	2993
54	\$3492	3662	2359	4191	4394	3058
60	\$3544	3716	2411	4252	4459	3119
66	\$3601	3828	2468	4322	4532	3189
72	\$3652	3866	2519	4382	4595	3249

Renew™ Link

Single Sided Rectangular Height
Adjustable Bench *continued*

Renew™ Link

30 48	\$3497	3667	2364	4197	4401	3064			
54	\$3559	3732	2426	4271	4479	3138			
60	\$3605	3780	2472	4326	4536	3193			
66	\$3662	3840	2529	4394	4608	3261			
72	\$3714	3894	2581	4456	4673	3323			
							PE	PD	PF
DU1AS.24 48				\$3576	3749	2443			
54				\$3632	3808	2499			
60				\$3686	3865	2553			
66				\$3746	3928	2613			
72				\$3798	3983	2665			
30 48				\$3637	3814	2504			
54				\$3702	3881	2569			
60				\$3750	3932	2617			
66				\$3809	3994	2676			
72				\$3863	4050	2730			
							LE	LD	LF
DU1AT.24 48	\$3730	3911	2597	4477	4693	3344			
54	\$3790	3973	2657	4548	4768	3415			
60	\$3845	4032	2712	4615	4838	3482			
66	\$3908	4097	2775	4690	4917	3557			
72	\$3963	4155	2830	4756	4986	3623			
30 48	\$3795	3979	2662	4554	4776	3421			
54	\$3862	4050	2729	4634	4860	3501			
60	\$3912	4102	2779	4695	4923	3562			
66	\$3974	4167	2841	4769	5000	3636			
72	\$4030	4225	2897	4836	5070	3703			
							PE	PD	PF
DU1AT.24 48				\$3879	4068	2746			
54				\$3942	4132	2809			
60				\$4000	4194	2867			
66				\$4065	4262	2932			
72				\$4122	4321	2989			
30 48				\$3947	4139	2814			
54				\$4016	4212	2883			
60				\$4069	4266	2936			
66				\$4134	4334	3001			
72				\$4192	4394	3059			

	PE	PD	PF
DU1AE.24 48	\$3755	3937	2622
54	\$3815	3999	2682
60	\$3870	4059	2737
66	\$3933	4125	2800
72	\$3989	4183	2856
30 48	\$3820	4005	2687
54	\$3888	4076	2755
60	\$3937	4129	2804
66	\$4000	4194	2867
72	\$4057	4253	2924

Step 7. Central Cable Trough

ECT	enhanced cable trough w/ covers - data/power routing and cord management A	+\$0
------------	---	------

Step 8. Switch Option

For electric standard range (E) or electric extended range (D)

SUD	simple up down A	+\$0
SRM	digital read out with memory A	+\$160

For fixed table (F)

SNN	no control A	+\$0
------------	---------------------	------

Step 9. Workstation Cord Cover/Cable Management

For 24" deep (23" surface size) (24)

PSC	simple cable A	+\$0
------------	-----------------------	------

For 30" deep (29" surface size) (30)

PSC	simple cable A	+\$0
PHD	high density cable trough A	+\$299

Step 10. Power Access Cutout - Table 1 and 2

NNN	no cutout A	+\$0
------------	--------------------	------

For 30" deep (29" surface size) (30) with 54" wide (53" surface size)

(54) with high density cable trough (PHD)

NNN	no cutout A	+\$0
LAC	left cutout 6 port Y1425 A	+\$45
RAC	right cutout 6 port Y1425 A	+\$45
LC5	left cutout 5 port Y1425 A	+\$45
RC5	right cutout 5 port Y1425 A	+\$45

Single Sided Rectangular Height Adjustable Bench *continued*

For 30" deep (29" surface size) (30) with 60" wide (59" surface size) (60), or 66" wide (65" surface size) (66), or 72" wide (71" surface size) (72) with high density cable trough (PHD)

NNN	no cutout <input type="checkbox"/>	+\$0
LAC	left cutout <input type="checkbox"/>	+\$45
RAC	right cutout <input type="checkbox"/>	+\$45
CAC	center cutout <input type="checkbox"/>	+\$45
LC5	left cutout 5 port Y1425 <input type="checkbox"/>	+\$45
RC5	right cutout 5 port Y1425 <input type="checkbox"/>	+\$45
CC5	center cutout 5 port Y1425 <input type="checkbox"/>	+\$45

Step 11.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBU	medium matte walnut <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut <input type="checkbox"/>	+\$85
40	dark brown walnut <input type="checkbox"/>	+\$85
ED	aged cherry <input type="checkbox"/>	+\$85
EK	medium red walnut <input type="checkbox"/>	+\$85
ET	clear on ash <input type="checkbox"/>	+\$85
EU	oak on ash <input type="checkbox"/>	+\$85
EV	walnut on ash <input type="checkbox"/>	+\$85
UL	natural maple <input type="checkbox"/>	+\$85
UX	walnut on cherry <input type="checkbox"/>	+\$85

Top/Edge Finish

For painted Formcoat® top/edge (P)

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Renew™ Link

Single Sided Rectangular Height Adjustable Bench *continued*

Renew™ Link

Step 12. Edge Finish

For laminate top/thermoplastic edge (L)


76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBU	medium matte walnut <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Step 13. Base Finish

8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
G2	graphite satin <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
CN	metallic champagne <input type="checkbox"/>	+\$0
MS	metallic silver <input type="checkbox"/>	+\$20

Bench Cover Plate - End Caps

DU4B.
DU4S.



Product Information

Description


These cover plates create a clean and finished aesthetic at the end of runs. Finishes are available to match the base finishes of Renew™ Link benches. Package contains 2 end caps. Product is UL Listed.

Notes


For single sided bench runs, specify single sided (DU4S.EC). For back to back bench runs, specify back to back (DU4B.EC).

Only 1 set of end caps needed per run. End caps are placed on each end of the run.

Dimensions



Single Sided



Back to Back

Specification Information

Step 1.

DU4

Step 2. Single Sided or Back to Back

S. single sided

B. back to back

Step 3. Connecting Plate or End Cap

EC end cap - 2 per box

Prices for Steps 1-3.

DU4S. EC \$88

DU4B. EC \$98


Step 4. Finish

8Q	folkstone grey	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white	+\$0
G2	graphite satin <input type="checkbox"/>	+\$0
WL	sandstone	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
CN	metallic champagne <input type="checkbox"/>	+\$0
MS	metallic silver <input type="checkbox"/>	+\$20

Renew™ Link

Bench Cover Plate - Connecting Plate

DU4B.
DU4S.



Product Information

Description




These cover plates create a clean and finished aesthetic where bench sections come together. Finishes are available to match the base finishes of Renew™ Link benches. Connecting plates come 1 per package. Product is UL Listed.

Notes




For single sided bench runs, specify single sided (DU4S.CP). For back to back bench runs, specify back to back (DU4B.CP).

Connecting plates are required to connect 1 bench section to another section. The number of connecting plates needed in a run is 1 less than the number of bench sections in the run.

Dimensions



Single Sided



Back to Back

Specification Information

Step 1.

DU4

Step 2. Single Sided or Back to Back

S. single sided

B. back to back

Step 3. Connecting Plate or End Cap

CP connecting plate (between tables) 1x box

Prices for Steps 1-3.

DU4S. CP \$124


DU4B. CP \$134

Step 4. Finish

8Q	folkstone grey	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white	+\$0
CN	metallic champagne <input type="checkbox"/>	+\$20
G2	graphite satin <input type="checkbox"/>	+\$0
WL	sandstone	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
MS	metallic silver <input type="checkbox"/>	+\$20

Renew™ Link Back-to-Back Leg Shroud

DU4C.



Product Information

Description




This metal shroud covers and wraps around the legs of Renew™ Link back-to-back units to create a unified and integrated leg aesthetic.

Notes

To add shrouds to each end of a run, a quantity of 2 end-of-run shrouds must be ordered.

To add shrouds mid run, a quantity of 1 mid-run shrouds must be ordered for each connection point.

Dimensions




Renew™ Link Back-to-Back Leg Shroud *continued*

Renew™ Link

Specification Information	
Step 1.	
DU4C.	A
Step 2. Location	
EG	end of run for gallery panel A
ER	end of run A
MR	mid run A
Step 3. Material	
P	painted steel A
Prices for Steps 1-3.	
	P
DU4C. EG	\$155
ER	\$190
MR	\$310
Step 4. Height Range of Tables	
<i>For mid run (MR)</i>	
D	extended A +\$0
E	standard and fixed A +\$0
<i>For end of run for gallery panel (EG) or end of run (ER)</i>	
N	extended/standard/fixed A +\$0
Step 5. Finish	
8Q	folkstone grey +\$0
91	white A +\$0
98	studio white +\$0
G2	graphite satin A +\$0
WL	sandstone +\$0
WN	warm grey neutral A +\$0
CN	metallic champagne A +\$20
MS	metallic silver A +\$20

Screen, Trough Mounted

DU8F.
DU8G.
DU8L.



Product Information

Description

This screen provides privacy between workstations and can create privacy and boundary from adjacent work areas. Installed height of all screen tops is 46". Screens are acrylic, tackable fabric, laminate, or glass. Attachment hardware included.

Notes

Finishes available for acrylic screen hardware to match base finish of Renew™ Link benches.

Back to back screen (BB) to be used with back to back bench applications.

Gallery screens (BG, SG) to be used on the end of back to back or single sided bench applications, respectively, and in conjunction with end of run gallery panels (DUgR.).

For use with boundary gallery panel (DUgB.) in single sided applications, specify single sided boundary gallery screen (SG).

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Application-Width—Yardage

SG24—1.45

SG30—1.45

SB48—1.45

BG48—1.45

BB48—2.14

For horizontal fabric direction (R):

Application-Width—Yardage

SG24—0.97

SG30—1.14

SB48—1.71

SB54—1.90

SB60—2.07

SB66—2.27

SB72—2.46

BG48—1.71

BG60—2.07

BB48—3.15

BB54—3.52





BB60—3.91

BB66—4.28

BB72—4.67

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Renew™ Link

Screen, Trough Mounted *continued*

Renew™ Link

Specification Information

Step 1.

DU8

Step 2. Edge

F. Pari fabric screen

G. glass

L. laminate

Step 3. Application

For Pari fabric screen (F.)

SG single side gallery

SB single side boundary

BG back to back gallery

BB back to back

For glass (G.) or laminate (L.)

BB back to back

Step 4. Width

For single side gallery (SG)

24 24" wide

30 30" wide

For single side boundary (SB)

48 48" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

For back to back gallery (BG)

48 48" wide

60 60" wide

For back to back (BB)

48 48" wide

54 54" wide

60 60" wide

66 66" wide

72 72" wide

Step 5. Surface Material

For Pari fabric screen (F.) with 24" wide (24), 48" wide (48), or 30" wide (30)

T tackable fabric

R tackable fabric, horizontal

For Pari fabric screen (F.) with 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)

R tackable fabric, horizontal

For glass (G.)

5A opal glazed - 1/4" thick

C3 clear glass - 3/8" thick

G3 opal glass - 3/8" thick

N3 no glass- for customer's own glass 3/8"

NN no glass- for customer's own glass 1/4"

TR clear glass - 1/4" thick

For laminate (L.)

L laminate

U laminate/universal edge

Prices for Steps 1-5.

		L	U	5A	T	C3	R
DU8F.	SG 24	—	—	—	\$515	—	515
	30	—	—	—	\$721	—	721
	SB 48	—	—	—	\$773	—	773
	54	—	—	—	—	—	\$824
	60	—	—	—	—	—	\$876
	66	—	—	—	—	—	\$927
	72	—	—	—	—	—	\$1030
	BG 48	—	—	—	\$773	—	773
	60	—	—	—	—	—	\$824
	BB 48	—	—	—	\$1236	—	1236
	54	—	—	—	—	—	\$1314
	60	—	—	—	—	—	\$1391
	66	—	—	—	—	—	\$1468
	72	—	—	—	—	—	\$1545
		L	U	5A	T	C3	R
DU8G.	BB 48	—	—	\$850	—	1150	—
	54	—	—	\$975	—	1325	—
	60	—	—	\$1100	—	1525	—
	66	—	—	\$1225	—	1725	—
	72	—	—	\$1350	—	1900	—

Screen, Trough Mounted *continued*

	G3	N3	NN	TR
DU8G. BB 48	\$1500	250	250	700
54	\$1600	263	263	825
60	\$1675	275	275	950
66	\$1875	293	293	1075
72	\$2050	310	310	1200

	L	U	5A	T	C3	R
DU8L. BB 48	\$555	555	—	—	—	—
54	\$580	580	—	—	—	—
60	\$605	605	—	—	—	—
66	\$660	660	—	—	—	—
72	\$715	715	—	—	—	—

Step 6. Hardware Color

For *Pari fabric screen (F.) or laminate (L.)*

NNN none <input type="checkbox"/>	+\$0
--	------

For *glass (G.)*

AN anodized <input type="checkbox"/>	+\$0
---	------

Step 7. Fabric

For *Pari fabric screen (F.)*

	24	48	30	54	60
Price Category 1	+\$0	0	0	0	0
Price Category 2	+\$14	18	23	26	28
Price Category 3	+\$34	44	55	62	67
Price Category 4	+\$60	76	95	108	117
Price Category 5	+\$100	128	160	181	196

	66	72
Price Category 1	+\$0	0
Price Category 2	+\$32	43
Price Category 3	+\$75	102
Price Category 4	+\$131	177
Price Category 5	+\$219	297

Step 8. Grain Direction

For *laminate (L.) with 48" wide (48), or 54" wide (54), or 60" wide (60)*

VTG vertical grain <input type="checkbox"/>	+\$0
HRG horizontal grain <input type="checkbox"/>	+\$0

For *laminate (L.) with 66" wide (66), or 72" wide (72)*

HRG horizontal grain <input type="checkbox"/>	+\$0
--	------

Step 9. Surface Finish

For *laminate (L) or laminate/universal edge (U)*

76 light brown walnut <input type="checkbox"/>	+\$0
8Q folkstone grey <input type="checkbox"/>	+\$0
91 white <input type="checkbox"/>	+\$0
98 studio white <input type="checkbox"/>	+\$0
CL cool grey neutral <input type="checkbox"/>	+\$0
HM natural maple <input type="checkbox"/>	+\$0
HP light anigre <input type="checkbox"/>	+\$0
HX aged cherry <input type="checkbox"/>	+\$0
HY walnut on cherry <input type="checkbox"/>	+\$0
LA light ash <input type="checkbox"/>	+\$0
LBA clear on ash <input type="checkbox"/>	+\$0
LBB oak on ash <input type="checkbox"/>	+\$0
LBC walnut on ash <input type="checkbox"/>	+\$0
LBD dark brown walnut <input type="checkbox"/>	+\$0
LBE medium red walnut <input type="checkbox"/>	+\$0
LBF neutral twill <input type="checkbox"/>	+\$0
LBG sarum twill <input type="checkbox"/>	+\$0
LBH earthen twill <input type="checkbox"/>	+\$0
LBJ graphite twill <input type="checkbox"/>	+\$0
LBK pewter mesh <input type="checkbox"/>	+\$0
LBL steel mesh <input type="checkbox"/>	+\$0
LBM crisp linen <input type="checkbox"/>	+\$0
LBN classic linen <input type="checkbox"/>	+\$0
LBP casual linen <input type="checkbox"/>	+\$0
LBQ white twill <input type="checkbox"/>	+\$0
LBU medium matte walnut <input type="checkbox"/>	+\$0
LU soft white <input type="checkbox"/>	+\$0
WL sandstone <input type="checkbox"/>	+\$0
WN warm grey neutral <input type="checkbox"/>	+\$0

Renew™ Link

Screen, Trough Mounted *continued*

Step 10. Edge Finish

For laminate (L)

76	light brown walnut <input type="checkbox"/> A	+\$0
8Q	folkstone grey <input type="checkbox"/> A	+\$0
91	white <input type="checkbox"/> A	+\$0
98	studio white <input type="checkbox"/> A	+\$0
BU	black umber <input type="checkbox"/> A	+\$0
CL	cool grey neutral <input type="checkbox"/> A	+\$0
HF	inner tone light <input type="checkbox"/> A	+\$0
HM	natural maple <input type="checkbox"/> A	+\$0
HP	light anigre <input type="checkbox"/> A	+\$0
HX	aged cherry <input type="checkbox"/> A	+\$0
HY	walnut on cherry <input type="checkbox"/> A	+\$0
LA	light ash <input type="checkbox"/> A	+\$0
LBA	clear on ash <input type="checkbox"/> A	+\$0
LBU	medium matte walnut <input type="checkbox"/> A	+\$0
LBB	oak on ash <input type="checkbox"/> A	+\$0
LBC	walnut on ash <input type="checkbox"/> A	+\$0
LBD	dark brown walnut <input type="checkbox"/> A	+\$0
LBE	medium red walnut <input type="checkbox"/> A	+\$0
LBF	neutral twill <input type="checkbox"/> A	+\$0
LBG	sarum twill <input type="checkbox"/> A	+\$0
LBH	earthen twill <input type="checkbox"/> A	+\$0
LBJ	graphite twill <input type="checkbox"/> A	+\$0
LBK	pewter mesh <input type="checkbox"/> A	+\$0
LBL	steel mesh <input type="checkbox"/> A	+\$0
LBM	crisp linen <input type="checkbox"/> A	+\$0
LBN	classic linen <input type="checkbox"/> A	+\$0
LBP	casual linen <input type="checkbox"/> A	+\$0
LBQ	white twill <input type="checkbox"/> A	+\$0
LU	soft white <input type="checkbox"/> A	+\$0
MT	medium tone <input type="checkbox"/> A	+\$0
WL	sandstone <input type="checkbox"/> A	+\$0
WN	warm grey neutral <input type="checkbox"/> A	+\$0


For laminate/universal edge (U)

PLY	plywood edge <input type="checkbox"/> A	+\$50
------------	--	-------

Renew™ Link

Gallery Panel

DU9B.
DU9R.



Product Information



Description

This gallery panel creates a finished and polished look to end of run or single sided applications. It also creates boundary for a single sided bench and an adjacent work space or aisle. The panel is laminate with thermoplastic edge, or veneer with veneer edge. Edges are square. Glides have 1/2" of leveling adjustment.

Notes

For end of run application, specify end of run panel (DU9R).
For single sided application on back side of work surface, specify single sided boundary panel (DU9B.).
When specifying 46"-high gallery panel, order the 17"-high fabric screen (DU8E. or DU8F.) separately.

Dimensions



Specification Information

Step 1.

DU9 A

Step 2. Edge

- R.** end of run gallery panel A
- B.** single sided boundary gallery panel (along back edge) A

Step 3. Width

For end of run gallery panel (R.)

- 24** 24" wide - front edge to back edge for single sided bench A
- 30** 30" wide - front edge to back edge for single sided bench A
- 48** 48" wide - front edge to front edge for 24" deep back to back A
- 60** 60" wide - front edge to front edge for 30" deep back to back A

For single sided boundary gallery panel (along back edge) (B.)

- 48** 48" wide A
- 54** 54" wide A
- 60** 60" wide A
- 66** 66" wide A
- 72** 72" wide A

Step 4. Height

- 29** 29" tall A
- 46** 29" tall with inserts to be used with 17" tall fabric screens (Pari or Flat Edge) A

Step 5. Surface Material

- L** laminate top/thermoplastic edge A
- W** veneer top/veneer edge A

Prices for Steps 1-5.

		L	W
DU9R.	24 29	\$189	433
	46	\$240	485
	30 29	\$250	546
	46	\$301	598
	48 29	\$397	850
	46	\$449	902
	60 29	\$512	1082
	46	\$567	1133

Renew™ Link

Gallery Panel *continued*

Renew™ Link

	L	W
DU9B. 54 29	\$466	979
46	\$518	1030
48 29	\$397	835
46	\$449	886
60 29	\$512	1077
46	\$564	1128
66 29	\$590	1236
46	\$641	1288
72 29	\$655	1376
46	\$706	1427

Step 6.

Top Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBU	medium matte walnut <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

Top/Edge Finish

For veneer top/veneer edge (W)

2U	light brown walnut <input type="checkbox"/>	+\$85
40	dark brown walnut <input type="checkbox"/>	+\$85
ED	aged cherry <input type="checkbox"/>	+\$85
EK	medium red walnut <input type="checkbox"/>	+\$85
ET	clear on ash <input type="checkbox"/>	+\$85
EU	oak on ash <input type="checkbox"/>	+\$85
EV	walnut on ash <input type="checkbox"/>	+\$85
UL	natural maple <input type="checkbox"/>	+\$85
UX	walnut on cherry <input type="checkbox"/>	+\$85

Step 7. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut <input type="checkbox"/>	+\$0
8Q	folkstone grey <input type="checkbox"/>	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0
HF	inner tone light <input type="checkbox"/>	+\$0
HM	natural maple <input type="checkbox"/>	+\$0
HP	light anigre <input type="checkbox"/>	+\$0
HT	inner tone <input type="checkbox"/>	+\$0
HX	aged cherry <input type="checkbox"/>	+\$0
HY	walnut on cherry <input type="checkbox"/>	+\$0
LA	light ash <input type="checkbox"/>	+\$0
LBA	clear on ash <input type="checkbox"/>	+\$0
LBB	oak on ash <input type="checkbox"/>	+\$0
LBC	walnut on ash <input type="checkbox"/>	+\$0
LBD	dark brown walnut <input type="checkbox"/>	+\$0
LBE	medium red walnut <input type="checkbox"/>	+\$0
LBF	neutral twill <input type="checkbox"/>	+\$0
LBG	sarum twill <input type="checkbox"/>	+\$0
LBH	earthen twill <input type="checkbox"/>	+\$0
LBJ	graphite twill <input type="checkbox"/>	+\$0
LBK	pewter mesh <input type="checkbox"/>	+\$0
LBL	steel mesh <input type="checkbox"/>	+\$0
LBM	crisp linen <input type="checkbox"/>	+\$0
LBN	classic linen <input type="checkbox"/>	+\$0
LBP	casual linen <input type="checkbox"/>	+\$0
LBQ	white twill <input type="checkbox"/>	+\$0
LBU	medium matte walnut <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WL	sandstone <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0


Gallery Panel *continued*

Step 8. Bracket Finish

8Q	folkstone grey	+\$0
91	white <input type="checkbox"/>	+\$0
98	studio white	+\$0
G2	graphite satin <input type="checkbox"/>	+\$0
WL	sandstone	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
CN	metallic champagne <input type="checkbox"/>	+\$0
MS	metallic silver <input type="checkbox"/>	+\$0

Single Sided Gallery Panel Trim Piece

DU12.






Product Information

Description

This painted metal trim piece fills the gap between the end-of-run gallery panel and the boundary panel attached to the rear of the workstation in single-sided applications. Package contains 1 trim piece.

Dimensions

Renew™ Link



Specification Information


Step 1.

DU12. A \$155

Step 2. Finish

8Q	folkstone grey A	+\$0
91	white A	+\$0
98	studio white A	+\$0
CN	metallic champagne A	+\$0
G2	graphite satin A	+\$0
MS	metallic silver A	+\$10
WL	sandstone A	+\$0
WN	warm grey neutral A	+\$0

Connect™-Junction Block, 4-Circuit DU1358



Product Information


Description

This junction block attaches to the electrical cross bar and accepts 4-circuit receptacles for access and distribution of up to 4 20-amp circuits. It has connection points at both ends for attaching a power entry, a 4-circuit power jumper, or block-to-block connector. Finish is black. It is UL Listed for use with Renew™ Link in the US and Canada. Attachment bracket and hardware included.


Notes

Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power. For back-to-back applications, specify the 2-duplex block (DU1358.DB) or the 1-duplex block (DU1358.SB). Order duplex receptacle, 4-circuit (DU1355.) separately. To route power from building to junction block, order 4-circuit power entry (DU1351. or DU1352.) separately. To route power between junction blocks, order junction block to junction block jumper (DU1353.) separately. To connect 2 junction blocks together, order a short block to block connector (DU1354.S) separately.

Dimensions



Single, Back-to-Back Junction Block



Double, Back-to-Back Junction Block

Specification Information

Step 1.

DU1358. A

Step 2. Junction Block Type

SB single back-to-back junction block A

DB double back-to-back junction block A

Step 3. Attachment Hardware

B short 90° attachment to underside of surface A


Prices for Steps 1-3.

	B
DU1358. SB	\$120
DB	\$98

Renew™ Link

Connect™-Junction Block to Junction Block Jumper, 4-Circuit

DU1353



Product Information


Description

This adjustable power jumper distributes up to 4 20-amp circuits between 2 junction blocks. One end of the jumper extends an additional 3" when connecting to an adjacent junction block. It is UL Listed for use with Renew™ Link in the US and Canada.

Notes

Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power. Finish on 5/8" oval metallic conduit is silver.

Dimensions



Specification Information

Step 1.

DU1353. A

Step 2. Width

- 24** 24" wide A
- 30** 30" wide A
- 36** 36" wide A
- 42** 42" wide A
- 48** 48" wide A
- 54** 54" wide A
- 60** 60" wide A


Step 3. Type

A adjustable jumper A

Prices for Steps 1-3.

	A
DU1353. 24	\$114
30	\$121
36	\$128
42	\$135
48	\$144
54	\$150
60	\$157

Connect™-Duplex Receptacle, DU1355 4-Circuit



Product Information

Description

This 15- or 20-amp duplex receptacle attaches to a junction block to provide electrical access. Finish is black. Package of 1. It is UL Listed for use with Renew™ Link in the US and Canada.


Notes

Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power.

Receptacle is labeled as I, II, III, or IV for circuit identification.

Order junction block (DU1358.) separately.

Dimensions



Specification Information

Step 1.

DU1355. A

Step 2. Amps

15 15 amp A

20 20 amp A

Step 3. Circuit

1 circuit I A

2 circuit II A

3 circuit III A

4 circuit IV A


Prices for Steps 1-3.

	1	2	3	4
DU1355. 15	\$30	30	30	30
20	\$36	36	36	36

Renew™ Link

Connect™-Block Connector, 4-Circuit

DU1354




Product Information

Description
This connector connects 2 junction blocks together. Finish is black. Attachment hardware included. It is UL Listed for use with Renew™ Link in the US and Canada.

Notes

Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power.

Dimensions




Short Receptacle-to-Receptacle Block Connector

Specification Information

Step 1.
DU1354.S A \$64

Renew™ Link

Connect™-Power Entry, 4-Circuit DU1351



Product Information

Description

This power entry connects a building's electrical from a wall, floor, or column to the end of a 4-circuit junction block and distributes up to 4 20-amp circuits. UL Listed for use with Renew™ Link in the US and Canada.

Notes

Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power.


Power entry can be field cut to the appropriate length.

For San Francisco, specify 3/8" flex metallic conduit option (C).

Finish color on liquid tight conduit is black. Finish color on metallic conduit is silver.

A licensed electrician must wire the power entry to the building's electrical system.

Dimensions



Specification Information

Step 1.

DU1351. [A]

Step 2. Length

06 6' long [A]

12 12' long [A]

18 18' long [A]

24 24' long [A]

Step 3. Conduit Type

L liquid tight conduit [A]


C 3/8" flex metallic conduit [A]

Prices for Steps 1-3.

	L	C
DU1351. 06	\$196	196
12	\$281	281
18	\$367	367
24	\$469	469

Renew™ Link

Connect™-Power Entry, 4-Circuit, DU1352 New York City



Product Information

Description

This power entry connects a building's electrical from a wall, floor, or column to the end of a 4-circuit junction block and distributes up to 4 20-amp circuits. It includes a junction box and harness. It is UL Listed for use with Renew™ Link in the US and Canada.


Notes

Renew Link modular power products are only compatible with other Renew Link modular products, or with Connect™ 4-circuit modular components. Note that the UL listing for Renew Link is no longer applicable when connecting Renew Link power to Connect power.


Power entry comes with an 8" harness.

A licensed electrician must wire the power entry to the building's electrical system.

Dimensions



1 5/8"



Specification Information


Step 1.

DU1352.08 A

\$315

External Cable Manager

DU11B.




Product Information

Description

This cable manager is specifically designed to work with Renew™ Link. It seamlessly routes cables from the central trough up to the work surface as the surface moves up and down. 1 length fits all leg mechanism types. Installation hardware included.

Dimensions



Specification Information

Step 1.

DU11 A

Step 2. Application

B. bench A

Prices for Steps 1-2.

DU11B. \$186

Step 3. Finish

Price Category 5 + \$0

Renew™ Cable Manager

Index by Product Name

Renew™ Tables	
90° Corner Table with C-Foot	page(s) 27
90° Extended Corner Table with C-Foot	21
120° Corner Table with C-Foot	31
Back to Back Rectangular Height Adjustable Bench	51
Back to Back Trapezoid Height Adjustable Bench	56
Bench Cover Plate - Connecting Plate	66
Bench Cover Plate - End Caps	65
Connect™-Block Connector, 4-Circuit	80
Connect™-Duplex Receptacle, 4-Circuit	79
Connect™-Junction Block, 4-Circuit	77
Connect™-Junction Block to Junction Block Jumper, 4-Circuit	78
Connect™-Power Entry, 4-Circuit	81
Connect™-Power Entry, 4-Circuit, New York City	82
External Cable Manager	83
Gallery Panel	73
Height Adjustable Rectangular Worksurface	39
Logic C1000 Universal Clamp Mount Distributor	47
Logic G1000 Grommet Mounted Electrical Distributor	45
Logic G1200 Grommet Pass Thru	49
Logic HD Cable Manager	50
Oval Table with T-Foot	16
Rectangle Counterbalance Table with C-Foot	35
Rectangle Table with C-Foot	5
Rectangle Table with T-Foot	11
Renew™ Link Back-to-Back Leg Shroud	67
Screen, Trough Mounted	69
Single Sided Gallery Panel Trim Piece	76
Single Sided Rectangular Height Adjustable Bench	61
Table Base Kit - 2 Legs	43
Table Base Kit - 3 Legs	41



Index by Product Number



DU1AE. Single Sided Rectangular Height Adjustable Bench	page(s) 61	DU1355 Connect™-Duplex Receptacle, 4-Circuit	79
DU1AS.		DU1358 Connect™-Junction Block, 4-Circuit	77
DU1AT.		Y1420. Logic G1200 Grommet Pass Thru	49
DU2AE. Back to Back Rectangular Height Adjustable Bench	51	Y1423. Logic C1000 Universal Clamp Mount Distributor	47
DU2AS.		Y1424. Logic HD Cable Manager	50
DU2AT.		Y1425. Logic G1000 Grommet Mounted Electrical Distributor	45
DU2TE. Back to Back Trapezoid Height Adjustable Bench	56		
DU2TS.			
DU2TT.			
DU4B. Bench Cover Plate - Connecting Plate	66		
DU4B. Bench Cover Plate - End Caps	65		
DU4C. Renew™ Link Back-to-Back Leg Shroud	67		
DU4S. Bench Cover Plate - Connecting Plate	66		
DU4S. Bench Cover Plate - End Caps	65		
DU6ACE Rectangle Table with C-Foot	5		
DU6ACG Rectangle Counterbalance Table with C-Foot	35		
DU6ACS Rectangle Table with C-Foot	5		
DU6ACT			
DU6ATE Rectangle Table with T-Foot	11		
DU6ATS			
DU6ATT			
DU6DTE Oval Table with T-Foot	16		
DU6DTS			
DU6DTT			
DU6ECE 90° Extended Corner Table with C-Foot	21		
DU6ECS			
DU6ECT			
DU6FCE 90° Corner Table with C-Foot	27		
DU6FCS			
DU6FCT			
DU6GCE 120° Corner Table with C-Foot	31		
DU6GCS			
DU6GCT			
DU6WS. Height Adjustable Rectangular Worksurface	39		
DU7A. Table Base Kit - 2 Legs	43		
DU7F. Table Base Kit - 3 Legs	41		
DU8F. Screen, Trough Mounted	69		
DU8G.			
DU8L.			
DU9B. Gallery Panel	73		
DU9R.			
DU11B. External Cable Manager	83		
DU12. Single Sided Gallery Panel Trim Piece	76		
DU1351 Connect™-Power Entry, 4-Circuit	81		
DU1352 Connect™-Power Entry, 4-Circuit, New York City	82		
DU1353 Connect™-Junction Block to Junction Block Jumper, 4-Circuit	78		
DU1354 Connect™-Block Connector, 4-Circuit	80		



20-Day or Less/Assigned Lead-Time Order Information

20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:
(616) 654 3085.

For more information, contact your Customer Care representative at:
(866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.



Vary Easy Program

Program Overview

Vary Easy is a program designed to help dealers specify standard products with a larger breadth of options. For example, depending on the type of product being specified, choices include additional size, finish, edge types, and cable management features. Vary Easy 3D, specIT, and third-party text-based specification packages support the Vary Easy program. Vary Easy 3D enables designers to create a 3D image, CAD symbols, and a price book page. A Vary Easy product number is assigned for each product as the user selects specific options. Once the product is completely specified, the order can be submitted via Kiosk's Order Manager or a dealer's business system.

Accessing and Specifying Vary Easy

To view the full product vocabulary, go to the Vary Easy Product Offering on Kiosk. To specify Vary Easy, go to the Vary Easy 3D website on Kiosk, specIT, or your third-party text-based specification package.

Once you've made your product line selection, continue to follow through each option and enter the specific options that represent the product you need. When the product is fully specified, Vary Easy will generate an orderable product number and instantly calculate a price.

Note: Failure to completely specify a product will cause a delay in order acknowledgements. Be sure to make a selection for all options offered.

The acknowledgement process for Vary Easy products is the same as for any standard order. Vary Easy products ship with a standardized lead time and are competitively priced.

For more information, contact your Customer Care Line at (866) 854 3048 EXT 3400.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2018 Herman Miller, Inc., Zeeland, Michigan

® **HermanMiller**, ●, Action Office, Aeron, Aside, Avive, Canvas Office Landscape, Caper, Celle, Co/Struc, Eames, Embody, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Herman Miller Healthcare, Layout Studio, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Resolve, Sayl, Setu, Thrive, Tu, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ AireWeave, Bubbletack, Cellular Suspension, Compass, Connect, DOT, Durawrap, Everywhere, Flex-Edge, Hopsak 2, Intent, Iota, Keyless Entry, Latitude, Lyris 2, Motia, Multiscrim, Nelson, Renew, Stackable, Swoop, TriFlex, Twist, and Verus are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

®Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark of Geiger International.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Place Textiles® is a registered trademark of Place Textiles.