

GSA prices effective April 2, 2018 (based on February 6, 2017, commercial price list) Published April 2018

### Supplemental Products

Thrive® Portfolio 10-Day or Less

### General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!", a menu-driven database system. The Internet address for GSA Advantage! is www.gsaadvantage.gov.

Office Furniture FSC Group 71, Part 1 Contract Number: GS-03F-036DA Contract Period: December 21, 2015 — December 20, 2020

Herman Miller, Inc. 855 East Main Avenue Zeeland, Michigan 49464 (616) 654 3000 Phone (616) 654 8278 Fax www.HermanMiller.com/government

Business Size: Large

#### 1a. Special Item Numbers (SIN)

SIN 71-1 Packaged Offices

SIN 711-1 Furniture Systems

SIN 711-2 Computer Furniture

SIN 711-3 Filing and Storage Cabinets

SIN 711-11 Tables and Accessories

SIN 711-16 Upholstered Seating

SIN 711-18 Multi-Purpose Seating

#### SIN 711-91

#### Project Management

Services under this SIN may be used only in conjunction with the purchase of new furniture. Please contact your local Herman Miller representative to discuss the available labor categories (listed below). The hourly rates listed are "Not To Exceed" or "NTE" values.

Furniture Project Manager: \$64.75 per hour Furniture Project Coordinator: \$49.00 per hour Build-Out Project Manager: \$80.00 per hour

#### SIN 711-93

Reconfiguration and Relocation Services

Reconfiguration and Relocation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour, which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis. This SIN may only be used with the purchase of new product under SIN 711-1.

See \* Additional Notes for Installation & Reconfiguration and Relocation Services.

#### SIN 711-94

#### Design/Layout

Design service will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$65 per hour.

#### SIN 711-95

Installation Services

Installation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation), which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis.

See \* Additional Notes for Installation & Reconfiguration and Relocation Services.

\* Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions: Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/ storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation. Major Metro Markets include large population centers and

urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

SIN 711-96

Leasing

Contact Herman Miller participating government dealer for current leasing information.

SIN 711-99 New Product Introductions

continued

#### 1b. Lowest Priced Model

SIN 711-1:	G9999.B	\$7
SIN 711-2:	6-5-D	\$35
SIN 711-3:	9M10018	\$14
SIN 711-11:	DT9A.	\$36
SIN 711-16:	0A401	\$41
SIN 711-18:	AS90598	\$46
SIN 711-99:	R1366	\$27

### 1c. Not applicable

### 2. Maximum Order

SIN 711-1, SIN 711-2 \$500,000 net product value

SIN 711-3, SIN 711-11 \$300,000 net product value

SIN 711-16, SIN 711-18 \$200,000 net product value

SIN 711-93 \$150,000

SIN 711-94 \$150,000

SIN 711-95 \$150,000

SIN 711-96 \$500,000 net product value

SIN 711-99 \$50,000 net product value

#### 3. Minimum Order

\$100 net

#### 4. Geographic Coverage

Continental U.S. Orders for Alaska, Hawaii, and Puerto Rico will be shipped F.O.B. inland carrier point of exportation.

#### 5. Point of Production

Zeeland, Ottawa County, Michigan Spring Lake, Ottawa County, Michigan

#### 6. Pricing

Prices shown are list. Discounts include Industrial Funding Fee.

#### SIN 711-1

Product: Selected Action Office 1, Action Office 2, C-Style Overhead Storage, Ethospace System, Quadrant Pedestals, Supplemental Products, Tu Pedestals and Pedastools, and approved Herman Miller Options Products.

Standard Lead Time	Single Order Net Purchase	Discount From list
	\$100 - 250,000	73.8%
	\$250,001 - 500,000	76.8%

### SIN 711-1

Product: Selected Renew™ Tables, Renew Link and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	72.8%

### SIN 711-1

Product: Selected Motia<sup>™</sup> Tables, and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	73.8%

### SIN 711-1

Product: Tu Wood Pedestals and approved Herman Miller Options Products
Standard Single Order Discount
Lead Time Net Purchase From List
\$100 - 300,000 74.3%

### SIN 711-1

Product: Selected Carvas Office Landscape and approved Herman Miller Options Products Standard Single Order Discount Lead Time Net Purchase From List \$100 - 500,000 74.8%

#### SIN 711-1

Product: Selected Layout Studio<sup>®</sup> and approved Herman Miller Options Products Standard Single Order Discount

 Lead Time
 Net Purchase
 From List

 \$100 - 500,000
 60.7%

### SIN 711-1

Product: Selected Meridian Pedestals, Meridian Pedastools, and approved Herman Miller Options Products Standard Single Order Discount Lead Time Net Purchase From List \$100 - 500,000 64.2%

continued

### SIN 711-1

Product: Selected Thrive Portfolio and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
	\$100 - 250,000	62%
	\$250,001 - 500,000	66.4%

#### SIN 711-2

Product: Passage Desking System and approved Herman Miller Options Products

Lead Time	Net Purchase	From List
	\$100 - 500,000	56.7%

#### SIN 711-2

Product: 5000 Series Furniture and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 500,000	58.7%

### SIN 711-3

Product: Meridian Laterals, Verticals, Towers, and Storage products and approved Herman Miller Options Products

Standard	Single Order	Discount From List		Towers &
Lead Time	Net Purchase	Laterals	Verticals	Storage
	\$100 - 300,000	67.3%	66.3%	62.7%

#### SIN 711-3

Product: Tu Lateral Files, Tu Storage, Tu Towers, Tu Wood Cases, Tu Wood Cubbies, Tu Wood Credenzas, Tu Wood Towers, and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
	\$100 - 300,000	74.3%

### SIN 711-11

Product: Selected Tables and Accessories and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Avive <sup>®</sup> Tables	\$100 - 250,000	72.8%
	\$250,001 - 500,000	74.8%
Herman Miller Eames® Tables	\$100 - 250,000	73.6%
	\$250,001 - 300,000	77.6%
Everywhere™ Tables	\$100 - 300,000	72.8%

#### SIN 711-16

Product: Swoop upholstered seating products and approved Herman Miller Options Products

Standard	Single Order	Discount
Lead Time	Net Purchase	From List
Swoop™	\$100 - 200,000	60.7%

### SIN 711-18

Product: Selected Seating and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Aeron <sup>®</sup> (Classic and New)	\$100 - 200,000	64.5%
Aside®	\$100 - 200,000	64.2%
Caper®	\$100 - 200,000	61.5%
Celle®	\$100 - 200,000	59.7%
Embody®	\$100 - 200,000	59.7%
Equa 2®	\$100 - 200,000	65.8%
Ergon 3®	\$100 - 200,000	68.8%
Keyn	\$100 - 200,000	57.7%
Mirra® 2	\$100 - 200,000	61.7%
Setu®	\$100 - 200,000	59.7%
Sayl®	\$100 - 200,000	62.2%
Verus™	\$100 - 200,000	63.7%

### SIN 711-99

Product: Selected Exclave<sup>™</sup>, Locale<sup>®</sup>, Public Office Landscape<sup>®</sup>, Resolve<sup>®</sup> System, and approved Herman Miller Options Products

Standard Lead Time	Single Order Net Purchase	Discount From List
Exclave	\$100 - 50,000	61.7%
Locale	\$100 - 50,000	63.7%
Public Office Landscape	\$100 - 50,000	61.7%
Resolve System	\$100 - 50,000	69.8%
Intent Solution	\$100 - 50,000	58.7%

### 7. Quantity Discounts

Reference item #6.

#### 8. Payment Term

Net 30 days

#### 9. Government Commercial Credit Card

- a. Government commercial credit cards are accepted below the micropurchase threshold.
- b. Government commercial credit cards are accepted above the micropurchase threshold.

#### 10. Foreign Items

None

#### 11. Time of Delivery

- a. 90 day ARO
- b. Expedited delivery: Items listed in the 10-Day section of the catalogs are available for expedited delivery.
- c. Overnight/2-day delivery: Select items may be available for overnight or 2-day delivery. Contact Herman Miller or a participating dealer for availability and rates.
- d. Urgent requirements: Agencies may contact contractor or participating dealer to request faster delivery.

continued

### 12. F.O.B.

F.O.B. destination except Alaska, Hawaii, and Puerto Rico, which will be shipped F.O.B. inland carrier point of exportation.

### 13. Ordering Address

a. Herman Miller, Inc.,

Government Customer Care 0161 855 East Main Avenue Zeeland MI 49464.

 b. For supplies and services, the ordering procedures information on Blanket Purchase Agreements (BPA's) and a sample BPA can be found at the GSA/FSS Schedule homepage (www.fss.gsa.gov/schedules).

### 14. Payment Address.

Herman Miller, Inc. 22764 Network Place Chicago, IL 60673-1227

### 15. Warranty

Herman Miller, Inc., commercial warranty applies.

### 16. Export Packing Charge

Prices supplied on request.

### Terms and Conditions of Government Purchase Card Acceptance (any thresholds above the micropurchase level) None.

#### 18. Rental Maintenance and Repair Terms

Not applicable

### 19. Terms and Conditions of Installation

Installation Services will be provided by Herman Miller, Inc., or its participating dealer based on a fee not to exceed \$55 per hour (\$82.50 per hour for after-hours Installation), which applies to services totaling \$150,000 (per SIN) and below only. Services above \$150,000 shall be negotiated on a case-by-case basis.

Additional Notes for Installation & Reconfiguration and Relocation Services:

FOB Destination (Drop Ship): Price includes product delivery to the site, brought to the tailgate of the truck. The purchaser is responsible for unloading.

Prices effective up to the maximum order by SIN only. Above the MO, pricing shall be negotiated on a case-by-case basis between the client and local dealer.

Standard Services are Subject to the Following Conditions:

Installation will be performed during normal weekday working hours.

Adequate facilities for delivery, unloading, moving and staging/ storing the product during the installation process shall be provided.

Service work will not be hindered by other trades.

Electric, heat, and adequate elevator service will be furnished without charge.

The immediate installation area shall be complete and free of debris including the carpet/flooring before installation commences.

Any work requiring a licensed electrician is the responsibility of the buyer.

Additional Charges May Apply For:

Major Metro Markets and any non-ground floor installation.

Major Metro Markets include large population centers and urban environments.

Installation in a clinical/medical environment.

Special restrictions or limits established by local laws, ordinances or the directions of the buyer, including but not limited to restrictions on transportations of materials, street access to the job site and/or dock facilities.

Installations outside of a 50 mile radius of the servicing dealer.

Local Prevailing Wage and/or Union Labor Rates.

Any additional charges shall be quoted by the dealer and approved by the buyer prior to performance of the work.

### 20. Terms and Conditions of Repair Parts

Not applicable

### 21. Service and Distribution Points

For service and distribution points nearest you, call (800) 851 1196.

### 22. Participating Dealers

Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com/government.

### 23. Preventive Maintenance

Not applicable

#### 24a. Special Attributes.

2018

For the 11th consecutive year, Herman Miller received a perfect score on the Corporate Equality Index and we were designated as Best Place to Work for LGBT equality. This report evaluates U.S. companies in terms of diversity, particularly their LGBT-related policies and practices.

continued

#### 2017

Herman Miller was named the 2017 "Corporation of the Year" in the consumer products sector by the Michigan Minority Supplier Development Council (MMSDC).

Herman Miller has received a 2017 SEAL (Sustainability, Environmental Achievement and Leadership) Business Sustainability Award.

Herman Miller has earned the 4 Star Diversity Visionary Award. This award celebrates the diversity, equality, and inclusion work of Herman Miller. The award is presented at the annual Diversity Equity Inclusion Summit, held by the Grand Rapids Area Chamber of Commerce.

Herman Miller named one of the Best and Brightest in Wellness for the fifth year in a row.

Working Mother magazine has recognized Herman Miller as one of the 2017 Working Mother 100 Best Companies.

Herman Miller earned our tenth consecutive perfect score in Human Rights Campaign (HRC) Foundation's 2017 Corporate Equality Index.

As one of the top-scoring companies in our industry for the thirteenth consecutive year, Herman Miller has qualified for inclusion in RobecoSAM's 2017 Sustainability Yearbook and received the Bronze Class distinction for our excellent economic, environmental, and social sustainability performance.

Herman Miller has once again earned the WorldatWork Seal of Distinction, a unique standard of excellence in work-life effectiveness that shows we provide a distinct, mutually beneficial workplace experience.

#### 2016

Herman Miller was recognized as the Business of the Year at the Annual Meeting of the West Michigan Environmental Action Council (WMEAC). This award goes to the business with the greatest depth and breadth of support, unwavering dedication to environmental action in West Michigan, and a strong corporate commitment to environmental advocacy.

The 101 Best and Brightest Sustainable Companies once again (fifth consecutive year) recognized Herman Miller as an organization in Michigan (and for the first time, in the nation) that exhibits leadership and innovation in its approach to sustainability.

Herman Miller has been recognized by the Michigan Minority Supplier Development Council (MMSDC), as a "Corporation of the Year", and we also received a "2016 Excellence in Supplier Diversity Award" from the Great Lakes Women's Business Council. Additionally, we are the only West Michigan company this year to receive an "Ambassadors Championing Excellence" Award from the MMSDC. Plex Lounge Furniture from Herman Miller receives #MetropolisLikes award at NeoCon 2016.

Plex Lounge Furniture from Herman Miller receives Interior Design HiP Award for Workplace Seating/Lounge at NeoCon 2016.

Spot Stools from Herman Miller Collection receive Interior Design HiP Award for Hospitality Seating at NeoCon 2016.

Herman Miller has been named a 2020 Women on Boards Winning Company. Companies selected for this recognition are considered champions of board diversity as 20 percent or more of their board seats are occupied by women.

Herman Miller selected for inclusion in the 2016 RobecoSAM Sustainability Yearbook for twelfth consecutive year.

Herman Miller again earns the WorldatWork Work-Life 2016 Seal of Distinction. This award identifies organizations that focus on programs that promote work-life balance and overall well-being.

#### 2015

Herman Miller earns ninth consecutive perfect score in Human Rights Campaign (HRC) Foundation's 2016 Corporate Equality Index and we were designated as Best Place to Work for LGBT equality.

This is the fourth consecutive year that Herman Miller was named one of Michigan's Best and Brightest Sustainable Companies.

Herman Miller has received the Best and Brightest in Wellness Award for the third year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller received the Forest Stewardship Council (FSC) Leadership Award for longstanding commitment to manufacturing with wood sourced from responsibly managed forests, which reduces environmental impacts by protecting against deforestation and forest degradation.

Herman Miller accepted its second Excellence in Reusable Packaging Award from the Reusable Packaging Association.

Herman Miller has once again been recognized for its commitment to best-in-class economic, environmental, and societal sustainability, earning a spot on the prestigious Dow Jones Sustainability Index (DJSI) for the twelfth consecutive year. We are the only contract furniture company recognized globally for its corporate sustainability leadership.

Herman Miller selected for inclusion in the 2015 RobecoSAM Sustainability Yearbook; awarded Bronze Class distinction for excellent sustainability performance for the second consecutive year.

continued

Herman Miller received a Michigan Business Pollution Prevention (MBP3) Certificate – a recognition given by the Michigan Department of Environmental Quality (MDEQ) to organizations committed to environmental stewardship, conservation, and sustainable operations. This basic partnership with the MDEQ, which we've maintained since 1998, makes us eligible for our Clean Corporate Citizen (CCC) status that began in 2004 and our Environmental Leader status, which we received for the first time this past year.

MedAssets named Herman Miller Healthcare as Platinum Suppliers. MedAssets, a large group purchasing organization, helps providers enhance operational and financial performance so they can sustainably serve the needs of their community.

Herman Miller honored with five of 20 spots for the Michigan Environmental Leaders Award by the Michigan Department of Environmental Quality for our outstanding, voluntary environmental stewardship.

Renew Sit-to-Stand tables recognized on Record Products 2014 list by Architectural Record.

Herman Miller was again awarded a perfect score in the 2015 Corporate Equality Index. This is the eighth consecutive year we received a perfect score.

#### 2014

Herman Miller has received the Best and Brightest in Wellness Award for the second year in a row. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller's Locale wins International Design Excellence Awards (IDEA) Gold in the Office & Productivity category.

Herman Miller achieves eleventh consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability.

#### 2013

Herman Miller achieves tenth consecutive listing on Dow Jones Sustainability World Index.

Herman Miller has received the Best and Brightest in Wellness Award. This program is an innovative initiative that recognizes and celebrates quality and excellence in health awareness.

Herman Miller Earns Perfect Score on the Corporate Equality Index. We are one of only 303 major U.S. businesses to receive a perfect score in 2013, an achievement we have now obtained seven years in a row.

Herman Miller is listed in Forbes Magazine inaugural "Platinum List" of America's 400 best managed, large companies.

For the second consecutive year, Herman Miller is honored as one of West Michigan's "101 Best and Brightest Sustainable Companies".

#### 2012

Herman Miller accepted its first Excellence in Reusable Packaging Award from the Reusable Packaging Association.

Herman Miller is named "Corporation of the Year" in the commercial products sector by the Michigan Minority Supplier Development Council.

In July 2012 Herman Miller was inducted into the Made in the USA Hall of Fame. Herman Miller is one of only 20 companies across the nation to receive this distinction.

Herman Miller achieves ninth consecutive listing on Dow Jones Sustainability World Index.

Herman Miller is honored as one of West Michigan's 101 Best and Brightest Sustainable Companies.

The Sustainable Asset Management (SAM) group selected Herman Miller for inclusion in "The Sustainability Yearbook 2012" and has awarded Herman Miller both the "SAM Sector Leader" and "SAM Sector Mover" distinctions.

Herman Miller was named one of 16 Section Leaders on Climate Counts 2011-2012 Scorecard Report, making us the industry leader for Home and office Furnishings.

SGS International Certification Services, Inc., recognizes Herman Miller's manufacturing sites, Midwest Distribution Center, and Design Yard for initial certification to the OHSAS 18001 standard as well as re-certification to ISO 14001.

#### 2011

Trust Across America, a company dedicated to unraveling the complexities of trustworthy business behavior, listed Herman Miller as one of their "Top Ten Most Trustworthy Companies in America 2011."

The U.S. Environmental Protection Agency (EPA) selected Herman Miller, as a WasteWise Gold Achievement—Climate Change winner.

Herman Miller achieves eighth consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability.

The Michigan Minority Supplier Development Council (MMSDC) named Herman Miller as its "Corporation of the Year" in the commercial products sector. This was the fifth time Herman Miller has received this award since 2005.

continued

Herman Miller accepted its third Neighborhood Environmental Partners (NEP) award from the Michigan Department of Natural Resources and Environment.

Herman Miller receives the Reader's Choice award from TreeHugger's Best of Green: Design and Architecture category for the SAYL chair.

Herman Miller earns Citibank's Global Environmental Vendor of the Year award.

The SAYL chair from Herman Miller was dubbed the "Product Design of the Year" from the 2010 International Design Awards (IDA) jury.

Herman Miller Healthcare's Compass system was awarded a 2011 Medical Design Excellence Award (MDEA) for its research-based design and ability to be used in a variety of healing spaces, while simultaneously improving the overall delivery of healthcare.

The Sustainable Asset Management (SAM) Group selected Herman Miller for inclusion in the "Sustainability Yearbook 2011" and awarded us both the "SAM Sector Leader" and "SAM Sector Mover" distinctions.

Herman Miller has received the top rating for a fourth consecutive year in the Human Rights Campaign (HRC) Foundation's eighth annual Corporate Equality Index. The "Best Places to Work for LGBT Equality" distinction is awarded to businesses that scored 100% on the HRC Foundation's 2011 Corporate Equality Index.

Herman Miller again tops contract furniture industry in FORTUNE's 'Most Admired' Companies survey. For the 23rd time in 25 years.

#### 2010

The NASDAQ OMX CRD Global Sustainability Index (QCRD) has included Herman Miller among their top 100 companies in the world.

Herman Miller achieves seventh consecutive listing on Dow Jones Sustainability World Index, an international stock portfolio that evaluates the annual performance of the world's largest 2500 companies using economic, environmental, and social criteria, known as the "triple bottom line" of sustainability. Herman Miller is one of approximately 300 companies worldwide and the only contract office furniture manufacturer, selected for this index.

Herman Miller has been recognized by Fast Company magazine as one of its 2010 Most Innovative Companies and among the more select Innovation All-Stars.

The U.S. Environmental Protection Agency's Office of Resource Conservation and Recovery has selected Herman Miller to receive the 2010 WasteWise Gold Achievement Award for Green Purchasing.

The Michigan Department of Natural Resources and Environment (MDNRE) has recognized Herman Miller's West Michigan manufacturing sites and Midwest Distribution Center as continuing Clean Corporate Citizens. Herman Miller makes the U.S. Environmental Protection Agency's (EPA) list of the top fifty users of renewable electricity, of more than 1,200 organizations participating in the Green Power Partnership. This is the second consecutive time Herman Miller was recognized. Herman Miller was the only furniture manufacturer on the list.

Herman Miller accepted its second Neighborhood Environmental Partners (NEP) award from the Michigan Department of Natural Resources and Environment.

For the 22nd time in 24 years, Herman Miller was awarded the No. 1 industry ranking in a survey among the executives and board members of peer companies and independent industry analysts, as published in FORTUNE magazine's annual "Most Admired" companies feature.

The Michigan Department of Environmental Quality (MDEQ) recognizes Herman Miller's GreenHouse as one of Michigan's top environmental performers with a Clean Corporate Citizen (C<sub>3</sub>) longevity award. This recognizes that the GreenHouse has maintained its C<sub>3</sub> designation for the past five years.

For the third year in a row, Herman Miller makes FORTUNE magazine's "100 Best Companies to Work For" list. Herman Miller is one of only three Michigan-based companies to make the list.

#### 24b. Section 508 Compliance

Not applicable

- 25. Data Universal Numbering System (DUNS): 00-601-2801
- 26. Registered in System for Award Management (www.SAM.gov) Database

#### 27. Cancellation

Prior to production, no cancellation charge will apply. After production, only actual cost incurred that the contractor can demonstrate if items are sold after 3 months.

#### 28. Restocking Charges

Agencies must notify the contractor for authorization prior to returning any items. The customer agency will be required to pay all packaging and return freight charges. A restocking fee of 50% for Systems Furniture and 35% for all other product lines will be charged for any returned items.

#### Herman Miller Miscellaneous Information:

Federal ID Number: 38-0837640 Commercial and Government Entity Code (CAGE): 40636 Data Universal Numbering System (DUNS) 00-601-2801

Commercial Entity Code (CEC): 00702290J

Introduction	page 2
Thrive® Portfolio 10-Day or Less	3
Technology Support	5
Power and Data Support	10
Work Tools	24
Indices	31
By Name	31
By Number	33
Appendices	
10-Day or Less Order Information	
For the latest materials information, refer to the Materials	pages on HermanMiller.com.

#### A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

### Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

#### Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

### The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

#### **General Information**

This book is effective April 2, 2018, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www. HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

For additional product information such as demensional drawings and product descriptions, refer to the standard price books.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

### Thrive® Portfolio 10-Day or Less



Power and Data Support


Work Tools

### CPU Holder, Mobile

Y7812.


### LS Series Keyboard Solutions

Y7737.



Specification Information	
Step 1.	
Y7812.	\$184

Step 2	Step 2. Finish		
BU	black umber	+\$o	
CN	metallic champagne	+\$o	
LU	soft white	+\$o	
MS	metallic silver	+\$o	



### Specification Information

Step 1. **Y7737.** 

Sten 2	Track	longth

1	17"-l	ong	track	

- 2 19"-long track
- 3 21<sup>3</sup>/<sub>4</sub>"-long track

Step 3. Keyboard Platform	1
---------------------------	---

- **B** 20" aluminum tray with adjustable mouse tray
- **C** 22" plastic tray with adjustable mouse tray
- **D** 22" plastic tray with swivel mouse tray
- **G** 20" HDPE tray with swivel mouse tray
- H comfort surface tray with mouse tray/house
- J 20" aluminum tray with swivel mouse tray
- K 27" HDPE tray
- M mini HDPE tray with swivel mouse
- N mini HDPE tray with height adjustable mouse
- P white phenolic tray with swivel mouse tray
- **Q** white phenolic tray with adjustable mouse tray

Prices for Steps 1-3.						
	Α	В	С	D	G	Н
Y7737. 1	\$386	436	376	355	366	392
2	\$404	452	392	371	381	409
3	\$419	469	409	386	399	424
	J	к	м	N	Р	Q
Y7737. 1	\$419	376	366	386	366	386
2	\$436	392	381	404	381	404
3	\$452	409	399	419	399	419

Step 4. Keyboard Mechanism Color

For 20" HDPE tray with adjustable mouse tray (A), 22" plastic tray with adjustable mouse tray (C), 22" plastic tray with swivel mouse tray (D), 20" HDPE tray with swivel mouse tray (G), comfort surface tray with mouse tray/house (H), 27" HDPE tray (K), mini HDPE tray with swivel mouse (M), or mini HDPE tray with height adjustable mouse (N) OH black +\$0


For 20" aluminum tray with adjustable mouse tray (B) or 20" aluminum tray with swivel mouse tray (J)

OH	black	+\$0
OJ	white	+\$0

HermanMiller for Government

### LS Series Keyboard Solutions

continued



### Specification Information

Step 1. **Y7724.** 

+\$0

### Step 2. Type

- **F** 22" plastic tray with swivel mouse tray
- **G** 20" HDPE tray with adjustable mouse tray
- H 20" HDPE tray with swivel mouse tray
- J 20" aluminum tray with adjustable mouse tray
- **K** 20" aluminum tray with swivel mouse tray
- L 27" HDPE tray
- M mini HDPE tray with swivel mouse
- N mini HDPE tray with height adjustable mouse

Step 3. Surface Material For no selection (\*), skip this step.

For 22" plastic tray with adjustable mouse tray (E), 22" plastic tray with swivel mouse tray (F), 20" HDPE tray with adjustable mouse tray (G), 20" HDPE tray with swivel mouse tray (H), 20" aluminum tray with adjustable mouse tray (J), or 20" aluminum tray with swivel mouse tray (K), skip this step.

no selection

Prices for Steps 1-3.

	*
Y7724. E	\$496
F	\$474
G	\$507
н	\$485
J	\$560
к	\$540
L	\$516
м	\$485
Ν	\$496


For white phenolic tray with swivel mouse tray (P) or white phenolic tray with adjustable mouse tray (Q)

0J white

### LT Series Keyboard Solutions

Y7727.

### LE Series Keyboard Solutions



### Specification Information

Step 1. **Y7727.** 

### Step 2. Track Length


1 19"-long track

**2** 21<sup>3</sup>/<sub>4</sub>"-long track

### Step 3. Type

- A HDPE tray with adjustable mouse tray
- **B** aluminum tray with adjustable mouse tray
- **G** HDPE tray with swivel mouse tray
- H comfort surface tray with mouse tray/house
- J aluminum tray with swivel mouse tray
- K 27" HDPE tray
- M mini HDPE tray with swivel mouse
- N mini HDPE tray with height adjustable mouse

#### Prices for Steps 1-3. Α В G Н J Κ Y7727. 1 \$418 438 530 407 417 517 2 \$435 547 423 434 534 454 Μ Ν Y7727. 1 \$407 418 2 \$423 435



### Specification Information

### Step 1. **Y7710.**

### Step 2. Track Length

- 1 17"-long track
- 2 21<sup>3</sup>/4"-long track

### Step 3. Type

### For 17"-long track (1)


A HDPE tray with mouse tray

### For 21<sup>3</sup>/4"-long track (2)

- A HDPE tray with mouse tray
- **B** comfort surface tray with mouse tray/house

### Prices for Steps 1-3.

	Α	В
Y7710. 1	\$359	_
2	\$359	384



L U

### Specification Information

### Step 1. **Y2091.**

### Step 2. Surface Material

### laminate top/universal edge

Prices for Steps 1-2.	
Y2091. L	\$110
U	\$107

Step 3	. Top Finish	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
нм	natural maple	+\$0
HP	light anigre	+\$0
HT	inner tone	+\$0
НХ	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBE	medium red walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LM	mahogany	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0


### Step 4. Edge Finish

For lar	minate top/thermoplastic edge (L)	
76	light brown walnut	+\$0
8Q	folkstone grey	+\$o
8Z	neutral grey	+\$o
91	white	+\$o
98	studio white	+\$o
BU	black umber	+\$o
CL	cool grey neutral	+\$o
HF	inner tone light	+\$o
нм	natural maple	+\$o
HP	light anigre	+\$o
нт	inner tone	+\$o
нх	aged cherry	+\$o
HY	walnut on cherry	+\$o
JB	millwork cherry	+\$o
LA	light ash	+\$o
LBA	clear on ash	+\$o
LBU	medium matte walnut	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$o
LBE	medium red walnut	+\$o
LBF	neutral twill	+\$o
LBG	sarum twill	+\$o
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBK	pewter mesh	+\$0
LBL	steel mesh	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$o
LBQ	white twill	+\$0
LU	soft white	+\$0
мт	medium tone	+\$0
WL	sandstone	+\$o
WN	warm grey neutral	+\$o

### Add-On Tray

Y7728.

Adjustable Mouse Tray



### Specification Information

Step 1. **Y7728.** 


### Step 2. Usage

A for HDPE keyboard tray

- **B** for comfort surface keyboard tray
- **C** for aluminum keyboard tray

### Prices for Steps 1-2.

	•	
Y7728. A		\$66
В		\$66
С		\$66



### Specification Information

### Step 1.

Y7729.


### Step 2. Type

- A for HDPE keyboard tray
- **C** for aluminum keyboard tray

### Prices for Steps 1-2.

\$104
\$104

Y1321.



### Specification Information

Step 1. Y1321.

### Step 2. Power Type

Α power cord with plug end В


conduit with open end, for hard-wiring

### Step 3. Cord/Conduit Length

- 3' cord/conduit 03
- 06 6' cord/conduit
- 10 10' cord/conduit
- 20 20' cord/conduit

### Prices for Stens 1-2

Prices	s for Steps 1-3.				
		03	06	10	20
Y132	1. A	\$199	199	208	255
	В	\$251	251	260	308
Step /	4. Wiring Type				
4Z	standard				+\$0
Step 5. Finish					
0H	black				+\$o



### Specification Information

Step 1. Y1322.

### Step 2. Configuration

- 1 1 simplex receptacle, 1 data opening
- 2 2 simplex receptacles

### Step 3. Power Type

- Α power cord with plug end
- В conduit with open end, for hard-wiring

### Step 4. Cord/Conduit Length

- 03 3' cord/conduit
- 06 6' cord/conduit
- 10 10' cord/conduit
- 20 20' cord/conduit

#### Prices for Steps 1-4. 03 06 10 20 Y1322. 1 A \$237 237 246 293 В \$288 288 297 343 2 A \$251 260 308 251 В \$302 360 302 313


Step 5.	Wiring Type	
4Z	standard	+\$0

Step 6	. Finish	
OH	black	+\$o
01	silver	+\$o
OJ	white	+\$o

### Connect<sup>™</sup>-S300

Y1323.

Connect<sup>™</sup>-S4oo



### Specification Information

Step 1. **Y1323.** 

### Step 2. Configuration

**3** 2 simplex receptacles, 2 data openings

4 3 simplex receptacles, 3 data openings

### Step 3. Power Type

- A power cord with plug end
- B conduit with open end, for hard-wiring

### Step 4. Cord/Conduit Length

- **03** 3' cord/conduit
- **06** 6' cord/conduit
- 10 10' cord/conduit
- 20 20' cord/conduit

### Step 5. Attachment


- G grommet mount
- **S** surface clamp

### Prices for Steps 1-5.

		03G	03S	06G	06S	10G	10S
Y1323. 3	Α	\$271	271	271	271	280	280
	В	\$322	322	322	322	331	331
4	Α	\$337	337	337	337	346	346
	В	\$390	390	390	390	400	400

		20G	205
Y1323. 3	Α	\$327	327
	В	\$377	211
4	Α	\$395	395
	В	\$446	446

Step 6	. Finish	
OH	black	+\$0
01	silver	+\$0
0J	white	+\$0



### Specification Information

### Step 1. **Y1324.**

### Step 2. Configuration

- **3** 2 simplex receptacles, 2 data openings
- **5** 3 simplex receptacles, 4 data openings

### Step 3. Power Type

- A power cord with plug end
- **B** conduit with open end, for hard-wiring

### Step 4. Cord/Conduit Length

- **03** 3' cord/conduit
- 06 6' cord/conduit
- 10 10' cord/conduit
- 20 20' cord/conduit

### Prices for Steps 1-4.


		03	06	10	20
Y1324. 3	Α	\$377	377	386	434
	В	\$429	429	440	486
5	Α	\$485	485	495	541
	В	\$537	537	543	589

Step 5.	Wiring Type	
4Z	standard	+\$0

Step 6	. Finish
0K	silver anodized

+\$0

### Y1325.



### Specification Information

### Step 1. Y1325.

Thrive® Portfolio—Power and Data Support

### Step 2. Configuration

ιcp	~.	comiguration
		2 simplex receptacles, 2 data openings

3 7 3 simplex receptacles, 3 data openings

### Step 3. Power Type

- power cord with plug end Α
- В conduit with open end, for hard-wiring

### Step 4. Cord/Conduit Length


- 03 3' cord/conduit
- 6' cord/conduit 06
- 10' cord/conduit 10
- 20 20' cord/conduit

### Prices for Steps 1-4.

	ocopo				
		03	06	10	20
Y1325. 3	Α	\$445	445	454	501
	В	\$497	497	506	552
7	Α	\$511	511	522	569
	В	\$563	563	574	620

Step 5.	Finish	
0K	silver anodized	+\$o

Connect<sup>™</sup>-Power Entry with Plug End, 20 Amp



### Specification Information

Step 1. Y1342.

### Step 2. Length

- 06 6' long
- 10 10' long

### Step 3. Plug Type


- Α straight plug
- В 90° plug

### Prices for Steps 1-3.

· · ·	Α	В
Y1342. 06	\$203	203
10	\$236	236

```
Y1342.
```

### Connect<sup>™</sup>-Power Entry, 2-Circuit



### Specification Information

Step 1. Y1341.

Step	2.	Length


- 6' long 06
- 12 12' long
- 18 18' long
- 24 24' long

### Step 3. Conduit Type

- liquid tight conduit L
- С <sup>3</sup>/<sub>8</sub>" flex metallic conduit

### Prices for Steps 1-3.

	L	C
Y1341. 06	\$135	135
12	\$179	179
18	\$222	222
24	\$276	276




### Specification Information

Step 1. Y1349.

\$101

Y1349.

### Connect<sup>™</sup>-Duplex Receptacle, 2-Circuit, 15 Amp



### Specification Information

Step 1.

### Y1345.

Step 2.	Circuit
1	circuit I

2 circuit II

### Step 3. Attachment Hardware

A flat attachment to underside of surface
---


**B** short 90° attachment to underside of surface

**C** long 90° attachment to underside of surface

### Prices for Steps 1-3

rifices for Steps 1-5.			
	Α	В	С
Y1345. 1	\$68	74	74
2	\$68	74	74

### Connect<sup>™</sup>-Dual Receptacle Power Kit, 2-Circuit



### Specification Information

### Step 1.

Y1340.

Step 2	. Width	
36	36" wide	
42	42" wide	
48	48" wide	

- **54** 54" wide
- **60** 60" wide
- **66** 66" wide
- **72** 72" wide
- **78** 78" wide
- **84** 84" wide
- **90** 90" wide
- **96** 96" wide

### Step 3. Conduit Type

- L liquid tight conduit
- **C** <sup>3</sup>/<sub>8</sub>" flex metallic conduit

### Step 4. Circuit

- 1 circuit l
- 2 circuit II

### Step 5. Attachment Hardware


- A flat attachment to underside of surface
- **B** short 90° attachment to underside of surface
- **C** long 90° attachment to underside of surface

Prices for Steps 1-5.

Flices for Steps 1-5.						
	1A	1 <b>B</b>	1C	2A	2B	2C
Y1340. 36 L	\$148	153	153	148	153	153
C	\$148	153	153	148	153	153
42 L	\$164	169	169	164	169	169
С	\$164	169	169	164	169	169
48 L	\$168	173	173	168	173	173
C	\$168	173	173	168	173	173
54 L	\$173	180	180	173	180	180
C	\$173	180	180	173	180	180
60 L	\$179	185	185	179	185	185
C	\$179	185	185	179	185	185
66 L	\$183	189	189	183	189	189
C	\$183	189	189	183	189	189
72 L	\$188	193	193	188	193	193
С	\$188	193	193	188	193	193

Y1340.

### Connect<sup>™</sup>-Jumper, 2-Circuit



Sn	ecificatio	n Inforr	nation
			nacion

Step 1. **Y1343.** 

Step 2.	Width
06	6" wide
09	9" wide
12	12" wide
18	18" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide
78	78" wide
84	84" wide
90	90" wide
96	96" wide
108	108" wide
120	120" wide
132	132" wide
144	144" wide

Step 3. Conduit Type

L liquid tight conduit


**C** <sup>3</sup>/<sub>8</sub>" flex metallic conduit

78 L	\$192	197	197	192	197	197
С	\$192	197	197	192	197	197
84 L	\$196	201	201	196	201	201
С	\$196	201	201	196	201	201
90 L	\$201	206	206	201	206	206
С	\$201	206	206	201	206	206
96 L	\$205	210	210	205	210	210
С	\$205	210	210	205	210	210

Connect<sup>™</sup>-Dual Receptacle Power

Kit, 2-Circuit continued

### Connect<sup>™</sup>-Receptacle Brackets, 2-Circuit



### Specification Information

Step 1. **Y1347.** 

Step 2. Attachment Hardware

- A flat attachment to underside of surface
- **B** short 90° attachment to underside of surface
- **C** long 90° attachment to underside of surface


Prices for Steps 1-2.	
Y1347. A	\$56
В	\$89
C	\$89

Prices for Steps 1-3.		
	L	(
Y1343. 06	\$53	53
09	\$55	55
12	\$57	57
18	\$62	62
24	\$66	66
30	\$70	70
36	\$75	75
42	\$79	79
48	\$83	8
54	\$87	87
60	\$92	92
66	\$96	96
72	\$100	100
78	\$105	104
84	\$110	110
90	\$114	11/
96	\$120	120
108	\$128	128
120	\$137	137
132	\$147	147
144	\$155	15

### Connect<sup>™</sup>-Block Connector, 2-Circuit


Y1344.

### Connect<sup>™</sup>-Power Entry, 4-Circuit Y1351.



## Specification Information Step 1. Y1344.

Step	o 2. Connector Type		
H H-block connector			
<b>R</b> receptacle-to-receptacle block connector			
	es for Steps 1-2.		
Price		\$34	



### Specification Information


### Step 1. **Y1351.**

Step 2	. Length
06	6' long
12	12' long
18	18' long
24	24' long
Step 3	. Conduit Type
L	liquid tight conduit
С	³/₅″ flex metallic conduit

### Prices for Steps 1-3.

	L	C
Y1351. 06	\$148	148
12	\$211	211
18	\$277	277
24	\$354	354


Connect<sup>™</sup>-Modular Power Entry, 4 Y1359. Circuit, Architectural Wall Junction Box



### Specification Information

Step 1. Y1359.

Thrive® Portfolio—Power and Data Support



### Specification Information

Step 1. Y1350.

\$113

Step 2.	Width
42	42" wide

2	42" wide	
	o" uide	

- 48 48" wide 54 54" wide
- 60 60" wide
- 66" wide 66
- 72 72" wide
- 78 78" wide
- 84 84" wide
- 90 90" wide
- 96 96" wide

### Step 3. Junction Block Type

- S single-sided junction block
- D double-sided junction block

Step 4. Attachment Hardware

For single-sided junction block (S)

- Α flat attachment to underside of surface
- В short 90° attachment to underside of surface
- С long 90° attachment to underside of surface

For double-sided junction block (D)

- В short 90° attachment to underside of surface
- С long 90° attachment to underside of surface

Prices for Steps 1-4.			
	Α	В	C
Y1350. 42 S	\$189	194	194
D	_	\$140	140
48 S	\$194	199	199
D	_	\$147	147
54 S	\$199	204	204
D	_	\$152	152
60 S	\$204	209	209
D	_	\$157	157
66 S	\$209	215	215
D	_	\$162	162
72 S	\$215	221	221
D	_	\$167	167
78 S	\$221	228	228
D	_	\$172	172

### Connect<sup>™</sup>-Dual Junction Block Power Kit, 4-Circuit *continued*

84 S

90 S


96 S

D

D

D

Connect <sup>™</sup> -Junction Block to
Junction Block Jumper, 4-Circuit



Specification	

Step 1. **Y1353.** 

\$227

\$232

\$237

\_

\_

238

\$179

237

\$185

242

\$190

238

179

237

185

242

190

Thri	
nrive®	
Por	
rtfol.	
io	
Pov	
ver	
and	
Power and Data .	
Suppo	
ort	

¥1353	
Step 2	. Width
12	12" wide
18	18" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	6o" wide
66	66" wide
72	72" wide
78	78" wide
84	84" wide
90	90" wide
108	108" wide
120	120" wide
132	132" wide
144	144" wide

### Step 3. Type

A adjustable jumper


N nonadjustable jumper

Y1353.

### Connect<sup>™</sup>-Junction Block to Junction Block Jumper, 4-Circuit

continued

Prices for Steps 1-3.		
	Α	Ν
Y1353. 12	\$75	75
18	\$80	80
24	\$85	85
30	\$91	91
36	\$96	96
42	\$101	101
48	\$108	108
54	\$113	113
60	\$118	118
66	\$123	123
72	\$128	128
78	\$134	134
84	\$139	139
90	\$146	146
108	\$161	161
120	\$171	171
132	\$183	183
144	\$194	194



### Specification Information

Step 1. **Y1358.** 

Step	2. Junction Block Type	
SH	single junction block	
SB	single back-to-back junction block	
DH	double junction block	
DB	double back-to-back junction block	
Step	3. Attachment Hardware	
For si	ingle junction block (SH) or double junction block (DH)	
For si <b>A</b>	ingle junction block (SH) or double junction block (DH) flat attachment to underside of surface	
•••••	<u> </u>	
Α	flat attachment to underside of surface	
A B C	flat attachment to underside of surface short 90° attachment to underside of surface long 90° attachment to underside of surface ingle back-to-back junction block (SB) or double back-to-bac	
A B C	flat attachment to underside of surface short 90° attachment to underside of surface	
A B C	flat attachment to underside of surface short 90° attachment to underside of surface long 90° attachment to underside of surface ingle back-to-back junction block (SB) or double back-to-bac	


**C** long 90° attachment to underside of surface


Prices for Steps 1-3.

Α	В	C
\$84	90	90
_	\$90	90
\$68	74	74
_	\$74	74
	\$84 — \$68	\$84 90 — \$90 \$68 74

### Connect<sup>™</sup>-Duplex Receptacle, 4-Circuit

Y1355.





### Specification Information

Step 1. **Y1355.** 

### Step 2. Amps

15 15 amp

**20** 20 amp

### Step 3. Circuit

- 1 circuit l
- 2 circuit II
- 3 circuit III
- 4 circuit IV

### Prices for Steps 1-3.

	1	2	3	4
Y1355. 15	\$23	23	23	23
20	\$27	27	27	27

### Specification Information

Step 1. **Y1357.** 

Step 2. Attachment Hardware

- A flat attachment to underside of surface
- **B** short 90° attachment to underside of surface
- **C** long 90° attachment to underside of surface

### Prices for Steps 1-2.


•	
Y1357. A	\$56
В	\$89
C	\$89

Thrive® Portfolio—Power and Data Support

Y1357.

### Connect<sup>™</sup>-Block Connector, 4-Circuit

Y1354.




### Specification Information

Step 1. Y1354.

Step	2. Connector Type	
н	H-block connector	
R	receptacle-to-receptacle block connector	
Price	s for Steps 1-2.	
Price <b>Y135</b>		\$41

Connect<sup>™</sup>-Transition Jumper, 2- to Y1356. 4-Circuit



### Specification Information

Step 1. Y1356.

Step 2.	Width
06	6" wide
24	24" wide

- 24" wide
- 36 36" wide
- 48 48" wide
- 72 72" wide
- 96" wide 96

### Step 3. Conduit Type

liquid tight conduit L


Prices for Steps 1-3.	
	L
Y1356. 06	\$69
24	\$85
36	\$96
48	\$108
72	\$128
96	\$151

### Connect<sup>™</sup>-Ganging Bracket Kit


Y1338.

### Connect<sup>™</sup>-Conduit Clamp

Y1339.



Specification Information
Step 1.
Y1338.



### Specification Information

Step 1. **Y1339.** 

\$75

\$9

+\$o

+\$0

+\$o


+\$o

+\$0

+\$0

+\$o

+\$o



### Specification Information

metallic champagne

graphite satin

inner tone light

metallic silver

medium tone

soft white

slate grey

sandstone


Step 1. **Y7000.** 

### Step 2. Width

14 14" wide

**29** 29" wide

Prices	for Steps 1-2.	
Y7000	). 14	\$211
	29	\$324
Step 3	. Surface Finish	
Step 3 <b>8Q</b>	. Surface Finish folkstone grey	+\$0



### Specification Information

Step 1. **Y7216.** 

Step 2. Width 10 10" wide

**16** 16" wide

Prices for Steps 1-2.	
Y7216. 10	\$33
16	\$42

Surface Finish	
white	+\$o
black umber	+\$o
cool grey neutral	+\$o
graphite	+\$o
inner tone light	+\$o
light tone	+\$o
soft white	+\$o
medium tone	+\$o
warm grey neutral	+\$o
frosted	+\$5
	white black umber cool grey neutral graphite inner tone light light tone soft white medium tone warm grey neutral

CN

G2

HF

LU

MS

МТ

SG

WL


### Vertical Tray

Y7217.

Diagonal Tray


Y7218.

Thrive® Portfolio – Work Tools



Specification Information	
Step 1.	
Y7217.4	\$37

Step 2	2. Surface Finish	
91	white	+\$o
BU	black umber	+\$o
CL	cool grey neutral	+\$o
G1	graphite	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WN	warm grey neutral	+\$o
XF	frosted	+\$5




### Specification Information

3.	\$54
2. Surface Finish	
white	+\$o
black umber	+\$o
cool grey neutral	+\$o
graphite	+\$o
inner tone light	+\$o
light tone	+\$o
soft white	+\$o
medium tone	+\$o
warm grey neutral	+\$o
frosted	+\$5
	black umber cool grey neutral graphite inner tone light light tone soft white medium tone warm grey neutral


### Pencil Holder

Y7233.



Specification Information Step 1. Y7233.

\$26




<b>Spec</b> Step 1 <b>Y721</b> (		¢
1/210		\$33
Step 2	. Surface Finish	
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
SG	slate grey	+\$o
XF	frosted	+\$5


### Storage Tray

Y7212.

\$42



### Specification Information Step 1. Y7212.




### Specification Information

Step 1. Y7310.

Step 2	. Width	
15	15" wide	
24	24" wide	
30	30" wide	
Prices	for Steps 1-2.	
Y7310	. 15	\$55
	24	\$57
	30	\$66
Step 3	. Surface Finish	
BU	black umber	+\$0
CN	metallic champagne	+\$0
CN HF	metallic champagne inner tone light	+\$o +\$o
HF	inner tone light	+\$0

### Rail Divider

Y7320.




### Specification Information Step 1.

Y7320.

# Step 2. Depth 05 5" deep 10 10" deep

Prices f	or Steps 1-2.	
Y7320.	05	\$19
	10	\$21
Step 3.	Surface Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
CN	metallic champagne	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MS	metallic silver	+\$o
МТ	medium tone	+\$0
SG	slate grey	+\$o



### Specification Information


Step 1. **Y7315.** 

\$42


### Bundle Clip

Y7420.

### Document Gripper



Specification Information
Step 1.
Y7420.



### Specification Information

Step 1. **Y7421.** 


\$19

\$19

### Pencil Drawer

Y5010.


### Marker/Eraser Holder



Specification Information	
Step 1.	
Y5010.	\$48

### Step 2. Surface Finish

8Q	folkstone grey	+\$o
BU	black umber	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
МТ	medium tone	+\$o
SG	slate grey	+\$o
WL	sandstone	+\$o
WN	warm grey neutral	+\$o



### Specification Information

Step	1.	
Y723	1.	\$128
Step	2. Finish	
91	white	+\$0
RK	black	¢0.

DK	DIACK	+⊅0
MS	metallic silver	+\$o

Thrive® Portfolio 10-Day or Less	
Add-On Tray	page(s) 9
Adjustable Mouse Tray	9
Bundle Clip	29
Connect <sup>™</sup> -Block Connector, 2-Circuit	17
Connect <sup>™</sup> -Block Connector, 4-Circuit	22
Connect <sup>™</sup> -Conduit Clamp	23
Connect <sup>™</sup> -Dual Junction Block Power Kit, 4-Circuit	18
Connect <sup>™</sup> -Dual Receptacle Power Kit, 2-Circuit	14
Connect <sup>™</sup> -Duplex Receptacle, 2-Circuit, 15 Amp	14
Connect <sup>™</sup> -Duplex Receptacle, 4-Circuit	21
Connect <sup>™</sup> -Ganging Bracket Kit	23
Connect <sup>™</sup> -Jumper, 2-Circuit	15
Connect <sup>™</sup> -Junction Block, 4-Circuit	20
Connect <sup>™</sup> -Junction Block Brackets, 4-Circuit	21
Connect <sup>™</sup> -Junction Block to Junction Block Jumper, 4-Circuit	19
Connect <sup>™</sup> - Modular Power Entry, 2 Circuit, Architectural Wall Re	
Box	13
Connect <sup>™</sup> -Modular Power Entry, 4 Circuit, Architectural Wall Jun	
Box	18
Connect <sup>™</sup> -Power Entry, 2-Circuit	13
Connect <sup>™</sup> -Power Entry, 4-Circuit	17
Connect <sup>™</sup> -Power Entry with Plug End, 20 Amp	12
Connect <sup>™</sup> -Receptacle Brackets, 2-Circuit	16
Connect <sup>™</sup> -S100	10
Connect <sup>™</sup> -S200	10
Connect <sup>™</sup> -S300	
Connect <sup>™</sup> -S400	
Connect <sup>™</sup> -S500	12
Connect <sup>™</sup> -Transition Jumper, 2- to 4-Circuit	22
CPU Holder, Mobile	5
Diagonal Tray	25
Display Tray	28
Document Gripper	29
LE Series Keyboard Solutions	7
LS Series Keyboard Solutions	5
LT Series Keyboard Solutions	
LX Series Keyboard Solutions	6
Marker/Eraser Holder	30
Mini-Shelf	27
Organizer Tray	
Paper Tray	24
Pencil Drawer	30
Pencil Holder	
Rail Divider	28
Squared-Edge Corner Wedge	
Storage Tray	27
	-/

Vertical Tray	2
Work Surface-Attached Tool Rail	2

Y1321.	Connect <sup>™</sup> -S100 pa	age(s) 10
Y1322.	Connect <sup>™</sup> -S200	10
Y1323.	Connect <sup>™</sup> -S300	11
Y1324.	Connect <sup>™</sup> -S400	11
Y1325.	Connect <sup>™</sup> -S500	12
Y1338.	Connect <sup>™</sup> -Ganging Bracket Kit	23
Y1339.	Connect <sup>™</sup> -Conduit Clamp	23
Y1340.	Connect <sup>™</sup> -Dual Receptacle Power Kit, 2-Circuit	14
Y1341.	Connect <sup>™</sup> -Power Entry, 2-Circuit	13
Y1342.	Connect <sup>™</sup> -Power Entry with Plug End, 20 Amp	12
Y1343.	Connect™-Jumper, 2-Circuit	15
Y1344.	Connect <sup>™</sup> -Block Connector, 2-Circuit	17
Y1345.	Connect <sup>™</sup> -Duplex Receptacle, 2-Circuit, 15 Amp	14
Y1347.	Connect <sup>™</sup> -Receptacle Brackets, 2-Circuit	16
Y1349.	Connect <sup>™</sup> - Modular Power Entry, 2 Circuit, Architectura	l Wall
	Receptacle Box	13
Y1350.	Connect <sup>™</sup> -Dual Junction Block Power Kit, 4-Circuit	18
Y1351.	Connect <sup>™</sup> -Power Entry, 4-Circuit	17
Y1353.	Connect <sup>™</sup> -Junction Block to Junction Block Jumper, 4-Ci	rcuit 19
Y1354.	Connect <sup>™</sup> -Block Connector, 4-Circuit	22
Y1355.	Connect <sup>™</sup> -Duplex Receptacle, 4-Circuit	21
Y1356.	Connect <sup>™</sup> -Transition Jumper, 2- to 4-Circuit	22
Y1357.	Connect <sup>™</sup> -Junction Block Brackets, 4-Circuit	21
Y1358.	Connect <sup>™</sup> -Junction Block, 4-Circuit	20
Y1359.	Connect <sup>™</sup> -Modular Power Entry, 4 Circuit, Architectural	Wall
	Junction Box	18
Y2091.	Squared-Edge Corner Wedge	8
Y5010.	Pencil Drawer	30
Y7000.	Work Surface-Attached Tool Rail	24
Y7210.	Organizer Tray	26
Y7212.	Storage Tray	27
Y7216.	Paper Tray	24
Y7217.	Vertical Tray	25
Y7218.	Diagonal Tray	25
Y7231.	Marker/Eraser Holder	30
Y7233.	Pencil Holder	26
Y7310.	Mini-Shelf	27
Y7315.	Display Tray	28
Y7320.	Rail Divider	28
Y7420.	Bundle Clip	29
Y7421.	Document Gripper	29
Y7710.	LE Series Keyboard Solutions	7
Y7724.	LX Series Keyboard Solutions	6
Y7727.	LT Series Keyboard Solutions	7
Y7728.	Add-On Tray	9
Y7729.	Adjustable Mouse Tray	9
Y7737.	LS Series Keyboard Solutions	5

### Y7812. CPU Holder, Mobile

5

HermanMiller for Government

#### 10-Day or Less Program

10-day or less products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple West Michigan manufacturing facilities. These include Holland, Spring Lake, and Zeeland. Orders will be shipped within 10 business days or less from the date of Herman Miller acknowledgement.

#### **Ordering Procedures**

1. Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products: (616) 654 3085.

- 2. Orders must be clearly marked "10-day or less program" and include only 10-day or less products. Orders not marked this way will be processed under standard lead times. Orders for standard lead times must be placed on a separate purchase order.
- 3. Only fabrics and finishes listed with each product are available through the 10-day or less program.
- 4. For any 10-day or less project over \$250,000 list price, please contact your Customer Care representative within 48 hours of order entry to reserve lead time.
- For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

#### Shipments and Delivery

Per Herman Miller Terms and Conditions.

### Changes and Cancellation

Per Herman Miller Terms and Conditions.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2018 Herman Miller, Inc., Zeeland, Michigan

<sup>®</sup> HermanMiller, **•**, Action Office, Aeron, Aside, Avive, Canvas Office Landscape, Caper, Celle, Co/Struc, Eames, Embody, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Herman Miller Healthcare, Layout Studio, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Resolve, Sayl, Setu, Thrive, Tu, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

<sup>TM</sup> AireWeave, Bubbletack, Cellular Suspension, Compass, Connect, DOT, Durawrap, Everywhere, Flex-Edge, Hopsak 2, Intent, Iota, Keyless Entry, Latitude, Lyris 2, Motia, Multiscrim, Nelson, Renew, Stackable, Swoop, TriFlex, Twist, and Verus are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

<sup>S</sup>Chemsurf<sup>®</sup> is a registered trademark of Wilsonart International.

 ${\sf Corian}^{\circledast}$  is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

FLEXNET<sup>™</sup> is a trademark of Milliken & Company.

Floor Saver  $\mathsf{Glide}^{\circledast}$  is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark of Geiger International.

 $\mathsf{Microsoft}^{\texttt{0}}$  and  $\mathsf{Natural}^{\texttt{0}}$  Keyboard are registered trademarks of Microsoft Corporation.

Place Textiles® is a registered trademark of Place Textiles.