



Prices effective February 5, 2018

## Metaform Portfolio™

<b>Introduction</b>	<b>page 2</b>
<b>Metaform Portfolio™</b>	<b>3</b>
Blocks	5
Media Rig	9
Tables	13
Desks	21
Ridge Tools	23
Collaborative Accessories	29
Power and Data Support	31
<b>Indices</b>	<b>35</b>
By Name	35
By Number	37
<b>Appendices</b>	
20-Day or Less/Assigned Lead-Time Order Information	
<b>For the latest materials information, refer to the Materials pages on <a href="http://HermanMiller.com">HermanMiller.com</a>.</b>	

# Introduction

## A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

### Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

### Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

### The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

## General Information

This book is effective February 5, 2018, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit [www.HermanMiller.com](http://www.HermanMiller.com).


All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.


Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest 1/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

### 20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon  will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Blocks

Media Rig

Tables

Desks

Ridge Tools


Collaborative Accessories

Power and Data Support



# Straight Block

BLB1.



## Product Information

### Description

This freestanding expanded polypropylene block can be used independently or with additional blocks. It weighs 18 pounds and can be easily moved for new configurations. Each block has 3 staggered furrows for storage and display, and 4 ridges that allow accessories and work surfaces to be attached. 4 push button glides allow 1½" of leveling adjustment without tools. Order optional accessories separately. Includes 2 connectors for attachment to additional blocks.


### Notes

Order optional products separately:

- Backdrop (BLP1.)
- Vertipede (BLVo.)
- Centipede (BLCo.)
- Ridge tool (BLRo.)
- Tackboard (BLKo.)
- Markerboard (BLWo.)
- Media rig, straight block (BLM1.)
- Media rig ballast, straight block (BLS1.)
- Curved block (BLB2.)
- Desk (BLD1.)
- Rectangular fixed height table (BLF1.)

Block connectors attach in the top and bottom furrows and push into molded holes.


## Dimensions



Specification Information		
Step 1.		
BLB1.	<input type="text" value="A"/>	\$1135
Step 2. Block Color		
MY1	mineral grey <input type="text" value="A"/>	+\$0

## Curved Block

BLB2.



### Product Information

#### Description

This curved freestanding expanded polypropylene block can be used independently or with additional blocks. It weighs 19 pounds and can be easily moved for new configurations. Each block has 3 staggered furrows for storage and display, and 4 ridges that allow accessories and work surfaces to be attached. 5 push button glides allow  $1\frac{1}{2}$ " of leveling adjustment without tools. Order optional accessories separately. Includes 2 connectors for attachment to additional blocks.





#### Notes

Order optional products separately:

- Backdrop (BLP2.)
- Vertipede (BLVo.)
- Centipede shelf (BLCo.)
- Ridge tool (BLRo.)
- Tackboard (BLKo.)
- Markerboard (BLWo.)
- Media rig, curved block (BLM2.)
- Media rig ballast, curved block (BLS2.)
- Straight block (BLB1.)
- Triangular fixed height table (BLF2.)

Block connectors attach in the top and bottom furrows and push into molded holes.

### Dimensions




41 5/8"

Specification Information		
Step 1.		
BLB2.	<input type="text" value="A"/>	\$1135
Step 2. Block Color		
MY1	mineral grey <input type="text" value="A"/>	+\$0




Media Rig, Straight Block

BLM1.




Product Information
Description
This assembly supports up to a 42" flat screen monitor or up to 60 pounds of weight. It includes ballast, 2 posts, cross bar assembly, and VESA mounting brackets. Mounting brackets include quick release monitor attachment. Posts allow for vertical adjustment of monitor without tools. The counterweight ballast includes 50 pounds of sand to provide monitor stability and comes with 4 adjustable glides and a bubble level.
Notes
For use with straight block (BLB1.) only. It can be used in 1 block or centered between 2 blocks. For 2-block configuration, 1 additional ballast (BLS1.) is required, ordered separately.
Monitor mounting hardware must be field supplied.
Dimensions

Specification Information
Step 1.
BLM1. <span>A</span> \$1324
Step 2. Color
G1 graphite <span>A</span> +\$0



Media Rig Ballast, Straight Block      BLS1.




Product Information

**Description**  
This counterweight ballast provides monitor stability and has 4 adjustable glides and a bubble level for easy setup. It allows a media rig to be centered between 2 adjacent straight blocks. 50 pounds of sand included.

**Notes**  
For use with straight block media rig (BLM1.) in 2-straight-block configuration.  
Order media rig (BLM1.) separately.

Dimensions




Specification Information

**Step 1.**  
**BLS1.** A \$486



Media Rig, Curved Block

BLM2.




Product Information
Description
This assembly supports up to a 42" flat screen monitor or up to 60 pounds of weight. It includes a curved ballast, 2 posts, cross bar assembly, and VESA mounting brackets. Mounting brackets include quick release monitor attachment. Posts allow for vertical adjustment of monitor without tools. The counterweight ballast includes 50 pounds of sand to provide monitor stability and comes with 4 adjustable glides and a bubble level.
Notes
For use with curved block (BLB2.) only. It can be used in 1 block or centered between 2 blocks. For 2-block configuration, 1 additional ballast (BLS2.) is required, ordered separately.
Monitor mounting hardware must be field supplied.
Dimensions

Specification Information
Step 1.
BLM2. <span>A</span> \$1324
Step 2. Color
G1 graphite <span>A</span> +\$0



Media Rig Ballast, Curved Block BLS2.




Product Information

**Description**  
This curved counterweight ballast provides monitor stability and has 4 adjustable glides and a bubble level for easy setup. It allows a curved-block media rig to be centered between 2 adjacent curved blocks. 50 pounds of sand included.

**Notes**  
For use with curved block media rig (BLM2.) in 2-curved-block configuration.  
Order media rig (BLM2.) separately.

Dimensions




Specification Information

**Step 1.**  
**BLS2.** A \$486

Round End Fixed Height Table

BLF1.



Product Information

Description

This fixed height table is a work surface that attaches at 1 end to a straight block and is supported at the other end by a column leg with a cone shaped base that has an integrated carrying handle. The work surface is laminate, has a squared edge and is 1¼" thick. The leg provides 1½" of leveling adjustment. Attachment hardware included.


Notes

Round end fixed height table is compatible with straight blocks only. Attachment to a block results in a gap of approximately 2" between work surface end and block.

Stiffener is attached to the underside of large table (L).

For additional product options, see Vary Easy Program in appendices.

Dimensions



Specification Information

Step 1.

**BLF1.** A

Step 2. Size

**S** small 31½" deep x 52" wide A

**L** large 36" deep x 72" wide A

Step 3. Height

**29** 29" high A

Step 4. Leg Type

**C** column leg A

Step 5. Surface Material

**L** laminate top/thermoplastic edge A

Prices for Steps 1-5.

	CL
<b>BLF1. S 29</b>	\$903
<b>L 29</b>	\$1038

Step 6. Leg Finish

**G1** graphite A +\$0

# Round End Fixed Height Table

continued


Step 7. Top Finish		
<b>76</b>	light brown walnut <a href="#">A</a>	+\$0
<b>8Q</b>	folkstone grey <a href="#">A</a>	+\$0
<b>91</b>	white <a href="#">A</a>	+\$0
<b>98</b>	studio white <a href="#">A</a>	+\$0
<b>CL</b>	cool grey neutral <a href="#">A</a>	+\$0
<b>HF</b>	inner tone light <a href="#">A</a>	+\$0
<b>HM</b>	natural maple <a href="#">A</a>	+\$0
<b>HP</b>	light anigre <a href="#">A</a>	+\$0
<b>HT</b>	inner tone <a href="#">A</a>	+\$0
<b>HX</b>	aged cherry <a href="#">A</a>	+\$0
<b>HY</b>	walnut on cherry <a href="#">A</a>	+\$0
<b>LA</b>	light ash <a href="#">A</a>	+\$0
<b>LBA</b>	clear on ash <a href="#">A</a>	+\$0
<b>LBB</b>	oak on ash <a href="#">A</a>	+\$0
<b>LBC</b>	walnut on ash <a href="#">A</a>	+\$0
<b>LBD</b>	dark brown walnut <a href="#">A</a>	+\$0
<b>LBE</b>	medium red walnut <a href="#">A</a>	+\$0
<b>LBF</b>	neutral twill <a href="#">A</a>	+\$0
<b>LBG</b>	sarum twill <a href="#">A</a>	+\$0
<b>LBH</b>	earthen twill <a href="#">A</a>	+\$0
<b>LBJ</b>	graphite twill <a href="#">A</a>	+\$0
<b>LBK</b>	pewter mesh <a href="#">A</a>	+\$0
<b>LBL</b>	steel mesh <a href="#">A</a>	+\$0
<b>LBM</b>	crisp linen <a href="#">A</a>	+\$0
<b>LBN</b>	classic linen <a href="#">A</a>	+\$0
<b>LBP</b>	casual linen <a href="#">A</a>	+\$0
<b>LBQ</b>	white twill <a href="#">A</a>	+\$0
<b>LM</b>	mahogany <a href="#">A</a>	+\$0
<b>LT</b>	light tone <a href="#">A</a>	+\$0
<b>LU</b>	soft white <a href="#">A</a>	+\$0
<b>MT</b>	medium tone <a href="#">A</a>	+\$0
<b>WL</b>	sandstone <a href="#">A</a>	+\$0
<b>WN</b>	warm grey neutral <a href="#">A</a>	+\$0

<b>HX</b>	aged cherry <a href="#">A</a>	+\$0
<b>HY</b>	walnut on cherry <a href="#">A</a>	+\$0
<b>JB</b>	millwork cherry <a href="#">A</a>	+\$0
<b>LA</b>	light ash <a href="#">A</a>	+\$0
<b>LBA</b>	clear on ash <a href="#">A</a>	+\$0
<b>LBB</b>	oak on ash <a href="#">A</a>	+\$0
<b>LBC</b>	walnut on ash <a href="#">A</a>	+\$0
<b>LBD</b>	dark brown walnut <a href="#">A</a>	+\$0
<b>LBE</b>	medium red walnut <a href="#">A</a>	+\$0
<b>LBF</b>	neutral twill <a href="#">A</a>	+\$0
<b>LBG</b>	sarum twill <a href="#">A</a>	+\$0
<b>LBH</b>	earthen twill <a href="#">A</a>	+\$0
<b>LBJ</b>	graphite twill <a href="#">A</a>	+\$0
<b>LBK</b>	pewter mesh <a href="#">A</a>	+\$0
<b>LBL</b>	steel mesh <a href="#">A</a>	+\$0
<b>LBM</b>	crisp linen <a href="#">A</a>	+\$0
<b>LBN</b>	classic linen <a href="#">A</a>	+\$0
<b>LBP</b>	casual linen <a href="#">A</a>	+\$0
<b>LBQ</b>	white twill <a href="#">A</a>	+\$0
<b>LU</b>	soft white <a href="#">A</a>	+\$0
<b>MT</b>	medium tone <a href="#">A</a>	+\$0
<b>WL</b>	sandstone <a href="#">A</a>	+\$0
<b>WN</b>	warm grey neutral <a href="#">A</a>	+\$0


Step 8. Edge Finish		
<b>76</b>	light brown walnut <a href="#">A</a>	+\$0
<b>8Q</b>	folkstone grey <a href="#">A</a>	+\$0
<b>8Z</b>	neutral grey <a href="#">A</a>	+\$0
<b>91</b>	white <a href="#">A</a>	+\$0
<b>98</b>	studio white <a href="#">A</a>	+\$0
<b>BU</b>	black umber <a href="#">A</a>	+\$0
<b>CL</b>	cool grey neutral <a href="#">A</a>	+\$0
<b>HF</b>	inner tone light <a href="#">A</a>	+\$0
<b>HM</b>	natural maple <a href="#">A</a>	+\$0
<b>HP</b>	light anigre <a href="#">A</a>	+\$0
<b>HT</b>	inner tone <a href="#">A</a>	+\$0

Triangular Fixed Height Table

BLF2.



Product Information
<b>Description</b> This triangular fixed height table is a work surface that attaches at 1 end to a curved block and is supported at the other end by a column leg with a cone shaped base that has an integrated carrying handle. The work surface is laminate, has a squared edge and is 1¼" thick. The leg provides 1½" of leveling adjustment. Attachment hardware included.
<b>Notes</b> Triangular table is compatible with curved blocks only. Attachment to a block results in a gap of approximately 2" between work surface end and block. Stiffener is attached to the underside of large table (L). For additional product options, see Vary Easy Program in appendices.
<b>Dimensions</b>



Specification Information
<b>Step 1.</b> <b>BLF2.</b> <span>A</span>
<b>Step 2. Size</b> <b>S</b> small 40" deep x 52" wide <span>A</span> <b>L</b> large 58" deep x 72" wide <span>A</span>
<b>Step 3. Height</b> <b>29</b> 29" high <span>A</span>
<b>Step 4. Leg Type</b> <b>C</b> column leg <span>A</span>
<b>Step 5. Surface Material</b> <b>L</b> laminate top/thermoplastic edge <span>A</span>
<b>Prices for Steps 1-5.</b>
<b>CL</b>
<b>BLF2. S 29</b> \$957
<b>L 29</b> \$1105
<b>Step 6. Leg Finish</b>
<b>G1</b> graphite <span>A</span> +\$0

# Triangular Fixed Height Table

continued

## Step 7. Top Finish

<b>76</b>	light brown walnut <a href="#">A</a>	+\$0
<b>8Q</b>	folkstone grey <a href="#">A</a>	+\$0
<b>91</b>	white <a href="#">A</a>	+\$0
<b>98</b>	studio white <a href="#">A</a>	+\$0
<b>CL</b>	cool grey neutral <a href="#">A</a>	+\$0
<b>HF</b>	inner tone light <a href="#">A</a>	+\$0
<b>HM</b>	natural maple <a href="#">A</a>	+\$0
<b>HP</b>	light anigre <a href="#">A</a>	+\$0
<b>HT</b>	inner tone <a href="#">A</a>	+\$0
<b>HX</b>	aged cherry <a href="#">A</a>	+\$0
<b>HY</b>	walnut on cherry <a href="#">A</a>	+\$0
<b>LA</b>	light ash <a href="#">A</a>	+\$0
<b>LBA</b>	clear on ash <a href="#">A</a>	+\$0
<b>LBB</b>	oak on ash <a href="#">A</a>	+\$0
<b>LBC</b>	walnut on ash <a href="#">A</a>	+\$0
<b>LBD</b>	dark brown walnut <a href="#">A</a>	+\$0
<b>LBE</b>	medium red walnut <a href="#">A</a>	+\$0
<b>LBF</b>	neutral twill <a href="#">A</a>	+\$0
<b>LBG</b>	sarum twill <a href="#">A</a>	+\$0
<b>LBH</b>	earthen twill <a href="#">A</a>	+\$0
<b>LBJ</b>	graphite twill <a href="#">A</a>	+\$0
<b>LBK</b>	pewter mesh <a href="#">A</a>	+\$0
<b>LBL</b>	steel mesh <a href="#">A</a>	+\$0
<b>LBM</b>	crisp linen <a href="#">A</a>	+\$0
<b>LBN</b>	classic linen <a href="#">A</a>	+\$0
<b>LBP</b>	casual linen <a href="#">A</a>	+\$0
<b>LBQ</b>	white twill <a href="#">A</a>	+\$0
<b>LM</b>	mahogany <a href="#">A</a>	+\$0
<b>LT</b>	light tone <a href="#">A</a>	+\$0
<b>LU</b>	soft white <a href="#">A</a>	+\$0
<b>MT</b>	medium tone <a href="#">A</a>	+\$0
<b>WL</b>	sandstone <a href="#">A</a>	+\$0
<b>WN</b>	warm grey neutral <a href="#">A</a>	+\$0

<b>HX</b>	aged cherry <a href="#">A</a>	+\$0
<b>HY</b>	walnut on cherry <a href="#">A</a>	+\$0
<b>JB</b>	millwork cherry <a href="#">A</a>	+\$0
<b>LA</b>	light ash <a href="#">A</a>	+\$0
<b>LBA</b>	clear on ash <a href="#">A</a>	+\$0
<b>LBB</b>	oak on ash <a href="#">A</a>	+\$0
<b>LBC</b>	walnut on ash <a href="#">A</a>	+\$0
<b>LBD</b>	dark brown walnut <a href="#">A</a>	+\$0
<b>LBE</b>	medium red walnut <a href="#">A</a>	+\$0
<b>LBF</b>	neutral twill <a href="#">A</a>	+\$0
<b>LBG</b>	sarum twill <a href="#">A</a>	+\$0
<b>LBH</b>	earthen twill <a href="#">A</a>	+\$0
<b>LBJ</b>	graphite twill <a href="#">A</a>	+\$0
<b>LBK</b>	pewter mesh <a href="#">A</a>	+\$0
<b>LBL</b>	steel mesh <a href="#">A</a>	+\$0
<b>LBM</b>	crisp linen <a href="#">A</a>	+\$0
<b>LBN</b>	classic linen <a href="#">A</a>	+\$0
<b>LBP</b>	casual linen <a href="#">A</a>	+\$0
<b>LBQ</b>	white twill <a href="#">A</a>	+\$0
<b>LU</b>	soft white <a href="#">A</a>	+\$0
<b>MT</b>	medium tone <a href="#">A</a>	+\$0
<b>WL</b>	sandstone <a href="#">A</a>	+\$0
<b>WN</b>	warm grey neutral <a href="#">A</a>	+\$0


## Step 8. Edge Finish

<b>76</b>	light brown walnut <a href="#">A</a>	+\$0
<b>8Q</b>	folkstone grey <a href="#">A</a>	+\$0
<b>8Z</b>	neutral grey <a href="#">A</a>	+\$0
<b>91</b>	white <a href="#">A</a>	+\$0
<b>98</b>	studio white <a href="#">A</a>	+\$0
<b>BU</b>	black umber <a href="#">A</a>	+\$0
<b>CL</b>	cool grey neutral <a href="#">A</a>	+\$0
<b>HF</b>	inner tone light <a href="#">A</a>	+\$0
<b>HM</b>	natural maple <a href="#">A</a>	+\$0
<b>HP</b>	light anigre <a href="#">A</a>	+\$0
<b>HT</b>	inner tone <a href="#">A</a>	+\$0



# Round End High Performance Height Adjustable Table

BLH1.



## Product Information

### Description

This lightweight table attaches at 1 end to a straight block and is supported at the other end by a height-adjustable column leg with a cone shaped base that has an integrated carrying handle. The table adjusts to 3 heights—sitting (29"), counter (35"), and standing (42")—by using the adjustable column and extending support arms. The leg provides an additional 1 1/2" of leveling adjustment. Support arms extend to maintain work surface position as height is adjusted. The work surface is laminate, has a squared edge and is 3/4" thick. It comes with an integrated handle located for balanced carrying. Attachment hardware included.

### Notes


Round end high performance table is compatible with straight blocks only.

Back edge of surface stays in same location at all heights. Revolving arms extend in 4" increments to accommodate seated, counter and standing heights.


Large size surface does not require a stiffener.

Small table weighs 21 pounds; large table weighs 28 pounds.

## Dimensions



Small Table



Large Table


# Round End High Performance Height Adjustable Table *continued*

Metaform Portfolio™ Tables

Specification Information			
Step 1.			
BLH1.	A		
Step 2. Edge			
S	squared-edge	A	
Step 3. Size			
S	small 31½" deep x 52" wide	A	
L	large 36" deep x 72" wide	A	
Step 4. Leg Type			
A	adjustable column leg	A	
Step 5. Surface Material			
L	laminate	A	
Prices for Steps 1-5.			
			AL
BLH1.	S	S	\$2648
		L	\$2770
Step 6. Leg Finish			
G1	graphite	A	+\$0
Step 7. Surface Finish			
Solid-Color Laminate			
91	white	A	+\$0
Step 8. Edge Finish			
MY1	mineral grey	A	+\$0

# Triangular High Performance Height Adjustable Table

BLH2.



## Product Information

### Description

This lightweight table attaches at 1 end to a curved block and is supported at the other end by a height-adjustable column leg with a cone shaped base that has an integrated carrying handle. The table adjusts to 3 heights—sitting (29"), counter (35"), and standing (42")—by using the adjustable column and extending support arms. The leg provides an additional 1½" of leveling adjustment. Support arms extend to maintain work surface position as height is adjusted. The work surface is laminate, has a squared edge and is ¾" thick. It comes with an integrated handle located for balanced carrying. Attachment hardware included.

### Notes


Triangular high performance table is compatible with curved blocks only.

Back edge of surface stays in same location at all heights. Revolving arms extend in 4" increments to accommodate seated, counter and standing heights.


Large size surface does not require a stiffener.

Small table weighs 21 pounds; large table weighs 32 pounds.

## Dimensions



Small Table



Large Table

# Triangular High Performance Height Adjustable Table *continued*

Metaform Portfolio™ Tables

Specification Information			
Step 1.			
BLH2.	A		
Step 2. Edge			
S	squared-edge	A	
Step 3. Size			
S	40" deep x 52" wide	A	
L	58" deep x 72" wide	A	
Step 4. Leg Type			
A	adjustable column leg	A	
Step 5. Surface Material			
L	laminate	A	
Prices for Steps 1-5.			
			AL
BLH2.	S	S	\$2703
		L	\$2838
Step 6. Leg Finish			
G1	graphite	A	+\$0
Step 7. Surface Finish			
Solid-Color Laminate			
91	white	A	+\$0
Step 8. Edge Finish			
MY1	mineral grey	A	+\$0

1. *Journal of the American Medical Association*, 2000; 283: 2689-2693.

10. *Journal of the American Medical Association*, 2000; 284: 1039-1044.



Product Information	
Description	

Description
-------------

This desk is a work surface that attaches at 1 end to a straight block and is supported at the other end by a full-width panel. The work surface is laminate, has a squared edge and is 1¼" thick. The support panel has glides that provide 1½" of leveling adjustment. Attachment hardware included.

Notes


Desk is compatible with straight block only.

Attachment to a block results in a gap of approximately 2" between work surface end and block.

Stiffener is attached to the underside of work surface.

For additional product options, see Vary Easy Program in appendices.

## Dimensions



#### Specification Information

Step 1.

**BLD1.** A

### Step 2. Edge

**S** squared-edge

### Step 3. Depth

**30** 30" deep

#### Step 4. Width

60 60" wide

### Step 5. Surface Material

**L** laminate top/thermoplastic edge A

Prices for Steps 1-5.

	60L
BLD1. S 30	\$632

**Metaform Portfolio™ Desks**

## Step 6. Top Finish


<b>76</b>	light brown walnut <input type="checkbox"/>	+\$0
<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>CL</b>	cool grey neutral <input type="checkbox"/>	+\$0
<b>HF</b>	inner tone light <input type="checkbox"/>	+\$0
<b>HM</b>	natural maple <input type="checkbox"/>	+\$0
<b>HP</b>	light anigre <input type="checkbox"/>	+\$0
<b>HT</b>	inner tone <input type="checkbox"/>	+\$0
<b>HX</b>	aged cherry <input type="checkbox"/>	+\$0
<b>HY</b>	walnut on cherry <input type="checkbox"/>	+\$0
<b>LBA</b>	clear on ash <input type="checkbox"/>	+\$0
<b>LBB</b>	oak on ash <input type="checkbox"/>	+\$0
<b>LBC</b>	walnut on ash <input type="checkbox"/>	+\$0
<b>LBD</b>	dark brown walnut <input type="checkbox"/>	+\$0
<b>LBE</b>	medium red walnut <input type="checkbox"/>	+\$0
<b>LBF</b>	neutral twill <input type="checkbox"/>	+\$0
<b>LBG</b>	sarum twill <input type="checkbox"/>	+\$0
<b>LBH</b>	earthen twill <input type="checkbox"/>	+\$0
<b>LBJ</b>	graphite twill <input type="checkbox"/>	+\$0
<b>LBK</b>	pewter mesh <input type="checkbox"/>	+\$0
<b>LBL</b>	steel mesh <input type="checkbox"/>	+\$0
<b>LBM</b>	crisp linen <input type="checkbox"/>	+\$0
<b>LBN</b>	classic linen <input type="checkbox"/>	+\$0
<b>LBP</b>	casual linen <input type="checkbox"/>	+\$0
<b>LBQ</b>	white twill <input type="checkbox"/>	+\$0
<b>LT</b>	light tone <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0
<b>MT</b>	medium tone <input type="checkbox"/>	+\$0
<b>WL</b>	sandstone <input type="checkbox"/>	+\$0
<b>WN</b>	warm grey neutral <input type="checkbox"/>	+\$0

## Step 7. Edge Finish

<b>76</b>	light brown walnut <input type="checkbox"/>	+\$0
<b>8Q</b>	folkstone grey <input type="checkbox"/>	+\$0
<b>91</b>	white <input type="checkbox"/>	+\$0
<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>CL</b>	cool grey neutral <input type="checkbox"/>	+\$0
<b>HF</b>	inner tone light <input type="checkbox"/>	+\$0
<b>HM</b>	natural maple <input type="checkbox"/>	+\$0
<b>HP</b>	light anigre <input type="checkbox"/>	+\$0
<b>HT</b>	inner tone <input type="checkbox"/>	+\$0
<b>HX</b>	aged cherry <input type="checkbox"/>	+\$0
<b>HY</b>	walnut on cherry <input type="checkbox"/>	+\$0
<b>LBA</b>	clear on ash <input type="checkbox"/>	+\$0
<b>LBB</b>	oak on ash <input type="checkbox"/>	+\$0
<b>LBC</b>	walnut on ash <input type="checkbox"/>	+\$0
<b>LBD</b>	dark brown walnut <input type="checkbox"/>	+\$0
<b>LBE</b>	medium red walnut <input type="checkbox"/>	+\$0
<b>LBF</b>	neutral twill <input type="checkbox"/>	+\$0
<b>LBG</b>	sarum twill <input type="checkbox"/>	+\$0
<b>LBH</b>	earthen twill <input type="checkbox"/>	+\$0
<b>LBJ</b>	graphite twill <input type="checkbox"/>	+\$0
<b>LBK</b>	pewter mesh <input type="checkbox"/>	+\$0
<b>LBL</b>	steel mesh <input type="checkbox"/>	+\$0
<b>LBM</b>	crisp linen <input type="checkbox"/>	+\$0
<b>LBN</b>	classic linen <input type="checkbox"/>	+\$0
<b>LBP</b>	casual linen <input type="checkbox"/>	+\$0
<b>LBQ</b>	white twill <input type="checkbox"/>	+\$0
<b>LT</b>	light tone <input type="checkbox"/>	+\$0
<b>LU</b>	soft white <input type="checkbox"/>	+\$0
<b>MT</b>	medium tone <input type="checkbox"/>	+\$0
<b>WL</b>	sandstone <input type="checkbox"/>	+\$0
<b>WN</b>	warm grey neutral <input type="checkbox"/>	+\$0

## Ridge Tools

BLR0.



### Product Information

#### Description

These polypropylene ridge tools provide 2 versatile options for supporting work tools on a block. The core element, referred to as the Sparrow, allows the Cradle or the Bolt-It to attach to any unoccupied ridge on a straight or curved block in either direction, and allows for 360° rotation of the tool. Each tool includes 1 Sparrow.


The Cradle supports hand-held devices such as tablets and mobile phones.

The Bolt-It allows the custom attachment to the block of a desired component by drilling a  $\frac{5}{8}$ " diameter hole through the component, affixing the Bolt-It through the hole, and placing the Bolt-It in the Sparrow.

#### Notes

Bolt-It requires customer-drilled  $\frac{5}{8}$ " hole into desired component.

### Dimensions




Specification Information		
Step 1.		
BLR0. <span>A</span>		
Step 2. Application		
C	cradle + sparrow <span>A</span>	
S	bolt-it + sparrow <span>A</span>	
Prices for Steps 1-2.		
BLR0. C		\$54
S		\$54
Step 3. Color		
MY1	mineral grey <span>A</span>	+\$0



Vertipede

BLV0.



**Product Information**


**Description**

The Vertipede adds character, height, and creates a visual boundary. It slides onto any unoccupied top ridge on a straight or curved block. It is made of ABS plastic, comes in several colors, and is available in package quantities of 1, 4 or 5 pieces.

**Notes**

8 Vertipedes are needed to completely cover the span of a single straight block. 9 Vertipedes are needed to completely cover the span of a single curved block. Fewer can be used on either block for partial ridge coverage or as accent pieces.

**Dimensions**



**Specification Information**

**Step 1.**

**BLV0.** ☐ A

**Step 2. Package**

<b>1</b>	pack of 1	<input type="checkbox"/> A
<b>4</b>	pack of 4	<input type="checkbox"/> A
<b>5</b>	pack of 5	<input type="checkbox"/> A

**Prices for Steps 1-2.**


<b>BLV0.</b>	<b>1</b>	\$68
	<b>4</b>	\$272
	<b>5</b>	\$340

**Step 3. Color**

<b>79</b>	green apple	<input type="checkbox"/> A	+\$0
<b>98</b>	studio white	<input type="checkbox"/> A	+\$0
<b>BRN</b>	urban orange	<input type="checkbox"/> A	+\$0
<b>TRQ</b>	turquoise	<input type="checkbox"/> A	+\$0

Centipede Shelves

BLC0.



Product Information

**Description**  
This flexible shelf slides onto any unoccupied ridge of a straight or curved block to create display or organizational space. It can attach in either direction on the top ridge. It is made of ABS plastic, comes in several colors, and is available in package quantities of 1 or 3 pieces.

**Notes**  
Centipede shelf meets BIFMA load requirements.

Dimensions

Specification Information

Step 1.

**BLC0.** ☐

Step 2. Package

- 1** package of 1 ☐
- 3** package of 3 ☐


Prices for Steps 1-2.

<b>BLC0.</b>	<b>1</b>	\$81
	<b>3</b>	\$243

Step 3. Color


<b>98</b>	studio white <input type="checkbox"/>	+\$0
<b>HY1</b>	hyper-orange <input type="checkbox"/>	+\$0
<b>HY3</b>	hyper-lime <input type="checkbox"/>	+\$0
<b>HY4</b>	hyper-blue <input type="checkbox"/>	+\$0

Metaform Portfolio™ Ridge Tools




Backdrop, Straight Block

BLP1.




Product Information
Description
This backdrop adds height and creates a visual boundary. It is translucent acrylic and comes with 2 attachment brackets that slide into an unoccupied top furrow on a straight block.
Notes
Straight backdrop is compatible with straight blocks only.
Dimensions

Specification Information
Step 1.
BLP1. <span>A</span> \$392
Step 2. Color
CRL colorless <span>A</span> +\$0



Backdrop, Curved Block

BLP2.



Product Information

Description

This curved backdrop adds height and creates a visual boundary. It is translucent acrylic and comes with 2 attachment brackets that slide into an unoccupied top furrow on a curved block.

Notes

Curved backdrop is compatible with curved blocks only.

Dimensions

Specification Information


Step 1.

BLP2. A \$392

Step 2. Color


CRL colorless A +\$0

Metaform Portfolio™ Ridge Tools




Markerboard

BLW0.




Product Information
Description
This markerboard provides a 2-sided erasable writing surface that slides into any available furrow on a straight or curved block. It is made of white acrylic and includes an integrated carrying handle.
Notes
Surface intended for dry-erase marker only. Markers must be customer supplied.
Dimensions

Specification Information
Step 1.
BLW0. <span>A</span>
Step 2. Package
1      single pack <span>A</span>
Prices for Steps 1-2.
BLW0. 1 <span></span> \$311
Step 3. Color
98      studio white <span>A</span> +\$0




Tackboard


BLK0.



Product Information
Description
This tackboard provides a 2-sided lightweight attachment surface that slides into any available furrow on a straight or curved block. It is made of compressed polyester fibers and includes an integrated carrying handle.
Notes
Tacks or push-pins must be customer supplied.
Dimensions

Specification Information
Step 1.
BLK0. <span>A</span>
Step 2. Package
1 single pack <span>A</span>
Prices for Steps 1-2.
BLK0. 1 <span>\$311</span>
Step 3. Color
BK black <span>A</span> <span>+\$0</span>





### Product Information

#### Description

This electrical distributor provides a plug-in solution for Metaform Portfolio™ block configurations. It plugs directly into floor, wall, or ceiling drop outlets. Attachment hardware included. Product is UL listed.

#### Notes

Furrow attachment (F) is designed to fit product in Metaform block furrow.


Product can be installed on a straight block (BLB1.) or curved block (BLB2.).

A small LED light illuminates through the USB ports when the USB version is plugged in and powered.

USB ports provide 10-watt power to charge most devices and tablets at full speed.

Cord color is predetermined. For white (G1) finish cords will be white. For graphite (G1) finish cords will be black.

#### Dimensions



### Specification Information

#### Step 1.

**BLE01.** [A](#)

#### Step 2. Configuration

**J** 1 simplex receptacles, 2 powered USB [A](#)

**K** 2 simplex receptacles [A](#)

#### Step 3. Cord/Conduit Length

**03** 3' cord [A](#)

**06** 6' cord [A](#)

**10** 10' cord [A](#)

#### Step 4. Attachment


**F** furrow [A](#)

#### Prices for Steps 1-4.

		<b>F</b>
<b>BLE01. J</b>	<b>03</b>	\$311
	<b>06</b>	\$311
	<b>10</b>	\$322
<b>K</b>	<b>03</b>	\$169
	<b>06</b>	\$169
	<b>10</b>	\$180

#### Step 5. Finish

<b>91</b>	white <a href="#">A</a>	+\$0
<b>G1</b>	graphite <a href="#">A</a>	+\$0



## Product Information

### Description

This electrical distributor provides a plug-in solution for Metaform Portfolio™ block configurations. Multiple module options present the same visual appearance. It plugs directly into floor, wall, or ceiling drop outlets. Attachment hardware included. Product is ETL listed to UL962.

### Notes

Furrow attachment (F) is designed to fit product in Metaform block furrow.

Product can be installed on a straight block (BLB1.) or curved block (BLB2.).

Jumper length denotes distance between center points of each split point.

Cord length denotes distance from plug end to first split point.



All branch lengths from main power cord to module are 12".

A small LED light illuminates through the USB ports when the USB version is plugged in and powered.


USB ports provide 10-watt power to charge most devices and tablets at full speed.

The cord head contains a circuit breaker when there are more than 3 simplex receptacles.


## Dimensions



Two Power Modules



Three Power Modules



Four Power Modules



**Specification Information**

Step 1.

**BLE02.**  A

Step 2. Number of Modules

**2** two power modules  A

**3** three power modules  A

**4** four power modules  A

Step 3. Power Type

**J** 1 simplex receptacles, 2 powered USB, all modules  A

**K** 2 simplex receptacles, all modules  A

**L** first module has 1 AC plus 2 powered USB all other modules have all AC simplexes  A

Step 4. Jumper Length

**36** 36" between split points  A

**48** 48" between split points  A

**60** 60" between split points  A

Step 5. Attachment

**F** furrow  A

Step 6. Cord/Conduit Length

**06** 6' cord/conduit  A

**10** 10' cord/conduit  A

Prices for Steps 1-6.

		36F06	36F10	48F06	48F10	60F06	60F10
<b>BLE02.</b>	<b>2</b>						
	<b>J</b>	\$686	698	695	706	704	714
	<b>K</b>	\$411	422	420	430	428	438
	<b>L</b>	\$549	560	558	568	566	577
	<b>3</b>						
	<b>J</b>	\$1022	1033	1040	1050	1056	1067
	<b>K</b>	\$624	634	640	650	658	668
	<b>L</b>	\$763	773	779	791	797	807
	<b>4</b>						
	<b>J</b>	\$1389	1399	1414	1425	1431	1441
	<b>K</b>	\$838	848	863	874	888	899
	<b>L</b>	\$976	986	1002	1012	1026	1038

Step 7. Finish


**91** white  A +\$0

**G1** graphite  A +\$0

Controlled Receptacle Decal

G9999.

(12 per sheet)




Product Information

Description

This decal is to be used for ASHRAE90.1 and Title 24 compliance. The decal is used to mark standard receptacles (new or existing) that are under automated control by the energy management system. 1 sheet includes 12 clear decals with white or black print.

Dimensions



Specification Information

Step 1.		
G9999. <span>A</span>		
Step 2. Color		
B	black print	<span>A</span>
W	white print	<span>A</span>
Prices for Steps 1-2.		
G9999. B		\$8
W		\$8

## Index by Product Name

<b>Metaform Portfolio™</b>	
Backdrop, Curved Block	page(s) 28
Backdrop, Straight Block	27
Centipede Shelves	26
Controlled Receptacle Decal (12 per sheet)	34
Curved Block	7
Desk	21
Logic Mini Furrow	31
Logic Mini Furrow - Vine	32
Markerboard	29
Media Rig Ballast, Curved Block	12
Media Rig Ballast, Straight Block	10
Media Rig, Curved Block	11
Media Rig, Straight Block	9
Ridge Tools	23
Round End Fixed Height Table	13
Round End High Performance Height Adjustable Table	17
Straight Block	5
Tackboard	30
Triangular Fixed Height Table	15
Triangular High Performance Height Adjustable Table	19
Vertipede	25



## Index by Product Number



BLB1.	Straight Block	page(s) 5
BLB2.	Curved Block	7
BLC0.	Centipede Shelves	26
BLD1.	Desk	21
BLE01.	Logic Mini Furrow	31
BLE02.	Logic Mini Furrow - Vine	32
BLF1.	Round End Fixed Height Table	13
BLF2.	Triangular Fixed Height Table	15
BLH1.	Round End High Performance Height Adjustable Table	17
BLH2.	Triangular High Performance Height Adjustable Table	19
BLK0.	Tackboard	30
BLM1.	Media Rig, Straight Block	9
BLM2.	Media Rig, Curved Block	11
BLP1.	Backdrop, Straight Block	27
BLP2.	Backdrop, Curved Block	28
BLR0.	Ridge Tools	23
BLS1.	Media Rig Ballast, Straight Block	10
BLS2.	Media Rig Ballast, Curved Block	12
BLV0.	Vertipede	25
BLW0.	Markerboard	29
G9999.	Controlled Receptacle Decal (12 per sheet)	34



## 20-Day or Less/Assigned Lead-Time Order Information

### 20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

### Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:  
(616) 654 3085.

For more information, contact your Customer Care representative at:  
(866) 854 3048 EXT 3400.

### Shipments and Delivery

Per Herman Miller Terms and Conditions.

### Changes and Cancellation

Per Herman Miller Terms and Conditions.

For more information about our products and services or to see a list of dealers, please visit us at [HermanMiller.com](http://HermanMiller.com) or call (800) 851 1196.

© 2018 Herman Miller, Inc., Zeeland, Michigan

® **HermanMiller**, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Aside, Avall, Avive, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisiyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller for Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, and Y-Tower are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ 8Z Pellicle, About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, Cubert, DOT, Duracare, Durawrap, Eames Soft Pad, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Herman Miller Select, Hopsak 2, Intent, Iota, Jaw, Keyless Entry, Keyn Chair Group by Herman Miller, Latitude, Locale, Logic Mini, Logic Power Access Solutions, Live OS, Loop, Lyris, Lyris 2, Made-to-Measure Storage, Metaform Portfolio, Mora, Motia, Multiscrim, Nelson, Pari, Pixelated Support, Plex, PostureFit SL, Prospect, Q, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Striad, Swoop, Tone, TriFlex, Twist, Ubi, Verus and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.