



Prices effective February 5, 2018

Thrive® Portfolio

10-Day or Less

Introduction	page 2
Thrive® Portfolio 10-Day or Less	3
Technology Support	5
Power and Data Support	15
Personal Lighting	30
Work Tools	31
Indices	39
By Name	39
By Number	41
Appendices	
10-Day or Less Order Information	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective February 5, 2018, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

For additional product information such as dimensional drawings and product descriptions, refer to the standard price books.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

Technology Support

Power and Data Support


Personal Lighting

Work Tools





Flo® Single-Screen Monitor Arm Y91171 Support



Specification Information

Step 1.

Y91171.

Step 2. Attachment Bracket

CM surface clamp


Prices for Steps 1-2.

Y91171. CM \$363

Step 3. Finish

OI silver +\$0

Flo® Dual-Screen Monitor Arm - Y91175 Clamp Mount



Specification Information

Step 1.

Y91175.

Step 2. Attachment Bracket

CM surface clamp mount


Prices for Steps 1-2.

Y91175. CM \$735

Step 3. Finish


OI silver +\$0

Flo® Single Screen Monitor Arm - Y92090
Arm Only




Specification Information		
Step 1.		
Y92090.		\$295
Step 2. Finish		
01	silver	+\$0

Flo® Two-Piece Clamp Mount Y92092




Specification Information		
Step 1.		
Y92092.		\$68
Step 2. Finish		
01	silver	+\$0

Dual Flo® Surface Clamp Mount Y92100



Specification Information		
Step 1.		
Y92100.		\$145
Step 2. Finish		
01	silver	+\$0


Wishbone® Post Top-Mounting Surface Clamp Y92052



Specification Information		
Step 1.		
Y92052.		\$69
Step 2. Finish		
01	silver	+\$0

Enhanced Back-To-Back Post Bracket

Y92009




Specification Information

Step 1.
Y92009. \$104

Step 2. Finish
01 silver +\$0

LOOP™ Adjustable CPU Holder Assembly

Y91104



Specification Information

Step 1.
Y91104.

Step 2. Length
13 13³/₄" long

Prices for Steps 1-2.
Y91104. 13 \$202



Step 3. Finish
0H black +\$0

CPU Holder, Mobile

Y7812.

LOOP™ Adjustable CPU Holder

Y92041



Specification Information

Step 1.

Y7812. \$188

Step 2. Finish

BU	black umber	+\$0
CN	metallic champagne	+\$0
LU	soft white	+\$0
MS	metallic silver	+\$0

Specification Information

Step 1.


Y92041. \$156

Step 2. Finish

OH	black	+\$0
-----------	-------	------

Universal CPU Holder Slide & Rotate Kit

Y92038



Specification Information

Step 1.

Y92038.

Step 2. Length

13 13³/₄" long

Prices for Steps 1-2.


Y92038. 13 \$46

Step 3. Finish

0H black +\$0

LS Series Keyboard Solutions

Y7737.



Specification Information

Step 1.

Y7737.

Step 2. Track Length

- 1** 17"-long track
- 2** 19"-long track
- 3** 21³/₄"-long track

Step 3. Keyboard Platform

- A** 20" HDPE tray with adjustable mouse tray
- B** 20" aluminum tray with adjustable mouse tray
- C** 22" plastic tray with adjustable mouse tray
- D** 22" plastic tray with swivel mouse tray
- G** 20" HDPE tray with swivel mouse tray
- H** comfort surface tray with mouse tray/house
- J** 20" aluminum tray with swivel mouse tray
- K** 27" HDPE tray
- M** mini HDPE tray with swivel mouse
- N** mini HDPE tray with height adjustable mouse
- P** white phenolic tray with swivel mouse tray
- Q** white phenolic tray with adjustable mouse tray

Prices for Steps 1-3.

	A	B	C	D	G	H
Y7737. 1	\$396	447	385	364	375	402
2	\$414	463	402	380	391	419
3	\$429	481	419	396	409	435
	J	K	M	N	P	Q
Y7737. 1	\$429	385	375	396	375	396
2	\$447	402	391	414	391	414
3	\$463	419	409	429	409	429

Step 4. Keyboard Mechanism Color

For 20" HDPE tray with adjustable mouse tray (A), 22" plastic tray with adjustable mouse tray (C), 22" plastic tray with swivel mouse tray (D), 20" HDPE tray with swivel mouse tray (G), comfort surface tray with mouse tray/house (H), 27" HDPE tray (K), mini HDPE tray with swivel mouse (M), or mini HDPE tray with height adjustable mouse (N)

0H black +\$0

For 20" aluminum tray with adjustable mouse tray (B) or 20" aluminum tray with swivel mouse tray (J)

0H black +\$0

0J white +\$0

LS Series Keyboard Solutions


continued

For white phenolic tray with swivel mouse tray (P) or white phenolic tray with adjustable mouse tray (Q)

0J white +\$0

LX Series Keyboard Solutions

Y7724.



Specification Information

Step 1.

Y7724.

Step 2. Type

- E** 22" plastic tray with adjustable mouse tray
- F** 22" plastic tray with swivel mouse tray
- G** 20" HDPE tray with adjustable mouse tray
- H** 20" HDPE tray with swivel mouse tray
- J** 20" aluminum tray with adjustable mouse tray
- K** 20" aluminum tray with swivel mouse tray
- L** 27" HDPE tray
- M** mini HDPE tray with swivel mouse
- N** mini HDPE tray with height adjustable mouse

Step 3. Surface Material

For no selection (*), skip this step.

For 22" plastic tray with adjustable mouse tray (E), 22" plastic tray with swivel mouse tray (F), 20" HDPE tray with adjustable mouse tray (G), 20" HDPE tray with swivel mouse tray (H), 20" aluminum tray with adjustable mouse tray (J), or 20" aluminum tray with swivel mouse tray (K), skip this step.

no selection


Prices for Steps 1-3.

	*
Y7724. E	\$508
F	\$486
G	\$520
H	\$497
J	\$574
K	\$554
L	\$529
M	\$497
N	\$508

Thrive® Portfolio—Technology Support


LT Series Keyboard Solutions

Y7727.



LE Series Keyboard Solutions

Y7710.



Thrive® Portfolio — Technology Support®

Specification Information

Step 1.
Y7727.

Step 2. Track Length

- 1 19"-long track
- 2 21³/₄"-long track

Step 3. Type

- A HDPE tray with adjustable mouse tray
- B aluminum tray with adjustable mouse tray
- G HDPE tray with swivel mouse tray
- H comfort surface tray with mouse tray/house
- J aluminum tray with swivel mouse tray
- K 27" HDPE tray
- M mini HDPE tray with swivel mouse
- N mini HDPE tray with height adjustable mouse

Prices for Steps 1-3.

	A	B	G	H	J	K	M	N
Y7727. 1	\$428	543	417	427	530	449		
2	\$446	561	434	445	547	465		
Y7727. 1					\$417	428		
2					\$434	446		

Specification Information

Step 1.
Y7710.

Step 2. Track Length

- 1 17"-long track
- 2 21³/₄"-long track

Step 3. Type

For 17"-long track (1)

- A HDPE tray with mouse tray

For 21³/₄"-long track (2)


- A HDPE tray with mouse tray
- B comfort surface tray with mouse tray/house

Prices for Steps 1-3.

	A	B
Y7710. 1	\$368	—
2	\$368	394

Squared-Edge Corner Wedge

Y2091.



Specification Information

Step 1.

Y2091.

Step 2. Surface Material

- L** laminate top/thermoplastic edge
- U** laminate top/universal edge

Prices for Steps 1-2.

Y2091. L	\$113
U	\$110

Step 3. Top Finish

76	light brown walnut	+ \$0
8Q	folkstone grey	+ \$0
91	white	+ \$0
98	studio white	+ \$0
CL	cool grey neutral	+ \$0
HF	inner tone light	+ \$0
HM	natural maple	+ \$0
HP	light anigre	+ \$0
HT	inner tone	+ \$0
HX	aged cherry	+ \$0
HY	walnut on cherry	+ \$0
LA	light ash	+ \$0
LBA	clear on ash	+ \$0
LBB	oak on ash	+ \$0
LBC	walnut on ash	+ \$0
LBD	dark brown walnut	+ \$0
LBE	medium red walnut	+ \$0
LBF	neutral twill	+ \$0
LBG	sarum twill	+ \$0
LBH	earthen twill	+ \$0
LBJ	graphite twill	+ \$0
LBK	pewter mesh	+ \$0
LBL	steel mesh	+ \$0
LBM	crisp linen	+ \$0
LBN	classic linen	+ \$0
LBP	casual linen	+ \$0
LBQ	white twill	+ \$0
LM	mahogany	+ \$0
LT	light tone	+ \$0
LU	soft white	+ \$0
MT	medium tone	+ \$0
WL	sandstone	+ \$0
WN	warm grey neutral	+ \$0


Step 4. Edge Finish

For laminate top/thermoplastic edge (L)

76	light brown walnut	+ \$0
8Q	folkstone grey	+ \$0
8Z	neutral grey	+ \$0
91	white	+ \$0
98	studio white	+ \$0
BU	black umber	+ \$0
CL	cool grey neutral	+ \$0
HF	inner tone light	+ \$0
HM	natural maple	+ \$0
HP	light anigre	+ \$0
HT	inner tone	+ \$0
HX	aged cherry	+ \$0
HY	walnut on cherry	+ \$0
JB	millwork cherry	+ \$0
LA	light ash	+ \$0
LBA	clear on ash	+ \$0
LBB	oak on ash	+ \$0
LBC	walnut on ash	+ \$0
LBD	dark brown walnut	+ \$0
LBE	medium red walnut	+ \$0
LBF	neutral twill	+ \$0
LBG	sarum twill	+ \$0
LBH	earthen twill	+ \$0
LBJ	graphite twill	+ \$0
LBK	pewter mesh	+ \$0
LBL	steel mesh	+ \$0
LBM	crisp linen	+ \$0
LBN	classic linen	+ \$0
LBP	casual linen	+ \$0
LBQ	white twill	+ \$0
LU	soft white	+ \$0
MT	medium tone	+ \$0
WL	sandstone	+ \$0
WN	warm grey neutral	+ \$0

Add-On Tray

Y7728.



Specification Information

Step 1.

Y7728.

Step 2. Usage


- A** for HDPE keyboard tray
- B** for comfort surface keyboard tray
- C** for aluminum keyboard tray

Prices for Steps 1-2.

Y7728. A	\$68
B	\$68
C	\$68

Adjustable Mouse Tray

Y7729.



Specification Information

Step 1.

Y7729.

Step 2. Type


- A** for HDPE keyboard tray
- C** for aluminum keyboard tray

Prices for Steps 1-2.

Y7729. A	\$107
C	\$107

Connect™-S100

Y1321.



Specification Information

Step 1.

Y1321.

Step 2. Power Type

- A** power cord with plug end
- B** conduit with open end, for hard-wiring

Step 3. Cord/Conduit Length

- 03** 3' cord/conduit
- 06** 6' cord/conduit
- 10** 10' cord/conduit
- 20** 20' cord/conduit

Prices for Steps 1-3.

	03	06	10	20
Y1321. A	\$205	205	214	263
B	\$259	259	268	317

Step 4. Wiring Type


- 4Z** standard +\$0

Step 5. Finish

- 0H** black +\$0

Connect™-S200

Y1322.



Specification Information

Step 1.

Y1322.

Step 2. Configuration

- 1** 1 simplex receptacle, 1 data opening
- 2** 2 simplex receptacles

Step 3. Power Type

- A** power cord with plug end
- B** conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

- 03** 3' cord/conduit
- 06** 6' cord/conduit
- 10** 10' cord/conduit
- 20** 20' cord/conduit

Prices for Steps 1-4.


	03	06	10	20
Y1322. 1 A	\$244	244	253	302
B	\$297	297	306	353
2 A	\$259	259	268	317
B	\$311	311	322	371

Step 5. Wiring Type

- 4Z** standard +\$0

Step 6. Finish

- 0H** black +\$0
- 0I** silver +\$0
- 0J** white +\$0



Thrive® Portfolio — Power and Data Support

Specification Information

Step 1.
Y1323.

Step 2. Configuration

- 3** 2 simplex receptacles, 2 data openings
- 4** 3 simplex receptacles, 3 data openings
- 5** 2 simplex receptacles, 1 data opening, 1 charging USB port
- 6** 3 simplex receptacles, 2 data opening, 1 charging USB port

Step 3. Power Type

- A** power cord with plug end
- B** conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

- 03** 3' cord/conduit
- 06** 6' cord/conduit
- 10** 10' cord/conduit
- 20** 20' cord/conduit

Step 5. Attachment

- G** grommet mount
- S** surface clamp

Prices for Steps 1-5.

		03G	03S	06G	06S	10G	10S		
Y1323. 3	A	\$279	279	279	279	288	288		
	B	\$332	332	332	332	341	341		
4	A	\$347	347	347	347	356	356		
	B	\$402	402	402	402	412	412		
5	A	\$390	390	390	390	400	400		
	B	\$444	444	444	444	453	453		
6	A	\$459	459	459	459	469	469		
	B	\$513	513	513	513	523	523		
								20G	20S
Y1323. 3	A					\$337	337		
	B					\$388	388		
4	A					\$407	407		
	B					\$459	459		
5	A					\$449	449		
	B					\$521	521		
6	A					\$517	517		
	B					\$592	592		

Step 6. Finish



- OH** black +\$0
- OI** silver +\$0
- OJ** white +\$0

Connect™-S400

Y1324.

Connect™-S500

Y1325.



Specification Information

Step 1.

Y1324.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
5	3 simplex receptacles, 4 data openings
6	2 simplex receptacles, 1 data opening, 1 charging USB port
7	3 simplex receptacles, 3 data opening, 1 charging USB port
8	3 simplex receptacles, 2 data opening, 2 charging USB ports

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit

Prices for Steps 1-4.

		03	06	10	20
Y1324. 3	A	\$388	388	398	447
	B	\$442	442	453	501
	5 A	\$500	500	510	557
	B	\$553	553	559	607
	6 A	\$501	501	510	557
	B	\$554	554	564	613
	7 A	\$611	611	621	670
	B	\$665	665	672	719
	8 A	\$723	723	732	782
	B	\$777	777	784	831

Step 5. Wiring Type

4Z	standard	+ \$0
-----------	----------	-------

Step 6. Finish

OK	silver anodized	+ \$0
-----------	-----------------	-------

Specification Information

Step 1.

Y1325.

Step 2. Configuration

3	2 simplex receptacles, 2 data openings
7	3 simplex receptacles, 3 data openings
5	2 simplex receptacles, 1 data opening, 1 charging USB port
6	3 simplex receptacles, 2 data opening, 1 charging USB port

Step 3. Power Type

A	power cord with plug end
B	conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03	3' cord/conduit
06	6' cord/conduit
10	10' cord/conduit
20	20' cord/conduit


Prices for Steps 1-4.

		03	06	10	20
Y1325. 3	A	\$458	458	468	516
	B	\$512	512	521	569
	7 A	\$526	526	538	586
	B	\$580	580	591	639
	5 A	\$571	571	580	628
	B	\$624	624	633	681
	6 A	\$639	639	649	698
	B	\$691	691	705	751

Step 5. Finish

OK	silver anodized	+ \$0
-----------	-----------------	-------

Connect™-Power Entry with Plug Y1342.
End, 20 Amp



Specification Information

Step 1.
Y1342.

Step 2. Length

- 06** 6' long
- 10** 10' long


Step 3. Plug Type

- A** straight plug
- B** 90° plug

Prices for Steps 1-3.

	A	B
Y1342. 06	\$209	209
10	\$243	243

Connect™-Power Entry, 2-Circuit Y1341.



Specification Information

Step 1.
Y1341.

Step 2. Length

- 06** 6' long
- 12** 12' long
- 18** 18' long
- 24** 24' long


Step 3. Conduit Type

- L** liquid tight conduit
- C** 3/8" flex metallic conduit

Prices for Steps 1-3.

	L	C
Y1341. 06	\$139	139
12	\$184	184
18	\$229	229
24	\$284	284

Connect™ - Modular Power Entry, 2 Circuit, Architectural Wall Receptacle Box Y1349.




Specification Information

Step 1.

Y1349.

\$104

Connect™-Duplex Receptacle, 2-Circuit, 15 Amp Y1345.



Specification Information

Step 1.

Y1345.

Step 2. Circuit

- 1 circuit I
- 2 circuit II


Step 3. Attachment Hardware

- A flat attachment to underside of surface
- B short 90° attachment to underside of surface
- C long 90° attachment to underside of surface

Prices for Steps 1-3.

	A	B	C
Y1345. 1	\$70	76	76
2	\$70	76	76

Connect™-Dual Receptacle Power Kit, 2-Circuit Y1340.



Thrive® Portfolio — Power and Data Support

Specification Information

Step 1.

Y1340.

Step 2. Width

36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide
78	78" wide
84	84" wide
90	90" wide
96	96" wide

Step 3. Conduit Type

L	liquid tight conduit
C	3/8" flex metallic conduit

Step 4. Circuit

1	circuit I
2	circuit II

Step 5. Attachment Hardware

A	flat attachment to underside of surface
B	short 90° attachment to underside of surface
C	long 90° attachment to underside of surface


Prices for Steps 1-5.

	1A	1B	1C	2A	2B	2C
Y1340. 36 L	\$152	158	158	152	158	158
C	\$152	158	158	152	158	158
42 L	\$169	174	174	169	174	174
C	\$169	174	174	169	174	174
48 L	\$173	178	178	173	178	178
C	\$173	178	178	173	178	178
54 L	\$178	185	185	178	185	185
C	\$178	185	185	178	185	185
60 L	\$184	191	191	184	191	191
C	\$184	191	191	184	191	191
66 L	\$188	195	195	188	195	195
C	\$188	195	195	188	195	195
72 L	\$194	199	199	194	199	199
C	\$194	199	199	194	199	199

78 L	\$198	203	203	198	203	203
C	\$198	203	203	198	203	203
84 L	\$202	207	207	202	207	207
C	\$202	207	207	202	207	207
90 L	\$207	212	212	207	212	212
C	\$207	212	212	207	212	212
96 L	\$211	216	216	211	216	216
C	\$211	216	216	211	216	216

Connect™-Jumper, 2-Circuit

Y1343.



Specification Information

Step 1.

Y1343.

Step 2. Width

06	6" wide
09	9" wide
12	12" wide
18	18" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide
78	78" wide
84	84" wide
90	90" wide
96	96" wide
108	108" wide
120	120" wide
132	132" wide
144	144" wide

Step 3. Conduit Type


L	liquid tight conduit
C	3/8" flex metallic conduit

Prices for Steps 1-3.

	L	C
Y1343. 06	\$55	55
09	\$57	57
12	\$59	59
18	\$64	64
24	\$68	68
30	\$72	72
36	\$77	77
42	\$81	81
48	\$85	85
54	\$90	90
60	\$95	95
66	\$99	99
72	\$103	103
78	\$108	108
84	\$113	113
90	\$117	117
96	\$124	124
108	\$132	132
120	\$141	141
132	\$151	151
144	\$160	160

Thrive® Portfolio — Power and Data Support

Connect™-Receptacle Brackets, 2-Circuit Y1347.



Specification Information

Step 1.
Y1347.


Step 2. Attachment Hardware

- A** flat attachment to underside of surface
- B** short 90° attachment to underside of surface
- C** long 90° attachment to underside of surface

Prices for Steps 1-2.

Y1347. A	\$58
B	\$92
C	\$92

Connect™-Block Connector, 2-Circuit Y1344.



Specification Information

Step 1.
Y1344.


Step 2. Connector Type

- H** H-block connector
- R** receptacle-to-receptacle block connector

Prices for Steps 1-2.

Y1344. H	\$35
R	\$25

Connect™-Power Entry, 4-Circuit Y1351.



Specification Information

Step 1.

Y1351.

Step 2. Length

- 06** 6' long
- 12** 12' long
- 18** 18' long
- 24** 24' long


Step 3. Conduit Type

- L** liquid tight conduit
- C** 3/8" flex metallic conduit

Prices for Steps 1-3.

	L	C
Y1351. 06	\$152	152
12	\$217	217
18	\$285	285
24	\$365	365

Connect™-Modular Power Entry, 4-Circuit, Architectural Wall Junction Box Y1359.



Specification Information


Step 1.

Y1359.

\$116

Connect™-Dual Junction Block
Power Kit, 4-Circuit

Y1350.



Thrive® Portfolio — Power and Data Support

Specification Information

Step 1.

Y1350.

Step 2. Width

42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide
78	78" wide
84	84" wide
90	90" wide
96	96" wide

Step 3. Junction Block Type

- S** single-sided junction block
- D** double-sided junction block

Step 4. Attachment Hardware

For single-sided junction block (S)

- A** flat attachment to underside of surface
- B** short 90° attachment to underside of surface
- C** long 90° attachment to underside of surface

For double-sided junction block (D)

- B** short 90° attachment to underside of surface
- C** long 90° attachment to underside of surface


Prices for Steps 1-4.

	A	B	C
Y1350. 42 S	\$195	200	200
D	—	\$144	144
48 S	\$200	205	205
D	—	\$151	151
54 S	\$205	210	210
D	—	\$157	157
60 S	\$210	215	215
D	—	\$162	162
66 S	\$215	221	221
D	—	\$167	167
72 S	\$221	228	228
D	—	\$172	172
78 S	\$228	235	235
D	—	\$177	177

84 S	\$234	245	245
D	—	\$184	184
90 S	\$239	244	244
D	—	\$191	191
96 S	\$244	249	249
D	—	\$196	196

Connect™-Junction Block to
Junction Block Jumper, 4-Circuit

Y1353.



Specification Information

Step 1.

Y1353.

Step 2. Width

12	12" wide
18	18" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	60" wide
66	66" wide
72	72" wide
78	78" wide
84	84" wide
90	90" wide
108	108" wide
120	120" wide
132	132" wide
144	144" wide

Step 3. Type

A	adjustable jumper
N	nonadjustable jumper


Prices for Steps 1-3.

	A	N
Y1353. 12	\$77	77
18	\$82	82
24	\$88	88
30	\$94	94
36	\$99	99
42	\$104	104
48	\$111	111
54	\$116	116
60	\$122	122
66	\$127	127
72	\$132	132
78	\$138	138
84	\$143	143
90	\$150	150
108	\$166	166
120	\$176	176
132	\$188	188
144	\$200	200

Thrive® Portfolio — Power and Data Support

Connect™-Junction Block, 4-Circuit

Y1358.



Specification Information

Step 1.

Y1358.

Step 2. Junction Block Type

- SH** single junction block
- SB** single back-to-back junction block
- DH** double junction block
- DB** double back-to-back junction block

Step 3. Attachment Hardware

For single junction block (SH) or double junction block (DH)

- A** flat attachment to underside of surface
- B** short 90° attachment to underside of surface
- C** long 90° attachment to underside of surface

For single back-to-back junction block (SB) or double back-to-back junction block (DB)


- B** short 90° attachment to underside of surface
- C** long 90° attachment to underside of surface

Prices for Steps 1-3.

	A	B	C
Y1358. SH	\$87	93	93
SB	—	\$93	93
DH	\$70	76	76
DB	—	\$76	76

Connect™-Duplex Receptacle, 4-Circuit

Y1355.



Specification Information

Step 1.

Y1355.

Step 2. Amps

- 15** 15 amp
- 20** 20 amp

Step 3. Circuit


- 1** circuit I
- 2** circuit II
- 3** circuit III
- 4** circuit IV

Prices for Steps 1-3.

	1	2	3	4
Y1355. 15	\$24	24	24	24
20	\$28	28	28	28

Connect™-Junction Block
Brackets, 4-Circuit

Y1357.



Specification Information

Step 1.

Y1357.

Step 2. Attachment Hardware


- A** flat attachment to underside of surface
- B** short 90° attachment to underside of surface
- C** long 90° attachment to underside of surface

Prices for Steps 1-2.

Y1357. A	\$58
B	\$92
C	\$92

Connect™-Block Connector,
4-Circuit

Y1354.



Specification Information

Step 1.

Y1354.


Step 2. Connector Type

- H** H-block connector
- R** receptacle-to-receptacle block connector

Prices for Steps 1-2.

Y1354. H	\$42
R	\$54

Connect™-Transition Jumper, 2- to 4-Circuit Y1356.



Specification Information

Step 1.
Y1356.

Step 2. Width

- 06 6" wide
- 24 24" wide
- 36 36" wide
- 48 48" wide
- 72 72" wide
- 96 96" wide


Step 3. Conduit Type

- L liquid tight conduit

Prices for Steps 1-3.

	L
Y1356. 06	\$71
24	\$88
36	\$99
48	\$111
72	\$132
96	\$156

Connect™-Ganging Bracket Kit Y1338.




Specification Information

Step 1.
Y1338. \$77

Connect™-Conduit Clamp

Y1339.



Specification Information


Step 1.

Y1339.

\$10

Flute™ Personal Light

Y6470.



Specification Information

Step 1.

Y6470.

Step 2. Attachment Bracket

CM surface clamp

FR freestanding

Prices for Steps 1-2.

Y6470. CM	\$329
FR	\$329

Step 3. Finish

91 white +\$0


G2 graphite satin +\$0

MS metallic silver +\$0

Thrive® Portfolio — Personal Lighting

Work Surface-Attached Tool Rail

Y7000.



Specification Information

Step 1.

Y7000.

Step 2. Width

14 14" wide

29 29" wide

Prices for Steps 1-2.


Y7000. 14	\$216
29	\$332

Step 3. Surface Finish

8Q	folkstone grey	+ \$0
BU	black umber	+ \$0
CN	metallic champagne	+ \$0
G2	graphite satin	+ \$0
HF	inner tone light	+ \$0
LU	soft white	+ \$0
MS	metallic silver	+ \$0
MT	medium tone	+ \$0
SG	slate grey	+ \$0
WL	sandstone	+ \$0

Paper Tray

Y7216.



Specification Information

Step 1.

Y7216.

Step 2. Width

10 10" wide

16 16" wide

Prices for Steps 1-2.


Y7216. 10	\$34
16	\$43

Step 3. Surface Finish

91	white	+ \$0
BU	black umber	+ \$0
CL	cool grey neutral	+ \$0
G1	graphite	+ \$0
HF	inner tone light	+ \$0
LT	light tone	+ \$0
LU	soft white	+ \$0
MT	medium tone	+ \$0
WN	warm grey neutral	+ \$0
XF	frosted	+ \$5

Vertical Tray

Y7217.



Specification Information

Step 1.

Y7217.4


\$38

Step 2. Surface Finish

91	white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WN	warm grey neutral	+\$0
XF	frosted	+\$5

Diagonal Tray

Y7218.



Specification Information

Step 1.

Y7218.


\$55

Step 2. Surface Finish

91	white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WN	warm grey neutral	+\$0
XF	frosted	+\$5

Pencil Holder

Y7233.



Specification Information


Step 1.

Y7233.

\$27

Organizer Tray

Y7210.



Specification Information

Step 1.

Y7210.


\$34

Step 2. Surface Finish

BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
XF	frosted	+\$5

Storage Tray

Y7212.



Specification Information


Step 1.

Y7212.

\$43

Mini-Shelf

Y7310.



Specification Information

Step 1.

Y7310.

Step 2. Width

- 15** 15" wide
- 24** 24" wide
- 30** 30" wide

Prices for Steps 1-2.


Y7310. 15	\$56
24	\$58
30	\$68

Step 3. Surface Finish

BU	black umber	+\$0
CN	metallic champagne	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MS	metallic silver	+\$0
MT	medium tone	+\$0

Rail Divider

Y7320.



Specification Information

Step 1.

Y7320.

Step 2. Depth

05 5" deep

10 10" deep

Prices for Steps 1-2.


Y7320. 05	\$20
10	\$22

Step 3. Surface Finish

8Q	folkstone grey	+ \$0
BU	black umber	+ \$0
CN	metallic champagne	+ \$0
HF	inner tone light	+ \$0
LU	soft white	+ \$0
MS	metallic silver	+ \$0
MT	medium tone	+ \$0
SG	slate grey	+ \$0

Display Tray

Y7315.



Specification Information

Step 1.

Y7315.



\$43

Bundle Clip

Y7420.

Document Gripper

Y7421.



Specification Information

Step 1.

Y7420.

\$20

Specification Information


Step 1.

Y7421.

\$20

Pencil Drawer

Y5010.



Specification Information

Step 1.


Y5010. \$49

Step 2. Surface Finish

8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Marker/Eraser Holder

Y7231.



Specification Information

Step 1.

Y7231. \$131

Step 2. Finish

91	white	+\$0
BK	black	+\$0
MS	metallic silver	+\$0

Index by Product Name

Thrive® Portfolio 10-Day or Less	
Add-On Tray	page(s) 14
Adjustable Mouse Tray	14
Bundle Clip	36
Connect™ - Modular Power Entry, 2 Circuit, Architectural Wall Receptacle Box	19
Connect™-Block Connector, 2-Circuit	22
Connect™-Block Connector, 4-Circuit	27
Connect™-Conduit Clamp	29
Connect™-Dual Junction Block Power Kit, 4-Circuit	24
Connect™-Dual Receptacle Power Kit, 2-Circuit	20
Connect™-Duplex Receptacle, 2-Circuit, 15 Amp	19
Connect™-Duplex Receptacle, 4-Circuit	26
Connect™-Ganging Bracket Kit	28
Connect™-Jumper, 2-Circuit	21
Connect™-Junction Block Brackets, 4-Circuit	27
Connect™-Junction Block to Junction Block Jumper, 4-Circuit	25
Connect™-Junction Block, 4-Circuit	26
Connect™-Modular Power Entry, 4 Circuit, Architectural Wall Junction Box	23
Connect™-Power Entry with Plug End, 20 Amp	18
Connect™-Power Entry, 2-Circuit	18
Connect™-Power Entry, 4-Circuit	23
Connect™-Receptacle Brackets, 2-Circuit	22
Connect™-S100	15
Connect™-S200	15
Connect™-S300	16
Connect™-S400	17
Connect™-S500	17
Connect™-Transition Jumper, 2- to 4-Circuit	28
CPU Holder, Mobile	9
Diagonal Tray	32
Display Tray	35
Document Gripper	36
Dual Flo® Surface Clamp Mount	7
Enhanced Back-To-Back Post Bracket	8
Flo® Dual-Screen Monitor Arm - Clamp Mount	5
Flo® Single-Screen Monitor Arm Support	5
Flo® Single Screen Monitor Arm - Arm Only	6
Flo® Two-Piece Clamp Mount	6
Flute™ Personal Light	30
LE Series Keyboard Solutions	12
LOOP™ Adjustable CPU Holder	9
LOOP™ Adjustable CPU Holder Assembly	8
LS Series Keyboard Solutions	10
LT Series Keyboard Solutions	12

LX Series Keyboard Solutions	11
Marker/Eraser Holder	37
Mini-Shelf	34
Organizer Tray	33
Paper Tray	31
Pencil Drawer	37
Pencil Holder	33
Rail Divider	35
Squared-Edge Corner Wedge	13
Storage Tray	34
Universal CPU Holder Slide & Rotate Kit	10
Vertical Tray	32
Wishbone® Post Top-Mounting Surface Clamp	7
Work Surface-Attached Tool Rail	31



Index by Product Number

Y1321. Connect™-S100	page(s) 15	Y7729. Adjustable Mouse Tray	14
Y1322. Connect™-S200	15	Y7737. LS Series Keyboard Solutions	10
Y1323. Connect™-S300	16	Y7812. CPU Holder, Mobile	9
Y1324. Connect™-S400	17	Y91104 LOOP™ Adjustable CPU Holder Assembly	8
Y1325. Connect™-S500	17	Y91171 Flo® Single-Screen Monitor Arm Support	5
Y1338. Connect™-Ganging Bracket Kit	28	Y91175 Flo® Dual-Screen Monitor Arm - Clamp Mount	5
Y1339. Connect™-Conduit Clamp	29	Y92009 Enhanced Back-To-Back Post Bracket	8
Y1340. Connect™-Dual Receptacle Power Kit, 2-Circuit	20	Y92038 Universal CPU Holder Slide & Rotate Kit	10
Y1341. Connect™-Power Entry, 2-Circuit	18	Y92041 LOOP™ Adjustable CPU Holder	9
Y1342. Connect™-Power Entry with Plug End, 20 Amp	18	Y92052 Wishbone® Post Top-Mounting Surface Clamp	7
Y1343. Connect™-Jumper, 2-Circuit	21	Y92090 Flo® Single Screen Monitor Arm - Arm Only	6
Y1344. Connect™-Block Connector, 2-Circuit	22	Y92092 Flo® Two-Piece Clamp Mount	6
Y1345. Connect™-Duplex Receptacle, 2-Circuit, 15 Amp	19	Y92100 Dual Flo® Surface Clamp Mount	7
Y1347. Connect™-Receptacle Brackets, 2-Circuit	22		
Y1349. Connect™ - Modular Power Entry, 2 Circuit, Architectural Wall Receptacle Box	19		
Y1350. Connect™-Dual Junction Block Power Kit, 4-Circuit	24		
Y1351. Connect™-Power Entry, 4-Circuit	23		
Y1353. Connect™-Junction Block to Junction Block Jumper, 4-Circuit	25		
Y1354. Connect™-Block Connector, 4-Circuit	27		
Y1355. Connect™-Duplex Receptacle, 4-Circuit	26		
Y1356. Connect™-Transition Jumper, 2- to 4-Circuit	28		
Y1357. Connect™-Junction Block Brackets, 4-Circuit	27		
Y1358. Connect™-Junction Block, 4-Circuit	26		
Y1359. Connect™-Modular Power Entry, 4 Circuit, Architectural Wall Junction Box	23		
Y2091. Squared-Edge Corner Wedge	13		
Y5010. Pencil Drawer	37		
Y6470. Flute™ Personal Light	30		
Y7000. Work Surface-Attached Tool Rail	31		
Y7210. Organizer Tray	33		
Y7212. Storage Tray	34		
Y7216. Paper Tray	31		
Y7217. Vertical Tray	32		
Y7218. Diagonal Tray	32		
Y7231. Marker/Eraser Holder	37		
Y7233. Pencil Holder	33		
Y7310. Mini-Shelf	34		
Y7315. Display Tray	35		
Y7320. Rail Divider	35		
Y7420. Bundle Clip	36		
Y7421. Document Gripper	36		
Y7710. LE Series Keyboard Solutions	12		
Y7724. LX Series Keyboard Solutions	11		
Y7727. LT Series Keyboard Solutions	12		
Y7728. Add-On Tray	14		



10-Day or Less Order Information

10-Day or Less Program

10-day or less products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple West Michigan manufacturing facilities. These include Holland, Spring Lake, and Zeeland. Orders will be shipped within 10 business days or less from the date of Herman Miller acknowledgement.

Ordering Procedures

1. Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.
Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.
Order Entry fax number for all other products: (616) 654 3085.
2. Orders must be clearly marked “10-day or less program” and include only 10-day or less products. Orders not marked this way will be processed under standard lead times. Orders for standard lead times must be placed on a separate purchase order.
3. Only fabrics and finishes listed with each product are available through the 10-day or less program.
4. For any 10-day or less project over \$250,000 list price, please contact your Customer Care representative within 48 hours of order entry to reserve lead time.
5. For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2018 Herman Miller, Inc., Zeeland, Michigan

® **HermanMiller**, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Aside, Avall, Avive, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller for Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, and Y-Tower are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ 8Z Pellicle, About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, Cubert, DOT, Duracare, Durawrap, Eames Soft Pad, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Herman Miller Select, Hopsak 2, Intent, Iota, Jaw, Keyless Entry, Keyn Chair Group by Herman Miller, Latitude, Locale, Logic Mini, Logic Power Access Solutions, Live OS, Loop, Lyris, Lyris 2, Made-to-Measure Storage, Metaform Portfolio, Mora, Motia, Multiscrim, Nelson, Pari, Pixelated Support, Plex, PostureFit SL, Prospect, Q, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Striad, Swoop, Tone, TriFlex, Twist, Ubi, Verus and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsur® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.